AP PHYSICS 1: CIRCULAR MOTION

Directions: Each of the questions or incomplete statements below is followed by five suggested answers or completions. Select the one that is best in each case and place the letter of your choice in the corresponding box on the student answer sheet.

Note: To simplify calculations, you may use $g = 10 \,\text{m/s}^2$ in all problems.

- 1. Two satellites of equal mass orbit a planet. Satellite B orbits at twice the orbital radius of Satellite A. Which of the following statements is true?
 - (A) The gravitational force on Satellite A is four times less than that on Satellite B.
 - (B) The gravitational force on Satellite A is two times less than that on Satellite B.
 - (C) The gravitational force on the satellites is equal.
 - (D) The gravitational force on Satellite A is two times greater than that on Satellite B.
 - (E) The gravitational force on Satellite A is four times greater than that on Satellite B.
- 2. A 70-kg astronaut floats at a distance of 10 m from a 50000-kg spacecraft. What is the force of attraction between the astronaut and spacecraft?
 - (A) $2.4 \times 10^{-6} \,\mathrm{N}$
 - (B) $2.4 \times 10^{-5} \text{ N}$
 - (C) Zero; there is no gravity in space.
 - (D) $2.4 \times 10^5 \,\text{N}$
 - (E) $2.4 \times 10^6 \,\text{N}$
- 3. The centripetal acceleration on $1000 \, \text{kg}$ car in a turn is $1 \times 10^5 \, \text{m/s}^2$. The radius of the turn is $10 \, \text{m}$. What is the car's speed?
 - (A) $1 \times 10^1 \text{ m/s}$
 - (B) $1 \times 10^2 \,\text{m/s}$
 - (C) $1 \times 10^3 \text{ m/s}$
 - (D) $1 \times 10^4 \text{ m/s}$
 - (E) $1 \times 10^5 \text{ m/s}$


- 4. A proposed "space elevator" can lift a $1000 \, \text{kg}$ payload to an orbit of $150 \, \text{km}$ above the Earth's surface. The radius of the Earth is $6.4 \times 10^6 \, \text{m}$, and the Earth's mass is $6.0 \times 10^{24} \, \text{kg}$. What is the gravitational potential energy of the payload when it reaches orbit?
 - (A) $1.0 \times 10^3 \,\text{J}$
 - (B) $2.7 \times 10^6 \,\text{J}$
 - (C) $6.1 \times 10^{10} \,\mathrm{J}$
 - (D) $2.7 \times 10^{12} \,\mathrm{J}$
 - (E) $1.0 \times 10^{15} \,\mathrm{J}$
- 5. The Earth is at an average distance of 1 AU from the Sun and has an orbital period of 1 year. Jupiter orbits the Sun at approximately 5 AU. About how long is the orbital period of Jupiter?
 - (A) 1 year
 - (B) 2 years
 - (C) 5 years
 - (D) 11 years
 - (E) 125 years
- 6. A satellite orbits the Earth at a distance of 200 km. If the mass of the Earth is 6.0×10^{24} kg and the Earth's radius is 6.4×10^6 m, what is the satellite's speed?
 - (A) 1.0×10^3 m/s
 - (B) $3.5 \times 10^3 \,\text{m/s}$
 - (C) $7.8 \times 10^3 \text{ m/s}$
 - (D) $5 \times 10^6 \,\text{m/s}$
 - (E) $6.1 \times 10^7 \,\text{m/s}$

- 7. Mars orbits the Sun at a distance of 2.3×10^{11} m. The mass of the Sun is 2.0×10^{30} kg, and the mass of Mars is 6.4×10^{23} kg. Approximately what is the gravitational force that the Sun exerts on Mars?
 - (A) $1.6 \times 10^{20} \,\mathrm{N}$
 - (B) $1.6 \times 10^{21} \,\text{N}$
 - (C) $3.7 \times 10^{21} \,\mathrm{N}$
 - (D) $3.7 \times 10^{32} \,\mathrm{N}$
 - (E) $3.7 \times 10^{42} \,\mathrm{N}$
- 8. When climbing from sea level to the top of Mount Everest, a hiker changes elevation by 8848 m. By what percentage will the gravitational field of the Earth change during the climb? (The Earth's mass is 6.0×10^{24} kg, and its radius is 6.4×10^6 m.)
 - (A) It will increase by approximately 0.3 %.
 - (B) It will decrease by approximately 0.3 %.
 - (C) It will increase by approximately 12 %.
 - (D) It will decrease by approximately 12 %.
 - (E) The gravitational field strength will not change.
- 9. Four planets, A through D, orbit the same star. The relative masses and distances from the star for each planet are shown in the table. For example, Planet A has twice the mass of Planet B, and Planet D has three times the orbital radius of Planet A. Which planet has the highest gravitational attraction to the star?

Planet	Relative mass	Relative distance
A	2m	r
В	m	0.1 <i>r</i>
С	0.5 <i>m</i>	2r
D	4 <i>m</i>	3 <i>r</i>

- (A) Planet A
- (B) Planet B
- (C) Planet C
- (D) Planet D
- (E) All have the same gravitational attraction to the star.


- 10. A satellite orbits the Earth at a distance that is four times the radius of the Earth. If the acceleration due to gravity near the surface of the Earth is *g*, the acceleration of the satellite is most nearly
 - (A) zero
 - (B) g/2
 - (C) g/4
 - (D) g/8
 - (E) g/16
- 11. The mass of a planet is 1/4 that of Earth and its radius is half of Earth's radius. The acceleration due to gravity on this planet is most nearly
 - (A) 2 m/s^2
 - (B) 4 m/s^2
 - (C) 5 m/s^2
 - (D) $10 \,\text{m/s}^2$
 - (E) $20 \,\text{m/s}^2$
- 12. A satellite orbits the Earth in an elliptical orbit, with point A being close to the Earth and point B farther away. As the satellite moves from point A to point B, which of the following is true of the angular momentum and kinetic energy of the satellite?



Angu	100	mamantum	k
Angii	ıar	momentum	ĸ

- (a) Increases
- (b) Remains constant
- (c) Decreases
- (d) Remains constant
- (e) Remains constant
- Kinetic energy
- Remains constant
- Increases
- Remains constant
- Decreases
- Remains constant


- 13. Two planets of mass *M* and 9*M* are in the same solar system. The radius of the planet of mass *M* is *R*. In order for the acceleration due to gravity to be the same for each planet, the radius of the planet of mass 9*M* would have to be
 - (A) R/2
 - (B) *R*
 - (C) 2R
 - (D) 3R
 - (E) 9R
- 14. Two planets, X and Y, orbit a star. Planet X orbits at a radius R, and Planet Y orbits at a radius 3R. Which of the following best represents the relationship between the acceleration a_X of Planet X and the acceleration a_Y of Planet Y?



- (A) $a_X = 9a_Y$
- (B) $9a_X = a_Y$
- (C) $a_X = 3a_Y$
- (D) $3a_X = a_Y$
- (E) $a_X = a_Y$
- 15. A satellite is in a stable circular orbit around the Earth at a radius R and speed v. At what radius would the satellite travel in a stable orbit with a speed 2v?
 - (A) 14 R
 - (B) 12 R
 - (C) R
 - (D) 2R
 - (E) 4R

- 16. The Earth and the moon apply a gravitational force to each other. Which of the following statements is true?
 - (A) The Earth applies a greater force on the moon than the moon exerts on the Earth.
 - (B) The Earth applies a smaller force on the moon than the moon exerts on the Earth.
 - (C) The Earth applies a force on the moon, but the moon does not exert a force on the Earth.
 - (D) The Earth does not apply a force on the moon, but the moon exerts a force on the Earth.
 - (E) The force the Earth applies to the moon is equal and opposite to the force the moon applies to the Earth.
- 17. Two masses exert a gravitational force *F* on each other. If one of the masses is doubled, and the distance between the masses is tripled, the new force between them is
 - (A) 6F
 - (B) 2F/3
 - (C) 2F/9
 - (D) 3F/2
 - (E) 4F/9
- 18. A planet orbits at a radius *R* around a star of mass *M*. The period of orbit of the planet is
 - (A) $\sqrt{\frac{4\pi^2R^2}{GM}}$
 - (B) $\frac{4\pi K}{GM}$
 - (C) $\sqrt{\frac{4\pi^2R^3}{GM}}$
 - (D) $\sqrt{\frac{4\pi^2R}{GM}}$
 - (E) $\frac{GM}{4\pi^2R}$

- 19. A moon orbits a large planet in an elliptical orbit, with its closest approach at a distance *a*, and its farthest distance *b*. The speed of the moon at point b is *v*. The speed at point *a* is
 - (A) $\frac{av}{b}$
 - (B) $\frac{bv}{bv}$
 - (C) $\frac{(a+b)v}{b}$
 - (D) $\frac{(b-a)v}{b}$
 - (E) $\frac{2bv}{a}$
- 20. A satellite orbits the Earth in an elliptical orbit. Which of the following statements is true?
 - (A) The angular velocity of the satellite increases as it travels farther from the Earth.
 - (B) The acceleration of the satellite increases as it travels closer to the Earth.
 - (C) The angular momentum of the satellite increases as it travels closer to the Earth.
 - (D) The potential energy of the satellite is equal to its kinetic energy at all points in the orbit.
 - (E) The speed of the satellite must remain constant for it to remain in orbit around the Earth.
- 21. Two moons of mass *m* and 2*m* orbit a planet of mass *M* at the same radius *R* and speed *v* toward each other, as shown. The moons collide and stick together without destroying either moon. The total momentum of the moons after the collision is




- (A) mv
- (B) 2mv
- (C) 3*mv*
- (D) 6mv
- (E) zero

- 22. The velocity of the two masses after the collision above is
 - (A) v counterclockwise
 - (B) v/2 counterclockwise
 - (C) v/2 clockwise
 - (D) v/3 counterclockwise
 - (E) v/3 clockwise
- 23. Consider a two-star system shown above, which consists of two stars of mass *m* rotating in a circle of radius *r* about their center of mass. What is the total energy of the two-star system?
 - (A) $-Gm^2/2r$
 - (B) $Gm^2/2r$
 - (C) $Gm^2/4r$
 - (D) $3Gm^2/4r$
 - (E) $-Gm^2/4r$
- 24. If a planet has twice the radius of Earth and half of Earth's density, what is the acceleration due to gravity on the surface of the planet (in terms of the gravitational acceleration *g* on the surface of Earth)?
 - (A) 4g
 - (B) 2g
 - (C) g
 - (D) g/2
 - (E) g/4


Olympiads School Student Name:

AP PHYSICS 1: ROTATIONAL MOTION SECTION II 5 Questions

Directions: Answer all questions. The parts within a question may not have equal weight. All final numerical answers should include appropriate units. Credit depends on the quality of your solutions and explanations, so you should show your work. Credit also depends on demonstrating that you know which physical principles would be appropriate to apply in a particular situation. Therefore, you should clearly indicate which part of a question your work is for. 10



- 1. (Suggested time 13 minutes) A wooden wheel of mass M, consisting of a rim with spokes, rolls down a ramp that makes an angle θ with the horizontal, as shown above. The ramp exerts a force of static friction on the wheel so that the wheel rolls without slipping.
 - (a) i. On the diagram below, draw and label the forces (not components) that act on the wheel as it rolls down the ramp, which is indicated by the dashed line. To clearly indicate at which point on the wheel each force is exerted, draw each force as a distinct arrow starting on, and pointing away from, the point at which the force is exerted. The lengths of the arrows need not indicate the relative magnitudes of the forces.



- ii. As the wheel rolls down the ramp, which force causes a change in the angular velocity of the wheel with respect to its center of mass? Briefly explain your reasoning.
- (b) For this ramp angle, the force of friction exerted on the wheel is less than the maximum possible static friction force. Instead, the magnitude of the force of static friction exerted on the wheel is 40 percent of the magnitude of the force or force component directed opposite to the force of friction. Derive an expression for the linear acceleration of the wheel's center of mass in terms of M, θ , and physical constants, as appropriate.

Olympiads School Student Name:

(c)	(c) In a second experiment on the same ramp, a block of ice, also with mass M, is released from rest at the same instant the wheel is released from rest, and from the same height. The block slides down the ramp with negligible				
	friction.				
	i. Which object, if either, reaches the bottom of the ramp with the greatest speed?				
	Wheel Block Neither; both reach the bottom with the same speed.				
Briefly explain your answer, reasoning in terms of forces. ii. Briefly explain your answer again, now reasoning in terms of energy.					