FREE AND OPEN SOURCE GIS

Spatial without Compromise

October 2026

Spatial visualization and decision-making tools for everyone

Chapters

1 Highlights

2 QGIS Users Mailing List

3 QGIS Developer Mailing List

4 QGIS Forum (Discourse)

5 Blogosphere

6 Website Updates

7 Conferences & Events

8 QGIS Enhancement Proposals

9 QGIS on YouTube

10 QGIS Shorts

11 Key Merged Pull Requests

12 Merged PRs

13 QGIS on Mastodon

14 QGIS Usage Analytics

15 Sustaining Members

16 Plugin Statistics

QGIS Year at a Glance

The annual rhythm of the QGIS project — releases, funding, governance and community events.



Illustrative annual cycle based on recent years' patterns — exact dates are announced each year at qgis.org

Highlights

419	20	5
NEWS ITEMS	SOURCES	ACTIVE QEPS

THIS MONTH'S HIGHLIGHTS

- **5 Active QEPs** — Enhancement proposals shaping the future of QGIS
- **224 Bug Fixes** — Important fixes merged this month via the bug fix programme
- **18 Key PRs Merged** — Feature and improvement pull requests merged this month
- **23,505,886 Opens (30 days)** — QGIS application opens tracked via the news feed
- **8 QGIS videos on YouTube** — Published this month, 4 of them tutorials

QGIS Users Mailing List (14 items)

LTS flatpak only at version 3.28.9?

Guidance on matching property locations to WwTW catchments in QGIS

Troubleshooting Python Script - QGIS library Import on Recent Versions on Mac OS X

can i get help? thanks boaz

can someone answer? thanks boaz

cant download

QGIS and Sustainability

Error Message

cant import dwg

Can't find the CRS mentioned in section 14.2.2 of the Training Manual

QGIS 4.2.3: Ruckeln beim Zoomen und Verschieben – Optimierung und Hardwareempfehlung

Thank you for helping me find the correct CRS

QEP 432: Cross-layer symbol levels

QGIS 4.2.1 and 4.2.3 fail to launch after upgrading to macOS Golden Gate 27.2

QGIS Developer Mailing List (28 items)

Email Already Confirmed – Please Recheck Plugin Status

QGIS master update frequency for macOS

Plugin approval pending: JMap Cloud version 1.0.8

Are there any real mandatory rules for publishing a plugin?

QGIS to work without CMD or Powershell possible?

QEP428: No ai contributions permitted

Specify use of AI for QGIS plugin developper

GRASS in QGIS

QEP 429: Add exception to the AI policy for trusted contributors

QEP 430: Extend AI Policy to all texts in the QGIS repo

qgis/QGIS repo: revoking commit rights on "dormant" contributors

Commit rights for Jan Caha

Nomination for Germán Carrillo as QGIS core committers

Pausing new contributors until policy is revised

LTR 4.x Blocker tag

Dropping requirement for public repos for plugins?

QGIS 4.4 - Coordinating efforts to unblock the next LTR

MiniULDK – Plugin Ownership Transfer Request

GeoNod QGIS Plugin – Pending Approval Since September 17

QEP 432: Cross-layer symbol levels

Rules for plugin names

Ang: Rules for plugin names

Anfrage zur PHP-Betroffenheit und Patch-Stand QGIS

Save the date! - Paris code sprint OSGEO 10th -12th may 2027 - Paris Georoom

Call for vote on QEP 430: Extend AI Policy to all texts in all the QGIS organization repositories

qgis-slim docker image

No Start: QGIS 4 (QGIS-final_4_2_3.app) at MacOS 27.2

No Start: QGIS 4 (QGIS-final_4_2_3.app) at MacOS 27.2 [Marketing Mail]

QGIS Forum (Discourse) (26 items)

QGIS FORUM

Visit the OSGeo QGIS forum

discourse.osgeo.org/c/qgis/11 · 26 new threads this month

Un’associazione per il gruppo utenti QGIS Italia?

Custom JS for Lizmap fails on Windows 11 Systems, Problem Solving recommendations

QGIS map layer symbology can severely hinder the performance of queries to a postGIS server (due to inefficient text data type filtering)

Latest releases of Lizmap Web Client 3.9.12 and 3.8.21

QDT 0.48.0: security fix for all previous versions and various improvements and fixes

The first Canadian QGIS day is going to happen this November 17th!

Could we present AI Agent, a free QGIS plugin, at a QGIS US meeting?

Introductions

Mission and Vision Guiding Principles

Digitalisierungs-Tool "copy the geometry" Lizmap Web Client 3.10

In person meetings

Informal Survey of the Canadian QGIS Crowd?

Unite us

QGIS US Meeting - October 20th 2026 12:00 to 1:00 EDT

QGIS Canada is there!

Corso QGIS gratuito per giovani o disoccupati

How to Download QGIS and Get Started with Mapping

QGIS et Postgis_sfcgal

About the QGIS Deployment category

Great deal on FOSS4G NA QGIS Workshops

Koordinaten der Mausposition kopieren

QGIS 4: start_app() non stampa più i messaggi di log, segnalazione e test della correzione

Sito QGIS_ITALIA?

QDT 0.47.0: splash screen manager ready for QGIS 4, and a tailor-made profile for Laax UC

Gratis worldwide Satellite Imagery as background layer

2026 Cloud Native Geospatial Conference

Blogosphere (5 items)

AI GIS: What It Does Today and Which Tool to Use

2026-10-28

AI GIS is software that does GIS work from imagery or a plain request. The five jobs it handles in 2026, the tools for each, and where it still fails.

Tree Inventory in QGIS From Aerial Imagery

2026-10-28

Build a tree inventory in QGIS: one point per tree from aerial imagery or LiDAR, with ID, crown size and height, then species and condition from the field.

(Fr) Journée thématique « SIG open source : enjeux et opportunités »

2026-10-27

A look back at the QGIS User Conference 2026

2026-10-27

What Is Remote Sensing? Sensors, Free Data, QGIS

2026-10-27

Remote sensing is measuring the ground from satellites, planes and drones. The sensors, the free data, and a Sentinel-2 workflow in QGIS, step by step.

Website Updates (10 items)

flake: flake update nixpkgs-version

Bump beautifulsoup4 from 4.11.1 to 4.15.0

Bump iniconfig from 1.1.1 to 2.3.1

Bump soupsieve from 2.3.2.post1 to 2.10

Bump actions/setup-python from 6 to 7

Bump certifi from 2022.12.7 to 2026.7.22

Hugo upgrade, step 2: move the config off the deprecated keys

Clearer docs for user group add or update

User group list improvements

Remove 'Asociación QGIS México' from groups.json

QGIS Enhancement Proposals (10 items)

Update qep-408-ai-tool-policy.md

Add QEP428: No ai contributions permitted

Add QEP 409: Attribute Form QML Widget Editing Capabilities (#364)

OPEN

[Open] Add QEP 432: Cross-layer symbol levels

This QEP proposes a new option to allow mixed rendering of symbol layers across different vector layers. See details in …

OPEN

[Open] QEP 431: Federate plugins repositories and quality enhancement

This is an early draft proposal following our discussions and the valuable ideas from the contributors on the Official Q…

OPEN

[Open] QEP 430: Extend AI Policy to all texts in all the QGIS organization repositories

Summary Introduce a full ban for AI generated text content in all QGIS github repositories, pages, wikis etc. This inclu…

OPEN

[Open] QEP 429: Add exception to the AI policy for trusted contributors

This is a joint proposal from myself and @3nids with what we came up with during the contributor meeting. The idea is to…

MERGED

[Merged] Add QEP428: No ai contributions permitted

Followup discussion at https://lists.osgeo.org/pipermail/qgis-developer/2026-September/068576.html. This formally change…

OPEN

[Open] QEP 418: Better versioning for ".model3" file format

This QEP aims to improve the versioning of `.model3` files used to store processing models, and brings it to the same le…


MERGED

[Merged] QEP 409: Attribute Form QML Widget Editing Capabilities

This QEP proposes to add editing capabilities for attributes form QML editor widgets. Since 2018, users have gained th…

QGIS on YouTube (8 items)

8	4	13K
Videos this month	Tutorials	Combined views



Made with love by Kartoza

VIDEO 54:13 Most watched

QGIS and AI: Automating Spatial Analysis using AI Agents and MCP Server - Advanced QGIS

Spatial Thoughts · 5,354 views · 1mo ago

VIDEO 5:57 Most watched

AI + QGIS: Automatic Watershed Delineation | No Plugin + No Paid AI Subscription!

Geo Guru · 1,386 views · 3w ago

VIDEO 6:37 Tutorial Most watched

QGIS Basemaps Plugin Tutorial | Add Google, Esri, Satellite & More Basemaps

RS & GIS · 1,282 views · 10d ago

VIDEO 7:12

The Map Algebra Calculator Plugin for QGIS

Hans van der Kwast · 1,217 views · 12d ago

VIDEO 78:04 Tutorial

QGIS Explained: Become a Pro Map Maker in 78 Minutes

Dr. Robin Simiyu Explains · 952 views · 3w ago

VIDEO 18:39 Tutorial

How to Make a Map in QGIS | QGIS Tutorial for Beginners (Part 1)

GIS Writes · 865 views · 3w ago

VIDEO 24:34 Tutorial

An Advanced AI Agent Plugin for QGIS Tasks | Step-by-Step Tutorial

Satellite Remote Sensing and GIS · 851 views · 2w ago

VIDEO 15:08

The Secret to Searching Locations in QGIS Like a Pro

Dr. Robin Simiyu Explains · 677 views · 8d ago

QGIS Shorts (8 items)

8	0	36K
Shorts this month	Tutorials	Combined views



SHORT Most watched

Shortest War #shorts #mapping #geography #maps

35,000 views

SHORT Most watched

The satellites in GPS have no idea you exist #Shorts

729 views

SHORT Most watched

Mapping the world and understanding the planet #gis #remotesensing #shorts #bmw #ancienthistory

186 views

SHORT 2:39

Advanced Digitizing Tools in QGIS | Fast & Easy

Delta Base Core · 131 views · 2w ago

SHORT 2:15

Publish a QGIS map as a fast web map in one click (free hosting)

MapShip · 126 views · 3w ago

SHORT

Open Source Fights Back: QGIS Bans AI Contributions

86 views

SHORT 0:30

Ultimate QGIS Pack (Mapping & Geospatial Analysis) (Windows + MacOS + Linux)

Connor · 52 views · 2w ago

SHORT

Turn CSV Data into Interactive Maps with MAPOG #MAPOG #GIS

49 views

Key Merged Pull Requests (5 items)

[feature] Model designer "autocomplete"

2026-10-11 by CeliaBuira

Description This PR extend the drag and drop ability with an "autocomplete" feature. When dragging a contextual toolbox appear that list only the current compatible algorithms and parameters. Which make it faster to create model, easier, and less error prone for users. This is heavil

Add support for creating 3D symbology from 2D symbology

2026-10-24 by ptitjano

Description This adds a new "From 2D Symbology" entry to the 3D symbology combox. This allows to create a new 3D symbology from the 2D one. If a 3d symbology already exists, it is replaced by this a new 3d symbology. This can be useful to quickly replicate 2D rules/categories or have similar c

Handle multi-directories for project templates

2026-10-20 by Djedouas

Description Fixes #66024 This PR adds the feature to have multiple directories for the project templates. The need behind it is for instance having a team with its set of project templates, plus some templates coming from another centralized directory from an organization. To clean th

[WMS] Support "default" value for Time dimension in GetCapabilities

2026-10-01 by troopa81

Description `default` parameter is part of the Dimension GetCapabilities tag. It serves to indicate default value that will be used if GetMap request does not specify a value. Like vector layer, user can choose the default display to be either the minimum or maximum value, a reference value to

Vector Field renderer for raster layers

2026-10-26 by uclaros

Description Implements and closes #67108 With the mesh vector rendering code now decoupled from mesh layers, we can finally introduce `QgsRasterVectorFieldRenderer`, a raster renderer that can draw arrows, streamlines, traces and wind barbs just like its mesh layer counterpart! There are t

Merged PRs (224 items)

[Layout] Use undo command when modifying data defined property

Fix some out of bounds reading/writing

[fix] Add -cwhere for gdalwarp when Clipping raster using vector layer with Feature filter

Remove QgsProject::instance() references from QgsVectorLayerFeatureIterator(QEP 423)

[Layout] Make project dirty when changing variables

[core/expression] methods should return a unique_ptr

Expand layer groups on double click in layers panel

Implement attribute form QML editor widget's editing capabilities (QEP 409)

[Backport queued_ltr_backports] [Layout] Use undo command when modifying data defined property

[Backport to Queued LTR][PluginManager] Initialize everytime plugin metadata

[Clazy] Fix clazy and other compilation issues

[afs] Handle case mismatches between service level feature names and json

Refactor 3D chunk loader design (QEP 422)

[postgres] Rename overviews when renaming a raster

Fix selective masking issues

fix risk of dangling pointer in QgsMeshEditor

Make sure the style manager page is not first for point cloud layers

[api] Add method to determine if a crs usage bounds crosses the antimeridian

[api] Fix messy handling of filter model custom roles

Remove QgsProject::instance() references from QgsExpression::evaluateToDouble()(QEP 423)

Be more tolerant with labeling data defined values, and be much more efficient with evaluating them

Fix transforms of bounding box extents which cross antimeridian

Allow cancelation of point locator init tasks

Vector Field renderer for raster layers

correctly pick color ramp for pie chart series (fix #67159)

Add a Help button to the 3D map view top toolbar

Fix failing tests - Don't update project when setting snap widget initial state from project

Prevent recursion when editing columns

Fix deadlock in QgsOgrProvider, QgsOgrProviderMetadata and QgsOgrLayer

Remove QgsProject::instance() two minor fixes (QEP 423)

[oapif] remove read-only properties from the features created or replaced

[oapif] if adding feature is not allowed, editing might still be

Fix model compliance for beginRemoveColumns/ endRemoveColumns

Fix a crash in model test for attribute table model

Fix some model issues in QgsFeatureListModel

Fix hang when rendering labels with huge angle values (backport)

Add support for creating 3D symbology from 2D symbology

[Backport queued_ltr_backports] fix symmetric classification handling in the graduated renderer (fix #65853)

fix symmetric classification handling in the graduated renderer (fix #65853)

decode percent-encoded XYZ tiles URLs when preparing datasource URI (fix #66518)

Fix hang when rendering labels with huge angle values

[PluginManager] Initialize everytime plugin metadata at startup

FIX: start and end boundaries for global scale dependend snapping int...

Better versioning of .model3 file, introduce the qgis version the model was saved in (QEP 418)

fix: add missing emit willBeDeleted on QgsMapLayer child desctuctors

Fix QGIS geometry validator: linearing should not touch itself

[Backport release-3_44] [fix] gdal_connection_details_from_layer() for vsiPrefix GDAL/OGR sources

Update labeler.yml to label PR related to the model designer

[fix] gdal_connection_details_from_layer() for vsiPrefix GDAL/OGR sources

[api] Add "edges" api to QgsRectangle

[oapif] Correctly support curves writing as json-fg

refacto(SFCGAL): rename SFCGAL_MAKE_VERSION to SFCGAL_COMPUTE_VERSION…

[postgres] Drop overviews when dropping raster

[rat] Take colors from CT if RAT has not colors

Use more efficient way to handle loading old projects with font marker fix

[backport] qgsrasterlayerprofilegenerator: Fix shifted elevation values

qgsrasterlayerprofilegenerator: Fix shifted elevation values

qgssimplelinematerialwidget: Fix label alignment when preview is hidden

profile tool: fix issues when representing polygon layers as continuous surface

[geos] Fix M in QGIS-GEOS-QGIS conversions

[chore] Optimize GEOS version comparisons in code

Update vcpkg baseline

Fix hang when loading vector tiles as first layer in project (backport)

Move QgsAttributeTableFilterModel.FilterMode to Qgis namespace

Fix leak of QCompleter objects

Take model results from correct context

Handle relative paths to resources when loading ESRI vector tile services (backport)

[attribute form] Fix app-level reuse all entered attribute values ignored

Fix chamfer fillet multi 67344

[api] Allow determining alignment flag for an existing field object

Avoid qt warning for removing empty paths from file system watcher

Remove QgsProject::instance() references from QgsExpressionUtils (QEP 423)

Speed up unaccent function, restore use in searches

Remove QgsProject::instance() references from QgsValueRelationFieldFormatter (QEP 423)

[Backport queued_ltr_backports] fix zonal statistics calculation for non-shapefile datasources (fix #46602)

Speed up like expressions

[api] Introduce widgets for choice of time zone, QDateTime with explicit time zone

[Backport queued_ltr_backports] reset attribute filter after loading default style from GeoPackage (fix #58467)

Expose QgsMeshLayer::setStaticScalarDatasetIndex / setStaticVectorDatasetIndex to PyQGIS

fix the title of the transparency column that incorrectly said opacity

[Backport queued_ltr_backports] [oapif] recognize geometry queryables in CQL2 filters

Fix leak in QgsAttributesFormLayoutModel::mimeData

[Backport queued_ltr_backports] qgsbox3d: Fix nan checks in isNull

Sync the layer trees when reopening closed elevation profiles

[server][oapif] Add OAPIF conformance classes for CRUD actions

[wfs] Fix provider-side filtering when expression contains unsupported functions

[wms] Fix caps download with broken servers

qgsbox3d: Fix nan checks in isNull

Fix date/time search widget incorrectly treats native date/time fields as strings

Fix some issues in attribute table model (backport)

Use upstream QAbstractItemModelTester instead of vendored model test

Handle multi-directories for project templates

[Backport queued_ltr_backports] preserve query parameters in WCS requests (fix #52842)

fix QgsGeometry::coerceToType when converting to curve

[app] Remove unused welcome page QML imports to silence warnings

Fix one place a 'Null string was stored in a variant--stop it' warning is raised

[Backport queued_ltr_backports] [expressions] Implicitly cast str to date/time when comparing to str

Fix some issues in attribute table model

[ui] Fix map tips hyperlinks fail to open regression

qgsvectorlayerprofilegenerator: Fix data defined symbols on continuous surfaces

[oapif] fix JSON-FG profiles URI text case

Support multiple auth storages with different master passwords

reset attribute filter after loading default style from GeoPackage (fix #58467)

[wms] Fix issue with decompressedSafetyCheckThreshold

[expressions] Implicitly cast str to date/time when comparing to str

Massively speed up parallel rendering of expression-heavy projects

[projects] Only apply the costly invalid project XML character replacement fix when the project XML document fails to load

[attributes table] Fix dual view wrongly changing a layer display expression on opening the attribute table

[server][oapif] Modified geometry isn't saved if it's in the same CRS as the source layer

qgsdxfexport: Fix exported file encoding

[ui] Insure that the welcome page is hidden when opening a project or adding a layer _post_ launch

Clarify that "Count point in polygons" algorithm ignores points on polygon boundaries

Fix qgis#67830: Cannot disable plugin repository

Fix date/time search widget incorrectly treats native date/time fields as strings

fix zonal statistics calculation for non-shapefile datasources (fix #46602)

preserve query parameters in WCS requests (fix #52842)

[oapif] recognize geometry queryables in CQL2 filters

[arcgisrest] Support repeatLabelDistance

[processing] Prevent adding an interpolation layer without a value

qgswfsprovidermetadata: Fix support for sql in {decode,encode}Uri

Add a Help button to the Attribute table (Recovered pr 67731)

[feature] Model designer "autocomplete"

Fix lazperf spatialindex buid

[ui] Dissociate welcome page visibility at startup from handling of p…

[app] Avoid double message bar when highlighting plugin updates

Fix some minor leaks

Fix leak in expression parsing

Add some missing point cloud layer types to parameter compatibility

Fix layer transaction groups issue with failed constraints

Add icon attribute to QgsGeocoderResult

[QGIS4][Migration] Treat backslash in path when migrating old profile path

[Backport queued_ltr_backports] use correct grid origin when requesting WCS coverage if CRS has inverted axis (fix #59445)

[gdal] Fix CRS when loading from mixed vector/raster...

Fix slow searches in locator bar and processing toolbox

fix deprecation warning with expat >= 2.9.0 (followup 425e3ba)

Make checkable the "no AI use" certification in PR template

fix QgsSettingsEntryEnumFlag.valueWithDefaultOverride

[STAC] stac browser: recognize flatgeobuf and pmtiles as cloud optimized

Update qgis-logo-made-with-monochrome.svg

[labeling] Fix word wrap after capitalization

Fix qgis#67584: Use default size for processing dialog when no geometry saved

Remove QgsAbstractGeometry deleteVertex implementations

Fix leak of unparented objects

Some minor tweaks to XYZ tile algorithms

use correct grid origin when requesting WCS coverage if CRS has inverted axis (fix #59445)

[Backport release-3_44] Fix docked attribute tables open side-by-side, not tabbed

[Backport queued_ltr_backports] Fix missing CRS info in tooltips for layers with custom CRS

Fix qgis#67578: Group outputs in the processing algorithm dialog

Add QGIS Croatia User Group data

add QGIS Armenia to user groups

Update qgis-logo-made-with-color.svg

[geos] Fix 'ZM' in QGIS-GEOS-QGIS conversions

[OAuth2] Don't send client_secret parameter if empty

Fix missing CRS info in tooltips for layers with custom CRS

Increase hitbox of sockets in the model designer to be less error prone for users

drop QTEST_DISABLE_KEYPAD_NAVIGATION from tests

[Customization] Fix drag'n drop

qgsgml: Fix deprecation warning with newer libexpat versions

qgsgeometry: Fix Wreturn-type warning with geos 3.15

Floater cursor reset

Toolbar extension popup

[Backport release-3_44] [locator] Fix broken settings locator filter

[locator] Fix broken settings locator filter

Fix crash when switching between raster layers which support histograms vs not

Use explicit memory management in map renderer jobs

[customization] Restore visible state even if QgisApp is hidden

[Backport queued_ltr_backports] [postgres] Fix json/b bytea add feature in transaction group

Fix #66845: Use QPlainTextEdit to prevent formatted text in Import Vector Layer Tool Comment.

FIX: Point-cloud Point size clearValue to 1.0

[fix] Recover QGIS behavior when splitting a MultiGeometry with GEOS 3.15+

[QgsGeos] Support curved geometries and brand new Geometry splitter (from GEOS 3.15+)

Fix CompoundCurve::deleteVertices - remove condenseCurves() call after vertices deletion

Fix crash when grouping layout items

[oapif] Fix crash when setting geometry to null while having inverted axes

[oapif] show error message

qgsalgorithmapproximatemedialaxis: Prevent crash when geometry creation fails

[geos] For GEOS 3.15.1 on, enable unit test to check Splitting MultiSurfaces with curves

fallback to parsing XML file without namespace processing when importing connections (fix #65477)

use correct setting for HTTP headers when saving SensorThings connections to file

Avoid mismatched QPainter saved state handling in selective masks

[Customization] Update title when loading

Adjust last renaming from location to project in GRASS GUI contexts

[Clazy] fix Clazy warnings

qgsvectorlayer: Make selects feature by its ID invokable

Fix leak of QgsVersionInfo in welcome screen

Fix leak of thread local QSettings

[QGIS4] Run migration sooner

When changing a raster to single band psuedocolor, use default color ramp

avoid double zip for VCPKG macos SDKs

emit deprecated messageReceived() signal and update testing module to use new signal (fix #67668)

update raster min/max values when min/max calculation method changes (fix #26593)

Handle relative paths to resources when loading ESRI vector tile services

[Backport queued_ltr_backports] Fix parent ownership of QObject map layer children

[Backport queued_ltr_backports] [mssql] Fix loss of srid/wkbtype during initialization

[mssql] Fix handling of srid = 0

fallback to parsing XML file without namespace processing when importing connections (fix #65477)

format GDAL creation options help to be more readable and user-friendly (fix #47433)

Fix hang when loading vector tiles as first layer in project

Fix crash when opening context menu on non-database browser layers

Fix parent ownership of QObject map layer children

Port remainder of Processing results handling logic to c++

[mssql] Fix handling of srid = 0

[mssql] Fix loss of srid/wkbtype during initialization

[Backport release-3_44] [oapif] Fix crash when setting geometry to null while having inverted axes

Rename rotation arguments/members so that the unit is clear, and fix places were these are misinterpreted

fix reading HTTP header setting for SensorThing when exporting connections to XML

[curves] Create QgsCurve::isSimpleCurve() for convenience

Fix point cloud RGB renderer availability of other attributes in expressions

Fix crash when changing style through layer style dock style manager

[Backport queued_ltr_backports] do not return duplicated entries for styles with the same timestamp in GeoPackage

Post Processing layer post-processor logic to c++

Load all stored layer styles when adding from browser

remove confusing frame/shadow from the raster histogram plot (fix #41113)

Fix "Flow connectivity" algorithm output label

Fix help string of Upslope area (from layer) algorithm

[core/effects] methods should return a unique_ptr

[posgresql] Optimization of browser items schema query

Remove QgsProject::instance() references from QgsJsonExporter (QEP 423)

[ux] Use word wrap comments dlg

Bump the all-actions group with 4 updates

Use a proper model for the layer style manager widget

[WMS] Support "default" value for Time dimension in GetCapabilities

Pass feedback argument to geometry methods to allow responsive cancelation

Hardcode output data type for Fill Sinks algorithm

QGIS on Mastodon (5 items)

@brodersen@en.osm.town

2026-10-22 by Peter Brodersen

16 favs · 16 boosts · 2 replies | Animation of buildings over time in Danish city of Aalborg. Year in top left corner.Only existing buildings are part of animations.Building data source is the Central Register of Buildings and Dwellin

@JossefKanter@mastodon.social

2026-10-15 by jokan

8 favs · 7 boosts · 0 replies | QGIS Studio Themes v0.8 is out → a fresh new look for #QGIS!What's new? Modern icons, Inter font and cleaner themes Faster loading, icon rendering and theme switching Themed message bar, improved list

@underdarkGIS

2026-10-16 by Anita Graser 🇪🇺🇺🇦🇬🇪

8 favs · 3 boosts · 2 replies | Testing the tabbed ribbons with #QGIS Studio Themes plugin v0.8s new icons by @JossefKanterDefinitely a clean look (exceptions mostly due to icons from the ribbon plugin). Will have to test how l

@JossefKanter@mastodon.social

2026-10-22 by jokan


7 favs · 3 boosts · 1 replies | QGIS Studio Themes v1.0 is out → the most polished look yet for #QGIS!What's new? Pixel-sharp icons at every screen scaling A name above every toolbar, with clean dividers Tonal buttons and calmer lis


@hansakwast@fosstodon.org

2026-10-15 by Hans van der Kwast :qgis:

3 favs · 6 boosts · 0 replies | Last week, I was at the QGIS User Conference and Contributor Meeting in Laax. What an unforgettable week!Talks and a workshop at 2,222 m, a hike at the Glarus Thrust and lots of great conversations wi


QGIS Usage Analytics (5 items)






Made with love by Kartoza

Platforms by OS (30 days)



Sustaining Members (1 items)

Sustaining Members by Level



Made with love by Kartoza

Flagship Members (3 items)

FLAGSHIP

QGIS user group Sweden

Since March 1, 2026 · Sweden

FLAGSHIP

COSS – the Finnish Centre for Open Systems and Solutions

Since Jan. 1, 2026 · Finland


FLAGSHIP

QGIS user group Denmark


Since March 1, 2026 · Denmark

Plugin Statistics (9 items)


Top 5 Plugins by Downloads (30 days)



Top 5 Plugins by Downloads (All Time)



Top 5 Plugin Download Countries



All Links

All resources mentioned in this month's news update.

QGIS Users Mailing List

- LTS flatpak only at version 3.28.9?
- Guidance on matching property locations to WwTW catchments i
- Troubleshooting Python Script - QGIS library Import on Recen
- can i get help? thanks boaz
- can someone answer? thanks boaz
- cant download
- QGIS and Sustainability
- Error Message
- cant import dwg
- Can't find the CRS mentioned in section 14.2.2 of the Traini
- QGIS 4.2.3: Ruckeln beim Zoomen und Verschieben – Optimierun
- Thank you for helping me find the correct CRS
- QEP 432: Cross-layer symbol levels
- QGIS 4.2.1 and 4.2.3 fail to launch after upgrading to macOS

QGIS Developer Mailing List

- Email Already Confirmed – Please Recheck Plugin Status
- QGIS master update frequency for macOS
- Plugin approval pending: JMap Cloud version 1.0.8
- Are there any real mandatory rules for publishing a plugin?
- QGIS to work without CMD or Powershell possible?
- QEP428: No ai contributions permitted
- Specify use of AI for QGIS plugin developper
- GRASS in QGIS
- QEP 429: Add exception to the AI policy for trusted contribu
- QEP 430: Extend AI Policy to all texts in the QGIS repo
- qgis/QGIS repo: revoking commit rights on "dormant" contribu
- Commit rights for Jan Caha
- Nomination for Germán Carrillo as QGIS core committers
- Pausing new contributors until policy is revised
- LTR 4.x Blocker tag
- Dropping requirement for public repos for plugins?
- QGIS 4.4 - Coordinating efforts to unblock the next LTR
- MiniULDK – Plugin Ownership Transfer Request
- GeoNod QGIS Plugin – Pending Approval Since September 17
- QEP 432: Cross-layer symbol levels
- Rules for plugin names
- Ang: Rules for plugin names
- Anfrage zur PHP-Betroffenheit und Patch-Stand QGIS
- Save the date! - Paris code sprint OSGEO 10th -12th may 2027
- Call for vote on QEP 430: Extend AI Policy to all texts in a
- qgis-slim docker image
- No Start: QGIS 4 (QGIS-final_4_2_3.app) at MacOS 27.2
- No Start: QGIS 4 (QGIS-final_4_2_3.app) at MacOS 27.2 [Marke

QGIS Forum (Discourse)

- Un'associazione per il gruppo utenti QGIS Italia?
- Custom JS for Lizmap fails on Windows 11 Systems, Problem So
- QGIS map layer symbology can severely hinder the performance
- Latest releases of Lizmap Web Client 3.9.12 and 3.8.21
- QDT 0.48.0: security fix for all previous versions and vario
- The first Canadian QGIS day is going to happen this November
- Could we present AI Agent, a free QGIS plugin, at a QGIS US
- Introductions
- Mission and Vision Guiding Principles
- Digitalisierungs-Tool "copy the geometry" Lizmap Web Client
- In person meetings
- Informal Survey of the Canadian QGIS Crowd?
- Unite us
- QGIS US Meeting - October 20th 2026 12:00 to 1:00 EDT
- QGIS Canada is there!
- Corso QGIS gratuito per giovani o disoccupati
- How to Download QGIS and Get Started with Mapping
- QGIS et Postgis_sfcgal
- About the QGIS Deployment category
- Great deal on FOSS4G NA QGIS Workshops
- Koordinaten der Mausposition kopieren
- QGIS 4: start_app() non stampa più i messaggi di log, segnal
- Sito QGIS_ITALIA?
- QDT 0.47.0: splash screen manager ready for QGIS 4, and a ta
- Gratis worldwide Satellite Imagery as background layer
- 2026 Cloud Native Geospatial Conference

Blogosphere

- AI GIS: What It Does Today and Which Tool to Use
- Tree Inventory in QGIS From Aerial Imagery
- (Fr) Journée thématique « SIG open source : enjeux et opport
- A look back at the QGIS User Conference 2026
- What Is Remote Sensing? Sensors, Free Data, QGIS
- Connecting with the open-source community at FOSS4G Belgium
- Live at Leeds - Lutra at FOSS4G:UK 2026
- [Case Study] Trees, benches and invasive plants: How Wintert
- Lutra at the QGIS User Conference 2026 in Laax
- AI Agent QGIS Plugin: The Most Powerful AI Agent for QGIS
- Figure Ground Map: What It Is and How to Make One
- IGN WMS and WMTS in QGIS: Geoplateforme URLs, Layers, Fixes
- Urban Infill: What It Is, and Three Scenarios on One Lot
- Geocoding in QGIS: 5 Free Ways Compared on Real Addresses
- How to Make a Map in QGIS: Step by Step, Then With AI
- QGIS Maps from Chat to Web: Mapsuke and Kumoy - QGIS LAB by
- GIS Digitizing in QGIS: By Hand, From a Scan, or With AI
- Spatial Join in QGIS: By Location, Nearest, or With AI
- Will AI Replace GIS Jobs? What It Automates Today
- Get More from Mapsuke: Tasks, Tools, Plugins - QGIS LAB by M
- Control QGIS with an AI Agent: Mapsuke Plugin - QGIS LAB by
- Meet the QGIS Hub — sharing is caring!
- Free DEM Download: SRTM, Copernicus and LiDAR in QGIS
- How Tall Is a Story? 10 Feet, Measured on 307,225 Buildings
- How to Make a Heat Map in QGIS (and With One Prompt)
- Microsoft Building Footprints vs Google vs Overture, Tested
- What Is a KML File? How to Open, Edit and Convert It Free
- Revue de presse du 9 octobre 2026
- From CAD to GIS: When you need to make the transition
- NDVI vs EVI, SAVI, NDRE and NDWI: Formulas for QGIS
- Satellite Image Resolution Compared: 30 m to 30 cm, Free vs
- Sentinel-2 vs Landsat 8 and 9: Bands, Resolution, Clear Days
- Thoughts and Discussions on the Development of QGIS Plugins
- Embed Interactive Maps on Websites with Kumoy - QGIS LAB by

Website Updates

- flake: flake update nixpkgs-version
- Bump beautifulsoup4 from 4.11.1 to 4.15.0
- Bump iniconfig from 1.1.1 to 2.3.1
- Bump soupsieve from 2.3.2.post1 to 2.10
- Bump actions/setup-python from 6 to 7
- Bump certifi from 2022.12.7 to 2026.7.22
- Hugo upgrade, step 2: move the config off the deprecated key
- Clearer docs for user group add or update
- User group list improvements
- Remove 'Asociación QGIS México' from groups.json
- Add new email mappings for contributors : marc.ducobu@champs
- Added Cameroon
- flake: flake update nixpkgs-version
- update Contributors/Sol Katz Award Recipients
- Test hugo upgrade
- Update theme version to hide news placeholder
- Update books.md

- flake: flake update nixpkgs-version
- Add QGIS Cyprus User Group to community groups
- Hide donors listed in the EXCLUDED_DONORS Actions variable
- Add QGIS Croatia User Group to community groups
- Fix rich box order on mobile
- flake: flake update nixpkgs-version

Conferences & Events

- QGIS User Conference 2025 · QGIS UC Website

QGIS Enhancement Proposals

- Update qep-408-ai-tool-policy.md
- Add QEP428: No ai contributions permitted
- Add QEP 409: Attribute Form QML Widget Editing Capabilities
- [Open] Add QEP 432: Cross-layer symbol levels
- [Open] QEP 431: Federate plugins repositories and quality en
- [Open] QEP 430: Extend AI Policy to all texts in all the QGI
- [Open] QEP 429: Add exception to the AI policy for trusted c
- [Merged] Add QEP428: No ai contributions permitted
- [Open] QEP 418: Better versioning for ".model3" file format
- [Merged] QEP 409: Attribute Form QML Widget Editing Capabili

QGIS on YouTube

- QGIS and AI: Automating Spatial Analysis using AI Agents and
- AI + QGIS: Automatic Watershed Delineation | No Plugin + No
- QGIS Basemaps Plugin Tutorial | Add Google, Esri, Satellite
- The Map Algebra Calculator Plugin for QGIS
- QGIS Explained: Become a Pro Map Maker in 78 Minutes
- How to Make a Map in QGIS | QGIS Tutorial for Beginners (Par
- An Advanced AI Agent Plugin for QGIS Tasks | Step-by-Step Tu
- The Secret to Searching Locations in QGIS Like a Pro

QGIS Shorts

- Shortest War #shorts #mapping #geography #maps
- The satellites in GPS have no idea you exist #Shorts
- Mapping the world and understanding the planet #gis #remotes
- Advanced Digitizing Tools in QGIS | Fast & Easy
- Publish a QGIS map as a fast web map in one click (free host
- Open Source Fights Back: QGIS Bans AI Contributions
- Ultimate QGIS Pack (Mapping & Geospatial Analysis) (Windows
- Turn CSV Data into Interactive Maps with MAPOG #MAPOG #GIS

Key Merged Pull Requests

- [feature] Model designer "autocomplete"
- Add support for creating 3D symbology from 2D symbology
- Handle multi-directories for project templates
- [WMS] Support "default" value for Time dimension in GetCapab
- Vector Field renderer for raster layers
- [app] Avoid double message bar when highlighting plugin upda
- Fix crash when changing style through layer style dock style
- Implement attribute form QML editor widget's editing capabil
- Speed up unaccent function, restore use in searches
- Toolbar extension popup
- qgsdxfexport: Fix exported file encoding
- Expand layer groups on double click in layers panel
- Sync the layer trees when reopening closed elevation profile
- format GDAL creation options help to be more readable and us
- [core/effects] methods should return a unique_ptr
- Avoid mismatched QPainter saved state handling in selective
- [oapif] show error message
- Remove QgsProject::instance() references from QgsValueRelati

Merged PRs

- [Layout] Use undo command when modifying data defined proper
- Fix some out of bounds reading/writing
- [fix] Add -cwhere for gdalwarp when Clipping raster using ve
- Remove QgsProject::instance() references from QgsVectorLayer
- [Layout] Make project dirty when changing variables
- [core/expression] methods should return a unique_ptr
- Expand layer groups on double click in layers panel
- Implement attribute form QML editor widget's editing capabil
- [Backport queued_ltr_backports] [Layout] Use undo command wh
- [Backport to Queued LTR][PluginManager] Initialize everytime
- [Clazy] Fix clazy and other compilation issues
- [afs] Handle case mismatches between service level feature n
- Refactor 3D chunk loader design (QEP 422)
- [postgres] Rename overviews when renaming a raster
- Fix selective masking issues
- fix risk of dangling pointer in QgsMeshEditor
- Make sure the style manager page is not first for point clou
- [api] Add method to determine if a crs usage bounds crosses
- [api] Fix messy handling of filter model custom roles
- Remove QgsProject::instance() references from QgsExpression:
- Be more tolerant with labeling data defined values, and be m
- Fix transforms of bounding box extents which cross antimerid
- Allow cancelation of point locator init tasks
- Vector Field renderer for raster layers
- correctly pick color ramp for pie chart series (fix #67159)
- Add a Help button to the 3D map view top toolbar
- Fix failing tests - Don't update project when setting snap w
- Prevent recursion when editing columns
- Fix deadlock in QgsOgrProvider, QgsOgrProviderMetadata and Q
- Remove QgsProject::instance() two minor fixes (QEP 423)
- [oapif] remove read-only properties from the features create
- [oapif] if adding feature is not allowed, editing might stil
- Fix model compliance for beginRemoveColumns/ endRemoveColumns
- Fix a crash in model test for attribute table model
- Fix some model issues in QgsFeatureListModel
- Fix hang when rendering labels with huge angle values (backp
- Add support for creating 3D symbology from 2D symbology
- [Backport queued_ltr_backports] fix symmetric classification
- fix symmetric classification handling in the graduated rende
- decode percent-encoded XYZ tiles URLs when preparing datasou
- Fix hang when rendering labels with huge angle values
- [PluginManager] Initialize everytime plugin metadata at star
- FIX: start and end boundaries for global scale dependend sna
- Better versioning of .model3 file, introduce the qgis versio
- fix: add missing emit willBeDeleted on QgsMapLayer child des
- Fix QGIS geometry validator: linearing should not touch itse
- [Backport release-3_44] [fix] gdal_connection_details_from_l
- Update labeler.yml to label PR related to the model designer
- [fix] gdal_connection_details_from_layer() for vsiPrefix GDA
- [api] Add "edges" api to QgsRectangle
- [oapif] Correctly support curves writing as json-fg
- refacto(SFCGAL): rename SFCGAL_MAKE_VERSION to SFCGAL_COMPUT
- [postgres] Drop overviews when dropping raster
- [rat] Take colors from CT if RAT has not colors
- Use more efficient way to handle loading old projects with f
- [backport] qgsrasterlayerprofilegenerator: Fix shifted eleva
- qgsrasterlayerprofilegenerator: Fix shifted elevation values
- qgssimplelinematerialwidget: Fix label alignment when previe
- profile tool: fix issues when representing polygon layers as
- [geos] Fix M in QGIS-GEOS-QGIS conversions
- [chore] Optimize GEOS version comparisons in code
- Update vcpkg baseline
- Fix hang when loading vector tiles as first layer in project
- Move QgsAttributeTableFilterModel.FilterMode to Qgis namespa
- Fix leak of QCompleter objects
- Take model results from correct context
- Handle relative paths to resources when loading ESRI vector
- [attribute form] Fix app-level reuse all entered attribute v
- Fix chamfer fillet multi 67344
- [api] Allow determining alignment flag for an existing field
- Avoid qt warning for removing empty paths from file system w
- Remove QgsProject::instance() references from QgsExpressionU
- Speed up unaccent function, restore use in searches
- Remove QgsProject::instance() references from QgsValueRelati
- [Backport queued_ltr_backports] fix zonal statistics calcula
- Speed up like expressions
- [api] Introduce widgets for choice of time zone, QDateTime w
- [Backport queued_ltr_backports] reset attribute filter after
- Expose QgsMeshLayer::setStaticScalarDatasetIndex / setStatic
- fix the title of the transparency column that incorrectly sa
- [Backport queued_ltr_backports] [oapif] recognize geometry q
- Fix leak in QgsAttributesFormLayoutModel::mimeData

- [Backport queued_ltr_backports] qgsbox3d: Fix nan checks in
- Sync the layer trees when reopening closed elevation profile
- [server][oapif] Add OAPIF conformance classes for CRUD actio
- [wfs] Fix provider-side filtering when expression contains u
- [wms] Fix caps download with broken servers
- qgsbox3d: Fix nan checks in isNull
- Fix date/time search widget incorrectly treats native date/t
- Fix some issues in attribute table model (backport)
- Use upstream QAbstractItemModelTester instead of vendored mo
- Handle multi-directories for project templates
- [Backport queued_ltr_backports] preserve query parameters in
- fix QgsGeometry::coerceToType when converting to curve
- [app] Remove unused welcome page QML imports to silence warn
- Fix one place a 'Null string was stored in a variant--stop i
- [Backport queued_ltr_backports] [expressions] Implicitly cas
- Fix some issues in attribute table model
- [ui] Fix map tips hyperlinks fail to open regression
- qgsvectorlayerprofilegenerator: Fix data defined symbols on
- [oapif] fix JSON-FG profiles URI text case
- Support multiple auth storages with different master passwor
- reset attribute filter after loading default style from GeoP
- [wms] Fix issue with decompressedSafetyCheckThreshold
- [expressions] Implicitly cast str to date/time when comparin
- Massively speed up parallel rendering of expression-heavy pr
- [projects] Only apply the costly invalid project XML charact
- [attributes table] Fix dual view wrongly changing a layer di
- [server][oapif] Modified geometry isn't saved if it's in the
- qgsdxfexport: Fix exported file encoding
- [ui] Insure that the welcome page is hidden when opening a p
- Clarify that "Count point in polygons" algorithm ignores poi
- Fix qgis#67830: Cannot disable plugin repository
- Fix date/time search widget incorrectly treats native date/t
- fix zonal statistics calculation for non-shapefile datasourc
- preserve query parameters in WCS requests (fix #52842)
- [oapif] recognize geometry queryables in CQL2 filters
- [arcgisrest] Support repeatLabelDistance
- [processing] Prevent adding an interpolation layer without a
- qgswfsprovidermetadata: Fix support for sql in {decode,encod
- Add a Help button to the Attribute table (Recovered pr 67731
- [feature] Model designer "autocomplete"
- Fix lazperf spatialindex buid
- [ui] Dissociate welcome page visibility at startup from hand
- [app] Avoid double message bar when highlighting plugin upda
- Fix some minor leaks
- Fix leak in expression parsing
- Add some missing point cloud layer types to parameter compat
- Fix layer transaction groups issue with failed constraints
- Add icon attribute to QgsGeocoderResult
- [QGIS4][Migration] Treat backslash in path when migrating ol
- [Backport queued_ltr_backports] use correct grid origin when
- [gdal] Fix CRS when loading from mixed vector/raster...
- Fix slow searches in locator bar and processing toolbox
- fix deprecation warning with expat >= 2.9.0 (followup 425e3b
- Make checkable the "no AI use" certification in PR template
- fix QgsSettingsEntryEnumFlag.valueWithDefaultOverride
- [STAC] stac browser: recognize flatgeobuf and pmtiles as clo
- Update qgis-logo-made-with-monochrome.svg
- [labeling] Fix word wrap after capitalization
- Fix qgis#67584: Use default size for processing dialog when
- Remove QgsAbstractGeometry deleteVertex implementations
- Fix leak of unparented objects
- Some minor tweaks to XYZ tile algorithms
- use correct grid origin when requesting WCS coverage if CRS
- [Backport release-3_44] Fix docked attribute tables open sid
- [Backport queued_ltr_backports] Fix missing CRS info in tool
- Fix qgis#67578: Group outputs in the processing algorithm di
- Add QGIS Croatia User Group data
- add QGIS Armenia to user groups
- Update qgis-logo-made-with-color.svg
- [geos] Fix 'ZM' in QGIS-GEOS-QGIS conversions
- [OAuth2] Don't send client_secret parameter if empty
- Fix missing CRS info in tooltips for layers with custom CRS
- Increase hitbox of sockets in the model designer to be less
- drop QTEST_DISABLE_KEYPAD_NAVIGATION from tests
- [Customization] Fix drag'n drop
- qgsgml: Fix deprecation warning with newer libexpat versions
- qgsgeometry: Fix Wreturn-type warning with geos 3.15
- Floater cursor reset
- Toolbar extension popup
- [Backport release-3_44] [locator] Fix broken settings locato
- [locator] Fix broken settings locator filter
- Fix crash when switching between raster layers which support
- Use explicit memory management in map renderer jobs
- [customization] Restore visible state even if QgisApp is hid
- [Backport queued_ltr_backports] [postgres] Fix json/b bytea
- Fix #66845: Use QPlainTextEdit to prevent formatted text in
- FIX: Point-cloud Point size clearValue to 1.0
- [fix] Recover QGIS behavior when splitting a MultiGeometry w
- [QgsGeos] Support curved geometries and brand new Geometry s
- Fix CompoundCurve::deleteVertices - remove condenseCurves()
- Fix crash when grouping layout items
- [oapif] Fix crash when setting geometry to null while having
- [oapif] show error message
- qgsalgorithmapproximatemedialaxis: Prevent crash when geomet
- [geos] For GEOS 3.15.1 on, enable unit test to check Splitti
- fallback to parsing XML file without namespace processing wh
- use correct setting for HTTP headers when saving SensorThing
- Avoid mismatched QPainter saved state handling in selective
- [Customization] Update title when loading
- Adjust last renaming from location to project in GRASS GUI c
- [Clazy] fix Clazy warnings
- qgsvectorlayer: Make selects feature by its ID invokable
- Fix leak of QgsVersionInfo in welcome screen
- Fix leak of thread local QSettings
- [QGIS4] Run migration sooner
- When changing a raster to single band psuedocolor, use defau
- avoid double zip for VCPKG macos SDKs
- emit deprecated messageReceived() signal and update testing
- update raster min/max values when min/max calculation method
- Handle relative paths to resources when loading ESRI vector
- [Backport queued_ltr_backports] Fix parent ownership of QObj
- [Backport queued_ltr_backports] [mssql] Fix loss of srid/wkb
- [mssql] Fix handling of srid = 0
- fallback to parsing XML file without namespace processing wh
- format GDAL creation options help to be more readable and us
- Fix hang when loading vector tiles as first layer in project
- Fix crash when opening context menu on non-database browser
- Fix parent ownership of QObject map layer children
- Port remainder of Processing results handling logic to c++
- [mssql] Fix handling of srid = 0
- [mssql] Fix loss of srid/wkbtype during initialization
- [Backport release-3_44] [oapif] Fix crash when setting geome
- Rename rotation arguments/members so that the unit is clear,
- fix reading HTTP header setting for SensorThing when exporti
- [curves] Create QgsCurve::isSimpleCurve() for convenience
- Fix point cloud RGB renderer availability of other attribute
- Fix crash when changing style through layer style dock style
- [Backport queued_ltr_backports] do not return duplicated ent
- Post Processing layer post-processor logic to c++
- Load all stored layer styles when adding from browser
- remove confusing frame/shadow from the raster histogram plot
- Fix "Flow connectivity" algorithm output label
- Fix help string of Upslope area (from layer) algorithm
- [core/effects] methods should return a unique_ptr
- [posgresql] Optimization of browser items schema query
- Remove QgsProject::instance() references from QgsJsonExporte
- [ux] Use word wrap comments dlg
- Bump the all-actions group with 4 updates
- Use a proper model for the layer style manager widget
- [WMS] Support "default" value for Time dimension in GetCapab
- Pass feedback argument to geometry methods to allow responsi
- Hardcode output data type for Fill Sinks algorithm

QGIS on Mastodon

- @brodersen@en.osm.town
- @JossefKanter@mastodon.social
- @underdarkGIS

- @JossefKanter@mastodon.social
- @hansakwast@fosstodon.org

QGIS Usage Analytics

- 23,505,886 QGIS opens in the last 30 days
- 992,346 QGIS opens yesterday
- Monthly opens history (last 6 months)
- Top 5 countries: BR (1,750,118), FR (1,665,764), IN (1,453,5
- Top platform: Windows 11 Version 2009

Sustaining Members

- 141 sustaining members
- QGIS user group Sweden
- COSS – the Finnish Centre for Open Systems and Solutions
- QGIS user group Denmark

Plugin Statistics

- 53,697,537 total plugin downloads
- 2,389,117 plugin downloads in the last 30 days
- 6,775 new plugins published in the last 30 days
- 6,775 plugins updated in the last 30 days
- 1,395 active plugin developers (12 months)
- Top 5 plugins this month
- Top 5 plugins all time
- Top 5 plugin download countries
- Top contributors (12 months)



Thank You!

See you next month for more QGIS news

qgis.org blog.qgis.org GitHub Download

Made with ❤️ by Kartoza | Donate! | Generated 2026-10-29 • v0.4.0