

FREE AND OPEN SOURCE GIS



Spatial without Compromise

September 2026


Spatial visualization and decision-making tools for everyone

Chapters

1	Highlights	2	QGIS Developer Mailing List
3	QGIS Users Mailing List	4	QGIS Forum (Discourse)
5	Website Updates	6	Conferences & Events
7	User Groups	8	Blogosphere
9	QGIS Enhancement Proposals	10	Key Merged Pull Requests
11	Merged PRs	12	QGIS on YouTube
13	QGIS Shorts	14	QGIS on Mastodon
15	QGIS Usage Analytics	16	Sustaining Members
17	Plugin Statistics		

QGIS Year at a Glance

The annual rhythm of the QGIS project — releases, funding, governance and community events.



Highlights

353

NEWS ITEMS

22

SOURCES

2

ACTIVE QEPS

THIS MONTH'S HIGHLIGHTS

- **2 Active QEPs** — Enhancement proposals shaping the future of QGIS
- **186 Bug Fixes** — Important fixes merged this month via the bug fix programme
- **20 Key PRs Merged** — Feature and improvement pull requests merged this month
- **42 User Groups** — Active across 40 countries worldwide
- **4 New User Group(s)** — QGIS India User Group, QGIS Armenia, QGIS Algeria User Group, QGIS Canada User Group

QGIS Developer Mailing List (21 items)

Rating abuse issue on the QGIS Plugins Website	Request for Plugin Review and Publication - Multicollinearity Test and Importance Value Index	Trusted status request for TUFLOW plugin
Status of 3.44 becoming LTR?	How to transfer published plugins to another account ?	Two proposals -- moratorium on LLM use, and requiring a "proof of life" for contributors
Next 4.x LTR	Request please for PR review re QgsHighlight::paint()	Security Scan Issue: Why Can't I no longer do this?
QGIS Contributor Survey Reminder	plugins and reporting to author-controlled sites	plugin approval for Flowmapper plugin
Request for Trusted Plugin Author Status	Q(ueer)GIS	Plugin approval for NIB-ortofoto-prosjekt
QGIS Full Stack Developer Report for August 2026	About organizing a general strike	Python 3.14 Support / Roadmap for QGIS and OSGeo4W on Windows
Add cpp plugin API for 3D view	reopen PR	QEP428: No ai contributions permitted

QGIS Users Mailing List (10 items)

Technical help needed	help - Question regarding QGIS and Microsoft ASR rule "Block use of copied or impersonated system tools"	keyboard navigation in forms with multiline text fields
Duvidas sobre o Plugin	Projection data	Troubleshooting Python Script - QGIS library Import on Recent Versions on Mac OS X
Question regarding QGIS and Microsoft ASR rule "Block use of copied or impersonated system tools"	Enable snapping by default vs. Project Snapping Settings	AI OpenCode
	LTS flatpak only at version 3.28.9?	

QGIS Forum (Discourse)

(24 items)

QGIS

FORUM

Visit the OSGeo QGIS forum

discourse.osgeo.org/c/qgis/11 · 24 new threads this month

[Ungenaue Position bei Layer Edit](#)

[QGIS Canada user group is now officially approved!](#)

[Gruppo Telegram QGIS Italia | Server](#)

[New logo \("version2"\)](#)

[QGIS.CA French website](#)

[New repository for branding materials \(such as logo\)](#)

[La prossima versione a lungo termine LTR sarà la 4.4.4](#)

[Material for MkDocs: come ho costruito la documentazione dei miei corsi QGIS](#)

[REMINDER: next QGIS Canada meeting is today](#)

[QGIS US Meeting Sept 22nd at 12 EDT](#)

[QGIS Nelle Scuole](#)

[Lizmap Release 3.10.0-rc.3](#)

[QDT 0.45.0: better QGIS installation detection to prepare the compatibility with QGIS 4](#)

[Come eravamo... Cosa vogliamo diventare? Opinioni sulla comunità GFOSS e QGIS Italia](#)

[Vari strumenti di SAGA-GIS per l'analisi idrologica sono in corso di integrazione direttamente in QGIS](#)

[Looking for testers: InstallerLab can now package QGIS Python plugins as MSI / Windows Bundles](#)

[Muovo i primi passi in questo mondo meraviglioso!](#)

[Third Lizmap Web Client 3.10 Release Candidate and plugins bugfix releases](#)

[Se QGIS avesse questa interfaccia?](#)

[Latest releases of Lizmap Web Client 3.9.* and 3.8.*](#)

[Candidatura QGIS Certification Programme - GIS Specialist di Alejandra Duque Roperio](#)

[Https: Scaduto](#)

[Ideia para QGIS: pacote de layouts para peças cartográficas de processos técnicos/administrativos](#)

[Introducing Geodeploy](#)

Website Updates (9 items)

[Move OSGeo badge the community section and update community picture](#)

[add Canada to list of user groups](#)

[Remove Manya Technologies from commercial support providers](#)

[Add QGIS Colombia to Removed 2025 section](#)

[Update groups.md](#)


[Update my name from the website and place myself on the contributors map](#)

[fix: use "Linux" heading in installation guide sidebar](#)

[Corrected typo security.md](#)

[enrich security FAQ](#)

User Groups (5 items)



User Groups Added in 2026 (4 items)



[QGIS India User Group](#)

Registered 2026 · Contact: Ujaval Gandhi



[QGIS Armenia](#)

Registered 2026 · Contact: Suren Poghosyan



[QGIS Algeria User Group](#)

Registered 2026 · Contact: Walid Moulahoum



[QGIS Canada User Group](#)

Registered 2026 · Contact: Jeff McKenna

Blogosphere (5 items)

How to Download OpenStreetMap Data into QGIS

2026-09-23

QuickOSM for a town, a Geofabrik .pbk for a country, Overpass Turbo for custom queries. Tested on Kisumu, with the timeouts and the ODbL credit.

How to Download Sentinel-2 Images in QGIS

2026-09-23

Stream Sentinel-2 into QGIS over STAC with no account, or download the L2A product from Copernicus Browser. Bands, clouds and NDVI, tested in Brazil.

How to Georeference a Map or Image in QGIS

2026-09-23

Open Layer Georeferencer, place control points, pick Polynomial 1 and a projected CRS. Then read the RMSE in metres: tested on a 1947 USGS map.

How to QGIS 4.2 on Linux Mint (Sept '26)

2026-09-18

Photogrammetry vs LiDAR: Which One for Which Job

2026-09-17

Photogrammetry rebuilds a surface from overlapping photos. LiDAR measures it with a laser. One gives colour and a cheap flight, the other sees under the trees.

QGIS Enhancement Proposals (2 items)

OPEN

[Open] Add QEP428: No ai contributions permitted

Followup discussion at <https://lists.osgeo.org/pipermail/qgis-developer/2026-September/068576.html>. This formally change...

OPEN

[Open] QEP 412: 3d editing support

This QEP proposes introducing vector layer editing directly within the 3D view by adding dedicated 3D user interface too...

Key Merged Pull Requests (5 items)

[feature][processing] Add profile selection options to qgis_process

2026-09-01 by thc1006

You can now run qgis_process with a specific user profile, using the same options as QGIS Desktop. `--profile name` loads an existing named profile, and `--profiles-path path` (or `-S`) points to the folder that holds your `profiles` directory. A scheduled or server-side run can then use the Process

Add reload postgres raster provider data

2026-09-01 by vaahtokarkki

Fixes #59381 Description - `QgsPostgresRasterProvider::reloadProviderData()` re-runs `init()` to re-read metadata and refresh validity, then drops the band statistics and the shared tile cache. - `QgsPostgresRasterProvider::init()` now also clears `mDataTypes`, `mDataSizes` and the sour

Add odbccpp for HANA with vcpkg

2026-09-03 by florsap

Description This change makes the odbccpp library available by vcpkg if it is enabled, so the build can be cached with nuget to reduce the runtime of workflows. This modification was already discussed in the [QGIS-developer distribution list](https://lists.osgeo.org/pipermail/qgis-developer/20

3d symbology widgets: simplify main panel and introduce an advanced panel

2026-09-18 by ptitjano

Description This implements the ideas discussed in https://github.com/qgis/QGIS/pull/66112: the 3d symbology widgets have too much information and parameters. The main idea is to reduce the number of displayed informations and move them in advanced tab. This is achieved with 3 main changes:

Port SAGA D8 flow direction, connectivity, and Strahler order tools to native processing algorithms

2026-09-18 by nyalldawson

Description - Adds a native "flow direction" algorithm, which is a direct port of the Flow Direction calculation from SAGA's "Channel Network and Drainage Basins" tool. It has been extracted as a standalone tool in Processing to allow for optimal use in QGIS models and workflows (as opposed to

Merged PRs (186 items)

[\[feature\] Add inclusive/exclusive bound info to graduated symbol renderer tooltips](#)

[Revert "Change PR template to indicate that no AI assisted contributions are acceptable for now"](#)

[\[geos\] For GEOS 3.15+, avoid redundant code for merging multilinestring output in Union Op](#)

[QgsPanelWidget: deprecate widgetChanged signal and use changed instead](#)

[Remove QgsProject::instance\(\) references from QgsMapViewManager \(QEP 423\)](#)

[Remove QgsProject::instance\(\) references from QgsPolymorphicRelation \(QEP 423\)](#)

[\[ui\]\[plugin manager\] Fix broken color palette when first opening the plugin manager on non-default themes](#)

[\[api\] Create a top level app Processing menu, add iface methods to interact with it](#)

["Opaque Fill" option in color menu](#)

[\[processing\] Replace uses of MatDialog with QgsMessageViewer](#)

[\[processing\] Port RenderingStyles, rendering styles dialog to c++](#)

[Use correct expression context for xyz tiles](#)

[Fix QgsAbstractProcessingParameterWidgetWrapper use through PyQGIS \(backport\)](#)

[\[Backport release-4_2\] Fix QgsAbstractProcessingParameterWidgetWrapper use through PyQGIS](#)

[Fix exporting animations in Movie mode from temporal controller](#)

[Mesh vector refactor part4: Traces and StreamLines](#)

[port Statistics by categories algorithm to C++](#)

[Change PR template to indicate that no AI assisted contributions are acceptable for now](#)

[Fix QgsAbstractProcessingParameterWidgetWrapper use through PyQGIS](#)

[Port all remaining bits of python ModelerDialog and model algorithm provider to c++](#)

[Add algorithm to create XYZ raster tiles GeoPackage](#)

[Add typehint for the utils.iface object](#)

[\[3D\] Add support for vector layers in globe \(points only\)](#)

[\[feature\]\[processing\] Add profile selection options to qgis_process](#)

[Remove lines geom shader](#)

[3d symbology widgets: simplify main panel and introduce an advanced panel](#)

[enable short description check for PDAL algorithms](#)

[Remove some dead/legacy code from Processing](#)

[\[Backport release-4_2\] \[vector tiles\] Disable mapbox gl symbol-spacing property import until cost is reasonable](#)

[Add control over layout scale bar unit position](#)

[Add native ports of SAGA's 'Channel Network and Drainage Basins'](#)

[Adjust point cloud renderer when topocentric CRS is set](#)

[Bump vcpkg baselines](#)

[Port SAGA D8 flow direction, connectivity, and Strahler order tools to native processing algorithms](#)

[add tags and short descriptions to native algorithms](#)

[\[vector tiles\] Disable mapbox gl symbol-spacing property import until cost is reasonable](#)

[Add c++ replacement API for some processing GUI API](#)

[\[core/vectortile\] methods should return a unique_ptr](#)

[metal/phong material widget fix preview widget resizing](#)

[Update my name from the source code](#)

[Mesh vector refactor part3: Glyph rendering](#)

[Move GDAL algorithm provider out to a separate plugin](#)

[Expose 3d canvas creation in QgsInterface](#)

[port Text to float algorithm to C++](#)

[Update test masks](#)

[Fix crazy errors](#)

[\[core/tiledscene & textrender\] methods should return a unique_ptr](#)

[Mesh vector refactor part2 GUI](#)

[Move processing tests out of plugin folder, all processing test data to common location](#)

[Render labels for selected features in a visible state](#)

[\[3d\] material widgets: fix horizontal alignment for phong and metal rough widgets](#)

[\[fix\] add debug info to find widget without name](#)

[When generating xyz tiles, set the tile rendering flag](#)

[Refactor mesh vector settings into generic QgsVectorFieldSettings classes](#)

[\[Backport release-4_2\] valueColumn in categorized renderer should be left aligned, not center](#)

[Port SAGA Upslope Area tool to native processing algorithm](#)

[Fix EXTERNAL_WMS layers](#)

[Drop the repeated Exif.Image.DateTime from the datetime tag checks](#)

[valueColumn in categorized renderer should be left aligned, not center](#)

[Much faster XYZ tile generation](#)

[Fix bump vcpkg](#)

[Use correct expression context for xyz tiles](#)

[Always overwrite existing files when running XYZ mbtiles algorithm](#)

[\[Backport release-4_2\] Fix unlit material on mac](#)

[Make XYZ tiles algorithms load results as a raster layer](#)

[\[Backport release-4_2\] \[arcgisrest\] Fix y offset sign for symbols](#)

[fix: make qgsgeotransform accessible from app](#)

[qgsmatrixsolver: Fix unused parameter warning if GSL is disabled](#)

[\[Backport release-4_2\] \[arcgisrest\] Fix esri string not threatened as null](#)

[\[core/symbology\] methods should return a unique_ptr](#)

[Fix unlit material on mac](#)

[Fix crash on mac with 3D rubber band \(billboard\)](#)

[Adjust vector layer renderer when using topocentric CRS](#)

[Remove mesh geometry shader](#)

[Remove QgsProject::instance\(\) references from QgsMapLayer \(QEP 423\)](#)

[\[arcgisrest\] Fix esri string not threatened as null](#)

[\[arcgisrest\] Fix y offset sign for symbols](#)

[\[Backport release-4_2\] Replace minio with alpine/minio](#)

[\[Backport queued_ltr_backports\] Replace minio with alpine/minio](#)

[\[Backport release-3_44\] Replace minio with alpine/minio](#)

[mark source location in the remaining native algorithms](#)

[Replace minio with alpine/minio](#)

[\[api\] Introduce QgsSortedRasterBlockIndex, Port SAGA "Raster grid cell index" algorithm](#)

[\[feature\] Add webp as image format option for generate XYZ tiles algorithms](#)

[Xyz tile generation algorithm fixes/cleanups](#)

[\[feature\] Add option to skip empty tiles in xyz tile algorithms](#)

[Add missing STAC-related classes into the API documentation](#)

[Remove bulk of remaining python code from modeler designer gui](#)

[Add implementationSourceUri logic for qgis python, gdal providers](#)

[\[Backport release-4_2\] Fix argument format for max triangle edge length](#)

[mark source location in PDAL algorithms](#)

[\[FEATURE\] Native SAGA's thin plate spline interpolation tools](#)

[\[Backport release-4_2\] \[GetCapabilities\] Do not expose Style for group](#)

[QgsRichTextEditor: toolbar accessor + add missing SVG icons](#)

[mark algorithm source location for most of the native algorithms \(credit @alexbruy\)](#)

[Tweak default fill sinks slope parameter value](#)

[Introduce unique_ptr dynamic and static cast](#)

[\[Backport to LTR\]\[GetCapabilities\] Do not expose Style for group](#)

[Improve undo/redo button handling for 3d map canvas](#)

[\[Backport release-4_2\] Fix inverted arguments in QgsPixelCentroidsFromPolygonsAlgorithm](#)

[Fix argument format for max triangle edge length](#)

[\[server\]\[oapif\] Fix invalid schema properties](#)

[fix: set project dirty when editing map themes](#)

[\[Backport to queued LTR\]\[WMS\] Include highlights when calling GetMap with pdf output](#)

[\[Backport queued_ltr_backports\] \[PostgreSQL\] Don't propagate session_role parameter to PQConnect](#)

[\[Backport release-4_2\] fix: set project dirty when editing map themes](#)

[\[Backport queued_ltr_backports\] fix: set project dirty when editing map themes](#)

[Fix regression introduced with CompoundCurve::deleteVertices when deleting a shared vertex \(surviving points\)](#)

[Fix broken test for CircularString deleteVertex](#)

[\[Backport release-4_2\] \[PostgreSQL\] Don't propagate session_role parameter to PQConnect](#)

[\[Backport to 4.2\]\[Wms\] Compute WMS Time dimension even if group is Opaque](#)

[\[core/raster\] methods should return a unique_ptr](#)

[Add groupedPositionIndex to QgsLabelPosition](#)

[Remove QgsProject::instance\(\) references from QgsRelationContext \(QEP 423\)](#)

[\[Backport release-4_2\] Fix leak of material settings in QgsStyle destruction](#)

[\[Backport queued_ltr_backports\] Vertex markers should ignore symbology reference scale](#)

[\[Backport release-4_2\] Vertex markers should ignore symbology reference scale](#)

[Fix inverted arguments in QgsPixelCentroidsFromPolygonsAlgorithm](#)

[\[Backport to queued LTR\]\[WmsDimension\] Fix referenceValue variant property access](#)

[Add api for processing algorithms to list external links](#)

[\[Backport to 4.2\]\[WmsDimension\] Fix referenceValue variant property access](#)

[Vertex markers should ignore symbology reference scale](#)

[Fix leak of material settings in QgsStyle destruction](#)

[\[Backport release-4_2\] \[WMS\]\[GetCapabilities\] Don't expose root group if skip name for group](#)

[\[Backport release-4_2\] \[WMS\] Include highlights when calling GetMap with pdf output](#)

[\[GetCapabilities\] Do not expose Style for group](#)

[\[macos\] Quote the interpreter path in the python wrapper](#)

[\[WmsDimension\] Fix referenceValue variant property access](#)

[\[processing\] methods should return a unique_ptr](#)

[Add more DisallowNone annotations](#)

[Fix algorithm source locations on windows builds](#)

[Minor processing cleanups](#)

[Drop default raster file test tolerance](#)

[\[Backport release-4_2\] \[WMSTime\] Write WMS Time dimension dates with trailing Z](#)

[\[WMS\] Include highlights when calling GetMap with pdf output](#)

[\[processing\] Add method for raster tests to compare against a reference raster](#)

[\[Backport release-4_2\] Add reload postgres raster provider data](#)

[\[SIP_FACTORY\] Avoid SIP_FACTORY when unique_ptr is returned](#)

[\[ui\] Right align labels and output sockets in the model designer](#)

[\[Backport release-4_2\] Fix pkg data path resolution in macOS app bundles](#)

[Fix pkg data path resolution in macOS app bundles](#)

[Show link to algorithm source in algorithm help if available](#)

[Processing modeler cleanups, some c++ ports](#)

[Avoids graphical artifacts when label previews are shown](#)

[\[Backport queued_ltr_backports\] Add reload postgres raster provider data](#)

[Some more methods which cannot return nullptr](#)

[Formally return some more algorithm references](#)

[\[PostgreSQL\] Don't propagate session_role parameter to PQConnect](#)

[Fix dead Transifex link in CONTRIBUTING](#) 🤖🤖🤖

[\[python\] Mark iface and some other methods which cannot be None](#)

[Use Enumeration widget for domain controlled fields](#)

[\[Backport release-4_2\] Fix 67211: dynamic parameters not working in transect algorithms](#)

[Fix transformInPlace usage in Python](#)

[Resync external o2 library](#)

[Fix 67211: dynamic parameters not working in transect algorithms](#)

[\[Backport release-4_2\] \[sfcgal\] fix some geometry vs primitive return types](#)

[\[Backport release-4_2\] Fix QgsServerWmsDimensionProperties::readXml: properly read the reference value stored in the project](#)

[\[Backport queued_ltr_backports\] Fix QgsServerWmsDimensionProperties::readXml: properly read the reference value stored in the project](#)

[Fix QgsServerWmsDimensionProperties::readXml: properly read the reference value stored in the project](#)

[\[api\] Add QgsMatrixSolver](#)

[\[sfcgal\] fix some geometry vs primitive return types](#)

[Elevation controller improvements](#)

[Add odbccpp for HANA with vcpkg](#)

[Fix label previews when layer has a reference scale set](#)

[Improve UI in layer Server properties](#)

[Use proper references for ST-DBSCAN clustering algorithm](#)

[4.2: Bump vcpkg dependencies](#)

[Bump the all-actions group with 4 updates](#)

[\[Backport release-4_2\] \[processing\] Fix Processing History error \(Fix #67197\)](#)

[increase nuget timeout](#)

[Fix build: Remove Q_FLAG on private member](#)

[\[Backport release-4_2\] Try to fix CI nonsense](#)

[\[Backport release-4_2\] Update connections-default.xml for the norwegian geoportal](#)

[\[Backport release-3_44\] Update connections-default.xml for the norwegian geoportal](#)

[Bump vcpkg baselines](#)

[Add reload postgres raster provider data](#)

[Fix \param names that do not match the declaration](#)

[Fix deletion of first/last point in CompoundCurve rings of a Polygon](#)

[Fix race condition in spell check pre-commit hook](#)

[qgsrubberband3d: Simplify constructor by only using the 3d map scene](#)

[\[3d\] assign names to 3d canvas toolbars and actions](#)

[Update connections-default.xml for the norwegian geoportal](#)

[Try to fix CI nonsense](#)

[\[processing\] Fix Processing History error \(Fix #67197\)](#)

[Fix build without 3d](#)

[Add libarchive support to vcpkg GDAL builds](#)

QGIS on YouTube (8 items)

8

Videos this month


3

Tutorials

8.0K

Combined views

QGIS Videos Published Per Month



VIDEO

12:58

Most watched

[Review of the AI Agent for QGIS plugin by TerraLab](#)

Hans van der Kwast · 2,642 views · 5 days ago

VIDEO

63:49

Most watched

[QGIS Open Day: Footsteps of the Samburu: A Journey Through the Eras](#)

QGIS · 1,233 views · Streamed 3 weeks ago

VIDEO

4:52

Most watched

[Space Syntax Analysis in QGIS & depthmapX](#)

Dr. Mahtab | Architecture & Design · 831 views · 3 weeks ago

VIDEO

45:01

[QGIS Open Day: What happened in QGIS this month?](#)

QGIS · 814 views · Streamed 3 weeks ago

VIDEO

16:04

Tutorial

[How to Create an Interactive Dashboard in QGIS | Complete QGIS Dashboard Tutorial](#)

Learn GIS - Tutorial Channel · 780 views · 4 days ago

VIDEO

23:13

[The Easiest Way to Get Google Earth Points Into QGIS](#)

Dr. Robin Simiyu Explains · 629 views · 8 days ago

VIDEO

55:52

Tutorial

[QGIS Full Beginner Tutorial: What GIS Actually Is \(Data, Layers & Your First Map\)](#)

GeoDev Lab Africa · 586 views · 13 days ago

VIDEO

21:26

Tutorial

[How to Automatically Detect & Segment Buildings in QGIS Using AI Segmentation | TerraLab](#)

Satellite Remote Sensing and GIS · 450 views · 2 weeks ago

QGIS Shorts (8 items)

8

Shorts this month

0

Tutorials

13K

Combined views



SHORT

Most watched

[GeoLibre launches free browser GIS with 1000+ tools and AI assistant #GIS #GeoTools #OpenSource](#)

10,000 views

SHORT

Most watched

[Orthophoto or Mosaic Photo in QGIS](#)

1,100 views

SHORT

Most watched

[map animation stylized \(After Effects + QGIS\)](#)

552 views

SHORT

[Create Drainage Maps Contour Lines in QGIS ArcGIS clip 3](#)

448 views

SHORT

[UN Changed The World Map! #shorts #geography #trending](#)

340 views

SHORT

[The Fastest Way to Add WMS in QGIS](#)

338 views

SHORT

[Create Drainage Maps Contour Lines in QGIS ArcGIS clip 4](#)

330 views

SHORT

[tile = rotate_quad\(grid\[x\]\[y\], wave\(dist\)\); #Shorts #GenerativeArt](#)

301 views

QGIS on Mastodon (5 items)

[@hansakwast](#)

2026-09-21 by Hans van der Kwast :qgis:

17 favs · 14 boosts · 2 replies | A first sneak peek of the native hydrological tools coming to #QGIS 4.4! This video shows the full workflow for stream extraction and catchment delineation, all running natively in QGIS, with no exter

[@underdarkGIS](#)

2026-09-23 by Anita Graser 

14 favs · 10 boosts · 2 replies | :qgis: Ribbons everywhere!11 Been dabbling with the #QGIS ribbon UI PoC: updated it to QGIS 4 and started with refining the tabbed ribbon layouts.Screenshots of latest draft (strongly inspired by #Lib

[@volcan01010](#)

2026-09-21 by Dr John A Stevenson

10 favs · 13 boosts · 2 replies | CRAG is a #QGIS plugin from the #BritishGeologicalSurvey for #geology #mapping.<https://github.com/BritishGeologicalSurvey/CRAG>Weve been working on what is now CRAG for 3.5 years, although Iv

[@underdarkGIS](#)

2026-09-18 by Anita Graser 



14 favs · 9 boosts · 1 replies | How to QGIS 4.2 on Linux Mint (Sept '26)For a while now, my preferred way of installing QGIS has been from conda-forge. However, while were waiting for QGIS 4 to become available on conda-forge,

[@hansakwast](#)


2026-09-18 by Hans van der Kwast :qgis:

13 favs · 2 boosts · 0 replies | Hardcopy of the 2nd Edition of the book #Geomorphometry - Concepts, Software, Applications has arrived! Happy to have a chapter about #QGIS and #PCRaster in the book and to have contributed to the gen

QGIS Usage Analytics (5 items)




Platforms by OS (30 days)



Sustaining Members (1 items)

Sustaining Members by Level



Flagship Members (3 items)



FLAGSHIP

COSS – the Finnish Centre for Open Systems and Solutions

Since Jan. 1, 2026 · Finland



FLAGSHIP

QGIS user group Sweden

Since March 1, 2026 · Sweden




FLAGSHIP

QGIS user group Denmark


Since March 1, 2026 · Denmark

Plugin Statistics (10 items)


Top 5 Plugins by Downloads (30 days)




Top 5 Plugins by Downloads (All Time)



Most Voted Plugins



Top 5 Plugin Download Countries



All Links

All resources mentioned in this month's news update.

QGIS Developer Mailing List

- [Rating abuse issue on the QGIS Plugins Website](#)
- [Status of 3.44 becoming LTR?](#)
- [Next 4.x LTR](#)
- [QGIS Contributor Survey Reminder](#)
- [Request for Trusted Plugin Author Status](#)
- [QGIS Full Stack Developer Report for August 2026](#)
- [Add cpp plugin API for 3D view](#)
- [Request for Plugin Review and Publication - Multicollinearity](#)
- [How to transfer published plugins to another account?](#)
- [Request please for PR review re QgsHighlight::paint\(\)](#)
- [plugins and reporting to author-controlled sites](#)
- [Q\(ueer\)GIS](#)
- [About organizing a general strike](#)
- [reopen PR](#)
- [Trusted status request for TUEFLOW plugin](#)
- [Two proposals -- moratorium on LLM use, and requiring a "pro](#)
- [Security Scan Issue: Why Can't I no longer do this?](#)
- [plugin approval for Flowmapper plugin](#)
- [Plugin approval for NIB-ortofoto-prosjekt](#)
- [Python 3.14 Support / Roadmap for QGIS and OSGeo4W on Window](#)
- [QEP428: No ai contributions permitted](#)

QGIS Users Mailing List

- [Technical help needed](#)
- [Duvidas sobre o Plugin](#)
- [Question regarding QGIS and Microsoft ASR rule "Block use of](#)
- [help - Question regarding QGIS and Microsoft ASR rule "Block](#)
- [Projection data](#)
- [Enable snapping by default vs. Project Snapping Settings](#)
- [LTS flatpak only at version 3.28.92](#)
- [keyboard navigation in forms with multiline text fields](#)
- [Troubleshooting Python Script - QGIS library Import on Recen](#)
- [AI OpenCode](#)

QGIS Forum (Discourse)

- [Ungenaue Position bei Layer Edit](#)
- [QGIS Canada user group is now officially approved!](#)
- [Gruppo Telegram QGIS Italia | Server](#)
- [New logo \("version2"\)](#)
- [QGIS.CA French website](#)

- [New repository for branding materials \(such as logo\)](#)
- [La prossima versione a lungo termine LTR sarà la 4.4.4](#)
- [Material for MkDocs: come ho costruito la documentazione dei](#)
- [REMINDER: next QGIS Canada meeting is today](#)
- [QGIS US Meeting Sept 22nd at 12 EDT](#)
- [QGIS Nelle Scuole](#)
- [Lizmap Release 3.10.0-rc.3](#)
- [QDT 0.45.0: better QGIS installation detection to prepare th](#)
- [Come eravamo... Cosa vogliamo diventare? Opinioni sulla comu](#)
- [Vari strumenti di SAGA-GIS per l'analisi idrologica sono in](#)
- [Looking for testers: InstallerLab can now package QGIS Pytho](#)
- [Muovo i primi passi in questo mondo meraviglioso!](#)
- [Third Lizmap Web Client 3.10 Release Candidate and plugins b](#)
- [Se QGIS avesse questa interfaccia?](#)
- [Latest releases of Lizmap Web Client 3.9.* and 3.8.*](#)
- [Candidatura QGIS Certification Programme - GIS Specialist di](#)
- [Https: Scaduto](#)
- [Ideia para QGIS: pacote de layouts para peças cartográficas](#)
- [Introducing Geodeploy](#)

Website Updates

- [Move OSGeo badge the community section and update community](#)
- [add Canada to list of user groups](#)
- [Remove Many Technologies from commercial support providers](#)
- [Add QGIS Colombia to Removed 2025 section](#)
- [Update groups.md](#)
- [Update my name from the website and place myself on the cont](#)
- [fix: use "Linux" heading in installation guide sidebar](#)
- [Corrected typo security.md](#)
- [enrich security FAQ](#)

Conferences & Events

- [QGIS User Conference 2025 - QGIS UC Website](#)

User Groups

- [42 Active QGIS User Groups worldwide](#)
- [QGIS India User Group](#)
- [QGIS Armenia](#)
- [QGIS Algeria User Group](#)
- [QGIS Canada User Group](#)
- [Groups page updated: add Canada to list of user groups](#)
- [Groups page updated: Remove QGIS Colombia group entry](#)
- [Groups page updated: Update content/community/groups.md](#)

- [Groups page updated: Update groups.md](#)

Blogosphere

- [How to Download OpenStreetMap Data into QGIS](#)
- [How to Download Sentinel-2 Images in QGIS](#)
- [How to Georeference a Map or Image in QGIS](#)
- [How to QGIS 4.2 on Linux Mint \(Sept '26\)](#)
- [Photogrammetry vs LiDAR: Which One for Which Job](#)
- [\(Fr\) \[Témoignage\] Jérémie ORY, responsable du Pôle SIG au Dé](#)
- [グローバルイベントが日本にやってきた！～FOSS4G Hiroshima 2026参加レポート～ - QGIS LAB](#)
- [Multispectral vs Hyperspectral Imagery, Explained](#)
- [Cartes.gouv.fr : on ne remplace pas un portail, on sort d'un](#)
- [記事を読みながら、そのまま操作！～QGIS内でQGIS LABを読めるようになりました～ - QGIS LAB by M](#)
- [世界のQGISユーザーが広島に集結！「FOSS4G Hiroshima 2026」QGISセッションレポート - QGI](#)
- [Site Plan vs Plot Plan: What Each One Shows](#)
- [What Is an Orthomosaic? Orthomosaic vs Orthophoto Explained](#)
- [FOSS4G HiroshimaでKumoyの種をまいてきました - QGIS LAB by MIERUNE](#)
- [Semantic vs Instance Segmentation on Aerial Imagery](#)
- [QField 4.3 "Danube": Summer of stability](#)
- [AI Agent for QGIS: The Complete Guide](#)
- [Greenfield vs Brownfield Sites: Meaning and Differences](#)
- [How to Add a Basemap in QGIS: XYZ, WMS and Plugins](#)
- [DSM vs DTM vs DEM: What's the Difference and Which to Use](#)
- [Revue de presse du 4 septembre 2026](#)
- [\[Blog\] A new direct way to connect Trimble receivers](#)
- [Colored site plan: the same block four ways](#)
- [Detect Solar Panels in QGIS: 5 Methods](#)
- [Detect Swimming Pools in QGIS: 5 Methods](#)
- [Extract Roads in QGIS: 6 Methods and One Trap](#)
- [Map Tree Canopy in QGIS: 6 Methods, Free and Paid](#)
- [Turn a Satellite Image into a Site Plan in QGIS](#)
- [How to share your QGIS models easily](#)

QGIS Enhancement Proposals

- [\[Open\] Add QEP428: No ai contributions permitted](#)
- [\[Open\] QEP 412: 3d editing support](#)

Key Merged Pull Requests

- [\[feature\]\[processing\] Add profile selection options to qgis_](#)

- Add reload postgres raster provider data
- Add odbccpp for HANA with vcpkg
- 3d symbology widgets: simplify main panel and introduce an a
- Port SAGA D8 flow direction, connectivity, and Strahler orde
- [3d] material widgets: fix horizontal alignment for phong a
- Add native ports of SAGA's 'Channel Network and Drainage Bas
- Fix deletion of first/last point in CompoundCurve rings of a
- Render labels for selected features in a visible state
- [feature] Add inclusive/exclusive bound info to graduated sy
- [feature] Add webp as image format option for generate XYZ t
- Add control over layout scale bar unit position
- Elevation controller improvements
- Add algorithm to create XYZ raster tiles GeoPackage
- Port all remaining bits of python ModelerDialog and model al
- Remove QgsProject::instance() references from QgsRelationCon
- [api] Introduce QgsSortedRasterBlockIndex, Port SAGA "Raster
- [feature] Add option to skip empty tiles in xyz tile algorit
- [FEATURE] Native SAGA's thin plate spline interpolation tool
- Port SAGA Upslope Area tool to native processing algorithm

Merged PRs

- [feature] Add inclusive/exclusive bound info to graduated sy
- Revert "Change PR template to indicate that no AI assisted c
- [geos] For GEOS 3.15+, avoid redundant code for merging mult
- QgsPanelWidget: deprecate widgetChanged signal and use chang
- Remove QgsProject::instance() references from QgsMapViewMan
- Remove QgsProject::instance() references from QgsPolymorphic
- [ui][plugin manager] Fix broken color palette when first ope
- [api] Create a top level app Processing menu, add iface meth
- "Opaque Fill" option in color menu
- [processing] Replace uses of MessageDialog with QgsMessageVi
- [processing] Port RenderingStyles, rendering styles dialog t
- Use correct expression context for xyz tiles
- Fix QgsAbstractProcessingParameterWidgetWrapper use through
- [Backport release-4_2] Fix QgsAbstractProcessingParameterWid
- Fix exporting animations in Movie mode from temporal control
- Mesh vector refactor part4: Traces and StreamLines
- port Statistics by categories algorithm to C++
- Change PR template to indicate that no AI assisted contribut
- Fix QgsAbstractProcessingParameterWidgetWrapper use through
- Port all remaining bits of python ModelerDialog and model al
- Add algorithm to create XYZ raster tiles GeoPackage
- Add typehint for the utils.iface object
- [3D] Add support for vector layers in globe (points only)
- [feature][processing] Add profile selection options to qgis_
- Remove lines geom shader
- 3d symbology widgets: simplify main panel and introduce an a
- enable short description check for PDAL algorithms
- Remove some dead/legacy code from Processing

- [Backport release-4_2] [vector tiles] Disable mapbox gl symb
- Add control over layout scale bar unit position
- Add native ports of SAGA's 'Channel Network and Drainage Bas
- Adjust point cloud renderer when topocentric CRS is set
- Bump vcpkg baselines
- Port SAGA D8 flow direction, connectivity, and Strahler orde
- add tags and short descriptions to native algorithms
- [vector tiles] Disable mapbox gl symbol-spacing property imp
- Add c++ replacement API for some processing GUI API
- [core/vectortile] methods should return a unique_ptr
- metal/phong material widget fix preview widget resizing
- Update my name from the source code
- Mesh vector refactor part3: Glyph rendering
- Move GDAL algorithm provider out to a separate plugin
- Expose 3d canvas creation in QgsInterface
- port Text to float algorithm to C++
- Update test masks
- Fix crazy errors
- [core/tiledscene & textrender] methods should return a uniq
- Mesh vector refactor part2 GUI
- Move processing tests out of plugin folder, all processing t
- Render labels for selected features in a visible state
- [3d] material widgets: fix horizontal alignment for phong a
- [fix] add debug info to find widget without name
- When generating xyz tiles, set the tile rendering flag
- Refactor mesh vector settings into generic QgsVectorFieldSet
- [Backport release-4_2] valueColumn in categorized renderer s
- Port SAGA Upslope Area tool to native processing algorithm
- Fix EXTERNAL_WMS layers
- Drop the repeated Exif.Image.DateTime from the datetime tag
- valueColumn in categorized renderer should be left aligned,
- Much faster XYZ tile generation
- Fix bump vcpkg
- Use correct expression context for xyz tiles
- Always overwrite existing files when running XYZ mbtiles alg
- [Backport release-4_2] Fix unlit material on mac
- Make XYZ tiles algorithms load results as a raster layer
- [Backport release-4_2] [arcgisrest] Fix y offset sign for sy
- fix: make qgsgeotransform accessible from app
- qgsmatrixsolver: Fix unused parameter warning if GSL is dis
- [Backport release-4_2] [arcgisrest] Fix esri string n
- [core/symbology] methods should return a unique_ptr
- Fix unlit material on mac
- Fix crash on mac with 3D rubber band (billboard)
- Adjust vector layer renderer when using topocentric CRS
- Remove mesh geometry shader
- Remove QgsProject::instance() references from QgsMapLayer (
- [arcgisrest] Fix esri string not threatened as null
- [arcgisrest] Fix y offset sign for symbols

- [Backport release-4_2] Replace minio with alpine/minio
- [Backport queued_ltr_backports] Replace minio with alpine/mi
- [Backport release-3_44] Replace minio with alpine/minio
- mark source location in the remaining native algorithms
- Replace minio with alpine/minio
- [api] Introduce QgsSortedRasterBlockIndex, Port SAGA "Raster
- [feature] Add webp as image format option for generate XYZ t
- Xyz tile generation algorithm fixes/cleanups
- [feature] Add option to skip empty tiles in xyz tile algorit
- Add missing STAC-related classes into the API documentation
- Remove bulk of remaining python code from modeler designer g
- Add implementationSourceUri logic for qgis python, gdal prov
- [Backport release-4_2] Fix argument format for max triangle
- mark source location in PDAL algorithms
- [FEATURE] Native SAGA's thin plate spline interpolation tool
- [Backport release-4_2] [GetCapabilities] Do not expose Style
- QgsRichTextEditor: toolbar accessor + add missing SVG icons
- mark algorithm source location for most of the native algori
- Tweak default fill sinks slope parameter value
- Introduce unique_ptr dynamic and static cast
- [Backport to LTR][GetCapabilities] Do not expose Style for g
- Improve undo/redo button handling for 3d map canvas
- [Backport release-4_2] Fix inverted arguments in QgsPixelCen
- Fix argument format for max triangle edge length
- [server][oapif] Fix invalid schema properties
- fix: set project dirty when editing map themes
- [Backport to queued LTR][WMS] Include highlighths when callin
- [Backport queued_ltr_backports] [PostgreSQL] Don't propagate
- [Backport release-4_2] fix: set project dirty when editing m
- [Backport queued_ltr_backports] fix: set project dirty when
- Fix regression introduced with CompoundCurve::deleteVertices
- Fix broken test for CircularString deleteVertex
- [Backport release-4_2] [PostgreSQL] Don't propagate session_
- [Backport to 4.2][Wms] Compute WMS Time dimension even if gr
- [core/raster] methods should return a unique_ptr
- Add groupedPositionIndex to QgsLabelPosition
- Remove QgsProject::instance() references from QgsRelationCon
- [Backport release-4_2] Fix leak of material settings in QgsS
- [Backport queued_ltr_backports] Vertex markers should ignore
- [Backport release-4_2] Vertex markers should ignore symbology
- Fix inverted arguments in QgsPixelCentroidsFromPolygonsAlgor
- [Backport to queued LTR][WmsDimension] Fix referenceValue va
- Add api for processing algorithms to list external links
- [Backport to 4.2][WmsDimension] Fix referenceValue variant p
- Vertex markers should ignore symbology reference scale
- Fix leak of material settings in QgsStyle destruction
- [Backport release-4_2] [WMS][GetCapabilities] Don't expose r
- [Backport release-4_2] [WMS] Include highlighths when calling
- [GetCapabilities] Do not expose Style for group

- [macos] Quote the interpreter path in the python wrapper
- [WmsDimension] Fix referenceValue variant property access
- [processing] methods should return a unique_ptr
- Add more DisallowNone annotations
- Fix algorithm source locations on windows builds
- Minor processing cleanups
- Drop default raster file test tolerance
- [Backport release-4_2] [WMSTime] Write WMS Time dimension data
- [WMS] Include highlights when calling GetMap with pdf output
- [processing] Add method for raster tests to compare against
- [Backport release-4_2] Add reload postgres raster provider data
- [SIP_FACTORY] Avoid SIP_FACTORY when unique_ptr is returned
- [ui] Right align labels and output sockets in the model dialog
- [Backport release-4_2] Fix pkg data path resolution in macOS
- Fix pkg data path resolution in macOS app bundles
- Show link to algorithm source in algorithm help if available
- Processing modeler cleanups, some c++ ports
- Avoids graphical artifacts when label previews are shown
- [Backport queued_ltr_backports] Add reload postgres raster provider
- Some more methods which cannot return nullptr
- Formally return some more algorithm references
- [PostgreSQL] Don't propagate session_role parameter to PQConn
- Fix dead Transifex link in CONTRIBUTING 
- [python] Mark iface and some other methods which cannot be None
- Use Enumeration widget for domain controlled fields
- [Backport release-4_2] Fix 67211: dynamic parameters not working
- Fix transformInPlace usage in Python
- Resync external o2 library
- Fix 67211: dynamic parameters not working in transect algorithm
- [Backport release-4_2] [sfcal] fix some geometry vs primitive
- [Backport release-4_2] Fix QgsServerWmsDimensionProperties::readXml: properly read
- [Backport queued_ltr_backports] Fix QgsServerWmsDimensionProperties::readXml: properly read
- [api] Add QgsMatrixSolver
- [sfcal] fix some geometry vs primitive return types
- Elevation controller improvements
- Add odbccpp for HANA with vcpkg
- Fix label previews when layer has a reference scale set

- Improve UI in layer Server properties
- Use proper references for ST-DBSCAN clustering algorithm
- 4.2: Bump vcpkg dependencies
- Bump the all-actions group with 4 updates
- [Backport release-4_2] [processing] Fix Processing History error
- increase nuget timeout
- Fix build: Remove Q_FLAG on private member
- [Backport release-4_2] Try to fix CI nonsense
- [Backport release-4_2] Update connections-default.xml for the
- [Backport release-3_44] Update connections-default.xml for the
- Bump vcpkg baselines
- Add reload postgres raster provider data
- Fix \param names that do not match the declaration
- Fix deletion of first/last point in CompoundCurve rings of a
- Fix race condition in spell check pre-commit hook
- qgsrubberband3d: Simplify constructor by only using the 3d model
- [3d] assign names to 3d canvas toolbars and actions
- Update connections-default.xml for the norwegian geoportal
- Try to fix CI nonsense
- [processing] Fix Processing History error (Fix #67197)
- Fix build without 3d
- Add libarchive support to vcpkg GDAL builds

QGIS on YouTube

- Review of the AI Agent for QGIS plugin by TerraLab
- QGIS Open Day: Footsteps of the Samburu: A Journey Through the
- Space Syntax Analysis in QGIS & depthmapX
- QGIS Open Day: What happened in QGIS this month?
- How to Create an Interactive Dashboard in QGIS | Complete QGIS
- The Easiest Way to Get Google Earth Points Into QGIS
- QGIS Full Beginner Tutorial: What GIS Actually Is (Data, Layer)
- How to Automatically Detect & Segment Buildings in QGIS Using

QGIS Shorts

- GeoLibre launches free browser GIS with 1000+ tools and AI assistant
- Orthophoto or Mosaic Photo in QGIS
- map animation stylized (After Effects + QGIS)
- Create Drainage Maps Contour Lines in QGIS ArcGIS clip 3

- UN Changed The World Map! #shorts #geography #trending
- The Fastest Way to Add WMS in QGIS
- Create Drainage Maps Contour Lines in QGIS ArcGIS clip 4
- tile = rotate_quad(grid[x][y], wave(dist)); #Shorts #Generative

QGIS on Mastodon

- @hansakwast
- @underdarkGIS
- @volcan01010
- @underdarkGIS
- @hansakwast

QGIS Usage Analytics

- 21,331,284 QGIS opens in the last 30 days
- 939,993 QGIS opens yesterday
- Monthly opens history (last 6 months)
- Top 5 countries: BR (1,831,766), FR (1,492,981), IN (1,487,0
- Top platform: Windows 11 Version 2009

Sustaining Members

- 139 sustaining members
- COSS – the Finnish Centre for Open Systems and Solutions
- QGIS user group Sweden
- QGIS user group Denmark

Plugin Statistics

- 51,082,786 total plugin downloads
- 1,958,587 plugin downloads in the last 30 days
- 6,389 new plugins published in the last 30 days
- 537 plugins updated in the last 30 days
- 1,286 active plugin developers (12 months)
- Top 5 plugins this month
- Top 5 plugins all time
- Most voted plugins
- Top 5 plugin download countries
- Top contributors (12 months)



Thank You!

See you next month for more QGIS news

qgis.org

blog.qgis.org

[GitHub](#)

[Download](#)

Made with ❤️ by [Kartoza](#) | [Donate!](#) | Generated 2026-09-24 • v0.4.0