

# Session 08: Variable Associations 1

ISS Data Science — Weekly Notes

Your Name

2026-06-08

## Table of contents

|                                  |          |
|----------------------------------|----------|
| <b>What I learned this week</b>  | <b>1</b> |
| <b>Code notes</b>                | <b>1</b> |
| Topic 1 . . . . .                | 2        |
| Topic 2 . . . . .                | 2        |
| Topic 3 . . . . .                | 2        |
| <b>Things I want to remember</b> | <b>2</b> |
| <b>Questions I still have</b>    | <b>2</b> |

## What I learned this week

*Write a short summary of the main ideas from this session. A few sentences is fine. These are your notes, so Japanese is also completely okay!*

---

## Code notes

Use the sections below to paste in code from the lesson and add your own notes. Feel free to rename the headings to match the topics you're covering.

!

## Topic 1

*What does this code do? Write notes / comments above or below the code chunk*

```
# Paste your code here
```

## Topic 2

*What does this code do? Write notes / comments above or below the code chunk*

```
# Paste your code here
```

## Topic 3

*What does this code do? Write notes / comments above or below the code chunk*

```
# Paste your code here
```

---

## Things I want to remember

*Anything that surprised you, a useful trick, or something you want to look up later.*

- - 
  -
- 

## Questions I still have

*Anything you didn't understand or want to ask about next session.*

- - 
  -
-

### 💡 Rendering tips

**Render to HTML** (recommended): Click the **Render** button in RStudio, or run:

```
quarto::quarto_render("my-notes.qmd", output_format = "html")
```

**Switch format:** Change `html` to `pdf` or `docx` in the YAML above, or render all formats at once by removing the format specification and using:

```
quarto::quarto_render("my-notes.qmd", output_format = "all")
```

**If a code chunk stops the document from rendering**, add `#| eval: false` at the top of that chunk to skip it:

```
```{r}
#| eval: false
code_that_causes_an_error()
```
```

Or turn off evaluation for the whole document by adding this to the YAML:

```
execute:
  eval: false
```