```
use staywell;

#q1
select p.office_num, p.address, p.monthly_rent, p.owner_num, o.first_name,
o.last_name
from property p, owner o
where p.owner_num = o.owner_num;

#q2
select sr.property_id, sr.description, sr.status
from property p, service_request sr
where p.property_id = sr.property_id
and status = 'open' or 'completed';

#q3
select sr.property_id, sr.property_id, sc.category_num, sr.office_id, p.address,
sr.est_hours, sr.spent_hours, o.owner_num, o.last_name
from service_request sr, owner o, property p, service_category sc
where p.property_id = sr.property_id
and category_num = '6';

#q4
select p.owner_num, o.first_name, o.last_name, p.bdrms
from owner o, property p
where o.owner_num = p.owner_num
and bdrms = '2';

#q7
select p.sqr_ft, p.owner_num, o.last_name, o.first_name, p.office_num, off.area
from owner o, property p, office off
where p.owner_num = o.owner_num
and p.office_num = off.office_num
and area != 'Georgetown';

#q8
select p.sqr_ft, p.owner_num, o.last_name, o.first_name, p.office_num, off.area,
p.bdrms
from owner o, property p, office off
where p.owner_num = o.owner_num
and p.office_num = off.office_num
and area != 'Georgetown'
and bdrms = '3';

#9
select p.office_num, p.address, p.monthly_rent, p.owner_num, o.state, p.bdrms
from property p, owner o
where p.owner_num = o.owner_num
and state = 'WA' or bdrms = '2';

#q10
select p.office_num, p.address, p.monthly_rent, p.owner_num, o.state, p.bdrms
from property p, owner o
where p.owner_num = o.owner_num
and state = 'WA' and bdrms = '2';

#q11
select p.office_num, p.address, p.monthly_rent, p.owner_num, o.state, p.bdrms
from property p, owner o
where p.owner_num = o.owner_num
```

```
and state = 'WA' and bdrms != '2';

#q14
select p.property_id, p.address, p.sqr_ft, p.owner_num, sr.service_id,
sr.est_hours, sr.spent_hours, sr.category_number, sr.property_id
from property p, service_request sr
where p.property_id =sr.property_id
and category_number = '4';

#q15
select p.property_id, p.address, p.sqr_ft, p.owner_num, sr.service_id,
sr.est_hours, sr.spent_hours, sr.category_number, sr.property_id
from property p, service_request sr
where p.property_id = sr.property_id;

#q16
select p.property_id, p.address, p.sqr_ft, p.owner_num, sr.service_id,
sr.est_hours, sr.spent_hours, sr.category_number, sr.property_id
from property p, service_request sr
where p.property_id = sr.property_id
and category_number > '0';
```