Evolution and ecology of lizard body sizes

Article *in* Global Ecology and Biogeography · November 2008

DOI: 10.1111/j.1466-8238.2008.00414.x

CITATIONS
107

READS
839

3 authors, including:

Shai Meiri
Tel Aviv University
177 PUBLICATIONS **4,500** CITATIONS

SEE PROFILE

Global Ecology and Biogeography, (Global Ecol. Biogeogr.) (2008) **17**, 724–734

RESEARCH PAPER

Evolution and ecology of lizard body sizes

Shai Meiri

NERC Centre for Population Biology, Imperial College London, Silwood Park, Ascot, Berkshire SL5 7PY, UK

*Correspondence: Shai Meiri, NERC Centre for Population Biology, Imperial College London, Silwood Park, Ascot, Berkshire SL5 7PY, UK.
E-mail: s.meiri@imperial.ac.uk

ABSTRACT

Aim Body size is instrumental in influencing animal physiology, morphology, ecology and evolution, as well as extinction risk. I examine several hypotheses regarding the influence of body size on lizard evolution and extinction risk, assessing whether body size influences, or is influenced by, species richness, herbivory, island dwelling and extinction risk.

Location World-wide.

Methods I used literature data and measurements of museum and live specimens to estimate lizard body size distributions.

Results I obtained body size data for 99% of the world's lizard species. The body size–frequency distribution is highly modal and right skewed and similar distributions characterize most lizard families and lizard assemblages across biogeographical realms. There is a strong negative correlation between mean body size within families and species richness. Herbivorous lizards are larger than omnivorous and carnivorous ones, and aquatic lizards are larger than non-aquatic species. Diurnal activity is associated with small body size. Insular lizards tend towards both extremes of the size spectrum. Extinction risk increases with body size of species for which risk has been assessed.

Main conclusions Small size seems to promote fast diversification of disparate body plans. The absence of mammalian predators allows insular lizards to attain larger body sizes by means of release from predation and allows them to evolve into the top predator niche. Island living also promotes a high frequency of herbivory, which is also associated with large size. Aquatic and nocturnal lizards probably evolve large size because of thermal constraints. The association between large size and high extinction risk, however, probably reflects a bias in the species in which risk has been studied.

Keywords
Body size, description dates, diversification rates, extinction risk, insularity, lizard diets, snout–vent length, size–frequency distributions, species richness.

INTRODUCTION

Body size is known to greatly influence many aspects of the morphology, physiology and ecology of organisms. Furthermore, size often is linked to the likelihood of speciation and extinction and to the rate of evolution, as well as to current levels of anthropogenically induced extinction risk (Stanley, 1973; Cardillo *et al.*, 2005; Olden *et al.*, 2007).

At large geographical and taxonomic scales, body size–frequency distributions are typically unimodal and right skewed on a logarithmic scale (Hutchinson & MacArthur, 1959; Gardezi & da Silva, 1999; Olden *et al.*, 2007. cf. Roy *et al.*, 2000; Boback & Guyer, 2003). Thus most species are smaller than the midpoint and mean of the size range. Most research on global-scale patterns of size distributions has focused on vertebrates and sampling is relatively complete for birds (65% of species; Maurer, 1998), mammals (73% of extant and historically extinct species; Smith *et al.*, 2003) and fishes (81%; Olden *et al.*, 2007). However, although lizards have featured prominently as model organisms in studies of the evolution of body size (e.g. Schoener, 1969; Case,

DOI: 10.1111/j.1466-8238.2008.00414.x

1978, Espinoza *et al.*, 2004; Meiri, 2007) there have been no efforts to study patterns of size evolution for the whole group (but see Avery, 1996, and Greer, 2001 for skinks).

Here I examine the shape of the size–frequency distributions of lizards at the global and continental scales, both for the group as a whole and at the family level, where most of the variation of lizard body size lies (Dunham *et al.*, 1988 and see below). I use these distributions to test the following hypotheses.

Body size and species richness

Because in many groups most species are small (Hutchinson & MacArthur, 1959; Stanley, 1973), and small animals have high rates of molecular evolution (Fontanillas *et al.*, 2007), it is often thought that small size promotes high speciation rates (e.g. Maurer *et al.*, 1992). However, Orme *et al.* (2002) have shown that richness is usually not associated with body size when clade ages and phylogenetic affinities are modelled. I therefore test for the association between body size, species richness and diversification rates.

Ecological correlates of body size

Small lizards can gain heat more quickly, but will also tend to lose heat quicker than larger ones. Therefore it is reasonable to expect body size to interact with factors related to thermal regimes such as daily activity patterns. Smaller size may facilitate faster heating and cooling rates in diurnal lizards (Huey & Slatkin, 1976), which are likely to be thermoregulators. Nocturnal lizards may be more likely to be thermoconformers (Huey & Slatkin, 1976), and thus less affected by body-size related cooling and heating rates. Thus I predict that diurnal species will be smaller to facilitate faster heating. Likewise aquatic species may be more likely to be affected by fast cooling. I therefore hypothesize they will tend to be large, to reduce the rates of heat loss. Fossorial habits are thought to be associated with large size (Dunham *et al.*, 1988), perhaps because fossorial lizards often have reduced legs, and serpentiform movement is easier at large sizes (Avery, 1996; Greer, 2001). I therefore examine whether the use of space influences lizard size.

Some authors report that viviparous lizards are larger than oviparous ones (e.g. Shine, 1985; Dunham *et al.*, 1988). Greer (2001) hypothesized that viviparity is difficult to fit into the short life cycle of very small species, and that over the long development times needed by large species embryos may be safer within the mother's body than inside a nest. However, his finding that small size may be constrained by minimum egg size can suggest that oviparous species are constrained to larger sizes (see also Kratochvil & Frynta, 2006).

While most lizards are carnivorous, Cooper & Vitt (2002) estimated that some 12% of lizard species include a significant amount of plant material (> 10%) in their diets. Plant consumption in lizards has frequently been associated with large body size (Sokol, 1967; Van Damme, 1999), and it is often assumed that large size is required for lizards to efficiently process plant material, or that herbivory allows lizards to grow large, or both (Pough, 1973; Cooper & Vitt, 2002; Herrel *et al.*, 2004). This view has been challenged by Espinoza *et al.* (2004), studying the evolution of herbivory in small-sized lizards of the genus *Liolaemus*. I therefore test whether there are associations between lizard size and activity times, use of space, mode of reproduction and dietary preferences.

Body size and insularity

Island living is thought to enable lizards to evolve large sizes in the absence of mammalian predators (Szarski, 1962; Pregill, 1986; Greer, 2001). However, cases of insular dwarfism are also well known (Hedges & Thomas, 2001). I test whether insular lizards tend to occupy more extreme sizes than mainland lizards (as was found intraspecifically; Meiri, 2007), or whether insular lizards tend to be show less extreme sizes than mainland ones, as predicted by theories of optimal body size (Marquet & Taper, 1998; Lomolino *et al.*, 2005, cf. Meiri *et al.*, 2005). These theories invoke the island rule to suggest that small taxa evolve larger size and large ones evolve smaller sizes on islands, a process that will result in insular size distribution tending towards medium body sizes (Price & Phillimore, 2007). I further test whether extreme sizes are more likely to have evolved on islands lacking mammalian carnivores.

Body size and extinction risk

Large size has often been associated with anthropogenically induced extinction risk (Cardillo *et al.*, 2005; Olden *et al.*, 2007). Many lizard species that went extinct in recent times were among the largest in their clades (Case *et al.*, 1998). I therefore test whether current levels of threat are associated with lizard body size. Because risk status is published for only a small number of lizard species, this analysis may be biased if small species are less likely to have been assessed or described (e.g. Reed & Boback, 2002). However, if there is no such bias, or if most newly described species result from well-known species being split, then no relationship between size, description date and threat will be found.

METHODS

Data

I used data obtained from published literature on the body size of lizards (Appendix S1 in Supplementary Material), and supplemented it by measurements of live lizards (mostly at the Meier Segal's Garden for Zoological Research, Tel-Aviv University), museum specimens and personal communication with museum curators. Taxonomy follows Uetz (2006).

Snakes and amphisbaenians probably evolved from lizards (e.g. Townsend *et al.*, 2004; Kumazawa, 2007; but see Zhou *et al.*, 2006, who found snakes and lizards are sister taxa). However, these taxa are highly derived (e.g. in respect to life history and skull kinetism; see Dunham *et al.*, 1988, Zug *et al.*, 2001, and Pough *et al.*, 2003), and are both, on average, much larger than lizards (Avery, 1996). Using the Squamata as a whole, while making the group examined monophyletic, may therefore

obscure rather than clarify the forces affecting size evolution (see below). The omission of highly morphologically and ecologically derived taxa is commonplace in macroecology. For example, marine mammals and bats are often omitted from studies of mammals (e.g. Brown & Maurer, 1989), seabirds are routinely omitted from studies of birds (Orme *et al.*, 2006) and tetrapods are excluded from studies of fishes (Olden *et al.*, 2007). I therefore excluded amphisbaenians and snakes from the analyses.

I used maximum snout–vent length (SVL; in mm, log-transformed in all analyses) as a measure of size. Maximum SVL is a good measure of the size potential in a population, and is tightly correlated with mean adult SVL and SVL at sexual maturity (Greer, 2001). Although this index is sensitive to unequal sample sizes (Stamps & Andrews, 1992; Meiri, 2007) it is reasonable that such sampling effects are relatively minor when species across the lacertilian size range are compared. Furthermore, maximum SVL is by far the most common size index reported for lizards (author's unpublished work). Moreover, measurements of juveniles are often included when mean SVLs are reported, but this is not always stated explicitly. Mass data for adults are also hard to come by (I obtained mass data for only 615 species), and I therefore used maximum SVL throughout. I included estimates of maximum SVL for recently extinct species and populations (see Pregill, 1986), if these species were included in the taxonomy I use (Uetz, 2006).

Distribution data from Uetz (2006) and regional guides (Appendix S1) were used to assign each species to a continent and to determine whether it is endemic to islands. Data on the presence or absence of mammalian carnivores from islands were from Meiri *et al.* (2005), discarding historic introductions. Biological data were from the same sources used to derive body-size (Appendix S1).

I classified lizards as either diurnal or nocturnal, with crepuscular and cathemeral species regarded as nocturnal because they are active when basking is impossible. I used five categories of space use: fossorial, scansorial (arboreal and/or saxicolous), terrestrial, semi-aquatic and variable (species active in more than one of the above categories). Dietary categories followed Cooper & Vitt (2002): predators (< 10% plant material or species that, e.g., 'occasionally' take plants), omnivores (10–50% plant material, species described as 'omnivorous' etc.) and herbivores (> 50% plant materials). Species are classified as either oviparous or viviparous (including ovoviviparous). Species showing both modes ($n = 14$) were omitted.

Because quantitative data regarding lizard ecology are mostly lacking, and when they are reported sometimes show considerable intraspecific variation, the categorizations for all biological attributes are best viewed as qualitative.

Analyses

All analyses were conducted in R 2.7.0. (R Development Core Team, 2007). I described the shape and moments of central tendency of the lizard body size–frequency distribution and examined the variance attributed to different levels of the taxonomic hierarchy using the R package 'ape'.

I examined the relationship between SVL and species richness within both families and genera. To account for phylogenetic structure (Orme *et al.*, 2002) I repeated the analysis using the family-level phylogeny of Townsend *et al.* (2004). Because some recognized lizard families are polyphyletic in the Townsend *et al.* (2004) phylogeny I used subfamily data from Uetz (2006) in the phylogenetic comparative analysis. Phylogenetic data are insufficient to explore the relationship at lower taxonomic levels. For the family-level analyses I used a generalized least squares method to test, and account for, the strength of phylogenetic non-independence in the model using the scaling parameter λ (Freckleton *et al.*, 2002). I estimated and applied the maximum likelihood value of λ using R code written by R. P. Freckleton. I calculated the within-family diversification rate as log(species richness)/family age. In another analysis I used family species richness as the response.

I used mixed-effects models with species nested in genera and families to best control for evolutionary relationships because species-level phylogenies are mostly lacking. When studying ecological attributes I used only species for which I had data on all relevant traits.

Data on the extinction risk were from the IUCN Red Data Book (Cox *et al.*, 2006). Because data were scarce (only 358 species assessed) I repeated the analyses for two additional groups: Iguanidae, which is the family (except Helodermatidae, $n = 2$) with the highest proportion of lizards with an IUCN assessment (24 of 36 species, 67%), and Mediterranean endemics, for which risk data were recently published (Cox *et al.*, 2006). I analysed risk data by assigning codes to risk categories: least concern (and LR/lc), 1; near threatened (and LR/nt), 2; vulnerable, 3; endangered, 4; critically endangered, 5; and extinct, 6 (no lizards are listed as extinct in the wild). I also compared threatened lizards (categories 3–6 above) with non-threatened (categories 1–2), data-deficient (DD) and never-assessed species.

RESULTS

Body size–frequency distributions

Data on the maximum SVL of 4875 species of lizards (99% of the 4916 species recognized by Uetz [2006], 457 of 459 genera) are shown in Appendix S2. The largest specimen in a species is a male in 1249 species and female in 943 (including 32 parthenogenetic species). Otherwise the sex of the largest specimen is not reported. I was unable to obtain size data for 15 species, four of which I considered invalid (including members of the monotypic genera *Oreodeira* and *Chabanaudia*). Twenty-six species, as far as I know, are only known from juveniles, and were not analysed (see Appendix S3 for exclusions). Mean lizard SVL is 91 mm (median 74 mm). The mean of the log-transformed values was 1.89 (77 mm). The smallest lizard was *Sphaerodactylus elasmorhynchus* (maximum SVL 17 mm) and the largest was *Varanus komodoensis* (1540 mm). The family ($n = 26$) was the level where most of the variation in lizard size resided: 47.4% of the variation in maximum log(SVL) lay at this level, compared with 34.8% at the genus level and 17.7% at the species level.



Figure 1 Body size–frequency distribution of all lizards ($n = 4875$ species). Size is the $\log_{10}$(snout–vent length) (SVL) in mm.

The body size–frequency distribution for the Sauria was highly modal, right skewed and leptokurtic (Fig. 1). Nine out of 16 families with at least 30 species (taxonomy follows Uetz, 2006) had a significantly right-skewed body size–frequency distribution (Fig. 2). Five families showed significant kurtosis: four had leptokurtic distributions, while the Phrynosomatidae distribution was platykurtic (Table 1).

Lizards inhabiting different realms come in different sizes, and there was a significant interaction between family and geography (two-way ANOVA, family d.f. = 25, $F = 116.47$, $P < 0.0001$; realm d.f. = 7, $F = 26.17$, $P < 0.0001$; interaction d.f. = 37, $F = 11.64$, $P < 0.0001$). Nearctic lizards were the largest ($n = 154$, mean log(SVL) = 100 mm) while Malagasy and Neotropic ones were the smallest (73 mm). All realms (except Madagascar, $P = 0.068$) were characterized by significantly right-skewed body size–frequency distributions, and all distributions except for that of Madagascar were significantly leptokurtic (Table S1).

Body size and species richness

There was a strong negative correlation between log(species richness) within families (using numbers of all the species in each family, not only sampled ones) and SVL (mean SVL, $n = 26$, $r = -0.695$, $P < 0.0001$; median SVL $r = -0.691$, $P < 0.0001$). However, there was only a weak correlation between SVL and log(species richness) within genera (Fig. 3) [mean log(SVL) of sampled species versus log total number of species per genus, including missing species. $n = 457$, $r = -0.045$, $P = 0.036$, for medians $r = -0.103$, $P = 0.028$]. Within families with at least 10 genera ($n = 9$), only skinks (Scincidae) showed a significant negative relationship between species richness within genera and average SVL of the genus. Gymnophthalmids had a significant positive relationship. The mean of the nine slopes was $-0.573 \pm 0.367_{SE}$.

The taxa used in the phylogenetic comparative analysis and data for node ages (stem age), richness, diversification rates and SVL are shown in Appendix S4. The maximum likelihood value of lambda ($\lambda < 0.001$) did not differ significantly from zero for either mean or median SVL (likelihood ratio statistic, 1 df, $\chi^2 < 0.001$, $P > 0.99$ for both). Setting λ to its maximum likelihood value resulted in significant negative relationships between diversification rate [log(species richness) divided by stem age] and SVL [$n = 31$ clades; median SVL, slope = −0.024, $r^2 = 0.21$, $P = 0.009$, Akaike information criterion (AIC_c) = −181.3; mean SVL, slope = −0.024, $r^2 = 0.17$, $P = 0.012$, $AIC_c = -180.9$]. Setting λ to 1 (equivalent to an independent contrast analysis; Freckleton *et al.*, 2002) also resulted in negative relationships between size and diversification rates (median SVL, slope = −0.028, $r^2 = 0.15$, $P = 0.029$, $AIC_c = -163.9$; mean SVL, slope = −0.028, $r^2 = 0.14$, $P = 0.035$, $AIC_c = -163.5$).

The number of species in each clade was negatively correlated with log(SVL) setting λ to its maximum likelihood ($\lambda < 0.001$ for both median and mean SVL; median SVL, slope = −2.32, $r^2 = 0.54$, $P < 0.0001$, $AIC_c = 56.8$; mean SVL, slope = −2.38, $r^2 = 0.53$, $P < 0.0001$, $AIC_c = 57.3$). Setting $\lambda = 1$ still resulted in a strong negative relationship between richness and body size (median SVL, slope = −2.12, $r^2 = 0.35$, $P = 0.0004$, $AIC_c = 70.6$; mean SVL, slope = −2.17, $r^2 = 0.34$, $P = 0.0006$, $AIC_c = 71.1$). Taxon age was not a significant predictor of richness in these models.

There was no relationship between species richness within a family and the average number of species in genera ($r = 0.12$, $P = 0.55$), and no relationship between the mean number of species per genus within families and mean SVL within families ($r = -0.02$, $P = 0.91$). Thus small body within lizard families was associated with high genera richness (both variables log-transformed, $n = 26$, slope = −0.118, $R^2 = 0.45$, $P = 0.0002$).

Ecology

Using mixed-effectss models with ecological variables nested within families and genera, I first examined univariate models, where maximum sample sizes could be attained. Viviparous lizards were no larger than oviparous ones ($t = 0.97$, d.f. = 2163, $P = 0.33$). Nocturnal lizards were larger than diurnal ones ($t = 2.54$, d.f. = 1844, $P = 0.011$). Space use was significantly related to body size, with planned comparisons showing that semi-aquatic lizards are larger than lizards in the other categories ($t = 5.90$, d.f. = 2786, $P < 0.0001$). Fossorial species were no different in size from species in the rest of the categories ($t = 0.79$, $P = 0.43$), species in the 'variable' space use category were larger than scansorial and terrestrial ones ($t = 2.41$, $P = 0.016$), and scansorial species were larger than terrestrial ones ($t = 2.40$, $P = 0.016$). Diet significantly affected size, with planned comparisons showing that species incorporating plants in their

Table 1 Body size of lizard families; moments of central tendency.

Family	Number of species	Sampled species	Mean log(SVL)	SE	Median log(SVL)	g_1	$P(g_1)$	g_2	$P(g_2)$	CV
All lizards	4916	4876	1.89	0.003	1.87	0.88	< 0.0001	2.08	< 0.0001	12.14
Agamidae	394	386	2.00	0.01	1.97	0.36	0.00	–0.06	0.80	9.81
Anguidae	114	113	2.11	0.02	2.06	0.63	0.01	0.01	0.97	8.97
Anniellidae	2	2	2.20	0.05	2.20	NA	NA	NA	NA	3.21
Chamaeleonidae	162	161	1.93	0.02	1.90	0.11	0.56	–0.33	0.40	12.31
Cordylidae	55	55	1.97	0.02	1.95	0.85	0.01	0.40	0.55	6.16
Corytophanidae	9	9	2.24	0.05	2.28	NA	NA	NA	NA	6.80
Crotaphytidae	10	10	2.09	0.02	2.10	–0.32	0.69	–1.07	0.51	2.31
Dibamidae	21	21	2.12	0.03	2.11	0.07	0.89	–1.42	0.20	5.64
Gekkonidae	1115	1107	1.76	0.01	1.76	0.22	0.00	–0.02	0.89	11.23
Gerrhosauridae	33	33	2.05	0.03	1.99	0.37	0.40	–1.05	0.23	9.33
Gymnophthalmidae	206	206	1.77	0.01	1.77	–0.14	0.41	–0.32	0.34	7.59
Helodermatidae	2	2	2.62	0.06	2.62	NA	NA	NA	NA	2.97
Hoplocercidae	11	11	2.11	0.02	2.13	–0.14	0.86	–1.47	0.35	2.78
Iguanidae	36	36	2.51	0.03	2.52	–0.08	0.84	–1.26	0.13	8.06
Lacertidae	285	284	1.86	0.01	1.83	2.05	< 0.0001	7.95	< 0.0001	7.96
Lanthanotidae	1	1	2.60	NA	2.60	NA	NA	NA	NA	NA
Opluridae	7	7	2.09	0.04	2.07	NA	NA	NA	NA	4.69
Phrynosomatidae	128	128	1.91	0.01	1.91	0.22	0.32	–0.91	0.037	6.59
Polychrotidae	394	389	1.83	0.01	1.80	0.69	< 0.0001	–0.13	0.61	9.20
Pygopodidae	37	37	2.11	0.02	2.08	0.82	0.049	0.41	0.62	7.11
Scincidae	1345	1331	1.87	0.01	1.85	0.70	< 0.0001	0.88	< 0.0001	10.63
Teiidae	122	121	2.05	0.02	2.03	1.20	< 0.0001	1.60	0.0005	10.59
Tropiduridae	333	333	1.92	0.01	1.92	0.15	0.27	0.62	0.02	5.81
Varanidae	63	62	2.58	0.03	2.60	–0.07	0.82	–0.64	0.31	10.04
Xantusiidae	24	24	1.88	0.03	1.89	–0.17	0.74	–1.14	0.27	8.68
Xenosauridae	7	7	2.14	0.08	2.06	NA	NA	NA	NA	9.53

SVL, snout–vent length; SE, standard error; g_1, skewness; g_2, kurtosis, CV, coefficient of variation. *P* values for these statistics are deviations from normality, and were calculated using their standard errors by way of *t*-tests.

diet were significantly larger than strict predators ($t = 8.53$, d.f. = 1543, $P < 0.0001$). Herbivores were marginally but non-significantly larger than omnivores ($t = 1.75$, $P = 0.080$).

Data for all ecological variables were only available for 1128 species. Using mixed-effects models with ecological variables nested within families and genera, viviparous lizards were larger than oviparous ones but the difference was marginally non-significant ($t = 1.91$, d.f. = 818, $P = 0.057$). Nocturnal lizards were larger than diurnal ones ($t = 2.67$, $P = 0.008$), carnivorous lizards were smaller than omnivores and herbivores ($t = 7.87$, $P < 0.0001$) and omnivores were smaller than herbivores ($t = 3.49$, $P = 0.0005$). Semi-aquatic lizards were larger than other species ($t = 4.99$, $P < 0.0001$), and there were no significant differences between sizes within the other categories of space use (*t*-values between 0.06 and 0.84, $0.39 < P < 0.96$).

Using lizard species for which I had detailed dietary data, there was a positive correlation between the percentage of plants in the diet and SVL (ANCOVA with family as a factor, slope for the percentage of plants = 0.37, $n = 84$, $t = 5.42$, $P < 0.0001$, partial R^2 for the percentage of plants = 0.205, partial R^2 for family = 0.176). Within the genus *Liolaemus*, in which Espinoza *et al.* (2004) found no association between body size and herbivory, omnivorous and herbivorous species were larger than strict predators (79 mm vs. 73 mm) but this result was marginally non-significant ($t_{63,40} = 1.78$, $P = 0.079$).

Body size and insularity

Island-endemic lizards and lizards inhabiting mainlands were similar in size [mean log(SVL) 75 mm vs. 78 mm, mixed-effects model, $t = 0.36$, d.f. = 4417, $P = 0.72$]. The size–frequency distributions of island endemic ($n = 1479$) and mainland lizards ($n = 3396$), however, were significantly different (Fig. 4; Kolmogorov–Smirnov $D = 0.088$, $P < 0.0001$). Dividing lizards into 10 size classes at 30-mm intervals (except the 10th class > 270 mm), the first and tenth classes contained many more island endemics (54 and 53 species, respectively versus 50 and 73 species of continental lizards in these classes) than expected by chance given continental lizards outnumber island endemics 2.29 to 1 (overall $\chi^2 = 73.1$, d.f. = 9, $P < 0.0001$). Thus island endemic lizards tended to have a less clumped size distribution than lizards inhabiting mainlands.



Figure 2 Body size–frequency distribution within lizard families with at least 30 species. Size is the $\log_{10}$(snout–vent length) (SVL) in mm.



Figure 3 Relationship between body size and species richness. Species richness (log transformed) versus mean body size [log(snout vent length) (SVL), in mm] within (a) lizard families and (b) lizard genera.



Figure 4 Body size–frequency distribution of lizards inhabiting continents (top) versus size–frequency distribution of island-endemic lizards (bottom). SVL is snout–vent length.

Lizards inhabiting carnivore-free islands ($n = 769$, mean log(SVL) 73 mm) were similar in size to island endemics from islands inhabited by mammalian carnivores ($n = 710$, 76 mm, mixed-effects model, $t = 1.30$, $P = 0.19$). Again, however, the size–frequency distributions of island endemics on islands with and without carnivores were significantly different ($D = 0.09$, $P = 0.003$, Fig. S1). The first and tenth classes contained fewer lizards from islands with mammalian carnivores (15 and 13, versus 39 and 40, respectively, on islands lacking carnivores) than expected by chance (overall $\chi^2 = 31.8$, $P = 0.0002$).

In none of the dietary categories were insular lizards different in size from mainland ones (mixed-effects models, predators, $t = 0.56$, d.f. = 1208, $P = 0.58$; herbivores, $t = 1.09$, d.f. = 67, $P = 0.28$; omnivores, $t = 0.47$, d.f. = 172, $P = 0.64$). However, the relative frequency of insular herbivores and omnivores (11% and 23% of the species, respectively) was much higher than that of continental herbivores and omnivores (4% and 11% of the species, respectively, $\chi^2 = 69.3$, d.f. = 2, $P < 0.0001$); thus carnivorous and omnivorous lizards were not larger on islands but they formed a much larger part of insular lizard faunas.

Extinction risk

Extinction risk increased with body size ($n = 358$, $R^2 = 0.08$, $P < 0.0001$), even when familiar and generic relationships were accounted for (mixed-effects model, $t = 2.07$, $P = 0.04$). Threatened lizards (128 mm, $n = 147$) were larger than non-threatened ones (93 mm, $n = 210$), DD species (83 mm, $n = 41$) and unassessed species [75 mm, $n = 4477$; $F_{3,4871} = 60.2$, $P < 0.0001$, Tukey honestly significant difference (HSD), $P < 0.001$ for all comparisons]. Non-threatened species were larger than unassessed ones (Tukey HSD, $P < 0.0001$), but data-deficient species were not different from either of these categories (Tukey HSD, DD versus non-threatened $P = 0.54$, DD versus non-assessed $P = 0.63$).

Within the Iguanidae there was no significant difference between threat categories ($F_{2,33} = 1.35$, $P = 0.27$). Neither was there a correlation between the degree of threat and SVL in Mediterranean lizards (DD species omitted, $n = 201$, $t = 0.53$, $r = 0.04$, $P = 0.60$).

Description dates were negatively correlated with SVL ($n = 4875$, $r = -0.29$, $P < 0.0001$). Nevertheless, when only lizards described since 1900 were considered, no significant effect of description year remained ($n = 2864$, $r = -0.01$, $P = 0.65$).

DISCUSSION

Lizards show a similar size distribution to that of many other taxa. Global, realm-specific and family-level distributions are mostly unimodal and right skewed. It is reasonable to assume that amniotes cannot grow significantly smaller than the smallest lizards (Pough, 1980; Greer, 2001; Kratochvil & Frynta, 2006) and thus that the decline in species numbers towards the smaller sizes may reflect a limitation on miniaturization (Stanley, 1973).

There are many more small lizard species than large ones (the mode is smaller than the mean and range midpoint in most families and realms), and families of small lizards contain more species than families of large lizards, even when phylogenetic effects are accounted for. High diversification rates are likewise associated with small body size. (cf. Orme *et al.*, 2002). There is, however, little relationship between body size and richness of genera within families, as was previously found in agamids (Stuart-Fox & Owens, 2003). Thus genera richness, rather than high within-genera richness, leads to elevated species richness in small-bodied families. It may be that genera within families are ecologically distinct from one another whereas congeneric species share similar ecologies. If congenerics are also often allopatric, then perhaps the smaller size of lizards in species-rich families is a consequence of more niches being available to small-bodied genera. Alternatively, it may tell us more about taxonomic practice than about ecology and evolution. This supports Hutchinson & MacArthur's (1959) assertion that richness is related to the number of niche types, which peaks for small-bodied (but not the smallest) taxa.

The tendency of semi-aquatic lizards to be large may be explained by the relatively slow cooling rates of large species. Because heat loss is much more rapid in water, small species may not be able to maintain sufficient heat in aquatic habitats. Similarly, the smaller size of diurnal lizards may facilitate faster heating rates (Huey & Slatkin, 1976), whereas cooling is relatively less important for animals active during the hot hours of the day. Results of the dietary analysis support the hypothesis of a strong association between plant feeding and large body size in lizards (Sokol, 1967; Pough 1973; Cooper & Vitt, 2002). Phylogenetic

comparative analyses of some lizard groups also support such an association (e.g. Herrel *et al.*, 2004, but see Espinoza *et al.*, 2004). While the association of large size and herbivory seem well supported, it is not clear whether large size is an adaptation to herbivory, or whether large size evolved for other reasons, and enabled herbivory. Large lizards have more diverse prey size than smaller ones (Vezina, 1985; Vitt, 2000), and are more likely to include both invertebrates and vertebrates in their diet (S Meiri, unpublished). They are thus perhaps pre-adapted to dealing with more varied diets, including plant material.

Island lizards often evolve very small and very large sizes. This corroborates the conclusion of Arnold & Ovenden (2004) that large lizards often tend to evolve on predator-free islands. Lizards are likewise thought to grow large on islands where large prey or abundant food sources exist (Case & Schwaner, 1993; Raia & Meiri, 2006; Meiri 2007). The very large sizes attained by some insular lizards may result both as a direct response to release from predation (Case, 1982), and from lizards on mammalian-carnivore free islands being able to occupy the niche of the island top predator (e.g. *Phoboscincus bocourti*, *Varanus komodoensis*). Large lizards may also be better dispersers, which may help explain why, while islands have more large, herbivorous species than expected by chance, there are no differences between the sizes of insular and continental lizards within dietary categories. That islands also promote the diversification of very small lizards is more difficult to explain, as small size can be an anti-predatory adaptation in itself (Heaney, 1978). Extremely small size in island lizards may be an adaptation to a general shortage of insects (Janzen, 1973; Olesen & Valido, 2003). However, small insular lizards are often extremely abundant (Bennett & Gorman, 1979; Rodda *et al.*, 2001), so food shortage may not be a general characteristic of islands. Release from competition with homeotherms is unlikely, as small lizards are much smaller than the smallest birds and mammals (Pough, 1980). It may be that small size often evolves on islands to facilitate feeding on very small arthropods (Janzen, 1973). Perhaps competition with amphibians and other arthropod predators is reduced on islands, but currently I have no data to support this hypothesis. Be that as it may, contrary to the expectation of theories of optimal body size (Marquet & Taper, 1998; Boback & Guyer, 2003, cf. Meiri *et al.*, 2005, 2006), islands seem to harbour an unusual number of both extremely small and very large lizards. I suspect that release from predation and the nature of the resource base on islands may drive the evolution of small size in predatory species, as well as that of very large size in both herbivores and vertebrate-eating species.

While most recently extinct lizards were large (mean size of extinct lizards is 190 mm, $n = 17$) the results of this study do not lend strong support to an association between large size and high extinction risk. Where relatively complete data exist, large size is not associated with risk. The relationship between risk and SVL is weak, and probably biased: risk in the vast majority of lizard species is not assessed and both non-assessed and DD species are small. Thus I suspect that there has been a greater tendency to assess the conservation status of large species.

The results of this study may be questioned if maximum SVL is a poor size index, or if a great many species still await description and these are different in size from those I sampled. Maximum SVL disregards shape, which may strongly affect weight (Greer & Wadsworth, 2003). In 75 live lizards belonging to 21 species (in eight families, 24–530 mm SVL, 0.4–1760 g) I have measured, SVL explained 95% of the variation in body mass. However, the masses predicted for two specimens of the legless anguid *Pseudopus apodus* were 2.9 and 4.0 times their actual masses. Probably, however, across the six orders of magnitude of lizard body masses discrepancies between mass and SVL are relatively minor. Because maximum SVL is highly sensitive to sample size (Stamps & Andrews, 1992; Meiri, 2007), some species will appear to have shorter maximum SVL than the real value. However, there is no reason to assume it should bias the results in any particular direction, and the intraspecific variation is surely much smaller than the interspecific one. Similarly, museum specimens often shrink, but the degree of shrinkage is usually low (e.g. Lazell, 1972; Case, 1976; Reed, 2001) and probably does not bias my results.

Lizards are being described at an accelerating pace. Between 2000 and 2005, 285 new lizard species were described, and, if anything, the rate of description is increasing: Fitting year as an explanatory variable to the number of species described each year since the end of World War II (1946 to 2005) results in a strong positive correlation, explaining 67% (!) of the variation (slope 0.74 ± 0.07, Fig. S2). Therefore, while species sampling in this study is comprehensive relative to current listings, it is unlikely to remain so. Indeed 129 new reptile species have been described in 2007 alone, more than in any other year except 1854 (P. Uetz, pers. comm.). Again, however, I don't envisage that the discovery of new species will change the conclusions offered here. The SVL of 67 newly described (2005–08) species (Appendix S3) is not significantly different from that of previously described species (controlling for family, $F_{1,4915} = 0.41$, $P = 0.52$). Furthermore, my impression is that new species are often being described based on very little differences from well-established ones, differences that may simply reflect minor geographical variation (Meiri & Mace, 2007). For example, many lacertid taxa that Boulenger (1920, 1921) considered as mere varieties (for example of *Lacerta muralis*, nowadays *Podarcis muralis*) are today recognized as specifically distinct (see also Harris, 2008). If this is the prevailing pattern, newly described species will be very similar in size to existing species, and newly described species, valid or not, will be a random sample of the body size distribution.

As lizards are paraphyletic in relation to snakes and amphisbaenians (Townsend *et al.*, 2004; Kumazawa, 2007; cf. Zhou *et al.*, 2006) it may be worth hypothesizing how the inclusion of these two taxa would have affected my results. Snakes and amphisbaenians (3055 and 164 species, respectively, Uetz, 2006) are larger than lizards. Amphisbaenians are, on average, three to four times as long (author's unpublished data) and snakes are even longer: Boback & Guyer's (2003) sample of 618 snake species has a unimodal distribution, with a modal total length of 880–1080 mm. Therefore a frequency distribution for all squamates is likely to be highly bimodal. Snakes include by far the most speciose squamate family (Colubridae, 1832 species), as well as four other families

with more than 100 species (Uetz, 2006). It is therefore likely that the relationship between small size and high species richness would disappear if snakes were included. The high number of fossorial snake and amphisbaenians species, and the fact that these taxa contain almost exclusively predatory species (Pough *et al.*, 2003), probably means that when examined for all squamates, large size would be associated with burrowing habits, and with a carnivorous, rather than herbivorous diet. Taking phylogeny into account though, I predict that the results obtained here are likely to remain valid.

Using the most complete body size–frequency distribution of any large vertebrate group assembled so far, lizard body size distributions seem to resemble those of other taxa (Gardezi & da Silva, 1999; Olden *et al.*, 2007). Small-bodied families have more species, but this does not translate easily to elevated speciation rates at the lower end of the size spectrum. Neither does large body size seem to be tightly associated with extinction risk; rather it seems that large species are more likely to have been assessed. The association between lizard insularity and herbivory and large body size is corroborated, but the mechanisms responsible for these phenomena are still far from clear. Low predation pressures seem to play at least some role in the evolution of large body size. More puzzling is the fact that such a high proportion of the world's smallest lizards inhabit predator-free islands. Clearly much work is needed to address this and other questions regarding the evolution of lizard body size.

ACKNOWLEDGEMENTS

First and foremost I thank Liz Butcher and Barbara Sanger from the Michael Way Library for their invaluable help in obtaining the often old and neglected literature sources used in this work. I am also indebted to the staff in the library of the Natural History Museum, London, and to herpetologists who have sent me data. Barak Levy and, especially, Uri Roll helped me measure live lizards. R. Gunther, D. Langer (Museum fur Naturkunde, Berlin), C. McCarthy (Natural History Museum, London), J. Rosado (Museum for Comparative Zoology), R. McDiarmid and S. Gotte (Smithsonian Institution) kindly helped me measure museum specimen in the collections under their care. I. Ineich and K. van Egmond sent me museum specimens to measure. I thank Eugenia Mintz, Hsin-Ying Lee, Susanne Fritz and Joaquin Hortal for help with translations and D. Frynta, J. Losos, D. Orme and A. Purvis for valuable discussion. Mick Crawley, Ally Phillimore and Rich Grenyer provided invaluable statistical advice. I thank Ted Townsend for sharing his phylogenetic data and Gavin Thomas for help with the phylogenetic analysis. Joaquin Hortal, Ally Phillimore, Gavin Thomas and two anonymous referees made many important comments on lousier versions of this manuscript.

REFERENCES

Arnold, E.N. & Ovenden, D.W. (2004) *A field guide to the reptiles and amphibians of Britain and Europe*, 2nd edn. Collins, London.

Avery, R.A. (1996) Ecology of small reptile-grade sauropsids. *Symposia of the Zoological Society of London*, **69**, 225–237.

Bennett, A.F. & Gorman, G.C. (1979) Population density and energetics of lizards on a tropical island. *Oecologia*, **42**, 339–358.

Boback, S.M. & Guyer, C. (2003) Empirical evidence for an optimal body size in snakes. *Evolution*, **57**, 345–351.

Boulenger, G.A. (1920) *Monograph of the Lacertidae*, Vol. 1. London, Trustees of the British Museum (Natural History).

Boulenger, G.A. (1921) *Monograph of the Lacertidae*, Vol. 2. London, Trustees of the British Museum (Natural History).

Brown, J.H. & Maurer, B.A. (1989) Macroecology: the division of food and space among species on continents. *Science*, **243**, 1145–1150.

Cardillo, M., Mace, G.M., Jones, K.E., Bielby, J., Bininda-Emonds, O.R.P., Sechrest, W., Orme, C.D.L. & Purvis, A. (2005) Multiple causes of high extinction risk in large mammal species. *Science*, **309**, 1239–1241.

Case, T.J. (1976) Body size differences between populations of the chuckwalla, *Sauromalus obesus*. *Ecology*, **57**, 313–323.

Case, T.J. (1978) A general explanation for insular body size trends in terrestrial vertebrates. *Ecology*, **59**, 1–18.

Case, T.J. (1982) Ecology and evolution of the insular giant chuckawallas, *Sauromalus hispidus* and *Sauromalus varius*. *Iguanas of the world: their behavior, ecology and conservation* (ed. by G.M. Burghardt and A.S. Rand), pp. 184–212. Noyes Publications, Park Ridge, NJ.

Case, T.J. & Schwaner, T.D. (1993) Island mainland body size differences in Australian varanid lizards. *Oecologia*, **94**, 102–109.

Case, T.J., Bolger, A.D. & Richman, A.D. (1998) Reptilian extinctions over the last ten thousand years. *Conservation biology for the coming decade*, 2nd edn (ed. by P.L. Fielder and P.M. Kareiva), pp. 157–186. Chapman and Hall, New York.

Cooper, W.E. & Vitt, L.J. (2002) Distribution, extent, and evolution of plant consumption by lizards. *Journal of Zoology*, **257**, 487–517.

Cox, N., Chanson, J. & Stuart, S. (compilers) (2006) *The status and distribution of reptiles and amphibians of the Mediterranean Basin*. IUCN, Gland, Switzerland and Cambridge, UK.

Dunham, A.E., Miles, D.B. & Reznick, D.N. (1988) Life history patterns in squamate reptiles. *Biology of the Reptilia. Vol. 16. Ecology B. Defense and life history* (ed. by C. Gans and R.B. Huey), pp. 441–522. Liss, New York.

Espinoza, R.E., Wiens, J.J. & Tracy, C.R. (2004) Recurrent evolution of herbivory in small, cold-climate lizards: breaking the ecophysiological rules of reptilian herbivory. *Proceedings of the National Academy of Sciences USA*, **101**, 16819–16824.

Fontanillas, E., Welch, J.J., Thomas, J.A. & Bromham, L. (2007) The influence of body size and net diversification rate on molecular evolution during the radiation of animal phyla. *BMC Evolutionary Biology*, **7**, 95, doi:10.1186/1471-2148-7-95.

Freckleton, R.P., Harvey, P.H. & Pagel, M. (2002) Phylogenetic analysis and comparative data: a test and review of evidence. *The American Naturalist*, **160**, 712–726.

Gardezi, T. & da Silva, J. (1999) Diversity in relation to body size in mammals: a comparative study. *The American Naturalist*, **153**, 110–123.

Greer, A.E. (2001) Distribution of maximum snout-vent length among species of scincid lizards. *Journal of Herpetology*, **35**, 383–395.

Greer, A.E. & Wadsworth, L. (2003) Body shape in skinks: the relationship between relative hind limb length and relative snout-vent length. *Journal of Herpetology*, **37**, 554–559.

Harris, D.J. (2008) Taxonomic inflation and red lists: how have Mediterranean reptile conservation issues been affected? *Proceedings of the Symposium on the Lacertids of the Mediterranean Basin*, **6**, 28.

Heaney, L.R. (1978) Island area and body size of insular mammals: evidence from the tri-colored squirrel (*Callosciurus prevosti*) of southeast Asia. *Evolution*, **32**, 29–44.

Hedges, S.B. & Thomas, R. (2001) At the lower size limit in amniote vertebrates: a new diminutive lizard from the West Indies. *Caribbean Journal of Science*, **37**, 168–173.

Herrel, A., Vanhooydonck, B., Joachim, R. & Irschick, D.J. (2004) Frugivory in polychrotid lizards: effects of body size. *Oecologia*, **140**, 160–168.

Huey, R.B. & Slatkin, M. (1976) Cost and benefits of lizard thermoregulation. *Quarterly Review of Biology*, **51**, 363–384.

Hutchinson, G.E. & MacArthur, R.H. (1959) A theoretical ecological model of size distributions among species of animals. *The American Naturalist*, **93**, 117–125.

Janzen, D.H. (1973) Sweep samples of tropical foliage insects: effects of seasons, vegetation types, elevation, time of day, and insularity. *Ecology*, **54**, 687–701.

Kratochvil, L. & Frynta, D. (2006) Body-size effect on egg size in eublepharid geckos (Squamata: Eublepharidae), lizards with invariant clutch size: negative allometry for egg size in ectotherms is not universal. *Biology Journal of the Linnean Society*, **88**, 527–532.

Kumazawa, Y. (2007) Mitochondrial genomes from major lizard families suggest their phylogenetic relationships and ancient radiations. *Gene*, **388**, 19–26.

Lazell, J.D. (1972) The anoles (Sauria: Iguanidae) of the Lesser Antilles. *Bulletin of the Museum of Comparative Zoology*, **143**, 1–115.

Lomolino, M.V., Riddle, B.R. & Brown, J.H. (2005) *Biogeography*, 3rd edn. Sinauer, Sunderland, MA.

Marquet, P.A. & Taper, M.L. (1998) On size and area: patterns of mammalian body size extremes across landmasses. *Evolutionary Ecology*, **12**, 127–139.

Maurer, B.A. (1998) The evolution of body size in birds. I. Evidence for non-random diversification. *Evolutionary Ecology*, **12**, 925–934.

Maurer, B.A., Brown, J.H. & Rusler, R.D. (1992) The micro and the macro in body size evolution. *Evolution*, **46**, 939–953.

Meiri, S. (2007) Size evolution in island lizards. *Global Ecology and Biogeography*, **16**, 702–708.

Meiri, S. & Mace, G.M. (2007) New taxonomy and the origin of species. *PLoS Biology*, **5**, 1385–1386.

Meiri, S., Simberloff, D. & Dayan, T. (2005) Insular carnivore biogeography: island area and mammalian optimal body size. *The American Naturalist*, **165**, 505–514.

Meiri, S., Dayan, T. & Simberloff, D. (2006) The generality of the island rule reexamined. *Journal of Biogeography*, **33**, 1571–1577.

Olden, J.D., Hogan, Z.S. & Zanden, M.J.V. (2007) Small fish, big fish, red fish, blue fish: size-biased extinction risk of the world's freshwater and marine fishes. *Global Ecology and Biogeography*, **16**, 694–701.

Olesen, J.M. & Valido, A. (2003) Lizards as pollinators and seed dispersers: an island phenomenon. *Trends in Ecology and Evolution*, **18**, 177–181.

Orme, C.D.L., Quicke, D.L.J., Cook, J.M. & Purvis, A. (2002) Body size does not predict species richness among the metazoan phyla. *Journal of Evolutionary Biology*, **15**, 235–247.

Orme, C.D.L., Davies, R.G., Olson, V.A., Thomas, G.H., Ding, T.-S., Rasmussen, P.C., Ridgely, R.S., Stattersfield, A.J., Bennett, P.M., Owens, I.P.F., Blackburn, T.M. & Gaston, K.J. (2006) Global patterns of geographic range size in Birds. *PLoS Biology*, **4**, 1276–1283.

Pough, F.H. (1973) Lizard energetics and diet. *Ecology*, **54**, 837–844.

Pough, F.H. (1980) The advantages of ectothermy for tetrapods. *The American Naturalist*, **115**, 92–112.

Pough, F.H., Andrews R.M., Cadle, J.E., Crump, M.L., Savitzky, A.H. & Wells, K.D. (2003) *Herpetology*, 3rd edn. Prentice Hall, Upper Saddle River, NJ.

Pregill, G.K. (1986) Body size of insular lizards: a pattern of Holocene dwarfism. *Evolution*, **40**, 997–1008.

Price, T.D. & Phillimore, A.B. (2007) Reduced major axis regression and the island rule. *Journal of Biogeography*, **34**, 1998–1999.

R Development Core Team (2007) *R: a language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria.

Raia, P. & Meiri, S. (2006) The island rule in large mammals: palaeontology meets ecology. *Evolution*, **60**, 1731–1742.

Reed, R.N. (2001) Effects of museum preservation techniques on length and mass of snakes. *Amphibia-Reptilia*, **22**, 488–491.

Reed, R.N. & Boback, S.M. (2002) Does body size predict dates of species description among North American and Australian reptiles and amphibians? *Global Ecology and Biogeography*, **11**, 41–47.

Rodda, G.H., Perry, G., Rondeau, R.J. & Lazell, J. (2001) The densest terrestrial vertebrate. *Journal of Tropical Ecology*, **17**, 331–338.

Roy, K., Jablonski, D. & Martien, K.K. (2000) Invariant size-frequency distributions along a latitudinal gradient in marine bivalves. *Proceedings of the National Academy of Sciences USA*, **97**, 13150–13155.

Schoener, T.W. (1969) Size patterns in West Indian *Anolis* lizards: I. Size and species diversity. *Systematic Zoology*, **18**, 386–401.

Shine, R. (1985) The evolution of viviparity in reptiles: an ecological analysis. *Biology of the Reptilia*, Vol. 15 (ed. by C. Gans and F. Billett), pp. 605–694. John Wiley and Sons, New York.

Smith, F.A., Lyons, S.K., Morgan Ernest, S.K., Jones, K.E., Kaufman, D.M., Dayan, T., Marquet, P.A., Brown, J.H. & Haskell, J.P. (2003) Body mass of late Quaternary mammals. *Ecology*, **84**, 3403.

Sokol, O.M. (1967) Herbivory in lizards. *Evolution*, **21**, 192–194.
Stamps, J.A. & Andrews, R.M. (1992) Estimating asymptotic size using the largest individuals per sample. *Oecologia*, **92**, 503–512.
Stanley, S.M. (1973) An explanation for Cope's rule. *Evolution*, **27**, 1–26.
Stuart-Fox, D.M. & Owens, I.P.F. (2003) Species-richness is agamid lizards: chance, body size, ecology or sexual selection? *Journal of Evolutionary Biology*, **16**, 659–669.
Szarski, H. (1962) Some remarks on herbivorous lizards. *Evolution*, **16**, 529.
Townsend, T.M., Larson, A., Louis, E. & Macey, J.R. (2004) Molecular phylogenetics of Squamata: the position of snakes, amphisbaenians, and dibamids, and the root of the squamate tree. *Systematic Biology*, **53**, 735–757.
Uetz, P. (2006) *The reptile database,* CD-ROM edition, October 2006. Heidelberg, Germany.
Van Damme, R. (1999) Evolution of herbivory in lacertid lizards: effects of insularity and body size. *Journal of Herpetology*, **33**, 663–674.
Vezina, A.F. (1985) Empirical relationships between predator and prey size among terrestrial vertebrate predators. *Oecologia*, **67**, 555–565.
Vitt, L.J. (2000) Ecological consequences of body size in neonatal and small-bodied lizards in the neotropics. *Herpetological Monographs*, **14**, 388–400.
Zhou, K., Li, H., Han, D., Bauer, A.M. & Feng, J. (2006) The complete mitochondrial genome of *Gekko gecko* (Reptilia: Gekkonidae) and support for the monophyly of Sauria including Amphisbaenia. *Molecular Phylogenetics and Evolution*, **40**, 887–892.
Zug, G.R., Vitt, L.J. & Caldwell, J.P. (2001) *Herpetology*, 2nd edn. Academic Press, San Diego.

SUPPLEMENTARY MATERIAL

The following supplementary material is available for this article:

Appendix S1 Literature sources for size and ecological data.

Appendix S2 Lizard body sizes.

Appendix S3 Lizard species not analysed and reasons for their exclusion.

Appendix S4 Taxa ages, species richness, diversification rates, SVL and phylogeny.

Table S1 Realm-specific moments of central tendency for size–frequency distributions.

Figure S1 Island endemic lizards and mammalian Carnivora.

Figure S2 Lizard description dates.

This material is available as part of the online article from:
http://www.blackwell-synergy.com/doi/abs/10.1111/j.1466-8238.2008.0414.x
(This link will take you to the article abstract).

Please note: Blackwell Publishing is not responsible for the content or functionality of any supplementary materials supplied by the authors. Any queries (other than missing material) should be directed to the corresponding author for the article.

BIOSKETCH

Shai Meiri is interested in the evolution of body size and its implications, in biogeographical correlates of morphology and in the morphological signatures of speciation and community composition.

Editor: Tim Blackburn

Appendix 1

Literature sources for body size (snout vent lengths) & ecological data (e.g., activity times, dietary data, three dimensional use of space, mode of reproduction)

paper
1 Abdala, C. S. 2002. Nuevo Liolaemus (Iguania: Liolaemidae) perteneciente al grupo Boulengeri de la Provincia de Neuquen, Argentina. Cuadernos de Herpetologia, 16: 3-13.
2 Abdala, C. S. 2003. Cuatro nuevas especies del género Liolaemus (Iguania: Liolaemidae), pertenecientes al grupo boulengeri, de la Patagonia Argentina. Cuadernos de Herpetología 17: 3-32.
3 Abdala, C. S. 2005. Dos nuevas especies del genero Liolaemus (Iguania: Liolaemidae) y redescripción de Liolaemus boulengeri (Koslowsky, 1898). Cuadernos de Herpetologia 19: 3-33.
4 Abdala, C. S. and Gomez, J. M. D. 2006. A new species of the Liolaemus darwinii group (Iguania: Liolaemidae) from Catamarca Province, Argentina. Zootaxa 1317: 21–33.
5 Abdala, C. S. and Lobo, F. 2006. Description of a new Patagonian lizard species of the Liolaemus silvanae group (Iguania: Liolaemidae). South American Journal of Herpetology 1: 1-8.
6 Abdala, C. S. and Lobo, F. 2006. Nueva especie del grupo de liolaemus darwinii (Iguania: Liolaemidae) del noroeste de Argentina. Cuadernos de Herpetologia, 19: 3–18.
7 Ahl, E. 1933. Ergebnisse der Celebes und Halmahera Expedition Heinrich 1930-32. Reptilien und Amphibien. Mitteilungen aus dem Museum fur Naturkunde in Berlin 19: 577-583.
8 Ahmadzadeh, F., Kiabi, B. H., Kami, H. G. and Hojjati, V. 2008. A preliminary study of the lizard fauna and their habitats in Northwestern Iran. Asiatic Herpetological Research, 11: 1-9.
9 Akani, G. C., Capizzi, D. and Luiselli, L. 2002. Community ecology of scincid lizards in a swamp rainforest of south-eastern Nigeria. Russian Journal of Herpetology 9: 125-134.
10 Alvarez Del Toro, M., and Smith, H. M. 1956. Notulae herpetologicae Chiapasiae. I. Herpetologica 12: 3-17.
11 Alvarez, H. G. 2004. Pollination and seed dispersal by lizards: a review. Revista Chilena de Historia Natural 77: 569-577.
12 Amaral, A. D. 1933. Estudos sobre Lacertilios neotropicos. I. novos generos e especies de largartos do Brasil. Memorias do Instituto de Butantan 7: 51-75.
Amaral, A. D. 1935. Estudos sobre lacertilios Neotropicos. III. Um novo genero e duas novas especies de geckonideos e uma nova raca de amphisbenideo, procedentes do Brasil central.
13 Memorias do Instituto de Butantan, 9: 251-256.
14 Amaral, A. D. 1950. Two new South American lizards. Copeia 1950: 281-284.
15 Ananjeva, N. B., Peters, G., Macey, R. J. and Papenfuss, T. J. 1990. Stellio sacra (Smith 1935) - a distinct species of Asiatic rock agamid from Tibet. Asiatic Herpetological Research 3: 104-
16 Anderson, J. 1894. On two new species of agamoid lizards from the Hardramut, South-Eastern Arabia. Annals and Magazine of Natural History (6) 14: 377
17 Anderson, J. 1895. On a collection of reptiles and batrachians made by Colonel Yerbury at Aden and its neighbourhood. Proceedings of the Zoological Society of London 1895: 635—663.
18 Anderson, J. 1896. A contribution to the herpetology of Arabia with preliminary list of the reptiles and batrachians of Egypt. Taylor and Francis, London.
19 Anderson, J. 1898. Zoology of Egypt. Vol. l. Reptilia and Batrachia. Bernard Quaritch, London.
20 Anderson, R. A., and Vitt, L. J. 1990. Sexual selection versus alternative causes of sexual dimorphism in teiid lizards. Oecologia 84: 145–157.
21 Anderson, S. C. 1963. Amphibians and Reptiles from Iran. Proceedings of the California Academy of Sciences, Series 4, 31 (16): 417-498.
22 Anderson, S. C. 1999. The Lizards of Iran. Society for the Study of Amphibians and Reptiles, St. Louis.
23 Anderson, S. C. and Leviton, A. E. 1967. A new species of Eremias (Reptilia: Lacertidae) from Afghanistan. Occasional Papers of the California Academy of Sciences 64: 1-4.
24 Anderson, S. C. and Leviton, A. E. 1969. Amphibians and reptiles collected by the Street Expedition to Afghanistan, 1965. Proceedings of the California Academy of Sciences 37: 25-56.
25 Andersson, L. G. 1914. A new Telmatobius and new teiid lizards from South America. Arkiv Zoology 9: 1-12.
Andreone, F. and Greer, A. E. 2002. Malagasy scincid lizards: descriptions of nine new species, with notes on the morphology, reproduction and taxonomy of some previously described
26 species (Reptilia, Squamata: Scincidae). Journal of Zoology 258: 139-181.
27 Andreone, F. and Guarino, F. M. 2003. Giant and long-lived? Age structure in Macroscincus coctei, an extinct skink from Cape Verde. Amphibia-Reptilia 24: 459-470.
Andreone, F., Mattioli, F., Jesu, R. and Randrianirina, J. E. 2001. Two new chameleons of the genus Calumma from N.E. Madagascar, with considerations on the hemipenial morphology in
28 the Calumma furcifer group (Reptilia, Squamata, Chamaeleonidae). Herpetological Journal 11: 53-68.
29 Andrews, R. M. 1979. Evolution of life histories: a comparison of Anolis lizards from matched island and mainland habitats. Breviora 454, 1-51.
30 Andrews, R. M. and Rand, A. S. 1974. Reproductive effort in anoline lizards. Ecology 55: 1317–1327.
31 Andrews, R. M., Mathies, T. Qualls, C. P. and Qualls, F. J. 1999. Rates of embryonic development of Sceloporus lizards: do cold climates favor rapid development? Copeia 1999: 691-699.
32 Angel, F. 1940. Deux nouvelles especes de Lygosoma du Cameroun, materiaux de la mission P. Lepesme, R. Paulian et A. Villirs. Bulletin du Museum National d'Histoire Naturelle, Paris
33 Angel, F. 1942. Les lezards de Madagascar. Memoires de Academie Malgache 36: 1-139.
34 Annandale, N. 1908. Description of a new species of lizard of the genus Salea from Assam. Records of the Indian Museum 2: 97 (37-38?)
Aplin, K. P., Fitch, A. J. and King, D. J. 2006. A new species of Varanus Merrem (Squamata: Varanidae) from the Pilbara region of Western Australia, with observations on sexual
35 dimorphism in closely related species. Zootaxa 1313: 1-38.
Aplin, K. P., How, R. A. and Boeadi. 1993. A new species of the Glaphyromorphus-isolepis species group (Lacertilia Scincidae) From Sumba Island, Indonesia. Records of the Western
36 Australian Museum 16: 235-242.

Arena, P. C. and Wooler, R. D. 2003. The reproduction and diet of Egernia kingii (Reptilia : Scincidae) on Penguin Island, Western Australia. Australian Journal of Zoology 51: 495-504.
Arillo, A. Balleto, E. and Spano, S. 1967. Il genere Latastia Bedriaga in Somalia. Bolletin dei Musei e Instituto Biologia, Universitaire di Genova 35: 105-145
Arnold, E. N. 1972. Lizards with northern affinities from the mountains of Oman. Zoologische Mededelingen 47: 111-128.
Arnold, E. N. 1977. Little-known geckoes (Reptilia: Gekkonidae) from Arabia with descriptions of two new species from the Sultanate of Oman. Journal of Oman Studies, Special Report 1:
Arnold, E. N. 1980. Recently extinct reptile populations from Mauritius and Reunion, Indian Ocean. Journal of Zoology 191: 33–47.
Arnold, E. N. 1980. The reptiles and amphibians of Dhofar, Southern Arabia. Journal of Oman Studies, Special report, 2: 273-332.
Arnold, E. N. 1982. Reptiles of Saudi Arabia. A new semaphore gecko (Pristurus: Gekkonidae) and a new dwarf snake (Eirenis: Colubridae) from southwestern Arabia. Fauna of Saudi Arabia 4: 468-477.
Arnold, E. N. 1984. Ecology of lowland lizards in the eastern United Arab Emirates. Journal of Zoology 204: 329-354.
Arnold, E. N. 1984. Evolutionary aspects of tail shedding in lizards and their relatives. Journal of Natural History, 18: 127-169.
Arnold, E. N. 1986. New species of semaphore gecko (Pristurus: Gekkonidae) from Arabia and Socotra. Fauna of Saudi Arabia 8: 352-377.
Arnold, E. N. 1989. Systematics and adaptive radiation of Equatorial African lizards assigned to the genera Adolfus, Bedriagaia, Gastropholis, Holaspis and Lacerta (Reptilia, Lacertidae). Journal of Natural History, 23: 525-555.
Arnold, E. N. 1989. Towards a phylogeny and biogeography of the Lacertidae: relationships within an Old-World family of lizards derived from morphology. Bulletin of the British Museum (Natural History), Zoology 55: 209–257.
Arnold, E. N. 1997. Interrelationships and evolution of the east Asian grass lizards, Takydromus (Squamata: Lacertidae). Zoological Journal of the Linnean Society 119: 267–296.
Arnold, E. N. and Gardner, A. S. 1994. A review of the middle eastern leaf-toed geckoes (Gekkonidae: Asaccus) with descriptions of two new species from Oman. Fauna of Saudi Arabia 14:
Arnold, E. N. and Ovenden, D. W. 2004. A field guide to the reptiles and amphibians of Britain and Europe. 2nd edition. Collins, London.
Arnold, E. N., Arribas, O. and Carranza, S. 2007. Systematics of the Palaearctic and Oriental lizard tribe Lacertini (Squamata: Lacertidae: Lacertinae), with descriptions of eight new genera. Zootaxa 1430: 1-86.
Arnold, E. N., Lanza, B., Poggesi, M. and Corti, C. 1998. Notes on the anatomy and phylogenetic position of Eremias ercolinii Lanza & Poggesi 1975 (Reptilia: Lacertidae). Tropical Zoology, 11: 235-240.
Arribas, O. and Carranza, S. 2004. Morphological and genetic evidence of the full species status of Iberolacerta cyreni martinezricai (Arribas, 1996). Zootaxa 634: 1-24.
Arribas, O., Carranza, S. and Odierna, G. 2006. Description of a new endemic species of mountain lizard from Northwestern Spain: Iberolacerta galani sp. nov. (Squamata : Lacertidae). Zootaxa 1240: 1-55.
Auerbach, R. D. 1987. The amphibians and reptiles of Botswana. Nokwepa Consultants, Gaborone.
Auffenberg, K., Krysko, K. L. and Auffenberg, W. 2004. Studies on Pakistan lizards: Cyrtopodion stoliczkai (Steindachner, 1867) (Gekkonidae: Gekkoninae). Asiatic Herpetological Research 10: 151-160.
Austin, C. C. 1995. Molecular and morphological evolution in South Pacific scincid lizards: morphological conservatism and phylogenetic relationships of Papuan Lipinia (Scincidae). Herpetologica 51: 291–300.
Austin, C. C. 2006. Checklist and comments on the terrestrial reptile fauna of Kau Wildlife Area, Papua New Guinea. Herpetological Review, 37: 167-170.
Avila, L. J. 2003. A new species of Liolaemus (Squamata: Liolaemidae) from northeastern Argentina and southern Paraguay. Herpetologica, 59: 283–292.
Avila, L. J., Morando, M. and Sites, J. W. 2008. New species of the iguanian lizard genus Liolaemus (Squamata, Iguania, Liolaemini) from central Patagonia, Argentina. Journal of Herpetology, 42: 186-196.
Avila, L. J., Morando, M., Perez, C. H. F. and Sites, J. W. 2007. A new species of Liolaemus (Reptilia: Squamata: Liolaemini) from southern Mendoza province, Argentina. Zootaxa 1452:
Avila, L. J., Perez, C. H. F. and Morando, M. 2003. A new species of Liolaemus (Squamata: Iguania: Liolaemidae) from northwestern Patagonia (Neuquen, Argentina). Herpetologica 59:
Avila, L. J., Perez, C. H. F., Morando, M. and Sites, J. W. 2004. Phylogenetic relationships of lizards of the Liolaemus petrophilus group (Squamata, Liolaemidae), with description of two new species from western Argentina Herpetologica 60: 187–203.
Avila-Pires, T. C. S. 1995. Lizards of Brazilian Amazonia. Backhuys Publishers, Leiden
Avila-Pires, T. C. S. and Hoogmoed, M. S. 2000. On two new species of Pseudogonatodes Ruthven, 1915. (Reptilia: Squamata: Gekkonidae), with remarks on the distribution of some other sphaerodactyl lizards. Zoologische Mededelingen 73: 209-223.
Axtell, R. W. 1956. A solution to the long neglected Holbrookia lacerata problem, and the description of two new subspecies of Holbrookia. Bulletin of the Chicago Academy of Sciences

68 Axtell, R. W., and Axtell, C. A. 1971. A new lizard (Sceloporus jarrovii cyanostictus) from Sierra Madre of Coahuila, Mexico. Copeia, 1971: 89-98.
Ayala, S. C. and Castro, F. 1983. Dos nuevos gecos (Sauria: Gekkonidae, Sphaerodactylinae) para Colombia: Lepidoblepharis xanthostigma (Noble) y descripcion de una nueva especie.
69 Caldasia 13 (No. 65): 743-753.
70 Ayala, S. C. and Harris, D. M. 1984. A new microteiid lizard (Alopoglossus) from the Pacific rainforest of Columbia. Herpetologica 40: 154-158.
71 Ayala, S. C. and Serna, M. A. 1986. Una nueva especie de Lepidoblepharis (Sauria, Gekkonidae) de la Cordillera central de Colombia. Caldasia 15: 649-665.
Ayala, S. C. and Williams, E. E. 1988. New or problematic Anolis from Colombia. 6. Two fuscoauratoid anoles from the Pacific lowlands, A. maculiventris Boulenger, 1898. and A.
72 medemi, a new species from Gorgona Island. Breviora 490: 1-16.
Ayala, S. C., Harris, D. M. and Williams, E. E. 1984. Anolis menta, sp. n. (Sauria, Iguanidae), a new tigrinus group anole from the west side of Santa Marta Mountains, Colombia. Papeis
73 Avulsos de Zoologia 35: 135-145.
74 Bahir, M. M. and Maduwage, K. P. 2005. Calotes desilvai, a new species of agamid lizard From Morningside forest, Sri Lanka. Raffles Bulletin of Zoology, Supplement 12: 381–392
75 Bahir, M. M. and Silva, A. 2005. Otocryptis nigristigma, a new species of agamid lizard from Sri Lanka. Raffles Bulletin of Zoology, Supplement 12: 393–406.
76 Baker, R. H., Webb, R. G. and Dalby, P. 1967. Notes on Reptiles and Mammals from Southern Zacatecas. American Midland Naturalist 77: 223-226.
Barabanov, A. V. and Ananjeva, N. B. 2007. Catalogue of the available scientific species-group names for lizards of the genus Phrynocephalus Kaup, 1825 (Reptilia, Sauria, Agamidae).
77 Zootaxa 1399: 1–56.
78 Baran, I. and Gruber, U. 1982. Taxonomische untersuchungen an Turkischen gekkoniden. Spixiana, 5: 109-138.
79 Barbadillo, L. J. and Martinez-Solano, I. 2002. Vertebral intercentra in Lacertidae: variation and phylogenetic implications. Copeia, 2002: 208–212.
80 Barbour, T. 1905. The Vertebrata of Gorgona Island, Colombia. 4 Reptilia; Amphibia. Bulletin of the Museum of Comparative Zoology 46 (5): 87-102.
81 Barbour, T. 1932. New Anoles. Proceedings of the New England Zoological Club 12: 97-102.
82 Barbour, T. 1932. On a new Anolis from Western Mexico. Copeia 1932: 11-12.
Barbour, T. and Loveridge, A. 1928. A comparative study of the herpetological fauna of the Uluguru and Usambara mountains, Tanzania Territory with descriptions of new species.
83 Memoires of the Museum of Comparative Zoology, 50: 85-265.
84 Barbour, T. and Loveridge, A. 1928. New skinks of the genus Scelotes from Mozambique and Madagascar. Proceedings of the New England Zoological Club 10: 63-65.
Barbour, T. and Loveridge, A. 1930. Reptiles and amphibians from Liberia. Pp. 769-786. In Strong, R. P. (editor) Report of the Harvard-African Expedition upon the African Republic of
85 Liberia and the Belgian Congo; Based on the Observations Made and Material Collected During the Harvard African Expedition 1926 - 1927. Harvard University Press, Cambridge, Mass.
Barbour, T. and Loveridge, A. 1930. Reptiles and amphibians from the Central African Lake Region.pages 786-796 In Strong, R. P. (editor) Report of the Harvard-African Expedition upon
86 the African Republic of Liberia and the Belgian Congo; Based on the Observations Made and Material Collected During the Harvard African Expedition 1926 - 1927. Harvard University
87 Barbour,T. and Shreve, B. 1937. Novitates Cubanae. Bulletin of the Museum of Comparative Zoology 80: 377-387.
Barros, T. R., Esqueda, L. F., Mijares-Urrutia, A., La Marca, E. and Nicholson, K. E. 2007. The anoline “lost link” rediscovered: variation and distribution of Anolis annectens Williams
88 1974 (Squamata Polychrotidae). Tropical Zoology 20: 41-53.
Barros, T. R., Esqueda, L. F., Mijares-Urrutia, A., La Marca, E. and Nicholson, K. E. 2007. The anoline “lost link” rediscovered: variation and distribution of Anolis annectens Williams
89 1974 (Squamata Polychrotidae). Tropical Zoology 20: 41-53.
Barros, T., Williams, E. E. and Viloria, A. L. 1996. The genus Phenacosaurus (Squamata: Iguania) in western Venezuela: Phenacosaurus tetarii new species, Phenacosaurus euskalerriari,
90 new species, and Phenacosaurus nicefori Dunn, 1944. Breviora 504: 1-30.
91 Bartlett, R. D. 1985. Notes on the natural history and reproductive strategy of the island glass lizard, Ophisaurus compressus. British Herpetological Society Bulletin: 19–21.
92 Bartlett, R. D. and Bartlett, P. 2003. Reptiles and amphibians of the Amazon. An ecotourist's guide. Florida University Presses
93 Barts, M. 2004. Erfahrungen bei der haltung und vermehrung von Xenagama batillifera (Vaillant 1832) mit anmerkungen zum verhalten von Xenagama taylori (Parker 1935). Reptilia 9: 72-
94 Batuwita, S. and Bahir, M. M. 2005. Description of five new species of Cyrtodactylus (Reptilia: Gekkonidae) from Sri Lanka. Raffles Bulletin of Zoology Supplement No. 12: 351–380.
95 Bauer, A. M. 1985. Notes on the taxonomy, morphology and behavior of Rhacodactylus chahoua (Bavay) (Reptilia: Gekkonidae). Banner zoologische Beitrage 36: 81-94.
Bauer, A. M. 2002. Two new species of Cnemaspis (Reptilia: Squamata: Gekkonidae) from Gund, Uttara Kannada, India. Mitteilungen aus dem Hamburgischen Zoologischen Museum und
96 Institut 99: 155-167.
97 Bauer, A. M. 2002. Two new species of Cyrtodactylus (Squamata: Gekkonidae) from Myanmar. Proceedings of the California Academy of Sciences 53:73–86.
98 Bauer, A. M. 2003. Descriptions of seven new Cyrtodactylus (Squamata: Gekkonidae) with a key to the species of Myanmar (Burma). Proceedings of the California Academy of Sciences 54:

Bauer, A. M. 2003. On the identity of Lacerta punctata Linnaeus, 1758, the type species of the genus Euprepis Wagler, 1830, and the generic assignment of Afro-Malagasy skinks. African
99 Journal of Herpetology 52: 1-7.
Bauer, A. M. 2003. On the identity of Lacerta punctata Linnaeus, 1758, the type species of the genus Euprepis Wagler, 1830, and the generic assignment of Afro-Malagasy skinks. African
100 Journal of Herpetology 52: 1-7.
101 Bauer, A. M. 2004. Gekkonidae, Geckos. pages 973-977 in Goodman, S. M. and Benstead, J. P. editors. The natural history of Madagascar. University of Chicago Press, Chicago.
102 Bauer, A. M. 2006. A review of the gekkotan lizards of Benin, with the description of a new species of Hemidactylus (Squamata : Gekkonidae). Zootaxa 1242: 1-20.
103 Bauer, A. M. and Das, I. 1998. New species of Cnemaspis (Reptilia: Gekkonidae) from southeastern Thailand. Copeia 1998: 439-444.
104 Bauer, A. M. and DeVaney, K. D. 1987. Aspects of diet and habitat use in some New Caledonian lizards. Amphibia-Reptilia 8: 349-364.
Bauer, A. M. and Gunther, R. 1992. A preliminary report of the reptile fauna of the kingdom of Bhutan with the description of a new species of scincid lizard (Reptilia: Scincidae). Asiatic
105 Herpetological Research 4: 23-36.
Bauer, A. M. and Menegon, M. 2006. A new species of prehensile-tailed gecko, Urocotyledon (Squamata: Gekkonidae), from the Udzungwa Mountains, Tanzania. African Journal of
106 Herpetology 55: 13-22.
107 Bauer, A. M. and Pauwels, O. S. G. 2002. A new forest-dwelling Hemidactylus (Squamata: Gekkonidae) from Gabon, West Africa. African Journal of Herpetology, 51: 1-8.
108 Bauer, A. M. and Russell, A. P. 1986. Hoplodactylus delcourti n. sp. (Reptilia: Gekkonidae), the largest known gecko. New Zealand Journal of Zoology 13: 141-148.
109 Bauer, A. M. and Russell, A. P. 1989. A systematic review of the genus Uroplatus (Reptilia: Gekkonidae) with notes on its biology. Journal of Natural History 23: 169-203.
110 Bauer, A. M. and Sadlier, R. A. 2000. The Herpetofauna of New Caledonia. Society for the Study of Amphibians and Reptiles, St. Louis.
111 Bauer, A. M. and Vindum, J. V. 1990. A checklist and key to the herpetofauna of New Caledonia, with remarks on biogeography. Proceedings of the California Academy of Sciences 47: 17-
Bauer, A. M., Barts, M. and Hulbert, F. 2006. A new species of the Pachydactylus weberi group (Reptilia: Squamata: Gekkonidae) from the Orange River, with comments on its natural
112 history. Salamandra 42: 83-92.
Bauer, A. M., Bohme, W. and Gunther, R. 2006. An annotated catalogue of the types of chameleons (Reptilia: Squamata: Chamaeleonidae) in the collection of the Museum fur Naturkunde
113 der Humboldt-Universitat zu Berlin (ZMB). Mitteilungen aus dem Museum fur Naturkunde in Berlin 82: 268-281.
Bauer, A. M., Chirio, L. Ineich, I. and LeBreton, M. 2006. New species of Cnemaspis (Squamata: Gekkonidae) from northern Cameroon, a neglected biodiversity hotspot. Journal of
114 Herpetology 40: 510-519.
Bauer, A. M., de Silva, A., Greenbaum, E. and Jackman, T. 2007. A new species of day gecko from high elevation in Sri Lanka, with a preliminary phylogeny of Sri Lankan Cnemaspis
115 (Reptilia, Squamata, Gekkonidae). Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe 83 (Supplement): 22–32.
Bauer, A. M., Gunther, R. and Klipfel, M. 1995. The herpetological contributions of Wilhelm C.H. Peters (1815-1883). Society for the Study of Amphibians & Reptiles, Facsimile Reprints
116 in Herpetology, St. Louis.
Bauer, A. M., Jackman, T, Sadlier, R. A. and Whitaker, A. H. 2006. A New Genus and Species of Diplodactylid Gecko (Reptilia: Squamata: Diplodactylidae) from Northwestern New
117 Caledonia. Pacific Science 60: 125-135.
Bauer, A. M., Lamb, T. and Branch, W. R. 2002. A revision of Pachydactylus scutatus (Reptilia: Squamata: Gekkonidae) with the description of a new species from northern Namibia.
118 Proceedings of the California Academy of Sciences 53: 23-36.
Bauer, A. M., Lang, M. and Gunther, R. 1994. An annotated type catalogue of the pygopods, xantusiids, gerrhosaurs and cordylids (Reptilia: Squamata: Pygopodidae, Xantusiidae,
119 Gerrhosauridae and Cordylidae) in the collection of Zoological Museum, Berlin. Mitteilungen aus dem Museum fur Naturkunde in Berlin 70: 85-92.
Bauer, A. M., Pauwels O. S. G.and Chanhome. L. 2002. A new species of cave-dwelling Cyrtodactylus (Squamata: Gekkonidae) from Thailand. The Natural History Journal of
120 Chulalongkorn University 2: 19–29.
121 Bauer, A. M., Sumontha, G. M. and Pauwels O. S. G. 2003. Two new species of Cyrtodactylus (Reptilia: Squamata: Gekkonidae) from Thailand. Zootaxa 376: 1-18
Bauer, A. M., Sumontha, M., Grossmann, W., Pauwels, O. S. G. and Vogel, G. 2004. A new species of Dixonius (Squamata: Gekkonidae) from Kanchanaburi Province, Western Thailand.
122 Current Herpetology 23: 17-26.
Bauer, A. M., Whiting, A. S. and Sadlier, R. A. 2003. A new species of Scelotes, from near Cape Town, Western Cape Province, South Africa. Proceedings of the California Academy of
123 Sciences 54: 231–237.
124 Bauwens, D. and Diaz-Uriarte, R. 1997. Covariation of life-history traits in lacertid lizards: a comparative study. American Naturalist 149: 91–111.
125 Beckon, W. N. 1992. The giant Pacific geckos of the genus Gehyra: morphological variation, distribution, and biogeography. Copeia 1992: 443–460.

Bedriaga, J. V. 1884. Die neue Lacertiden-Gattung Latastia und ihre Arten (L. doriai n.sp. var. Martensi m., Samharica Blanf. und Boscai n.sp.). Annali del Museo Civico di Storia Naturale Giacomo Doria 20: 307-324.
Bedriaga, J. V. 1907. Wiss. Res. Przewalski Central-Asien untern. Reisen 3, Zoologische Abteilung 1, Lief. 2: 207
Beebe, W. 1944. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 1. Gekkonidae. Zoologica 29: 145-160.
Beebe, W. 1944. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 2. Iguanidae. Zoologica 29: 195–216.
Beebe, W. 1945. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 3, Teiidae, Amphisbaenidae and Scincidae. Zoologica 30: 7–32.
Bejakovic, D., Kalezic, M. L., Aleksic, I., Dzukic, G. and CrnobrnjaIsailovic, J. 1995. Female reproductive cycle and clutch traits in the Dalmatian wall lizard (Podarcis melisellensis). Folia Zoologica 44: 371-380.
Benabib, M. 1994. Reproduction and lipid utilization of tropical populations of Sceloporus variabilis. Herpetological Monographs, 8: 160-180.
Bennett, A. F. and Gorman, G. C. 1979. Population density and energetics of lizards on a tropical island. Oecologia 42: 339-358.
Beovides–Casas, K. and Mancina, C. A. 2006. Natural history and morphometry of the Cuban iguana (Cyclura nubila Gray, 1831) in Cayo Siju, Cuba. Animal Biodiversity and Conservation,
Bezy, R. L. 1989. Morphological differentiation in unisexual and bisexual xantusiid lizards of the genus Lepidophyma in Central America. Herpetological Monographs 3: 61-80.
Bezy, R. L. and Camarillo, J. L. 2002. Systematics of xantusiid lizards of the genus Lepidophyma. Los Angeles County Museum Contributions in Science 493: 1–41
Bezy, R. L. and Flores Villela, O. 1999. A new species of Xantusia (Squamata: Xantusiidae) from Zacatecas, Mexico. Herpetologica 55: 174-184.
Bezy, R. L., Webb, R. G. and Alvarez, T. 1982. A new species of the genus Lepidophyma (Sauria: Xantusiidae) from Michoacan Mexico. Herpetologica 38: 361-366.
Bischoff, W. 1981. Freiland- und Terrarienbeobachtungen an der Omaneidechse, Lacerta jayakari Boulenger, 1887. Zeitschr. Kolner Zoo 24: 135-143.
Bissell, A. N. and Martins, E. P. 2004. Behavior and ecology of rock iguanas II. Pages 109-118 in Alberts, A. (editor). Iguanas: Biology and Conservation. University of California Press,
Biswas, S. and Sanyal, D. P. 1980. A report on the reptilia fauna of Andaman and Nicobars islands in the collection of zoological survey of India. Records of the Zoological Survey of India 77: 255-292.
Blanc, C. P. 1977. Reptiles. Sauriens. Iguanidae. Faune de Madagascar 45: 1-200.
Blob, R. W. 1998. Evaluation of vent position from lizard skeletons for estimation of snout: vent length and body mass. Copeia 1998: 792-801.
Blob, R. W. 2000. Interspecific scaling of the hindlimb skeleton in lizards, crocodilians, felids and canids: does limb bone shape correlate with limb posture? Journal of Zoology 250: 507-
Bobrov, V. V. 1992. A new scincid lizard (Reptilia Sauria Scincidae) from Vietnam. Zoologicheskii Zhurnal 71: 156-158.
Bocage, J. V. B. 1895. Reptiles et batracines nouveaux ou peu connu de Fernâo do Po. Jornal de Sciencias Mathematicas, Physicas e Naturaes, Lisboa (2) 13: 16-20
Bocage, J. V. B. 1895. Subsidios para a fauna da ilha de Fernâo do Po. Jornal de Sciencias Mathematicas, Physicas e Naturaes, Lisboa (2) 13: 12-16
Bocourt, F. 1873. Observations sur les reptiles et les batraciens de la region centrale de l'Amerique. Etudes sur les reptiles et les batraciens. Mission scientifique au Mexique et dans l‘Amerique Centrale–Recherches zoologiques. In Etudes sur les Reptiles, Paris.
Boettger, O. 1887. Diagnoses reptilium novorum ad ilI. viro Paul Hesse in finnibus fluminis Congo repetorum. Zoologischer Anzeiger 10 (267): 649-651.
Boettger, O. 1893. Uebersicht der von Prof. C. Keller anlasslich der Ruspolischen Expedition nach den Somalilandern gesammelten Reptilien und Batrachier. Zoologischer Anzeiger 16: 113-
Boettger, O. 1893. Uebersicht der von Prof. C. Keller anlasslich der Ruspolischen Expedition nach den Somalilandern gesammelten Reptilien und Batrachier. Zoologischer Anzeiger 16: 129-
Boettger, O. 1913. Reptilien und amphibien von Madagascar, den Inseln und dem Festland Ostafrikas. Pp. 269-375. In: Voeltzkow, A. Reise in Ostafrika in den Jahren 1903-1905. Wissenschaftliche Ergebnisse. Vol. 3. Systematische Arbeiten. Schweizerbart’ sche Verlagsbuchhandlung, Nägele und Sproesser, Stuttgart
Bogert, C. M., and Oliver, J. A. 1945. A preliminary analysis of the herpetofauna of Sonora. Bulletin of the American Museum of Natural History 83: 297-426.
Bohme, W. 1975. Zur herpetofaunistik Kameruns, mit beschreibung einens neuen scinciden. Bonner Zoologische Beitrage 26: 2-48.
Bohme, W. 1981. A new lygosomine skink from Thailand (Reptilia: Scincidae). Bollettino del Museo Civico di Storia Naturale di Verona 8: 375-382.
Bohme, W. 1985. Zoogeographical patterns of the lizard fauna of the African savannah belt, with preliminary description of a new chameleon. pages 471-478 in Schuchmann, K. L. (editor). Proceedings of the International Symposium on African Vertebrates. Systematics, Phylogeny and Evolutionary Ecology. Museum A. Koenig (Bonn).
Bohme, W. 2005. Presence of Agama weidholzi Wettstein 1932. in The Gambia, West Africa. Salamandra 41: 155-157.
Bohme, W. and Kirschner, A. 2002. Uber die Stachelschwanzagamen der Gattung Xenagama Boulenger 1895, mit Anmerkungen zur Zucht beider Arten. Herpetofauna 24 (139): 5-18.
Bohme, W. and Klaver, C. 1981. Zur innerartlichen gliederung und zur artgeschichte von Chamaeleo quadricornis Tornier, 1899 (Sauria: Chamaeleonidae). Amphibia-Reptilia 4: 313-328.
Bohme, W. and Klaver, C. 1990. Zur kenntnis von Bradypodion uthmoelleri (Muller, 1938). Salamandra 26: 260-266.

Bohme, W. and Scerbak, N. N. 1991. Ein neuer Wustenrenner aus dem Hochland Afghanistans, Eremias (Eremias) afghanistanica sp. n. (Reptilia: Sauria: Lacertidae). Bonner Zoologische
161 Beiträge 42: 137-141.
162 Bohme, W. and Schmitz, A. 1996. A new lygosomine skink (Lacertilia: Scincidae: Panaspis) from Cameroon. Revue Suisse de Zoologie 103: 767-774.
163 Bohme, W. and Ziegler, T. 2005. A new monitor lizard from Halmahera, Moluccas, Indonesia (Reptilia: Squamata: Varanidae). Salamandra 41: 51-59.
Bohme, W., and Klaver, C. J. J. 1980. The systematic status of Chamaeleo kinetensis Schmidt, 1943, (Sauria:. Chamaeleonidae) from the Imantong Mountains, Sudan, with comments on
164 lung and hemipenial morphology within the C. bitaeniatus group. Amphibia-Reptilia 1: 3-17.
Bohme, W., Schmitz, A. and Ziegler, T. 2000. A review of the West African skink genus Cophoscincopus Mertens (Reptilia : Scincidae : Lygosominae): resurrection of C-simulans (Vaillant,
165 1884) and description of a new species. Revue Suisse de Zoologie 107: 777-791.
Bonine, K. E., Gleeson, T. T. and Garland, T. 2005. Muscle fiber-type variation in lizards (Squamata) and phylogenetic reconstruction of hypothesized ancestral states. Journal of
166 Experimental Biology 208: 4529-4547.
Boretto, J. M. and Ibarguengoytia, N. R. 2006. Asynchronous spermatogenesis and biennial female cycle of the viviparous lizard Phymaturus antofagastensis (Liolaemidae): reproductive
167 responses to high altitudes and temperate climate of Catamarca, Argentina. Amphibia-Reptilia, 27: 25-36.
Boretto, J. M., Ibargüengoytia, N. R., Acosta, J. C., Blanco, G. M., Villavicencio, J. and Marinero, J. A. 2007. Reproductive biology and sexual dimorphism of a high-altitude population of
168 the viviparous lizard Phymaturus punae from the Andes in Argentina. Amphibia-Reptilia 28: 427-432.
169 Borner, A. R. and Schuttler, B. I. 1983. An additional note on the Australian geckos of the genus Gehyra. Miscellaneous Articles in Saurology 12: 1-4.
170 Boulenger, G. A. 1885. Catalogue of the Lizards in the British Museum (Nat. Hist.) I. Geckonidae, Eublepharidae, Uroplatidae, Pygopodidae, Agamidae. , Trustees of the British Museum,
Boulenger, G. A. 1885. Catalogue of the Lizards in the British Museum (Nat. Hist.) II. Iguanidae, Xenosauridae, Zonuridae, Anguidae, Anniellidae, Helodermatidae, Varanidae, Xantusiidae,
171 Teiidae, Amphiesbaenidae. Trustees of the British Museum, London.
172 Boulenger, G. A. 1887. Catalogue of the Lizards in the British Museum (Nat. Hist.) III. Lacertidae, Gerrhosauridae, Scincidae, Anelytropidae, Dibamidae. Trustees of the British Museum,
173 Boulenger, G. A. 1887. Description of a new genus of lizards of the family Teiidae. Proceedings of the Zoological Society of London 1887: 640.
174 Boulenger, G. A. 1888. On some reptiles and batrachians from Iguarasse, Pernambuco. Annals and Magazine of Natural History (6) 2: 40-43.
175 Boulenger, G. A. 1888. On some reptiles and batrachians from Iguarasse, Pernambuco. Annals and Magazine of Natural History (6) 2: 40-43.
176 Boulenger, G. A. 1890. The fauna of British India, including, Ceylon and Burma. Reptilia and Batrachia. Taylor and Francis.
177 Boulenger, G. A. 1892. On the reptiles collected by Sig. L. Brichetti Robecchi in Somaliland. Annali del Museo Civico di Storia Naturale Giacomo Doria 12: 5-15.
178 Boulenger, G. A. 1894. Second report on additions to the lizard collection in the Natural History Museum. Proceedings of the Zoological Society of London 1894: 722-736.
Boulenger, G. A. 1895. An account of the reptiles and batrachians collected by Dr. A. Donaldson Smith in western Somaliland and the Galla Country. Proceedings of the Zoological Society
179 of London 1895: 530-540.
180 Boulenger, G. A. 1896. Descriptions of new reptiles and batrachians from Colombia. Annals and Magazine of Natural History 17: 16-21.
Boulenger, G. A. 1897. Concluding report on the late Capt. Bottego’s collection of reptiles and batrachians from Somaliland and British East Africa. Annali del Museo Civico di Storia
181 Naturale di Genova, 18: 715-723.
182 Boulenger, G. A. 1897. On the reptiles of Rotuma Island, Polynesia. Annals and Magazine of Natural History (6) 20: 306-307.
183 Boulenger, G. A. 1898. A list of reptiles and batrachians from Ombaai, East Indian Archipelago. Annals and Magazine of Natural History (7) 1: 122-124.
184 Boulenger, G. A. 1898. An account of the reptiles and batrachians collected by Mr. W. F. H. Rosenberg in western Ecuador. Proceedings of the Zoological Society of London 1898: 107-126.
185 Boulenger, G. A. 1898. On a second collection of reptiles made by Mr. E. Lord-Phillips in Somaliland. Annals and Magazine of Natural History 2: 130-133.
186 Boulenger, G. A. 1899. Descriptions of the new species of reptiles. Bulletin of the Liverpool Museum, 2: 4-7.
187 Boulenger, G. A. 1899. On a collection of reptiles and batrachians made by Mr. J. D. La Touche in N. W. Fokien, China. Proceedings of the Zoological Society of London 11: 159-172.
Boulenger, G. A. 1900. A list of the batrachians and reptiles of the Gaboon (French Congo), with descriptions of new genera and species. Proceedings of the Zoological Society of London
188 1900: 433-456.
Boulenger, G. A. 1900. Report on a collection made by Messrs. F. V. McConnell and J. J. Quelch at mount Roraima in British Guiana: Reptiles and Batrachiens. Transactions of the
189 Linnaean Society of London (2) 8: 53-54.
190 Boulenger, G. A. 1901. Further descriptions of new reptiles collected by Mr. P. O. Simons in Peru and Bolivia. Annals and Magazine of Natural History 7: 546-549.
191 Boulenger, G. A. 1902. Descriptions of new batrachians and reptiles from northwestern Ecuador. Annals and Magazine of Natural History (7) 9: 51-57

Boulenger, G. A. 1903. Descriptions of new lizards in the collection of the British Museum. Annals and Magazine of Natural History 7: 429-435.
Boulenger, G. A. 1903. On some batrachians and reptiles from Venezuela. Annals and Magazine of Natural History ser. 7, 11: 481-484.
Boulenger, G. A. 1905. Descriptions of new reptiles discovered in Mexico by Dr. H. Gadow, F.R.S. Proceedings of the Zoological Society of London 2: 245-247.
Boulenger, G. A. 1907. Descriptions of two new African lizards of the genus Latastia. Annals and Magazine of Natural History 19: 392-394.
Boulenger, G. A. 1908. Descriptions of new batrachians and reptiles discovered by Mr. M. G. Palmer in South-western Colombia. Annals and Magazine of Natural History ser. 8, 2: 515-522.
Boulenger, G. A. 1908. Descriptions of new South-American reptiles. Annals and Magazine of Natural History ser. 8, 1: 111-115.
Boulenger, G. A. 1909. A list of the freshwater fishes, batrachians and reptiles obtained by Mr. J. Stanley Gardiner's expedition to the Indian Ocean. Transactions of the Linnean Society 12:
Boulenger, G. A. 1911. Descriptions of new reptiles from the Andes of South America, preserved in the British Museum. Annals and Magazine of Natural History 7: 19-25.
Boulenger, G. A. 1912. A vertebrate fauna of the Malay Peninsula from the Isthmus of Kra to Singapore including the adjacent islands. Reptilia and batrachia. Taylor and Francis, London.
Boulenger, G. A. 1913. Descriptions of new lizards in the collection of the British Museum. Annals and Magazine of Natural History ser. 8, 12: 563-566.
Boulenger, G. A. 1917. Descriptions of new lizards of the family Lacertidae. Annals and Magazine of Natural History 19: 277-279.
Boulenger, G. A. 1920. Monograph of the Lacertidae. Vol. 1. London, Trustees of the British Museum (Natural. History).
Boulenger, G. A. 1921. Monograph of the Lacertidae. Vol. 2. London, Trustees of the British Museum (Natural. History).
Bourret, R. 1937. Notes herpétologiques sur l'indochine française. XV. Lézards et serpents reçu au laboratoire des Sciences Naturelles de l'Université au cours de l'année 1937. Descriptions de deux espèces et de deux variétés nouvelles. Bulletin Générale de l'Instruction Publique 5. Gouvernement Généneral de l'Indochine, pp. 57-82.
Bourret, R. 1937. Notes herpetologiques sur l'Indochine francaise. XII. Les lezards de la collection du Laboratoire des Sciences Naturelles de l'Universite. Descriptions de cinq especes nouvelles. Bulletin Générale de l'Instruction Publique, Hanoi 1937: 1-39.
Brana, F. 1996. Sexual dimorphism in lacertid lizards: male head increase vs female abdomen increase? Oikos 75: 511–523.
Branch, B. 1998. Field guide to snakes and other reptiles of Southern Africa. 3rd ed. Sanibel Island, FL: Ralph Curtis Books. ISBN 0883590425pa.
Branch, W. R., Rodel, M. O. and Marais, J . 2005. A new species of rupicolous Cordylus Laurenti 1768 (Sauria: Cordylidae) from Northern Mozambique. African Journal of Herpetology,
Brandao, R. A. and Motta, P. C. 2005. Circumstantial evidences for mimicry of scorpions by the neotropical gecko Coleodactylus brachystoma (Squamata, Gekkonidae) in the Cerrados of central Brazil. Phyllomedusa 4: 139-145.
Brattstrom, B. H. 1955. Notes on the herpetology of the Revillagigedo Islands, Mexico. American Midland Naturalist, 54: 219-229.
Broadley, D. G. 1963. Three new lizards from South Nyasaland and Tete. Annals and Magazine of Natural History (12) 6: 285—288.
Broadley, D. G. 1965 A new species of Platysaurus from northern Mozambique. Arnoldia (Rhodesia) 1: 1-4
Broadley, D. G. 1965. A new chameleon from Malawi. Arnoldia 32: 1-3.
Broadley, D. G. 1989. A reappraisal of the genus Panaspis Cope, with the description of a new species of Leptosiaphos (Reptilia: Scincidae) from Tanzania. Arnoldia Zimbabwe 9: 439-449.
Broadley, D. G. 1994. A review of Lygosoma Hardwicke and Gray 1827 (Reptilia Scincidae) on the East African coast, with the description of a new species. Tropical Zoology 7: 217-222.
Broadley, D. G. 2000. A review of the genus Mabuya in southeastern Africa (Sauria: Scincidae). African Journal of Herpetology, 49 (2): 87-110.
Broadley, D. G. and Branch, W. R. 2002. A review of the small east African Cordylus (Sauria: Cordylidae), with the description of a new species. African Journal of Herpetology, 51: 9-34.
Brongersma, L. D. 1930. Sur un Geckonidae nouveau, Gehyra leopoldi nov. sp., de la Nouvelle Guinee. Bulletin du Musee royal d'Histoire Naturelle de Belgique 6: 1-3.
Brongersma, L. D. 1942. Notes on scincid lizards. Zoologische Mededelingen 24: 125-152.
Brongersma, L. D. 1948. Lizards from the island of Morotai (Moluccas). Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series C, 51: 486-495.
Brongersma, L. D. 1953. Notes on New Guinean reptiles and amphibians. I. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen. Series C, 56: 137-142.
Brown, A. E. 1902. A collection of reptiles and batrachians from Borneo and the Loo Choo Islands. Proceedings of the Academy of Natural Sciences of Philadelphia, 54: 175-186.
Brown, G. W. 1991. Ecological feeding analysis of south-eastern Australian scincids (Reptilia: Lacertilia). Australian Journal of Zoology 39: 9–29.
Brown, R. M. 1999. New species of parachute gecko (Squamata: Gekkonidae: genus Ptychozoon) from northeastern Thailand and central Vietnam. Copeia 1999: 990-1001.
Brown, R. M., Diesmos, A. C. and Duya, M. V. 2007. A new Luperosaurus (Squamata: Gekkonidae) from the Sierra Madre of Luzon Island, Philippines. Raffles Bulletin of Zoology 55: 167-
Brown, R. M., Fernenr, J. W., Sison, R. V. and Gonzales, P. C. 1995. Amphibians and reptiles of the Zambales mountains of Luzon Islands, Republic of the Philippines. Herpetological Natural History 14: 1-22.
Brown, R. M., Ferner, J. W. and Ruedas, L. A. 1995. A new species of lygosomine lizard (Reptilia: Lacertilia: Scincidae; Sphenomorphus) from Mt. Isarog, Luzon Island, Philippines. Proceedings of the Biological Society of Washington 108: 18-28.

Brown, R. M., Supriatna, J. and Ota, H. 2000. Discovery of a new species of Luperosaurus (Squamata; Gekkonidae) from Sulawesi, with a phylogenetic analysis of the genus, and comments on the status of Luperosaurus serraticaudus. Copeia 2000: 191-209.
Brown, R. P., Znari, M., El Mouden, E. H. and Harris, P. 1999. Estimating asymptotic body size and testing geographic variation in *Agama impalearis* . Ecography 22: 277-283.
Brown, W. C. 1953. Results of the Archbold Expeditions. No. 69. A review of New Guinea lizards allied to Emoia baudini and Emoia physicae (Scincidae). American Museum Novitates
Brown, W. C. 1991. Lizards of the genus Emoia (Scincidae) with observations on their ecology and biogeography. Memoirs of the California Academy of Sciences 15:1-94.
Brown, W. C. 1995. A new lizard of the genus Sphenomorphus (Reptilia: Scincidae) from Mt. Kitanglad, Mindanao Island, Philippine Island. Proceedings of the Biological Society of Washington 108: 388-391.
Brown, W. C. and Alcala, A. C. 1961. Populations of amphibians and reptiles in the submontane and montane forests of Cuernos de Negros, Philippine Islands. Ecology 42: 628-636.
Brown, W. C. and Alcala, A. C. 1978. Philippine lizards of the family Gekkonidae. Silliman University Press, Dumaguete City, Philippines.
Brown, W. C. and Alcala, A. C. 1980. Philippine lizards of the family Scincidae. Silliman University Press, Dumaguete City, Philippines.
Brown, W. C. and Alcala, E. L. 1995. A new species of Brachymeles (Reptilia: Scincidae) from Catanduanes Island, Philippines [B. minimus]. Proceedings of the Biological Society of Washington 108: 392-394.
Brown, W. C. and Parker, F. 1973. A new species of Cyrtodactylus (Gekkonidae) from New Guinea with a key to species from the island. Breviora 417: 1-7.
Brown, W. C. and Parker, F. 1977. Lizards of the genus Lepidodactylus (Gekkonidae) from the Indo-Australian Archipelago and the islands of the Pacific, with description of new species. Proceedings of the California Academy of Sciences 41: 253-265.
Brown, W. C., McCoy, M. and Rodda, G. H. 1992. A new Lepidodactylus (Reptilia: Gekkonidae) from Guadalcanal Island, Solomons. Proceedings of the Biological Society of Washington 105: 440-442.
Bruna, E. M., Fisher, R. N. and Case, T. J. 1996. New evidence of habitat segregation between two cryptic species of Pacific skinks (Emoia cyanura and E. impar). Copeia 1996: 998-1005.
Bruschi, S., Corti, C., Carretero, M. A., Harris, D. J., Lanza, B. and Leviton, A. 2006. Comments on the Status of the Sardinian-Corsican Lacertid Lizard Podarcis tiliguerta. Proceedings of the California Academy of Sciences 57: 225-245.
Brygoo, E. R. 1971. Reptiles. Sauriens. Chamaeleonidae. Genre Chamaeleo. Faune de Madagascar, ORSTOM et CNRS, Paris 33: 1-318.
Brygoo, E. R. 1978. Reptiles. Sauriens. Chamaeleonidae. Genre Brookesia et complément pour le genre Chamaeleo. Faune de Madagascar, 47: 1-173.
Brygoo, E. R. 1981. Systématique des lezards scincides de la region malgache. VII. Revision des genres Voeltzkowia Boettger 1893, Grandidierina Mocquard 1894, et Cryptoscincus Mocquard 1894. Bulletin du Museum National d'Histoire Naturelle, Paris, 4th ser., Sect. A., 3 (2): 675-688.
Brygoo, E. R. and Roux-Esteve, R. 1983. Feylinia, genre de lezards africains de la famille des Scincidae, sous-famille des Feyliniinae. Bulletin du Museum National d'Histoire Naturelle, Paris 4e ser., 5: 307-341.
Brygoo, E., 1987. Systématique des Lézards Scincidés de la région. malgache. XIX. Données sur le genre Androngo. Bulletin du Museum National d'Histoire Naturelle, Paris 4 ser. 9: 255-
Buden, D. W. 1998. Morphological variation and distributional ecology of the giant Micronesian gecko (Perochirus scutellatus) of Kapingamarangi Atoll. Pacific Science 52, no. 3: 250-258.
Buden, D. W. 2007. Reptiles of Satawan Atoll and the Mortlock Islands, Chuuk State, Federated States of Micronesia. Pacific Science 61: 415-428.
Buffrenil, V. D., Ineich, I. and Bohme, W. 2004. Comparative data on epiphyseal development in the family Varanidae. Journal of Herpetology, 37: 328–335.
Bull, C. M. and Pamula, Y. 1996. Sexually dimorphic head sizes and reproductive success in the sleepy lizard Tiliqua rugosa. Journal of Zoology 240: 511-521.
Bullock, D. J., Arnold, E. N. and Bloxam, Q. 1985. A new endemic gecko (Reptilia: Gekkonidae) from Mauritius. Journal of Zoology Series A 206: 591-599.
Burt, C. E. 1930. Herpetological results of the Whitney South Sea Expedition. 4, Descriptions of new species of lizards from the Pacific Islands (Scincidae). American Museum novitates
Burt, C. E. and Burt, M. D. 1931. South American lizards in the collection of the American Museum of Natural History. Bulletin of the American Museum of Natural History 61: 227-395.
Busack, S. D., Salvador, A. and Lawson, R. 2006. Two new species in the genus Psammodromus (Reptilia: Lacertidae) from the Iberian Peninsula. Annals of Carnegie Museum 75: 1-10.
Bustard, H. R. 1966. Notes on the eggs, incubation and young of the bearded dragon Amphibolurus barbatus (Cuvier). British Journal of Herpetology 3: 252-259.
Butler M. A. and Losos J. B. 2002. Multivariate sexual dimorphism, sexual selection, and adaptation in Greater Antillean Anolis lizards. Ecological Monographs 72: 541-559.
Cabrera, M. R. 2004. A new Cnemidophorus (Squamata: Teiidae) from western Argentina. Amphibia-Reptilia 25: 265-275.
Cabrera, M. R. and Monguillot, J. C. 2006. A new Andean species of Liolaemus of the darwinii Complex (Reptilia: Iguanidae). Zootaxa 1106: 35-43.
Cadle, J. E. 1991. Systematics of lizards of the genus Stenocercus (Iguania Tropiduridae) from northern Peru. New species and comments on relationships and distribution patterns. Proceedings of the Academy of Natural Sciences of Philadelphia 143: 1-96.
Cadle, J. E. 1998. New species of lizards, genus Stenocercus (Iguania: Tropiduridae) from western Ecuador and Peru. Bulletin of the Museum of Comparative Zoology 155: 257-297.

Cadle, J. E. 2001. A new species of lizard related to Stenocercus caducus (Cope) (Squamata:Iguanidae) from Peru and Bolivia, with a key to the ‘‘Ophryoessoides group.’’ Bulletin of the Museum of Comparative Zoology 157: 183–221.
Cadle, J. E. and Chuna, M. P. 1995. A new lizard of the genus Macropholidus (Teiidae) from a relictual humid forest of northwestern Peru, and notes on Macropholidus ruthveni Noble. Breviora 501: 1-39.
Campbell, J. A. 1982. A new species of Abronia (Sauria, Anguidae) from the Sierra Juárez, Oaxaca, Mexico. Herpetologica 38: 355–361.
Campbell, J. A. 1984. A new species of Abronia (Sauria, Anguidae), with comments on the herpetogeography of the highlands of southern Mexico. Herpetologica 40: 373–381.
Campbell, J. A. 1999. Amphibians and Reptiles of Northern Guatemala, the Yucatan, and Belize. University of Oklahoma Press, Norman.
Campbell, J. A. and Camarillo, R. J. L. 1994. A new lizard of the genus Diploglossus (Anguidae: Diploglossinae) from Mexico, with a review of the Mexican and northern Central American species. Herpetologica 50: 193-209.
Campbell, J. A. and Frost, D. R. 1993. Anguid lizards of the genus Abronia: revisionary notes on the species of nuclear Central America and adjacent Mexico, descriptions of four additional species, with a phylogenetic hypothesis for the genus and an identification key. Bulletin of the American Museum of Natural History 216:1–121.
Campbell, J. A., and Brodie, E. D. 1999. A new species of Abronia (Squamata: Anguidae) from the southeastern highlands of Guatemala. Herpetologica 55: 161–174.
Campbell, J. A., Hillis, D. M. and Lamar, W. W. 1989. A new lizard of the genus Norops (Sauria: Iguanidae) from the cloud forest of Hidalgo, Mexico. Herpetologica 45: 232–242.
Campbell, J. A., Sasa, M., Acevedo, M. E. and Mendelson, J. R. 1998. A new species of Abronia (Squamata: Anguidae) from the high Cuchumatanes of Guatemala. Herpetologica 54:
Campbell, T. S. and Echternacht, A. C. 2003. Introduced species as moving targets: changes in body sizes of introduced lizards following experimental introductions and historical invasions. Biological Invasions 5: 193-212.
Caputo, V., Lanza, B. and Palmieri, R. 1995. Body elongation and limb reduction in the genus Chalcides Laurenti 1768 (Squamata Scincidae): a comparative study. Tropical Zoology 8:
Carpenter, A. I. 2003. The ecology and exploitation of chameleons in Madagascar. PhD thesis, University of East Anglia, UK.
Carpenter, A. I. and Robson, O. 2005. A review of the endemic chameleon genus Brookesia from Madagascar, and the rationale for its listing on CITES Appendix II. Oryx 39: 1-6.
Carranza, S., Arnold, E. N., Mateo, J. A. and Lopez-Jurado, L. F. 2001. Parallel gigantism and complex colonization patterns in the Cape Verde scincid lizards Mabuya and Macroscincus (Reptilia : Scincidae) revealed by mitochondrial DNA sequences. Proceedings of the Royal Society B. 268: 1595-1603.
Carter, R. L. and Hayes, W. K. 2004. Conservation of an endangered rock iguana, II. Pages 148-157 in Alberts, A. (editor). Iguanas: Biology and Conservation. University of California
Casas-Andreu, G. and Gurrola-Hidalgo, M. A. 1993. Comparative ecology of two species of Cnemidophorus in coastal Jelisco, Mexico. pages 133-150 in J. W. Wright and L. J. Vitt (editors), Biology of Whiptail Lizards (Genus Cnemidophorus). Oklahoma Museum of Natural History, Norman.
Case, T. J. 1976. Body size differences between populations of the chuckwalla, Sauromalus obesus. Ecology 57: 313-323.
Case, T. J. 1978. A general explanation for insular body size trends in terrestrial vertebrates. Ecology 59: 1-18.
Case, T. J. 1982. Ecology and evolution of the insular giant chuckawallas, Sauromalus hispidus and Sauromalus varius. Pages 184-212 in G. M. Burghardt and A. S. Rand, editors. Iguanas of the world: their behaviour, ecology and conservation. Noyes Publications, New Jersey.
Case, T. J. 1983. Sympatry and size similarity in Cnemidophorus. Pages 297-325 in Huei, R. B., Pianka, E. R. and Schoener, T. W. (eds). Lizard ecology, studies of a model organism. Harvard University Press, Cambridge, Mass.
Case, T. J. 1983. The reptiles: ecology. Pages 159-209 in Case, T. J. and Cody, M. L. editors. Island Biogeography in the Sea of Cortez. University of California Press, Berkeley.
Case, T. J. 2002. Reptiles. Pages 221-270 in Case, T. J. and Cody, M. L. editors. Island Biogeography in the Sea of Cortez. 2nd edition. Oxford University Press, Oxford.
Case, T. J. and Schwaner, T. D. 1993. Island mainland body size differences in Australian varanid lizards. Oecologia 94: 102-109.
Case, T. J., Bolger, A. D. and Richman, A. D. 1998. Reptilian extinctions over the last ten thousand years. Pages 157-186 In: Fielder, P. L. and, Kareiva, P. M. (eds.), Conservation biology for the coming decade, 2nd edition, Chapman & Hall, New York.
Castaneda-Gaytan G., Gadsden, H. Lopez-Corrujedo, H. and Estrada-Rodríguez, J. L. 2003. Historia de vida de Uma paraphygas (Sauria: Phrynosomatidae) en la Reserva de la Biosfera de Mapimí, Durango. Acta Zoologica Mexicana 89: 169–184.
Castro-Herrera, F. 1988. Niche structure on an anole community in a tropical rain forest within the Chocoì Region of Colombia. DPhil Thesis, North Texas State University.
Cei, J. M. 1982. A new endemic lizard from Sierra Pie de Palo in western Argentina. Journal of Herpetology, 16: 179-182.
Cei, J. M. 1986. Reptiles del centro, centro-oeste y sur de la Argentina. Herpetofauna de las zonas aridas y semiaridas. Museo Regionale di Scienze Naturali, Torino. 527 pp.
Cei, J. M. 1993. Reptiles del noroeste, nordeste y este de la Argentina. Museo Regionale di Scienze Naturali, Torino, Monografie 14: 1-949
Cei, J. M. and Castro, L. P. 1973. Taxonomic and serological researches on the Phymaturus patagonicus Complex. Journal of Herpetology, 7: 237-247.

Cei, J. M. and Pefaur, J. E. 1982. Una nueva especie de Liolaemus (Iguanidae: Squamata) su sistematica, ecologia y distribucion. Pp. 573-586 in P. J. Salinas (Ed.), Zoologıa Neotropical: Actas del VIII Congreso Latinoamericano de Zoologıa. Merida, Venezuela.
Cei, J. M. and Scolaro, J. A. 1983. Una nueva forma geografica de Liolaemus kingi de Santa Cruz, Argentina (Lacertilia, Iguanidae). Neotropica 29: 209-214.
Cei, J. M. and Scolaro, J. A. 1996. A new species of Liolaemus of the archeforus group from the precordilleran valley of the Zeballos river, Santa Cruz Province, Argentina (Reptilia, Tropiduridae). Museo Regionale di Scienze Naturali Bollettino (Torino) 14: 389-401.
Cei, J. M. and Videla, F. 2003. A new species of Liolaemus lacking precloacal pores in males from the Andean south-eastern mountains of Mendoza Province, Argentina (Liolaemidae, Iguania, Lacertilia, Reptilia). Bolletino Museo Regionale di Scienze Naturali - Torino 20: 275-290.
Cei, J. M. Videla, F. and Vicente, L. 2003. From oviparity to viviparity: a preliminary note on the morphometric differentiation between oviparous and viviparous species assigned to the genus Liolaemus (Reptilia, Squamata, Liolaemidae). Journal of Zoological Systematics and Evolutionary Research 41: 152-156.
Cei, J. M., Etheridge, R. and Videla, F. 1983. Especies nuevas de iguánidos del noroeste de la provincia de San Juan (Reserva provincial San Guillermo), Argentina. Deserta 7: 316-323.
Cei, J. M., Scolaro, J. A. and Videla, F. 2001. The present status of Argentinean polychrotid species of the genus Pristidactylus and description of Its southernmost taxon as a new species. Journal of Herpetology, 35: 597-605.
Cei, J. M., Scolaro, J. A. and Videla, F. 2003. A taxonomic revision of recognized Argentine species of the leiosaurid genus Diplolaemus (Reptilia, Squamata, Leiosauridae). Facena 19: 87-
Chabanaud, P. 1916. Sur divers reptiles et batraciens du Maroc recueillis par M. Pallary. Bulletin du Museum National d'Histoire Naturelle, Paris, 22: 228-233.
Chabanaud, P. 1917. Description d'un lacertilien noveau de Maroc. Bulletin du Museum National d'Histoire Naturelle, Paris 1: 3-6.
Chabanaud, P. 1917. Descriptions de trois especes nouvelles de Reptiles de l' Afrique. Bulletin du Museum National d'Histoire Naturelle, 23: 219-225.
Chabanaud, P. 1917. Enumération des reptiles non encore étudiés de l'Afrique occidentale, appartenant aux collections du Muséum, avec la description des espèces nouvelles. Bulletin du Museum National d'Histoire Naturelle, Paris 23: 83-105.
Chabanaud, P. 1917. Revision de quelques reptiles d'Afrique et description de trois especes nouvelles. Bulletin du Museum National d'Histoire Naturelle, Paris 23: 442-454.
Chabanaud, P. 1918. Etude d'une collection de reptiles de l'Afrique occidentale francais. Bulletin du Museum National d'Histoire Naturelle, Paris 24: 160-166.
Chamaille-Jammes, S., Massot, M., Aragon, P. and Clobert, J. 2006. Global warming and positive fitness response in mountain populations of common lizards Lacerta vivipara. Global Change Biology, 12: 392-402.
Chapple, D. G. 2003. Ecology, life-history, and behavior in the Australian Scincid genus Egernia, with comments on the evolution of complex sociality in lizards. Herpetological Monographs 17: 145–180.
Cheke, A. S. 1984. Lizards of the Seychelles. Biogeography and ecology of the Seychelles Islands (ed. by D.S. Stoddart), pp. 331-360. Dr W. Junk, The Hague.
Chen, S. H. and Lue, K. Y. 1987. A new species of skink, Sphenomorphus taiwanensis, from Taiwan (Sauria, Scincidae). Bulletin of the Institute of Zoology, Academia Sinica 26: 115-121.
Chen, S. L., Hikida, T., Han, S. H., Shim, J. H., Oh, H.S. and Ota, H. 2001. Taxonomic status of the Korean populations of the genus Scincella (Squamata: Scincidae). Journal of Herpetology 35: 122-129.
Chippindale, P. 1991. Captive breeding of the Timor monitor Varanus timorensis similis. Herpetological Review 22: 52-53.
Chirio, L. and Ineich, I. 2000. Description d'un nouveau scincide endemique des montagnes du Cameroun (Lacertilia: Mabuya mekuana). Bulletin de la Societe Zoologique de France 125:
Chirio, L. and LeBreton, M. 2007. Atlas des retiles du Cameroun. Publications Scientifiques du Museum national d'Histoire naturelle, Paris.
Chou, W. H., Nguyen, T. Q. and Pauwels, O. S. G. 2001. A new species of Takydromus (Reptilia: Lacertidae) from Vietnam. Herpetologica 57: 497-508.
Christian, K. A. and Tracy, C. R. 1982. Reproductive behavior of Galapagos land iguanas, Conolophus pallidus, on Isla Santa Fe, Galapagos. Pages 366-379 in G. M. Burghardt and A. S. Rand, editors. Iguanas of the World: Their Behaviour, Ecology and Conservation. Noyes Publications, New Jersey.
Clemann, N., Chapple, D. G. and Wainer, J. 2004. Sexual dimorphism, diet, and reproduction in the Swamp Skink, Egernia coventryi. Journal of Herpetology 38: 461-467.
Clobert, J., Garland, T. and Barbault, R. 1998. The evolution of demographic tactics in lizards: a test of some hypotheses concerning life history evolution. Journal of Evolutionary Biology 11: 329-364.
Clover, R. C. 1979. Phenetic relationships among populations of Podarcis sicula and P. melisellensis (Sauria: Lacertidae) from islands in the Adriatic Sea. Systematic Zoology, 28: 284-298.
Cochran, D. M. 1933. A new gecko from Haiti, Aristelliger expectatus. Proceedings of the Biolological Society of Washington 46: 33-35.
Cogger, H. G. 1972. A new scincid lizard of the genus Tribolonotus from Manus Island, New Guinea. Zoologische Mededelingen 47: 202-210.
Cogger, H. G. 1975. New lizards of the genus Pseudothecadactylus (Lacertilia: Gekkonidae) from Arnhem Land and northwestern Australia. Records of the Australian Museum 30: 87-97.
Cogger, H. G. 2000. Reptiles and amphibians of Australia 6th ed. Sanibel Island, FL : Ralph Curtis Publishing.

Cogger, H., Sadlier, R., and Cameron, E. 1983. The terrestrial reptiles of Australia's island territories. Australian National Parks and Wildlife Service Special Publication 8 (11) 1-79.
Cole C. J. and Dessauer, H. C. 1993. Unisexual and bisexual whiptail lizards of the Cnemidophorus lemniscatus complex (Squamata: Teiidae) of the Guiana Region, South America, with descriptions of new species. American Museum Novitates 3081: 1–30.
Cole, C. J. and Kok, P. J. R. 2006. A new species of gekkonid lizard (Sphaerodactylinae: Gonatodes) from Guyana, South America. American Museum Novitates 3254: 1-13.
Cole, C. J., Dessauer, H. C. and Markezich, A. L. 1993. Missing Link Found: The Second Ancestor of Gymnophthalmus underwoodi (Squamata: Teiidae), A South American Unisexual Lizard of Hybrid Origin. American Museum Novitates 3055: 1-13.
Cole. C. J., Dessauer, H. C., Townsend, C. R. and Arnold, M. G. 1990. Unisexual Lizards of the Genus Gymnophthalmus (Reptilia: Teiidae) in the Neotropics: Genetics, Orgin, and Systematics. American Museum Novitates 2994: 1-29.
Colli, G. R., Caldwell, J. P., Costa, G. C., Gainsbury, A. M., Garda, A. A., Mesquita, D. M., Filho, C. M. M. R., Soares, A. H. B., Silva, V. N., Valdujo, P. H., Vieira, G. H. C., Vitt, L. J., Werneck, F. P., Wiederhecker, H. C. and Zatz, M. G. 2003. A new species of Cnemidophorus (Squamata, Teiidae) from the cerrado biome in central Brazil. Occasional Papers of the Sam Noble Oklahoma Museum of Natural History, University of Oklahoma 14: 1-14.
Colli, G. R., Costa , G. C., Garda , A. A., Kopp , K. A., Mesquita, D. O., Peres, A. K., Valdujo, P. H., Vieira, G. H. C. and Wiederhecker, H. C. 2003. A critically endangered new species of Cnemidophorus (Squamata, Teiidae) from a cerrado enclave in southwestern Amazonia, Brazil. Herpetologica, 59: 76–88.
Colli, G. R., Mesquita, D. O., Rodrigues, P. V. V. and Kitayama, K. 2003. Ecology of the gecko Gymnodactylus geckoides amarali in a neotropical Savanna. Journal of Herpetology 37: 694-
Collins, J. P. 1971. Ecological observations on a little known South American anole: Tropidodactylus onca. Breviora 370: 1-6.
Colwell, G.J. 1993. Hydrosaurus weberi (Weber's sail-fin dragon). Morphology. Herpetological Review 24: 150.
Conant, R. and Collins, J. T. 1998. Reptiles and amphibians of eastern and central North America. 3rd Edition expanded. Houghton Mifflin Company, Boston.
Congdon, J.D., Vitt, L. J. and Hadley, N.F. 1978. Parental investment: comparative reproductive energetics in bisexual and unisexual lizards, genus Cnemidophorus. American Naturalist 12:
Constable, J. D. 1940. Reptiles from the Indian Peninsula in the Museum of Comparative Zoology. Bulletin of the Museum of Comparative Zoology 103: 59-160.
Cooper, B. W. 1953. Notes on the life history of the lizard, Neoseps reynoldsi Stejneger. Journal of the Florida Academy of Sciences, 16: 235-238.
Cooper, W. E. and Guillette, L. J. 1991. Observations on activity, display behavior, coloration and androgen levels in the keeled earless lizard, Holbrookia propinqua. Amphibia-Reptilia 12:
Cooper, W. E. and Vitt, L. J. 1989. Sexual dimorphism of head and body size in an iguanid lizard: paradoxical results. American Naturalist 133: 729–735.
Cooper, W. E. and Vitt, L. J. 2002. Distribution, extent, and evolution of plant consumption by lizards. Journal of Zoology 257: 487-517.
Cope, E. D. 1868. Observations on Reptiles of the old world. Proceedings of the Academy of Natural Sciences of Philadelphia 1868: 316-323
Cope, E. D. 1889. III. Report on the batrachians and reptiles collected in 1887-88. Proceedings of the United States National Museum 12: 141-147.
Cope, E. D. 1895. The Batrachia and Reptilia of the University of Pennsylvania West Indian expedition of 1890 and 1891. Proceedings of the Academy of Natural Sciences of Philadelphia
Cope, E. D. 1896. On the hemipenes of the Sauria. Proceedings of the Academy of Natural Sciences of Philadelphia 48: 461-467.
Cope, E. D. 1899. Contributions to the herpetology of New Grenada and Argentina, with descriptions of new forms. Philadelphia Museum of Science Bulletin 1: 1-19.
Cordes, I. G., Mouton, P. L. N., vanWyk, J. H. 1995. Sexual dimorphism in two girdled lizard species, Cordylus niger and Cordylus cordylus. South African Journal of Zoology 30: 187-196.
Corn, M. J. and Dalby, P. L. 1973. Systematics of the anoles of San Andres and Providencia islands, Colombia. Journal of Herpetology, 7: 63-74
Corti, C. and Cascio, P. L. 2002. The Lizards of Italy and adjacent areas. Frankfort Contributions to Herpetology, Frankfurt am Main.
Costa, G. C., Mesquita, D. O. and Franca, F. G. 2005. Crocodilurus amazonicus Diet. Herpetological Review 36: 174-175.
Costandius, E. and Mouton, P F. N. 2006. Sexual size dimorphism in montane cordylid lizards: a case study of the dwarf crag lizard, Pseudocordylus nebulosus. African Zoology 41:
Couper, P. J., Amey, A. P. and Kutt, A. S. 2002. A new species of Ctenotus (Scincidae) from central Queensland. Memoirs of the Queensland Museum 48: 85-92.
Couper, P. J., Schneider, C. J., Hoskin, C. J. and Covacevich, J. A. 2000. Australian leaf-tailed geckos: phylogeny, a new genus, two new species and other new data. Memoirs of the Queensland Museum 45: 253-265.
Covacevich, J. and Ingram, G. 1975. Three new species of rainbow skinks of the genus Carlia from northern Queensland. Victorian Naturalist 92: 19-22.
Covacevich, J. and Ingram, G. J. 1978. An undescribed species of rock dwelling Cryptoblepharus (Lacertilia: Scincidae). Memoires of the Queensland Museum 18: 151-154.
Cox, M. J., van Dijk, P. P., Nabhitabhata, J. and Thirakupt, K. 1998. A photographic guide to snakes and other reptiles of Peninsular Malaysia, Singapore and Thailand. New Holland Publishers, London.
Cox, R. M., Skelly, S. L. and John-Alder, H. B. 2003. A comparative test of adaptive hypotheses for sexual size dimorphism in lizards. Evolution 57: 1653-1669.
Cree, A. 1994. Low annual reproductive output in female reptiles from New Zealand. New Zealand Journal of Zoology, 21: 351-372

Cree, A., Rock, J. and Whitaker, T. 1999. Report on the SRARNZ research trip in 1997 to study geckos of the Seaward Kaikoura Range, Marlborough, New Zealand. New Zealand Journal of Zoology 26: 256.
Crochet, P. A., Geniez, P. and Ineich, I. 2003. A multivariate analysis of the fringe-toed lizards of the Acanthodactylus scutellatus group (Squamata: Lacertidae): systematic and biogeographical implications. Zoological Journal of the Linnean Society 137: 117–155.
Crombie, R. I. and Pregill, G. K. 1999. A checklist of the herpetofauna of the Palau Islands (Republic of Belau), Oceania. Herpetological Monographs 13: 29–80.
Cruz, F. B., Fitzgerald, L. A., Espinoza, R. E. and Schulte, J. A. 2005. The importance of phylogenetic scale in tests of Bergmann's and Rapoport's rules: lessons from a clade of South American lizards. Journal of Evolutionary Biology 18: 1559–1574.
Cuellar, O. 1993. Further observations on competition and natural history of coexisting parthenogenetic and bisexual whiptail lizards. pages 345-370 in J. W. Wright and L. J. Vitt (editors), Biology of Whiptail Lizards (Genus Cnemidophorus). Oklahoma Museum of Natural History, Norman.
Cuervo, J. J. and Shine, R. 2007. Hues of a dragon's belly: morphological correlates of ventral coloration in water dragons. Journal of Zoology 273: 298-304.
Cullum, A. J. 1998. Sexual dimorphism in physiological performance of whiptail lizards (Genus Cnemidophorus). Physiological Zoology 71: 541-552.
da Cunha, O. R. 1966. Sobre uma nova expécie de lagarto do estado de Minas Gerais Placosoma cipoense sp. n. (Lacertilia, Teiidae). Boletim do Museu Paraense Emilio Goeldi Serie
da Cunha, O. R. 1977. Lacertilios da Amazonia VI - Uma nova especie de lagarto (Colobosaura landii) da região leste do Para (Lacertilia, Teiidae).Boletim do Museu paraense Emilio
da Cunha, O. R., Lima-Verde, J. S. and Lima, A. C. M. 1991. Novo genero e especie de lagarto do Estado do Ceara (Lacertilia: Teiidae). Boletim do Museu Paraense Emilio Goeldi Serie Zoologia 7: 163-176.
Dalrymple, G. H. 1980. Comments on the density and. diet of a giant anole, Anolis equestris. Journal of Herpetology 14: 412-415.
Daniel, J. C. 1983. The handbook of Indian reptiles. Bombay Natural History Society, Bombay.
Darevsky, I .S. and Orlov, N. L. 1994. Eine bemerkenswerte neue, grosswuchsige Art der Gattung Gekko: Gekko ulikovskii sp. nov. aus Zentralvietnam. Salamandra 30: 71-75.
Darevsky, I .S. and Orlov, N. L. 1994. Vietnascincus rugosus, a new Genus and species of the Dasia-like arboreal skinks (Sauria, Scincidae) from Vietnam. Russian Journal of Herpetology 1:
Darevsky, I. S. 1964. Two new species of gekkonid lizards from the Komodo island in Lesser Sundas Archipelago. Zoologischer Anzeiger 173: 169-174.
Darevsky, I. S. 1978. Rock lizards of the Caucasus. Smithsonian Institution Press, Washington DC.
Darevsky, I. S. 1992. Two new species of the worm-like lizard Dibamus (Sauria: Dibamidae) with remarks on distribution and ecology of Dibamus in Vietnam. Asiatic Herpetological
Darevsky, I. S. and Kupriyanova, L. A. 1993. Two new all-female lizard species of the genus Leiolepis Cuvier, 1829 from Thailand and Vietnam (Squamata: Sauria: Uromastycinae).
Darevsky, I. S. and Orlov, N. L. 1997. A new genus and species of scincid lizard from Vietnam: first asiatic skink with double rows of basal subdigital pads. Journal of Herpetology 31: 323-
Darevsky, I. S. and Orlov, N. L. 2005. New species of limb-reduced lygosomine skink genus Leptoseps Greer, 1997 (Sauria, Scincidae) from Vietnam. Russian Journal of Herpetology 12(1):
Darevsky, I. S. and Orlova, V. F. 1996. A new species of slender skinks, Lygosoma carinatum (Sauria, Scincidae), from South Vietnam. Zoologicheskii Zhurnal 75: 791-795.
Darevsky, I. S. and Szczerbak, N. N. 1997. A new gecko of the genus Gonydactylus (Sauria: Gekkonidae) with a key to the species from Vietnam. Asiatic Herpetological Research 7: 19-22.
Darevsky, I. S. and Tuniyev, B. S. 1997. A new species from Lacerta saxicola group - Lacerta dryada sp. nov. (Sauria: Lacertidae) and some comments relative to Lacerta clarkorum
Darevsky & Vedmederja 1977. Russian Journal of Herpetology 4: 1-7.
Darevsky, I. S. and Van Sang, N. 1983. New and little known lizard species from Vietnam. Zoologicheskii Zhurnal 62: 1827-1837.
Darevsky, I. S., Kupriyanova, L. A. and Roshchin, V. V. 1984. A new all-female triploid species of gecko and karyological data on the bisexual Hemidactylus frenatus from Vietnam. Journal of Herpetology, 18: 277-284.
Darevsky, I. S., Orlov, N. L. and Cuc, T. 2004. Two new lygosomine skinks of the genus Sphenomorphus Fitzinger, 1843 (Sauria, Scincidae) from northern Vietnam. Russian Journal of Herpetology 11: 111-120.
Das, I. 1991. A new species of Mabuya from Tamil Nadu State, Southern India (Squamata: Scincidae). Journal of Herpetology 25: 342-344.
Das, I. 1997. A new species of Cyrtodactylus from the Nicobar Islands, India. Journal of Herpetology, 31: 375-382.
Das, I. 1999. Biogrography of the amphibians and reptiles of the Andaman and Nicobar Islands, India. pages 43-77 in Ota, H. (editor). Tropical Island Herpetofauna: Origin, Current Diversity, and Conservation. Elsevier, Amsterdam.
Das, I. 2004. Lizards of Borneo. Natural History Publications (Borneo), Kota Kinabalu.
Das, I. 2005. Revision of the Genus Cnemaspis Strauch, 1887 (Sauria: Gekkonidae), from the Mentawai and Adjacent Archipelagos off Western Sumatra, Indonesia, with the Description of Four New Species. Journal of Herpetology 39: 233–247.
Das, I. and Austin, C. C. 2007. New species of Lipinia (Squamata: Scincidae) from Borneo, revealed by molecular and morphological data. Journal of Herpetology, 41: 61-71.

Das, I. and Bauer, A. M. 1998. Systematics and biogeography of Bornean geckos of the genus Cnemaspis Strauch, 1887 (Sauria: Gekkonidae), with the description of a new species. Raffles Bulletin of Zoology 46: 11-28.
Das, I. and Bauer, A. M. 2000. Two new species of Cnemaspis (Sauria: Gekonidae) from Tamil Nadu, southern India. Russian Journal of Herpetology 7: 17-28.
Das, I. and Grismer, L. L. 2003. Two new species of Cnemaspis Strauch, 1887 (Squamata: Gekkonidae) from the Seribuat Archipelago, Pahang and Johor States, West Malaysia. Herpetologica, 59: 544–552.
Das, I. and Lim, K. K. P. 2003. Two new species of Dibamus (Squamata: Dibamidae) from Borneo. Raffles Bulletin of Zoology 51: 137-141.
Das, I. and Lim, K. K. P. 2005. New species of Dibamus (Squamata: Dibamidae) from Pulau Nias, Indonesia. Journal of Herpetology, 39: 113–117.
Das, I. and Sengupta, S. 2000. A new species of Cnemaspis (Sauria: Gekkonidae) from Assam, northeastern India. Journal of South Asian Natural History 5: 17-23.
Das, I. and Yaakob, N. 2003. A new species of Dibamus (Squamata: Dibamidae) from Peninsular Malaysia. Raffles Bulletin of Zoology, 51: 149-153.
Das, I., Dattagupta, B. and Gayen, N. 1998. Systematic status of Lygosoma himalayanum tragbulensis Alcock, "1897" 1898. (Sauria: Scincidae) collected by the Pamir boundary commisson, 1885. Russian Journal of Herpetology 5: 147-150.
Das, I., Se Silva, A. and Austin, C. C. 2008. A new species of Eutropis (Squamata: Scincidae) from Sri Lanka. Zootaxa 1700: 35-52.
Daudin, J. and de Silva, M. 2007. An annotated checklist of the amphibians and terrestrial reptiles of the Grenadines with notes on their local natural history and conservation. Applied Herpetology 4: 163-175.
David, P., Teynie, A. and Ohler, A. 2004 A new species of Cyrtodactylus Gray, 1827 (Reptilia : Squamata : Gekkonidae) from southern Laos. Raffles Bulletin of Zoology, 52: 621-627.
Davis, W. B. 1954. Three new anoles from Mexico. Herpetologica 10: 1-6.
de Grijs, P. 1936. Prionodactylus rahmi, eine neue Eidechse aus den Anden. Zoologischer Anzeiger 116: 27-30
de Jong, J. K. 1927. Reptiles from Dutch New Guinea. Nova Guinea 15: 296-318.
de Oca, A. N. M. 1996. A new species of Anolis (Squamata: Polychrotidae) from Chiapas, Mexico. Journal of Herpetology, 30: 19-27.
de Oca, A. N. M., Campbell, J. A. and Flores-Villela, O. 2001. A new species of Xenosaurus (Squamata : Xenosauridae) from the sierra madre del Sur of Oaxaca, Mexico. Herpetologica 57:
De Rooij, N. 1915. The reptiles of the Indo-Australian archipelago. Vol. 1. Lacertilia, Chelonia, Emydosauria. E.J. Brill, Leiden.
de Witte, G. F. 1933. Batraciens et reptiles recueillis par M.L. Burgeon au Ruwenzori, au Kivu et au Tanganika. Revue de Zoologie et de Botanique Africaine 24: 111-123.
de Witte, G. F. 1933. Description de reptiles nouveaux provenant du Katanga (1930-31). Revue de Zoologie et de Botanique Africaine, 23 (2): 185-192.
de Witte, G. F. 1933. Reptiles recoltes au Conge Belge par le Dr. H. Schouteden et par M. G.-F. Witte. Annales du Musee du Congo Belge Tervuren (Belgique) Sciences Zoologiques 1 Tome III: 53-100.
Dearing, M. D. and Schall, J. J. 1994. Atypical reproduction and sexual dimorphism of the tropical Bonaire Island whiptail lizard, Cnemidophorus murinus. Copeia, 1994: 760-766.
Degenhardt, W. G., Painter, C. W. and Price, A. H. 1996. Amphibians and Reptiles of New Mexico. University of New Mexico Press, Albuquerque.
Dejun, L. 1989. A survey of reptiles in Leigonshan area. Pages 269-275 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
Deraniyagala, P. E. P. 1953. A coloured atlas of some vertebrates from Ceylon. Vol. 2. Tetrapod Reptilia. Goverment Press, Colombo.
Dial, B. E. 1975. Aspects of the ecology and systematics of the lizards Coleonyx brevis and Coleonyx reticulatus (Lacertidae: Gekkonidae). MSc. Thesis, Texas A&M University.
Dial, B. E., and Grismer, L. L. 1992. A phylogenetic analysis of physiological-ecological character evolution in the lizard genus Coleonyx and its implications for historical biogeographic reconstruction. Systematic Biology 41: 178-195.
Dias E. J. R. and Rocha, C. F. D. 2004. Thermal Ecology, Activity Patterns, and Microhabitat Use by Two Sympatric Whiptail Lizards (Cnemidophorus abaetensis and Cnemidophorus ocellifer) from Northeastern Brazil. Journal of Herpetology, 38: 586–588.
Dias E. J. R., Rocha, C. F. D. and Vrcibradic, D. 2002. New Cnemidophorus (Squamata: Teiidae) from Bahia State, Northern Brazil. Copeia 2002: 1070–1077.
Diaz, L. M., Navarro, N. and Garrido, O. H. 1998. Nueva especie de Chamaeleolis (Sauria: Iguanidae) de la Meseta de Cabo Cruz, Granma, Cuba. Avicennia 8/9: 27-34.
Diaz, R. E., Leong, T. M., Grismer, L. L. and Yaakob, N. S. B. 2004. A new species of Dibamus (Squamata: Dibamidae) from West Malaysia. Asiatic Herpetological Research 10: 1-7.
Dickerson, M. C. 1919. Diagnoses of twenty-three new species and a new genus of lizards from Lower California. Bulletin of the American Museum of Natural History 41: 461-477.
Diong, C. H. and Lim, S. S. L. 1998. Taxonomic Review and Morphological Description of Bronchocela cristatella (Kuhl, 1820) (Squamata: Agamidae) with Notes on Other Species in the Genus. Raffles Bulletin of Zoology 46: 345-359.
Disi, A. M. and Bohme, W. 1996. Zoogeography of the amphibians and reptiles of Syria, with additional new records. Herpetozoa 9: 63-70.

Disi, A. M. Modrý, D., Necas, P. and Rifai, L. 2001. Amphibians and reptiles of the Hashemite kingdom of Jordan: an atlas and field guide. Edition Chimaira, Frankfurt am Main.
Dixon, J. R. 1960 The discovery of Phyllodactylus tuberculosus (Reptilia: Sauna) in Central America, the resurrection of P. xanti, and description of a new Gecko from British Honduras. Herpetologica 16: 1-11.
Dixon, J. R. 1962. The leaf-toed geckos, genus Phyllodactylus, of northeastern South America. Southwestern Naturalist 7: 211—226.
Dixon, J. R. 1964. The systematics and distribution of lizards of the genus Phyllodactylus in North and Central America. New Mexico State University Scientific Bulletin 64: 1-139.
Dixon, J. R. 1966. Speciation and systematics of the gekkonid lizard genus Phyllodactylus of the islands of the Gulf of California. Proceedings of the California Academy of Sciences 33: 415-
Dixon, J. R. 1973. A systematic review of the teiid lizards, genus Bachia, with remarks on Heterodactylus and Anotosaura. Misellanuous Publications of the University of Kansas Museum of Natural History 57: 1-47
Dixon, J. R. 1974. Systematic review of the lizard genus Anotosaura (Teiidae). Herpetologica 30: 13-18.
Dixon, J. R. and Huey, R. B. 1970. Systematics of the lizards of the gekkonid genus Phyllodactylus on mainland South America. Los Angeles County Museum Contributions in Science 192:
Dixon, J. R. and Lamar, W. W. 1981. A new species of microteiid lizard (genus Neusticurus) from Colombia. Journal of Herpetology 15: 309-314.
Dixon, J. R. and Soini, P. 1986. The reptiles of the upper Amazon basin, Iquitos Region, Peru. 2nd edition. Milwaukee Public Museum.
Dixon, J. R., and Wright, J. W. 1975. A review of the iguanid genus Tropidurus in Peru. Contribution Science Natural History Museum, Los Angeles County 271: 1-39.
Dixon, J. R., Ketchersid, C. A. and Lieb, C. S. 1972. A new species of Sceloporus (undulatus group; Sauria, Iguanidae) from Mexico. Proceedings of the Biological Society of Washington
Doan, T. M. and Castoe, T. A. 2003. Using morphological and molecular evidence to infer species boundaries within Proctoporus bolivianus Werner (Squamata: Gymnophthalmidae). Herpetologica 59: 432–449.
Doan, T. M. and Schargel, W. E. 2003. Bridging the gap in Proctoporus distribution: a new species (Squamata: Gymnophthalmidae) from the Andes of Venezuela. Herpetologica 59: 68–75.
Doan, T. M., Castoe , T. A. and Arriaga, W. A. 2005. Phylogenetic relationships of the genus Proctoporus sensu stricto (Squamata: Gymnophthalmidae), with a new species from Puno, southeastern Peru. Herpetologica, 61: 325–336.
Doi, H. and Kamita, T. 1937. A new species of Eumeces from West Corea. Zoological Magazine, Tokyo 49: 211-215.
Donnellan, S. C., Hutchinson, M. N., Dempsey, P. and Osborne, W. S. 2002. Systematics of the Egernia whitii species group (Lacertilia: Scincidae) in south-eastern Australia. Australian Journal of Zoology 50: 439–459.
Donnelly, M. A., Macculloch, R. D., Ugarte, C. A. and Kizirian, D. 2006. A new riparian gymnophthalmid (Squamata) from Guyana. Copeia, 2006: 396–403.
Donnelly, M. A., Mcdiarmid, R. W. and Myres, C. W. 1992. A new lizard of the genus Arthrosaura (Teiidae) from southern Venezuela. Proceedings of the Biological Society of Washington 105: 821-833.
Donoso-Barros, R. 1971. A new Liolaemus from Neuquén (Argentina). Herpetologica 27: 49-51.
Donoso-Barros, R. 1966. Dos nuevos Gonatodes de Venezuela. Publicacion Ocasional Museo Nacional de Historia Natural, Santiago (Chile) 11: 3-32.
Donoso-Barros, R. 1966. Reptiles de Chile. Ediciones de la Universidad de Chile, Santiago de Chile.
Donoso-Barros, R. 1975. Nuevos reptiles y anfibios de Chile. Boletin de la Sociedad de Biología de Concepcion 48: 217-229.
dos Santos, A. R., da Frota, J. G. and Ribeiro, F. R. V. 2007. Reptilia, Squamata, Polychrotidae, Anolis nitens tandai: Distribution extension, new state record, and geographic distribution map. Check List 3: 9-10.
Doughty, P., and Shine, R. 1995. Life in two dimensions: Natural history of the southern leaf-tailed gecko, Phyllurus platurus. Herpetologica 51:193-201.
Doughty, P., Maryan, B., Melville, J. and Austin, J. 2007. A new species of Ctenophorus (Lacertilia: Agamidae) from Lake Disappointment, Western Australia. Herpetologica, 63: 72–86.
Drewes, R. C. 1972. Report on a collection of reptiles and amphibians from the Ilemi Triangle, southwestern Sudan. Occasional Papers of the California Academy of Sciences 100: 1–14.
Du Toit, A., Mouton, P. Le F. N. and Flemming, A.F. 2003. Aseasonal reproduction and high fecundity in the Cape grass lizard, Cordylus anguinus, in a fireprone habitat. Amphibia-Reptilia 24: 471–482.
Du, W., Ji, X., Zhang, Y., Xu, X. and Shine, R. 2005. Identifying sources of variation in reproductive and life history traits among five populations of a Chinese lizard (Takydromus septentrionalis, Lacertidae). Biological Journal of the Linnean Society 85: 443-453.
Duda, P. L. and Sahi, D. N. 1978. Cyrtodactylus himalayanus: a new gekkonid species from Jammu, India. Journal of Herpetology, 12: 351-354.
Duellman, W. E. 1978. The biology of an equatorial herpetofauna in Amazonian Equador. University of Kansas Museum of Natural History Miscellaneous publications 65: 1-352.
Duellman, W. E. 2005. Cusco Amazónico: The lives of amphibians and reptiles in an Amazonian Rainforest. Cornell University Press, Ithaca.
Duellman,W. E. and Mendelson, J. R. 1995. Amphibians and reptiles from Northern Departamento Loreto, Peru: Taxonomy and Biogeography. University of Kansas Science Bulletin 55:

456 Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 1. The Chamaeleons of Nigeria. Nigerian Field 32: 53-74.
457 Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 2. The lacertids of Nigeria. Nigerian Field 32: 117-131.
458 Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 3. The monitors and a plated lizard. Nigerian Field 32: 170-178.
459 Dunger, G. T. 1968. The lizards and snakes of Nigeria. Part 4. The geckos of Nigeria. Nigerian Field 33: 18-47.
460 Dunger, G. T. 1972. The lizards and snakes of Nigeria. Part 6. The skinks of Nigeria. Nigerian Field 37: 99-120.
461 Dunger, G. T. 1973. The lizards and snakes of Nigeria. Part 7. The skinks of Nigeria (continued and completed). Nigerian Field 38: 54-80.
462 Dunham, A. E. and Miles, D. B. 1985. Patterns of covariation in life history traits of squamate reptiles: the effects of size and phylogeny reconsidered. American Naturalist 126: 231-257.
Dunham, A. E., Miles, D. B. and Reznick, D. N. 1988. Life history patterns in squamate reptiles. Pages 441-522 in C. Gans and R. B. Huey, eds. Biology of the Reptilia. Vol. 16. Ecology B.
463 Defense and life history. Liss, New York.
464 Dunham, A. E., Tinkle, D. W., and Gibbons, J. W. 1978. Body size in island lizards: A cautionary tale. Ecology 59: 1230–1238.
465 Dunn, E. R. 1927. Results of the Douglas Burden Expedition to the Island of Komodo. 3, Lizards from the East Indies. American Museum novitates 288: 1-13.
466 Dunn, E. R. 1935. Notes on American Mabuyas. Proceedings of the Academy of Natural Sciences of Philadelphia 87: 533-560.
467 Dunn, E. R. 1944. The lizard genus Anadia and Ptychoglossus in colombia. Caldasia 3: 63-68.
468 Dunn, E. R. 1944. The lizard genus Phenacosaurus. Caldasia 3: 57-62.
469 Echternacht, A. C. 1970. Taxonomic and ecological notes on some Middle and South American lizards of the genus Ameiva (Teiidae). Breviora 354: 1-9.
470 Echternacht, A. C. 1977. A new species of lizard of the Genus Ameiva (Teiidae) from the pacific lowlands of Colombia. Copeia 1977: 1-7
471 Eidenmueller, B. and Wicker, R. 2005. Eine weitere neue waranart aus dem Varanus prasinus-komplex von der insel Misol, Indonesien. Sauria 27 (1): 3-8.
472 Eifler, D. A. and Passek, K. M. 2000. Body size effects on pursuit success and interspecific diet differences in Cnemidophorus lizards. Amphibia-Reptilia 21: 477-484.
473 El Din, S. B. 2006. A Guide to the Reptiles and Amphibians of Egypt. American University in Cairo Press
Erdelen, W. 1998. Geographic distribution, biology and conservation of the water monitor (Varanus salvator Laurenti, 1788). pages 223-229 in de Silva, A. (editor). Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia. Proceedings of the International Conference on the Biology and Conservation of Amphibians and Reptiles of
474 South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
Erdelen, W. 1998. The genera Otocryptis and Sitana (Sauria, Agamidae): geographic distribution, microhabitat use, and morphometric relations. pages 232-240 in de Silva, A. (editor). Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia. Proceedings of the International Conference on the Biology and Conservation of Amphibians and
475 Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
476 Eremchenko, V. K and Das, I. 2004. Kaestlea: a new genus of scincid lizards (Scincidae: Lygosominae) from the Western Ghats, south-western India. Hamadryad 28: 43-50.
Escobar, C. M., Escobar, C. A., Labra, A. and Niemeyer, H. M. 2003. Chemical Composition of Precloacal Secretions of Two Liolaemus fabiani Populations: Are They Different? Journal of
477 Chemical Ecology 29: 629-638.
Espinoza, R. E. and Lobo, F. 2003. Two new species of Liolaemus lizards from northwestern Argentina: speciation within the northern subclade of the elongatus group (Iguania:
478 Liolaemidae). Herpetologica 59: 89-105.
Espinoza, R. E., Lobo, F. and Cruz, F. B. 2000. Liolaemus heliodermis, a new lizard from northwestern Argentina with remarks on the content of the elongatus group (Iguania:
479 Tropiduridae). Herpetologica 56: 235-244.
480 Esqueda L. F. 2004. Una nueva especie de Gonatodes (Squamata: Gekkonidae) proveniente del piedemonte cisandino de Venezuela. Herpetotropicos. 1: 32-39.
Esqueda, L. F., La Marca, E. and Praderio, M. J. 2004. A new species of high tepui lizard of the genus Riolama (Squamata: Gymnophthalmidae) from Marahuaca mountain, Amazonas state,
481 Venezuela. Herpetotropicos, 1: 11-17.
482 Etheridge, R. 1995. Redescription of Ctenoblepharys adspersa Tschudi, 1845, and the taxonomy of Liolaeminae (Reptilia, Squamata, Tropiduridae). American Museum novitates 3142: 1-34.
Etheridge, R. 2000. A review of lizards of the Liolaemus wiegmannii group (Squamata, Iguania, Tropiduridae), and a history of morphological change in the sand-dwelling species.
483 Herpetological Monographs, 14: 293-352.
Etheridge, R. and Christie, M. I. 2003. Two new species of the lizard genus Liolaemus (Squamata: Liolaemidae) from northern Patagonia, with comments on Liolaemus rothi. Journal of
484 Herpetology 37: 325–341.
485 Etheridge, R. E. 2001. A new species of Liolaemus (Reptilia: Squamata: Tropiduridae) from Mendoza Province, Argentina. Cuadernos de Herpetologia 15: 3-15.
486 Faria, R. G. and Araujo, A. F. B. 2004. Sintopy of two Tropidurus lizard species (Squamata: Tropiduridae) in a rocky cerrado habitat in central Brazil. Brazilian Journal of Biology 4: 775-

487 Feltrim, A. C. and De Lema, T. 2000. Uma nova especie de Cnemidophorus Wagler, 1830 do estado do Rio Grande do sul Brasil (Sauria, Teiidae). Biociencias, Porto Alegre, 8: 103-114.
488 Fenner, A. L., Bull, C. M. and Hutchinson, M. N. 2007. Omnivorous diet of the endangered pygmy bluetongue lizard, Tiliqua adelaidensis. Amphibia-Reptilia 28: 560-565
489 Ferner, J. W., Brown, R. M. and Greer, A. E. 1997. A new genus and species of moist closed-canopy forest skinks from the Philippines. Journal of Herpetology 31: 187-192.
490 Fitch, H. S. 1970. Reproductive cycles of lizards and snakes. University of Kansas Museum of Natural History Miscellaneous Publications 52:1-247.
491 Fitch, H. S. 1973. A field study of Costa Rican lizards. University of Kansas Science Bulletin 50:39-126.
492 Fitch, H. S. 1973. Population structure and survivorship in some Costa Rican lizards. Occasional Papers of the Museum of Natural History, University of Kansas 18: 1-41.
493 Fitch, H. S. 1976. Sexual size differences in the mainland anoles. Occasional Papers of the Museum of Natural History, University of Kansas, Lawrence. 50: 1-21.
494 Fitch, H. S. 1978. Sexual size differences in the genus Sceloporus. University of Kansas Science Bulletin 51: 441-461.
495 Fitch, H. S. 1978. Two new anoles (Reptilia: Iguanidae) from Oaxaca with comments on other Mexican species. Milwaukee Public Museum Contributions in Biology and Geology 20: 1-15.
496 Fitch, H. S. 1981. Sexual size differences in reptiles. University of Kansas Museum of Natural History Miscellaneous Publications 70: 1–72.
497 Fitch, H. S. 1982. Reproductive cycles in tropical reptiles. Occasional Papers of the Museum of Natural History, University of Kansas, Lawrence. 96: 1-53.
498 Fitch, H. S. 1985. Variation in clutch and litter size in New World reptiles. University of Kansas Museum of Natural History Miscellaneous Publications 76: 1-76.
499 Fitch, H. S. and Henderson, R. W. 1973. A new Anole (Reptilia: Iguanidae) from southern Veracruz, Mexico. Journal of Herpetology, 7: 125-128.
500 Fitch, H. S. and Henderson, R. W. 1976. A field study of the rock anoles (Reptilia, Lacertilia, Iguanidae) of southern Mexico. Journal of Herpetology, 10: 303-311.
501 Fitch, H. S. and Hillis, D. M. 1984. The Anolis dewlap: interspecific variability and morphological associations with habitat. Copeia, 1984: 315-323.
Fitzgerald, L. A., Chani, J. M. and Donadio, O. E. 1991. Tupinambis Lizards in Argentina: Implementing Management of a Traditionally Exploited Resource. Pages 303-316 in J. Robinson
502 and K. Redford (editors) Neotropical wildlife: use and conservation. University of Chicago Press, Chicago.
503 Fitzgerald, L. A., Cook, J. A. and Aquino, A. L. 1999. Phylogenetics and conservation of Tupinambis (Sauria: Teiidae). Copeia 1999: 894-905.
504 Fitzgerald, L. A., Cruz, F. B. and Perotti, G. 1999. Phenology of a lizard assemblage in the dry chaco of Argentina. Journal of Herpetology 33: 526–535.
505 FitzSimons V. F. 1943. The Lizards of South Africa. Transvaal Museum, Pretoria.
506 Flemming, A. F. and Mouton, P. L. F. N. 2000. Geographic variation in sexual size dimorphism in the rock agama, Agama atra (Sauria : Agamidae). African Zoology 35: 233-249.
Flores-Villela, O. and Sanchez-H, S. 2003. A new species of Abronia (Squamata: Anguidae) from the Sierra Madre Del Sur of Guerrero, Mexico, with comments on Abronia deppii.
507 Herpetologica, 59: 524–531
508 Flores-Villela, O., Canseco-Marquez, L., Smith, E. N. and Campbell, J. A. 2005. Rediscovery and rediscription of the night lizard Lepidophyma radula Smith, 1942. Journal of Herpetology
509 Flower, S. S. 1933. Notes on the recent reptiles and amphibians of Egypt, with a list of the species recorded from the kingdom. Proceedings of the Zoological Society of London 19: 735-851.
Fobes, T. M., Powell, R., Parmerlee, J. S., Lathrop, A. and Smith, D. D. 1992. Natural history of Anolis cybotes (Sauria: Polychridae) from an altered habitat in Barahona, Dominican
510 Republic. Caribbean Journal of Science 28: 200-207.
511 Fong, G. A. and Garrido, O. H. 2000. Nueva especie de Anolis (Sauria: Iguanidae) de la región norte de Cuba oriental. Revista de Biologia Tropical 48: 665-670.
512 Franco, R. C. and de la Torre, G. G. 1990. Reptiles de la Isla La Pena, Nayarit, Mexico. Anales del Instituto de Biologia, Universidad Nacional Autonoma de Mexico, serie Zoologia 61: 175-
513 Frankenberg, E. and Werner, Y. L. 1992. Egg, clutch and maternal sizes in lizards: Intra- and interspecific relations in near-eastern Agamidae and Lacertidae. Herpetological Journal 2: 7–18.
Franzen, M. and Heckes, U. 1999. Eremias suphani Basoglu & Hellmich, 1968 und Eremias strauchi Kessler, 1878 in der ostlichen Turkei: Diagnostische Merkmale, Verbreitung und
514 Lebensraume (Sauria: Lacertidae). Salamandra 35: 255-266.
Freire, E. M. X. 1999. Especie nova de Coleodactylus Parker, 1926 das Dunas de Natal, Rio Grande do Norte, Brasil, com notas sobre suas relacoas dicromatismo sexual no genero
515 (Squamata, Gekkonidae). Boletim do Museu Nacional Nova Serie Rio de Janeiro, 399: 1-14.
516 Fritts, T. H. 1972. New species of lizards of the genus Stenocercus from Peru (Sauria: Iguanidae). Ocassional Papers of the University of Kansas Museum of Natural History 10: 1–21.
517 Fry, S. K. 2001. Ecology of the Endangered Sandy Cay Rock Iguana, Cyclura rileyi cristata, in the Bahamas. MSc Thesis, Loma Linda University.
518 Fuhn, I. E. 1972. Revision du phylum forestier du genre Panaspis Cope (Reptilia, Scincidae, Lygosominae). Review Roumain de Biologie Série de Zoologie 17: 257-271.
519 Gadsden, H., Davila-Carrazco, M. L. and Gil-Martinez, R. 2006. Reproduction in the Arenicolous Mexican Lizard Uma exsul. Journal of Herpetology, 40: 117–122.
520 Gainsbury, A. M. and Colli, G. R. 2003. Lizard assemblages from natural cerrado enclaves in southwestern Amazonia: the role of stochastic extinctions and isolation. Biotropica 35: 503–519.
521 Galan, P. 2003. Reproductive Characteristics of an Insular Population of the Lizard Podarcis hispanica from Northwest Spain (Cı´es Islands, Galicia). Copeia, 2003: 657–665.
522 Gallagher, D. S. and Dixon, J. R. 1992. Taxonomic revision of the South American lizard genus Kentropyx Spix (Sauria, Teiidae). Bolletino del Museo Regionale di Scienze Naturali, Torino
523 Gans, C., Laurent, R. F. and Pandit, H. 1965. Notes on a herpetological collection from the Somali Republic. Annales, Musee Royal de L'Afrique Central serie in 8°, sciences zoologiques

524 Gao, Z-F. and Huo, M. 2002. Description of a new Japalura species from western Sichuan Province, China. Sichuan Journal of Zoology 21: 3-5.
525 Garcia-Perez, J. E. and Yustiz, E. E. 1995. Una nueva especie de Proctoporus (Sauria: Gymnophthalmidae) de los Andes de Venezuela. Revista de Ecologia Latinoamericana 4: 1-5.
526 Gardner, A. S. 1994. A new species of Asaccus (Gekkonidae) from the mountains of northern Oman. Journal of Herpetology, 28: 141-145.
527 Garman, S. 1892. The reptiles of the Galapagos Islands. From the collections of Dr. Geo. Baur. Bulletin of the Essex Institute 24: 73-87.
528 Garrido, O. H., and Hedges, S. B. 2001. A new anole from the northern slopes of the Sierra Maestra in eastern Cuba. Journal of Herpetology 35: 378-383.
529 Garrido,O. H. and Moreno, L. V. 1998. Nueva especie de Anolis (Lacertilia: Iguanidae) del Pico Turquino, Sierra Maestra, Cuba. Avicennia 8/9: 35-40.
530 Gartshore, M. E. 1985. Agama gracilimembris Chabanaud, 1918 (Reptilia: Sauria: Agamidae) in Nigeria. British journal of herpetology 1: 23-25.
Gaulke, M., Roesler, H. and Brown, R. M. 2007. A new species of Luperosaurus (Squamata: Gekkonidae) from Panay Island, Philippines, with comments on the taxonomic status of
531 Luperosaurus cumingii (Gray, 1845). Copeia 2007: 413-425.
532 Geniez, P. and Arnold, E. N. 2006. A new species of Semaphore gecko Pristurus (Squamata: Gekkonidae) from Mauretania, represents a 4700km range extension for genus. Zootaxa 1317:
Geniez, P., Mateo, J. A., Geniez, M. and Pether, J. 2004. Amphibians and reptiles of the Western Sahara and adjacent regions. Frankfurt Contributions to Natural History Volume 19 ISBN 3-
533 930612-67-4
534 Gerber, G. P. and Echternacht, A. C. 2000. Evidence for asymmetrical intraguild predation between native and introduced Anolis lizards. Oecologia 124: 599–607.
535 Gerlach, J. 2002. The enigmatic giant bronze gecko Ailuronyx trachygaster. Part 1: Identity. Gekko 3: 29-38.
536 Gerlach, J. and Canning, K. L. 1996. A new species of the western Indian Ocean gecko Ailuronyx (Reptilia; Gekkonidae). Herpetological Journal 6: 27-42.
537 Gibbons, J. R. H. and Brown, W. C. 1988. A new Lepidodactylus (Gekkonidae) from Eua Island, Tonga. Journal of Herpetology, 22: 356-360.
Gibbons, J. R. H. and Watkins, I. F. 1982. Behavior, ecology, and conservation of South Pacific banded iguanas, Brachylophus, including a newly discovered species. Pages 418-441 in G.
538 M. Burghardt and A. S. Rand, editors. Iguanas of the World: Their Behaviour, Ecology and Conservation. Noyes Publications, New Jersey.
539 Gifford, M. E. and Powell, R. 2007. Sexual dimorphism and reproductive characteristics in five species of Leiocephalus lizards from the Dominican Republic. Journal of Herpetology, 41:
540 Gill, E. V. S. 1997. Cyrtodactylus aravallensis, a new Gekkonidae from the Delhi Ridge. Journal of the Bombay Natural History Society 94: 121-123.
541 Giri, V. B. and Bauer, A. M. 2008. A new ground-dwelling Hemidactylus (Squamata: Gekkonidae) from Maharashtra, with a key to the Hemidactylus of India. Zootaxa 1700: 21-34.
542 Glaw, F., and M. Vences. 1994. A Field guide to the amphibians and reptiles of Madagascar. Second edition, Serpents Tale
543 Glaw, F., and M. Vences. 2007. A field guide to the amphibians and reptiles of Madagascar. Third edition, Vences and Glaw Verlags, Cologne.
Glaw, F., Kosuch, J., Henkel, F. W., Sound, P. and Bohme, W. 2006. Genetic and morphological variation of the leaf-tailed gecko Uroplatus fimbriatus from Madagascar, with description of
544 a new giant species. Salamandra 42: 129-144.
545 Goa, Z-F. and Huo, M. 2002. Description of a new Japalura species from western Sichuan Province, China. Sichuan Journal of Zoology 21: 3-5.
546 Goldberg, S. R. 1987. Reproductive cycle of the giant spotted whiptail, Cnemidophorus burti stictogrammus, in Arizona. Southwestern Naturalist 32: 510-511.
547 Goldberg, S. R., Bursey, C. R. and Camarillo-Rangel, J. L. 2003. Gastrointestinal helminths of seven species of sceloporine lizards from Mexico. Southwestern Naturalist 48: 208–217.
Goldberg, S. R., Bursey, C. R. and Cheam, H. 1995. Helminth parasites of three sympatric lizards from Grand Cayman Island, Anolis conspersus, Anolis sagrei (Polychridae) and
548 Leiocephalus carinatus (Tropiduridae). Caribbean Journal of Science, 31: 339-340.
549 Goldberg, S. R., Bursey, C. R. and Telford, S. R. 2003. Metazoan Endoparasites of 11 Species of Lizards from Pakistan. Comparative Parasitology 70: 46-54.
550 Golubev, M. L. and Dunayev, E. A. 1995. Phrynocephalus nasatus (Reptilia, Agamidae), a new species of toad agama from Western China. Russian Journal of Herpetology 2: 5-9.
551 Gonzalez, M., Lwin, K. S. and Vindum, J. V. 2005. New records for Scincella victoriana (Shreve, 1940) from the Chin Hills, Myanmar. Proceedings of the California Academy of Sciences
Gonzalez-Negron, A. J. 2004. Morphometric and molecular analysis of the mabouia- brooki haitianus complex (Sauria: Gekkonidae) at the Western-Central Region of Puerto Rico. MSc
552 Thesis, University of Puerto Rico.
553 Good, D. A. 1994. Species limits in the genus Gerrhonotus (Squamata: Anguidae). Herpetological Monographs 8: 180-202.
554 Goodman, B. A. 2006. The effects of maternal size on clutch traits in a tropical invariant-clutch lizard, Carlia rubrigularis (Scincidae). Amphibia-Reptilia 27: 505-511.
Goonewardene, S., Hawke, Z., Vanneck, V., Drion, A., de Silva, A., Jayarathne, R. and Perera, J. 2003. Diversity of Nilgala Fire Savannah, Sri Lanka: with special reference to its
555 herpetofauna. Report of Project Hoona – 2003
556 Goris, R. C. and Maeda, N. 2004. Guide to the Amphibians and Reptiles of Japan. Krieger Publ. Co., Malabar, FL.
557 Gorzula S. and Senaris, J. C. 1999. Contribution to the herpetofauna of the Venezuelan Guayana I. A data base. Scientia Guaianae 8: 1–270.
558 Graham, A. and Marais, J. 2007. A guide to the reptiles of southern Africa. Struik, Cape Town.

559 Graham, E. D. and Schwarts, A. 1978. Status of the name Sphaerodactylus cinereus Wagler and variation in "Sphaerodactylus stejnegeri" Cochran. Florida Scientist 41: 243-251.
560 Greckhamer, A. 1995. Bemerkungen zur haltung und zucht sowie zum verhalten von Phelsuma comorensis Boettger, 1913. im Terrarium. Herpetofauna 17: 6-16.
561 Greenbaum, E. 2005. Systematics of West African skinks in the Chalcides thierryi group: composition, distribution, and redescription of types. African Journal of Herpetology 54:17–29.
562 Greenbaum, E., and Carr, J. L. 2005. The herpetofauna of Upper Niger National Park, Guinea, West Africa. Scientific Papers of the Natural History Museum, University of Kansas 37:1–21.
563 Greenbaum, E., Campbell, A. C. and Raxworthy, C. J. 2006. A revision of sub-Saharan Chalcides (Squamata: Scincidae), with redescriptions of two East African species. Herpetologica 62:
564 Greene, H. W., Rodríguez, J. J. S. and Powell, B. J. 2006. Parental behavior in anguid lizards. South American Journal of Herpetology 1: 9-19.
565 Greer, A. E. 1968. Clutch size in the scincid genus Emoia. Copeia 1968: 417-418.
566 Greer, A. E. 1974. The generic relationships of the scincid lizard genus Leiolopisma and its relatives. Australian Journal of Zoology (Supplement) 31: 1-67.
567 Greer, A. E. 1977. On the adaptive significance of the loss of an oviduct in reptiles. Proceedings of the Linnean Society of New South Wales 101: 242-249.
568 Greer, A. E. 1977. The systematics and evloutionary relationships of the scincid lizard genus Lygosoma. Journal of Natural History 11: 515-540.
569 Greer, A. E. 1982. A new species of Geomyersia (Scincidae) from the Admirality Islands, with a summary of the genus. Journal of Herpetology 16 (1) 1982: 61-66
570 Greer, A. E. 1985. The relationship of the lizard genera Anelytropsis and Dibamus. Journal of Herpetology 19: 116-156.
571 Greer, A. E. 1989. The biology and evolution of Australian lizards. Surrey Beatty and Sons, Chipping Norton, NSW
572 Greer, A. E. 1990. The Glaphyromorphus isolepis species group (Lacertilia: Scincidae): diagnosis of the taxon and description of a new species from Timor. Journal of Herpetology 24: 372-
573 Greer, A. E. 1991. Lankascincus, a new genus of scincid lizards from Sri Lanka, with descriptions of three new species. Journl of Herpetology 25: 59-64.
574 Greer, A. E. 2001. Distribution of maximum snout-vent length among species of scincid lizards. Journal of Herpetology 35: 383-395.
575 Greer, A. E. 2005. Encyclopedia of Australian Reptiles. Australian Museum Online http://www.amonline.net.au/herpetology/research/encyclopedia.pdf Version date: 5 August 2005.
576 Greer, A. E. and Haacke, W. D. 1982. A new and unusual species of Lygosoma (Lacertilia: Scincidae) from the Horn of Africa. Annals of the Transvaal Museum 33: 153-164.
577 Greer, A. E. and Parker, F. 1979. Identity of the New-Guinea scincid lizard Lygosoma fragile Macleay 1877, with some notes on its natural history. Journal of Herpetology 13: 221-225.
578 Greer, A. E. and Parker, F. A. 1967. New scincid lizard from the northern Solomon Islands. Breviora 275: 1–20.
Greer, A. E. and Parker, F. A. 1974. The fasciatus species group of Sphenomorphus (Lacertilia: Scincidae): notes on eight previously described species and descriptions of three new species.
579 Papua New Guinea Scientific Society Proceedings 25: 31–61.
580 Greer, A. E. and Shea, G . 2000. A phylogenetically important lygosomine skink resurrected from taxonomic obscurity: Lygosoma unilineatum de Rooij, 1915. Journal of Herpetology 34: 85-
Greer, A. E. and Shea, G. 2004. A new character within the taxonomically difficult Sphenomorphus group of lygosomine skinks, with a description of a new species from New Guinea.
581 Journal of Herpetology 38: 79–87.
582 Greer, A. E. and Simon, M. 1982. Fojia bumui, an unusual new genus and species of scincid lizard from New Guinea. Journal of Herpetology 16: 131-139.
583 Greer, A. E. and Wadsworth, L. 2003. Body Shape in Skinks: The Relationship between Relative Hind Limb Length and Relative Snout-Vent Length. Journal of Herpetology 37: 554-559.
584 Greer, A. E., Allison, A. and Cogger, H. G. 2005. Four new species of Lobulia (Lacertilia: Scincidae) from high altitude in New Guinea. Herpetological Monographs 19: 153-179.
585 Greer,A. E., Grandidson, A. G. C. and Barbult, R. 1985. A new species of Lygosoma (Lacertilia: Scincidae) from West Africa, with comments on its biology. Journal of Herpetology 19:
586 Grillitsch, H. and Cabela, A. 1990. Zum Systematischen Status der Blindschleichen (Squamata: Anguidae) der Peloponnes und der südlichen Ionischen Inseln. Herpetozoa 2: 131-153.
587 Grismer, G. L., Leong, T. M. and Yaakob, N. S. 2003. Two new southeast Asian skinks of the genus Larutia and intrageneric phylogenetic relationships. Herpetologica: 552–564.
588 Grismer, L. L. 2002. Amphibians and Reptiles of Baja California Including its Pacific Islands and the Islands in the Sea of Cortes. University of California Press, Berkeley.
589 Grismer, L. L. 2005. New Species of Bent-Toed Gecko (Cyrtodactylus Gray 1827) from Pulau Aur, Johor, West Malaysia. Journal of Herpetology, 39: 424–432.
590 Grismer, L. L. 2006. Two new species of skinks (Genus Sphenomorphus Fitzinger 1843) from the Seribuat Archipelago. Herpetological Natural History 9: 151-162.
Grismer, L. L. 2008. A new species of insular skink (Genus Sphenomorphus Fitzinger 1843) from the Langkawi Archipelago, Kedah, West Malaysia with the first report of the herpetofauna
591 of Pulau Singa Besar and an updated checklist of the herpetofauna of Pulau Langkawi. Zootaxa PAGA NUMBERS?
592 Grismer, L. L. and Das, I. 2006. A new species of gekkonid lizard of the genus Cnemaspis Strauch 1887 from Pulau Pemanggil, Johor, West Malaysia. Herpetological Natural History 10: 1-
593 Grismer, L. L. and Leong, T. M. 2005. New species of Cyrtodactylus (Squamata: Gekkonidae) from southern Peninsular Malaysia. Journal of Herpetology 39: 584–591.
594 Grossmann, W. and Ulber, T. 1990. Ein neuer Gecko aus Zentral-Thailand: Gekko siamensis sp. nov. (Reptilia: Sauria: Gekkonidae). Sauria 12: 9–18.
Gudynas, E. and Skuk, G. 1983. A new species of the iguanid lizard genus Tropidurus from temperate South America (Lacertilia: Iguanidae). Centro Educativo Don Orione Contribuciones
595 en Biologia 10: 1-10.
596 Guillette, L. J. and Smith, H. M. 1982. A review of the Mexican lizard Barisia imbricata, and the description of a new subspecies. Transactions of the Kansas Academy of Sciences, 85: 13-

Gunther, A. 1893. Report on a collection of reptiles and batrachians transmitted by Mr. H. H. Johnston, C. B., from Nyassaland. Proceedings of the Zoological Society of London 1892: 555-
Gunther, R, Whiting, A., Bauer, A. 2005. Description of a new species of African skink of the genus Trachylepis (Reptilia: Squamata: Scincidae). Herpetozoa 18: 11-24.
Gunther, R. 1994. A new species of the genus Gekko (Reptilia, Squamata, Gekkonidae) from southern Vietnam. Zoologischer Anzeiger 233: 57-67.
Gunther, R. 2000. In alten sammlungen aus Neuguinea entdeckt: Zwei neue arten der gattung Lipinia (Squamata: Scincidae). Salamandra 36 (3): 157-174
Gunther, R. and Rosler, H. 2003. Eine neue art der gattung Cyrtodactylus Gray 1827 aus dem westen von Neuguinea (Reptilia: Sauria: Gekkonidae). Salamandra 38: 195-212.
Guyer, C. and Donnelly, M. A. 2005. Amphibians and reptiles of La Selva, Costa Rica, and the Caribbean Slope. University of California Press, Berkeley.
Haacke, W. D. 1997. Systematics and biogeography of the southern African scincine genus Typhlacontias (Reptilia: Scincidae). Bonner Zoologische Beitrage 47: 139-163.
Haas, G. 1957. Some amphibians and reptiles from Arabia. Proceedings of the California Academy of Sciences series 4. 29: 47-86.
Haas, G. and Battersby, J. C. 1959. Amphibians and reptiles from Arabia. Copeia 1959: 196-202.
Haas, G. and Werner, Y. L. 1969. Lizards and snakes from Southwestern Asia, collected by Henry Field. Bulletin of the Museum of Comparative Zoology, 138: 327-406.
Hallermann, J. 2000. A new species of Calotes from the Moluccas (Indonesia) with notes on the biogeogreaphy of the genus (Sauria: Agamidae). Bonn Zoologische Beitrage 49: 155-163.
Hallermann, J. and Bohme, W. 2000. A review of the genus Pseudocalotes (Squamata : Agamidae), with description of a new species from West Malaysia. Amphibia-Reptilia 21: 193-210.
Hallermann, J. and McGuire, J. A. 2001. A new species of Pseudocalotes (Squamata: Agamidae) from Bukit Larut, west Malaysia. Herpetologica 57: 255-265.
Hallowell, E. 1861. Report upon the reptilia of the North Pacific Exploring Expedition, under command of Capt. John Rogers, U. S. N. Proceedings of the Academy of Natural Sciences of Philadelphia 12 [1860]: 480-510.
Harmon, L. J. and Gibson, R. 2006. Multivariate phenotypic evolution among island and mainland populations of the ornate day gecko, Phelsuma ornata. Evolution, 60: 2622–2632.
Harris, D. M. 1982. The Sphaerodactylus (Sauria: Gekkonidae) of South America. Occasional Papers of the Museum of Zoology, University of Michigan 704: 1-31.
Harris, D. M. 1994. Review of the teiid lizard genus Ptychoglossus. Herpetological Monographs, 8: 226-275.
Harris, D. M. and Ayala, S. C. 1987. A new Anadia (Sauria: Teiidae) from Colombia and restoration of Anadia pamplonensis Dunn to species status. Herpetologica 43: 182-190.
Harvey, M. B. and Gutberlet, R. L. J. 1998. Lizards of the genus Tropidurus (Iguania: Tropiduridae) from the Serrania de Huanchaca, Bolivia: new species, natural history, and a key to the genus. Herpetologica 54: 493-520.
Harvey, M. B., Rivas, G. A. and Manzanilla, J. 2004. Redescription of Stenocercus erythrogaster (Hallowell). Copeia 2004: 940–944.
Heatwole, H. 1975. Biogeograpizy of reptiles on some of the islands and cays of eastern Papua-New Guinea. Atoll Research Bulletin 180: 1-41.
Hedges, S. B. and Garrido, O. H. 1993. A new species of gecko (Sphaerodactylus) from central Cuba. Journal of Herpetology 27: 300-306.
Hedges, S. B. and Thomas, R. 1989. A new species of Anolis (Sauria: Iguanidae) from the Sierra de Neiba, Hispaniola. Herpetologica 45: 330-336.
Hedges, S. B. and Thomas, R. 2001. At the lower size limit in amniote vertebrates: A new diminutive lizard from the West Indies. Caribbean Journal of Science 37: 168-173.
Heller, E. 1903. Papers from the Hopkins Stanford Galapagos Expedition, 1898-1899. WIV. Reptiles. Proceedings of the Biological Society of Washington 4: 39-98.
Hendrickson, J. R. 1966. Observations on the Fauna of Pulau Tioman and Pulau Tulai. 5. The reptiles. Bulletin of the National Museum of Singapore 34: 53-71.
Henkel, F. W. and Bohme, W. 2001. A new carphodactyline gecko of the New Caledonian genus Eurydactylodes (Sauria: Gekkonidae). Salamandra 37: 149-156.
Henkel, F. W. and Schmidt, W. 2000. Amphibians and reptiles of Madagascar and the Mascarene, Seychelles, and Comoro Islands. Kreiger, Malabar, Florida.
Henle, K. 1991. Life history patterns in lizards of the arid and semiarid zone of Australia. Oecologia 88: 347-358.
Henle, K. and Bohme, W. 2003. A new species of Hemidactylus (Squamata: Gekkonidae) from West Africa, and comments on species hitherto confused with H. muriceus. African Journal of Herpetology, 52: 23–38.
Henle, K. and Ehrl, A. 1991. Zur reptilienfauna Perus nebst beschreibung eines neuen Anolis (Iguanidae) und zweier neuer schlangen (Colubridae). Bonner Zoologische Beitrage 42: 143-
Herczeg, G., Torok, J. and Koros, Z. 2007. Size-dependent heating rates determine the spatial and temporal distribution of small-bodied lizards. Amphibia-Reptilia 28: 347-356.
Hernandez, R. A. and Espinoza, R. E. 2004. Description of the Female of the Enigmatic Lizard, Liolaemus heliodermis (Iguania: Liolaemidae). Herpetological Review, 35: 227–229.
Herrel, A., De Grauw, E. and Lemos-Espinal, J. A. 2001. Head shape and bite performance in xenosaurid lizards. Journal of Experimental Zoology 290: 101-107.
Herrel, A., Huyghe, K., Vanhooydonck, B., Backeljau, T., Breugelmans, K., Grbac, I., Van Damme, R. and Irschick, D. J. 2008. Rapid large-scale evolutionary divergence in morphology and performance associated with exploitation of a different dietary resource. Proceedings of the National Academy of Sciences of the USA 105: 4792-4795.
Herrel, A., Meyers, J. J. and Vanhooydonck, B. 2002. Relations between microhabitat use and limb shape in phrynosomatid lizards. Biological Journal of the Linnean Society 77: 149–163.
Herrel, A., Vanhooydonck, B. and Van Damme, R. 2004. Omnivory in lacertid lizards:adaptive evolution or constraint? Journal of Evolutionary Biology 17: 974–984.
Herrel, A., Vanhooydonck, B. Joachim, R. and Irschick, D. J. 2004. Frugivory in polychrotid lizards: effects of body size. Oecologia 140: 160-168.

635 Herrmann, P. A. and Herrmann, H.-W. 2005. Egg and clutch characteristics of the Mountain Chameleon, Chamaeleo montium, in southewestern Cameroon. Journal of Herpetology 39: 154-
636 Heyer, W. R. 1972. A new limbless skink (Reptilia: Scincidae) from Thailand with comments on the generic status of the limbless skinks of southeast Asia. Fieldiana, Zoology, 58: 109-129.
637 Hibbits, T. J., Pianka, E. R., Huey, R. B. and Whiting, M. J. 2005. Ecology of the Common Barking Gecko (Ptenopus garrulus) in Southern Africa. Journal of Herpetology 39: 509–515.
638 Hikida, T. 1989. A New Species of Eumeces (Lacertilia: Scincidae) from Fujian Province, China. Copeia, 1989: 89-94.
639 Hikida, T. and Zhao, E. 1989. Eumeces liui: a new species of blue-tailed skink (Lacertilia: Scincidae) from China. Copeia 1989: 110-114.
Hikida, T., Orlov, N. L., Nabhitabhata, J. and Ota, H. 2002. Three new depressed-bodied water skinks of the genus Tropidophorus (Lacertilia: Scincidae) from Thailand and Vietnam.
640 Current Herpetology 21: 9-23.
641 Hikida, T., Riyanto, A. and Ota, H. 2003. A new water skink of the genus Tropidophorus (Lacertilia: Scincidae) from Sulawesi, Indonesia. Current Herpetology 22: 29-36.
642 Hillman, P. E. 1969. Habitat specificity in three sympatric species of Ameiva (Reptilia: Teiidae). Ecology 50: 476-481.
643 Hodge, K. V. D., Censky, E. J. and Powell, R. 2003. The reptiles and amphibians of Anguilla, British West Indies. Anguilla National Trust ISBN: 0967395895
644 Hofer, U., Baur, H. and Bersier, L. F. 2003. Ecology of three sympatric species of the genus Chamaeleo in a tropical upland forest in Cameroon. Journal of Herpetology 37: 203 207.
645 Holman, J. A. 1966. A second specimen of Ophisaurus ceroni. Quarterly Journal of the Florida Academy of Science 29: 43-46.
646 Honda, M., Nabhitabhata, J., Ota, H. and Hikida, T. A. 1997. new species of Dibamus (Squamata: Dibamidae) from Thailand. Raffles Bulletin of Zoology 45: 275-279.
647 Honda, M., Ota, H., Hikida, T., Darevsky, I. S. 2001. A new species of the worm-like lizard, Dibamus Dumeril & Bibron 1839 (Squamata Dibamidae), from Vietnam. Tropical Zoology 14:
648 Hoogmoed, M. S. 1973. Notes on the herpetofauna of Surinam IV. : the lizards and amphisbaenians of Surinam. W. Junk Publishers, Den Haag.
649 Hoogmoed, M. S. 1974. Ghanese lizards of the genus Mabuya (Scincidae, Sauria, Reptilia). Zoologische Verhandelingen 138: 1-62.
Hoogmoed, M. S., and Dixon, J. R. 1977. A new species of Bachia (Teiidae, Sauria) from Estado Bolivar, Venezuela, with notes on the zoogeography of the genus. Zoologische
650 Mededelingen 51: 25–31.
Horner, P. 2005. Gehyra koira sp. nov. (Reptilia: Gekkonidae), a new species of lizard with two allopatric subspecies from the Ord-Victoria region of north-western Australia and a key to the
651 Gehyra australis species complex. The Beagle, Records of the Museums and Art Galleries of the Northern Territory, 2005 21: 165–174.
652 Horton, D. R. 1973. A new species of Mabuya (Lacertilia: Scincidae) from Venezuela. J. Herpetol. 7: 75-77
Hoskin, C. J., Couper, P. J. and Schneider, C. J. 2003. A new species of Phyllurus (Lacertilia : Gekkonidae) and a revised phylogeny and key for the Australian leaf-tailed geckos. Australian
653 Journal of Zoology 51(2) 153 - 164.
654 Hotchkin, P. E., Camp, C. D. and Marshall, J. L. 2001. Aspects of the life history and ecology of the coal skink, Eumeces anthracinus, in Georgia. Journal of Herpetology 35: 145-148.
655 How, R. A., Dell, J. and Wellington, B. D. 1986. Comparative biology of eight species of Diplodactylus gecko in western Australia. Herpetologica 42: 471-482.
How, R. A., Durrant, B., Smith, L. A. and Najamuddin S. 1998. Emoia (Reptilia: Scincidae) from the Banda Arc islands of eastern Indonesia: variation in morphology and description of a
656 new species. Records of the Western Australian Museum, 19: 131-139.
657 Huang, S-P. and Tu, M-C. 2008. Heat tolerance and altitudinal distribution of a mountainous lizard, Takydromus hsuehshanensis, in Taiwan. Journal of Thermal Biology 33: 48-56.
658 Huang, W-S. 2006. Ecological characteristics of the skink, Mabuya longicaudata, on a tropical East Asian island. Copeia 2006: 293–300.
659 Huang, W-S. 2006. Ecology and Reproductive Patterns of the Grass Lizard, Takydromus sauteri, in a Tropical Rain Forest of an East Asian Island. Journal of Herpetology, 40: 267–273.
660 Huey, R. B. 1975. A new gecko from Malpelo Island (Sauria: Gekkonidae: Phyllodactylus). Smithsonian Contributions to Zoology, 176: 44-46.
661 Huey, R. B. and Dixon, J. R. 1970. A new Pseudogonatodes from Peru with remarks on other species of the genus. Copeia, 1970: 538-542.
662 Huey, R. B., Pianka, E. R., Egan, M. E. and Coons, L. W. 1974. Ecological shifts in sympatry: Kalahari fossorial lizards (Typhlosaurus). Ecology 55: 304-316.
Hummelinck, P. W. 1940. Studies on the fauna of Curacao, Aruba, Bonaire and the Venezuelan Islands: No. 2. A survey of the mammals, lizards and mollusks. Studies on the Fauna of
663 Curacao and other Caribbean Islands 1: 59-108.
664 Husak, J. F., Lappin, A. K., Fox, S. F. and Lemos-Espinal., J. A. 2006. Bite-Force Performance Predicts Dominance in Male Venerable Collared Lizards (Crotaphytus antiquus). Copeia
Ibarguengoytia, N. R. 2004. Prolonged Cycles as a Common Reproductive Pattern in Viviparous Lizards from Patagonia, Argentina: Reproductive Cycle of Phymaturus patagonicus. Journal
665 of Herpetology 38: 73–79.
666 Ikeuchi, I., Mori, A. and Hasegawa, M. 2005. Natural history of Phelsuma madagascariensis kochi from a dry forest in Madagascar. Amphibia-Reptilia 26: 475-483.
667 Ilgaz, C. 2006. On specimens of Darevskia armeniaca (Sauria: Lacertidae: Darevskia) collected from Ardahan. Turkish Journal of Zoology 30: 47-54.
668 Ineich, I. 1999. Reptiles & amphibiens de la Republic de Djibouti. Rapport sur la mission herpetologique.
669 Ineich, I. and Chirio, L. 2000. Description d'un nouveau scincide de Republique Centrafricaine (Lacertilia: Mabuya pendeana). Bulletin de la Societe Zoologique de France 125: 197-204.

Ineich, I., and Chirio, L. 2004. L'archipel afro-montagnard et les affinites de son herpetofaune: description d'une espe`ce nouvelle indiquant des relations phyletiques entre le Cameroun et l'Afrique de l'est (Lacertilia, Scincidae, genre Trachylepis). Bulletin de la Societe Zoologique de France 129: 317–331.
Ineich, I., Schmitz, A., Chirio, L. and LeBreton, M. 2004. New species of Leptosiaphos (Scincidae) from Adamaoua Massif, Central-Northern Province, Cameroon. Journal of Herpetology
Inger, R. F. 1960. A review of the agamid lizards of the genus Phoxophrys Hubrecht. Copeia 1960: 221- 225.
Inger, R. F. and Greenberg, B. 1966. Annual reproductive patterns of lizards from a Bornean rain forest. Ecology 47: 1007-1021.
Inger, R. F., Bradley, S. H., Mammen, K. and Ramesh, B. 1984. A report on a collection of amphibians and reptiles from the Ponmudi, Kerala, South India. Journal of Bombay Natural History Society 81: 551-570.
Inger, R. F., Lian, T. F., Lakim, M. and Yambun, P. 2001. New species of the lizard genus Sphenomorphus, (Lacertilia: Scincidae), with notes on ecological and geographic distribution of species in Sabah, Malaysia. Raffles Bulletin of Zoology 49: 181-189.
Ingram, G. J. and Covacevich, J. 1989. Revision of the genus Carlia (Reptilia, Scincidae) in Australia with comments on Carlia bicarinata of New Guinea. Memoirs of the Queensland Museum 27: 443-490.
Irschick, D. J., Vitt, L. J., Zani, P. A. and Losos, J. B. 1997. A comparison of evolutionary radiations in mainland and Caribbean Anolis lizards. Ecology 78: 2191-2203.
Iskandar, D. 1994. New scincid lizard of the genus Sphenomorphus (Reptilia, Scincidae), from Java. Treubia 31: 25-30.
Iverson, J. B., Smith, G. R. and Pieper, L. 2004. Factors affecting long-term growth of the Allen Cays rock iguana in the Bahamas. Pages 176-192 in Alberts, A. (editor). Iguanas: Biology and Conservation. University of California Press, Berkeley.
Izhaki, I. and Haim, A. 1996. Adaptive morphometric variations in lizards of the genus Agama in Israel. Israel Journal of Zoology 42: 385-394.
Jacobs, H. J. 2003. A further new emerald tree monitor lizard of the Varanus prasinus species group from Waigeo, West Irian (Squamata: Sauria: Varanidae). Salamandra 39: 65-74.
Jacobson, N. H. G. and Broadley, D. G. 2000. A new species of Panaspis Cope (Reptilia: Scincidae) from southern Africa. African Journal of Herpetology 49: 61-71.
Jaksic, F. M., Nunez, H. and Ojeda, F. P. 1980. Body proportions, microhabitat selection, and adaptive radiation of Liolaemus lizards in central Chile. Oecologia 45: 178-181.
James, B. H., Donnelan, S. C. and Hutchinson, M. N. 2001. Taxonomic revision of the Australian lizard Pygopus nigriceps (Squamata: Gekkonidae). Records of the South Australian Museum 34: 37-52.
James, C. D. 1991. Annual variation in reproductive cycles of scincid lizards, Ctenotus, in central Australia. Copeia 1991: 744-760.
James, C. D. 1991. Growth rates and ages at maturity of sympatric scincid lizards, *Ctenotus* , in central Australia. Journal of Herpetology 25: 284-295.
James, C. D. 1991. Population dynamics, demography and life history of sympatric scincid lizards (*Ctenotus)* in central Australia. Herpetologica 47: 194-210.
James, C. D., Losos, J. B. and King, D. R. 1992. Reproductive biology and diets of goannas (Reptilia: Varanidae) from Australia. Journal of Herpetology 26: 128-136.
Jerdon, T. C. 1853 Catalogue of the Reptiles inhabiting the Peninsula of India. Part 1. Journal of the Asiatic Society of Bengal 22: 462-479.
Jessop, T. S., Madsen, T., Sumner, J., Rudiharto, H., Phillips, J. A. and Ciofi, C. 2006. Maximum body size among insular Komodo dragon populations covaries with large prey density. Oikos 112: 422-429.
Jesu, R., Mattioli, F. and Schimmenti, G. 1999. On the discovery of a new large chameleon inhabiting the limestone outcrops of western Madagascar: Furcifer nicosiai sp. nov. (Reptilia, Chamaeleonidae). Doriana (=Annali Del Museo Civico Di Storia Naturale Giacomo Doria) 7 (or 8), 311: 1-14.
Jewell, T. R. and Leschen, R. A. B. 2004. A new species of Hoplodactylus (Reptilia: Pygopodidae) from the Takitimu Mountains, South Island, New Zealand. Zootaxa 792: 1-11.
Jimenez-Cruz, E., Ramirez-Bautista, A., Marshall, J. C., Lizana-Avia, M. and De Oca, A. N-M. 2005. Reproductive cycle of Sceloporus grammicus (Squamata: Phrynosomatidae) from Teotihuacan, Mexico. Southwestern Naturalist 50: 178–187.
Jin, Y. T. and Liu, N. F. 2007. Altitudinal variation in reproductive strategy of the toad-headed lizard, Phrynocephalus vlangalii in North Tibet Plateau (Qinghai). Amphibia-Reptilia 28: 509-
Joger, U. 1980. Eine neue art der gattung Tarentola (Sauria: Gekkonidae) aus Westafrika. Amphibia-Reptilia 1: 137-147.
Joger, U. 1984. Die radiation der gattung Tarentola in Makaronesien. Courier Forschungsinstitut Senckenberg 71: 91-111.
Joger, U. 1984. Morphologische und biochemisch-immunologische untensuchungen zur systematik und evolution der gattung Tarentola (Reptilia: Gekkonidae). Zoologische Jahrbucher. Abteilung fur Anatomie und Ontogenie der Tiere, 112: 137-256.
Joger, U. 1993. On two collections of reptiles and amphibians from the Cape Verde Islands, with descriptions of three new taxa. Courier Forschungsinstitut Senckenberg 159: 437-444.
Joger, U. and Lambert, M. R. K. 1996. Analysis of the herpetofauna of the Republic of Mali, I. Annotated inventory, with description of a new Uromastyx (Sauria: Agamidae). Journal of African Zoology 110:21–51.

Joger, U. and Mayer, W. 2002. A new species of Mesalina from Abd al-Kuri, Socotra archipelago, Yemen, and a preliminary molecular phylogeny for the genus Mesalina. Fauna of Saudi Arabia, 19: 497-505.
Johnston, G. and Bouskila, A. 2007. Sexual dimorphism and ecology of the gecko, Ptyodactylus guttatus. Journal of Herpetology, 41: 506-513.
Jongbloed, M. 2000. Wild about reptiles. Field guide to the reptiles and Amphibians of the UAE
Kaliontzopoulou, A., Carretero, M. A. and Llorente, G. A. 2008. Head shape allometry and proximate causes of head sexual dimorphism in Podarcis lizards: joining linear and geometric morphometrics. Biological Journal of the Linnean Society, 93: 111-124.
Karges, J. P. and Wright, J. W. 1987. A new species of Barisia (Sauria, Anguidae) from Oaxaca, Mexico. Contributions in Science of the Natural History Museum of Los Angeles County
Karsen, S. J., Lau, M. W. N. and Bogadek, A. 1986. Hong Kong amphibians and reptiles. The Provisional Urban Council, Hong Kong SAR.
Karsen, S. J., Lau, M. W. N. and Bogadek, A. 1998. Hong Kong amphibians and reptiles. 2nd edition. The Provisional Urban Council, Hong Kong SAR.
Kearney, M. 2002. Appendicular skeleton in amphisbaenians (Reptilia: Squamata). Copeia, 2002: 719-738.
Kerr, A. M., Powell, R. and Parmerlee, J. S. 2005. Ameiva erythrocephala (Teiidae) on Sint Eustatius, Netherlands Antilles: baseline data on a small population in a severely altered habitat. Caribbean Journal of Science, 41: 162-169.
Khan, M. S. 1988. A new cyrtodactylid gecko from northwestern Punjab, Pakistan. Journal of Herpetology, 22: 241-243.
Khan, M. S. 1991. A new Tenuidactylus gecko from the Sulaiman Range, Punjab, Pakistan. Journal of Herpetology, 25: 199-204.
Khan, M. S. 2001. Taxonomic notes on angular-toed Gekkota of Pakistan, with description of a new species of genus Cyrtopodion. Pakistan Journal of Zoology 31: 13-24.
Khan, M. S. 2006. The amphibians and reptiles of Pakistan. Krieger Publishing Company,
King, M. and Horner, P. 1989. Karyotype evolution in Gehyra (Gekkonidae: Reptilia). V. A new species from Papua New Guinea and the distribution and morphometrics of Gehyra oceanica (Lesson). The Beagle 6: 169-178.
Kizirian, D. A. 1995. A new species of Proctoporus (Squamata: Gymnophthalmidae) from the Andean Cordillera Oriental of northeastern Ecuador. Journal of Herpetology 29: 66-72.
Kizirian, D. A. 1996. A review of Ecuadorian Proctoporus (Squamata: Gymnophthalmidae) with descriptions of nine new species. Herpetological Monographs 10: 85–155.
Kizirian, D. A. and Coloma, L. A. 1991. A new species of Proctoporus (Squamata Gymnophthalmidae) from Ecuador. Herpetologica 47: 420-429.
Kizirian, D. A. and McDiarmid, R. W. 1998. A new species of Bachia (Squamata: Gymnophthalmidae) with plesiomorphic limb morphology. Herpetologica 54: 245-253.
Klaver, C. and Bohme, W. 1988. Systematics of Bradypodion tenue (Matschie, 1892) (Sauria: Chamaeleonidae) with a description of a new species from the Uluguru and Uzungwe Mountains, Tanzania. Bonn Zoologische Beitrage 39: 381-393.
Klaver, C. and Bohme, W. 1992. The species of Chamaeleo cristatus group from Cameroon and adjacent countries, West Africa. Bonn Zoologische Beitrage 43: 433-476.
Klein, W., Reuter, C., Bohme, W. and Perry, S. F. 2005. Lungs and mesopneumonia of scincomorph lizards. Organisms Diversity and Evolution 5: 47-57.
Kluge, A. G. 1964. A revision of the South American gekkonid lizard genus Homonota Gray. American Museum Novitates 2193: 1-42.
Klutsch, C. F. C., Misof, B., Grosse, W.-R. and Moritz, R. F. A. 2007. Genetic and morphometric differentiation among island populations of two Norops lizards (Reptilia: Sauria: Polychrotidae) on independently colonized islands of the Islas de Bahia (Honduras). Journal of Biogeography 34: 1124-1135.
Knight, R. A. and Scudday, J. F. 1985. A new Gerrhonotus (Lacertilia: Anguidae) from the Sierra Madre Oriental, Nuevo Leon, Mexico. Southwestern Naturalist, 30: 89-94.
Koch, C., Venegas, P. J. and Bohme, W. 2006. A remarkable discovery: description of a big-growing new gecko (Squamata: Gekkonidae: Phyllopezus) from northwestern Peru. Salamandra
Kohler, G. 1996. A new species of anole of the Norops pentaprion group from Isla de Utila, Honduras. (Reptilia: Sauria: Iguanidae). Senckenbergiana Biologica, 75: 23-31.
Kohler, G. 1996. Additions to the known herpetofauna of the Isla de Utila (Islas de la Bahia, Honduras) with description of a new species of the genus Norops (Reptilia: Iguanidae). Senckenbergiana Biologica 76: 19-28.
Kohler, G. 2001. Type material and use of the name Anolis bourgeaei Bocourt (Sauria: Polychrotidae). Copeia, 2001: 274–275.
Kohler, G. 2003. A new species of Morunasaurus from Peru (Reptilia, Squamata, Hoplocercidae). Senckenbergiana Biologica 82: 235-241.
Kohler, G. 2003. Reptiles of Central America. Herpeton Verlag, Offenbach.
Kohler, G. 2003. Two new species of Euspondylus (Squamata: Gymnophthalmidae) from Peru. Salamandra 39: 5-20.
Kohler, G. and Lehr, E. 2004. Comments on Euspondylus and Proctoporus (Squamata: Gymnophthalmidae) from Peru, with the description of three new species and a key to the Peruvian species. Herpetologica 60: 501–518.
Kohler, G. and McCranie, J. R. 2001. Two new species of anoles from northern Honduras (Squamata: Polychrotidae). Senckenbergiana Biologica 81: 235-245
Kohler, G., Bohme, W. and Schmitz, A. 2004. A New Species of Echinosaura (Squamata: Gymnophthalmidae) from Ecuador. Journal of Herpetology, 38: 52–60.

734 Kohler, G., McCranie, J. R. and Wilson, L. D. 2001. A new species of anole from western Honduras (Squamata: Polychrotidae). Herpetologica 5: 247-255.
735 Kohler, G., Schroth, W. and Streit, B. 2000. Systematics of the Ctenosaura group of lizards (Reptilia: Sauria: Iguanidae). Amphibia-Reptilia 21: 177-191.
736 Kohler, G., Vesely, M. and Greenbaum, E. 2006. The Amphibians and Reptiles of El Salvador. Krieger Publishing Company, Malabar.
737 Kohler, J., Wagner, P., Visser, S. and Bohme, W. 2004. New country records of Adolfus africanus (Sauria: Lacertidae) - a rain forest lizard with disjunct distribution. Salamandra 39 (3/4):
738 Kohlsdorf, T. and Navas, C. A. 2006. Ecological constraints on the evolutionary association between field and preferred temperatures in Tropidurinae lizards. Evolutionary Ecology 20: 549-
Kohlsdorf, T. and Navas, C. A. 2007. Evolution of jumping capacity in Tropidurinae lizards: does habitat complexity influence obstacle-crossing ability? Biological Journal of the Linnean
739 Society, 91: 393–402.
740 Kohlsdorf, T., Garland, T. and Navas, C. A. 2001. Limb and tail lengths in relation to substrate usage in Tropidurus lizards. Journal of Morphology, 248: 151-164.
741 Kok, P. J. R. 2005. A new genus and species of gymnophthalmid lizard (Squamata: Gymnophthalmidae) from Kaieteur National Park, Guyana. Biologie, 75: 35-45.
742 Kolbe, J. J., Colbert, P. L. and Smith, B. E. 2008. Niche relationships and interspecific interactions in Antiguan lizard communities. Copeia 2008: 261-272.
743 Kopstein, P. F. 1926. Reptilien von den Molukken und den benachbarten Inseln. Zoologische Mededelingen 1: 71-112.
744 Kopstein, P. F. 1927. Die reptilienfauna der Sula-Inseln. Treubia, 9: 437-446.
Kratochvil, L. and Frynta, D. 2002. Body size, male combat and the evolution of sexual dimorphism in eublepharid geckos (Squamata: Eublepharidae). Biological Journal of the Linnean
745 Society 76: 303–314.
Kratochvil, L. and Frynta, D. 2006. Body-size effect on egg size in eublepharid geckos (Squamata: Eublepharidae), lizards with invariant clutch size: negative allometry for egg size in
746 ectotherms is not universal. Biological Journal of the Linnean Society 88: 527–532.
747 Kraus, F. 2005. The genus Nactus (Lacertilia : Gekkonidae): a phylogenetic analysis and description of two new species from the Papuan Region. Zootaxa (1061): 1-28.
748 Kraus, F. 2007. A new species of Cyrtodactylus (Squamata: Gekkonidae) from western Papua New Guinea. Zootaxa 1425: 63-68.
749 Kraus, F. 2007. Taxonomic Partitioning within Papuan Members of the Carlia novaeguineae Complex (Squamata: Scincidae). Journal of Herpetology, 41: 410-423.
750 Kraus, F. and Allison, A. 2006. A new species of Cyrtodactylus (Lacertilia: Gekkonidae) from Papua New Guinea. Zootaxa 1247: 59-68.
751 Kruger, J. 1996. Beschreibung einer neuen art aus der gattung Phelsuma aus dem Sud-Osten Madagaskars. Herpetofauna 18: 14-18.
752 Krysko , K. L., Rehman, H. and Auffenberg, K. 2007. A new species of Cyrtopodion (Gekkonidae: Gekkoninae) from Pakistan. Herpetologica, 63: 100–113.
753 Kumlutas, Y., Oz, M., Durmus, H., Tunc, M. R., Ozdemur, A. and Dusen, S. 2004. On some lizard species of the Western Taurus range. Turkish Journal of Zoology 28 (2004) 225-236
754 La Marca, E. and Garcia Perez, J. E. 1990. A new species of high Andean Anadia (Sauria: Teiidae) from Paramo el Riecito, Estado Trujillo, Venezuela. Herpetologica 46: 275-282.
755 Lamar, W. W. 1985. A new Lepidoblepharis (Sauria: Gekkonidae) from the north coast of Colombia. Herpetologica 41: 128-132.
756 Lamborot, M. and Diaz, N. F. 1987. A new species of Pristidactylus (Sauria: Iguanidae) from central Chile and comments on the speciation in the genus. Journal of Herpetology, 21: 29-37.
757 Lamborot, M. and Ortiz, J. C. 1990. Liolaemus pseudolemnicatus, a new species of lizard from north Chico Chile (Sauria: Tropiduridae). Gayana Zoologia 54: 135-142.
758 Lancini V. A. R. 1968. El genero Euspondylus (Sauria: Teiidae) en Venezuela. Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas 12: 1-8.
759 Lancini, A. R. 1963. Una nuova expecie del genero Anadia (Sauria: Teiidae) de Venezuela. Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas, Zoologia, 4: 1-2.
760 Lanza, B. 1978. A new Somali Hemidactylus (Reptilia Gekkonidae). Monitore Zoologico Italiano Supplemento 11: 111-117.
761 Lanza, B. 1978. Mabuya ferrarai, a new scincoid lizard from Somalia. Monitore Zoologico Italiano Supplemento 11: 271-280.
762 Lanza, B. 1978. On some new or interesting east African amphibians and reptiles. Monitore Zoologico Italiano Supplemento 10: 229-297.
763 Lanza, B. 1979. Lygosoma simonettai, a new black-headed skink from Somalia (Reptilia Scinidae). Monitore Zoologico Italiano (supplemento) 12: 25-32.
764 Lanza, B. 1982. On some Phyllodactylus from the Galapagos Islands (Reptilia Gekkonidae). Cura del Museo Zoologico dell'Università di Firenze, 4: 149-182.
765 Lanza, B. and Carfi, S. 1966. Note su alcuni Scincidae della Somalia e descrizione di una nuova specie di Mochlus (Reptilia, Squamata). Monitore Zoologico Italiano Supplemento 74: 34-43.
766 Lanza, B. and Carfi, S. 1968. Gli scincidi della Somalia (Reptilia, Squamata). Monitore Zoologico Italiano 2: 207-260.
767 Lanza, B. and Sassi, A. R. 1968. On a new genus and species of gekkonid lizard from Somalia. Monitore Zoologico Italiano, 2 (supplemento):17-26.
768 Lanza, B. and Vanni, S. 1976. On a small collection of reptiles from north Zaire. Monitore Zoologico Italiano 8: 129-160.
769 Lappin, A. K. and Swinney, E. J. 1999. Sexual dimorphism as it relates to natural history of leopard lizards (Crotaphytidae: Gambelia). Copeia 1999: 649–660.
Lara-Gongora, G. 1983. Two new species of the lizard genus Sceloporus (Reptilia, Sauria, Iguanidae) from the Ajusco and Ocuilan Sierras, Mexico. Bulletin of the Maryland Herpetological
770 Society 19: 1-14

Lara-Gongora, G. 2004. A new species of Sceloporus (Reptilia, Sauria: Phrynosomatidae) of the grammicus complex from Chihuahua and Sonora, Mexico. Bulletin of the Maryland Herpetological Society 40: 1-41.
Largen, M. L. 1995. A new species of chameleon (Reptilia Sauria Chamaeleonidae) from montane forest in Ethiopia. Tropical Zoology 8: 333-339.
Laspiur, A., Acosta, J. C. and Abdala, C. S. 2007. A new species of Leiosaurus (Iguania: Leiosauridae) from central-western Argentina. Zootaxa 1470: 47–57.
Laurent, R. F. 1952. Batraciens et Reptiles recemment acquis par le Musee du Congo Belge. Revue de Zoologie et de Botanique Africaine 44: 198-203.
Laurent, R. F. 1952. Reptiles et batraciens nouveaux de la région des Grands Lacs africains. Revue de Zoologie et de Botanique Africaine, Bruxelles, 46: 269-279.
Laurent, R. F. 1952. Reptiles et batraciens nouveaux du massif du Mont Kabobo et du plateau des Marungu. Revue de Zoologie et de Botanique Africaine 46: 18-34.
Laurent, R. F. 1964. Reptiles et Amphibiens de l'Angola (Troisieme contribution). Companhia de Diamantes de Angola (Diamang), Servicos Culturais, Museu do Dundo (Angola), 67: 1-165.
Laurent, R. F. 1982. Description de trois especes nouvelles du genre Liolaemus (Sauria, Iguanidae). Spixiana (Munich) 5: 139-147.
Laurent, R. F. 1982. Description de trois especes nouvelles du genre Liolaemus (Sauria, Iguanidae). Spixiana (Munich) 5: 139-147.
Laurent, R. F. 1982. Deux lezards interessants de la cuvette centrale zairoise. Revue de Zoologie Africaine 96: 439-444.
Laurent, R. F. 1986. Descripciones de nuevas Iguanidae del genero Liolaemus. Acta Zoologica Lilloana 38: 87-105.
Laurent, R. F. 1990. An isolated species of the genus Liolaemus Wiegmann Iguanidae Lacertilia. Acta Zoologica Lilloana 39: 79-84.
Laurent, R. F. 1992. On some new and little known species of Liolaemus Iguanidae from Jujuy Province Argentina. Acta Zoologica Lilloana 40: 91-108.
Laurent, R. F. 1992. On some overlooked species of the genus Liolaemus Wiegmann (Reptilia Tropiduridae) from Peru. Breviora 494: 1-33.
Laurent, R. F. 1998. New forms of lizards of the subgenus Eulaemus of the genus Liolaemus (Reptilia: Squamata: Tropiduridae) from Peru and Northern Chile. Acta Zoologica Lilloana 44:
Lazell, J. D. 1972. The anoles (Sauria: Iguanidae) of the Lesser Antilles. Bulletin of the Museum of Comparative Zoology 143: 1-115
Lazell, J. D. 1973. The lizard genus Iguana in the Lesser Antilles. Bulletin of the Museum of Comparative Zoology, 143: 1-28.
Lazell, J. D. 1992. New flying lizards and predictive biogeography of two Asian archipelagos. Bulletin of the Museum of Comparative Zoology 152: 475-505.
Lazell, J. D. 1994. A new Sphaerodactylus (Sauria: Gekkonidae) from Bequia, Grenada Bank, Lesser Antilles. Breviora 496: 1-20.
Lazell, J. D. 2002. The herpetofauna of Shek Kwu Chau, South China Sea, with description of two new colubrid snakes. Memoirs of the Hong Kong Natural History Society 25: 1-82.
Le Berre, M. 1989. Faune du Sahara 1. Poissons, Amphibiens, Reptiles. Lechevalier, R. Chabaud, Paris.
Leal, M. and Losos, J. B. 2000. Behavior and ecology of the Cuban "Chipojos Bobos" Chamaeleolis barbatus and C. porcus. Journal of Herpetology, 34: 318-322.
Lee, J. C. 2000. A Field Guide to the Amphibians and Reptiles of the Maya World: The Lowlands of Mexico, Northern Guatemala, and Belize. Cornell University Press. ISBN: 0801485878
Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1996. Natural history of the Mexican knob-scaled lizard, Xenosaurus rectocollaris. Herpetological Natural History 4: 151–154.
Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2004. Aspects of the ecology of a distinct population of Xenosaurus platyceps from Querétaro, Mexico. Amphibia-Reptilia 25: 204-
Leptien, R. and Lui, W. 1997. Ein Gecko von der alten Seidenstrasse im Nordwesten Chinas, Teratoscincus roborowskii Von Bedriaga, 1906. Sauria 19, 3–6.
Lerner, A. 2004. A new taxonomically isolated species of the genus Phelsuma GRAY, 1825 from the Ampasindava peninsula Madagascar. Phelsuma 12: 91-98.
Leviton, A. E. and Anderson, S. C. 1967. Survey of the reptiles of the Sheikdom of Abu Dhabi, Arabian Peninsula. Part II. Systematic account of the collection of reptiles made in the Sheikhdom of Abu Dhabi by John Gasperetti. Proceedings of the California Academy of Sciences, 35:157-192.
Leviton, A. E., Anderson, S. C., Adler, K. and Minton, S. A. 1992. Handbook to Middle East Amphibians and Reptiles. Society for the Study of Amphibians and Reptiles, St. Louis.
Licht, P. and Gorman, G. C. 1970. Reproductive and fat cycles in Caribbean Anolis lizards. University of California Publications in Zoology 35: 1–52.
Lidth de Jeude, T. W. 1887. On a collection of reptiles and fishes from the West-Indies. Notes from the Leyden Museum 9: 129—139.
Lim, K. K. P. and Lim, L. J. 1999. The terrestrial herpetofauna of Pulau Tioman, Peninsular Malaysia. Raffles Bulletin of Zoology, Supplement 6: 131-155.
Lima, A. F. B. and da Rocha, P. L. B. 2006. Ontogenetic change in plant consumption by Tropidurus psammonastes, Rodrigues, Kasahara & Yonenaga-Yassuda, 1988 (Tropiduridae), a lizard endemic to the dunes of the São Francisco River, Bahia, Brazil. Revista Brasileira de Zoociencias 8: 67-75.
Liner, E. A. and Dixon, J. R. 1992. A new species of the Sceloporus scalaris group from Cerro Pena Nevada, Nuevo Leon, Mexico (Sauria: Iguanidae). Texas Journal of Science 44: 421-427.
Linsdale, J. M. 1932. Amphibians and reptiles from lower California. University of California Publications in Zoology 38: 345-386.
Lobo, F. and Espinoza, R. E. 1999. Two new cryptic species of Liolaemus (Iguania: Tropiduridae) from northwestern Argentina: resolution of the purported reproductive bimodality of Liolaemus alticolor. Copeia 1999: 122-140.
Lobo, F. and Espinoza, R. E. 2004. Two new Liolaemus from the Puna region of Argentina and Chile: further resolution of purported reproductive bimodality in Liolaemus alticolor (Iguania: Liolaemidae). Copeia 2004: 850-866.

Lobo, F. and Quinteros, S. 2005. A morphology-based phylogeny of Phymaturus (Iguania: Liolaemidae) with the description of four new species from Argentina. Papeis Avulsos de Zoologia 45: 143-177.
Lobo, F. and Quinteros, S. 2005. Taxonomic studies of the genus Phymaturus (Iguania: Liolaemidae): redescription of Phymaturus patagonicus Koslowsky 1898, and revalidation and redescription of
Lonnberg, E. 1911. Reptiles, Batrachians and Fishes collected by the swedish Zoological Expedition to British East Africa 1911. Kungliga Svenska Vetenskaps-Akademiens Handlingar
Losos, J. B. 1990. Ecomorphology, performane ability and scaling of West Indian Anolis lizards: an evolutionary analysis. Ecological Monographs 60: 369-388.
Lotzkat, S. 2007. Taxonomie und zoogeographie der herpetofauna des Nirgua-Massivs, Venezuela. MSc Thesis, Johann Wolfgang Goethe-Universität, Frankfurt am Main.
Loveridge, A. 1928. Description of a new species of gecko from Tanganyika Territory, Africa. Proceedings of the United States National Museum, Washington 72: 1-2.
Loveridge, A. 1932. New races of a skink (Siaphos) and frog (Xenopus) from the Uganda Protectorate. Proceedings of the Biological Society of Washington 45: 113-115.
Loveridge, A. 1932. New reptiles and amphibians from Tanganyika Territory and Kenya Colony. Bulletin of the Museum of Comparative Zoology 72: 375-387.
Loveridge, A. 1935. Scientific Results of an Expedition to rain forest regions in Eastern Africa. I. New Reptiles and Amphibians from East Africa. Bulletin of the Museum of Comparative Zoology, 79: 1-19.
Loveridge, A. 1936. Scientific Results of an Expedition to rain forest regions in Eastern Africa. V. Reptiles. Bulletin of the Museum of Comparative Zoology 79: 209-337.
Loveridge, A. 1941. Bogertia lutzae—A new genus and species of gecko from Bahia, Brazil. Proceedings of the Biological Society of Washington 54: 195-196.
Loveridge, A. 1941. Report on the Smithsonian-Firestone expedition's collection of reptiles and amphibians from Liberia. Proceedings of the United States National Museum 91: 113-140.
Loveridge, A. 1942. Scientific results of a fourth expedition to forested areas in east and central Africa. IV. Reptiles. Bulletin of the Museum of Comparative Zoology 91: 237-373.
Loveridge, A. 1944. Revision of the African lizards of the family Cordylidae. Bulletin of the Museum of Comparative Zoology 95: 1-118.
Loveridge, A. 1947. Revision of the African lizards of the family Gekkonidae. Bulletin of the Museum of Comparative Zoology 98: 1-469.
Loveridge, A. 1948. New Guinean reptiles and amphibians in the Museum of Comparative Zoology and the United States National Museum. Bulletin of the Museum of Comparative Zoology 101: 305-430.
Loveridge, A. 1952. A startlingly turquoise-blue gecko from Tanganyika. Journal of the East African Natural History Society, 20: 446.
Loveridge, A. 1953. Zoological Results of a fifth expedition to East Africa. III. Reptiles from Nyasaland and Tete. Bulletin of the Museum of Comparative Zoology 110: 142-322.
Loveridge, A. 1959. On a fourth collection of reptiles, mostly taken in Tanganyika territory by Mr.C. J. P. Ionides. Proceedings of the Zoological Society of London 133: 29-44.
Luiselli, L., Akani, G. C. and Capizzi, D. 1999. Is there any interspecific competition between dwarf crocodiles (Osteolaemus tetraspis) and Nile monitors (Varanus niloticus ornatus) in the swamps of central Africa? A study from southeastern Nigeria. Journal of Zoology 247: 127-131.
Lynch, J. D. and Smith, H. M. 1965. New or unusual amphibians and reptiles from Oaxaca, Mexico. I. Herpetologica 24: 168-177.
Macculloch, R. D. and Lathrop, A. 2001. A new species of Arthrosaura (Sauria: Teiidae) from the highlands of Guyana. Caribbean Journal of Science 37: 174-181.
Macleay, W. 1877. The lizards of the Chevert Expedition. Proceedings of the Linnean Society of New South Wales, 2: 97-104.
Magnusson, W. E., de Paiva, L. J., da Rocha, R. M., Franke, C. R., Kasper, L. A. and Lima, A. P. 1985. The correlates of foraging mode in a community of Brazilian lizards. Herpetologica,
Maisano, J. A. 2002. Postnatal Skeletal Ontogeny in Five Xantusiids (Squamata: Scleroglossa). Journal of Morphology 254: 1–38.
Maisano, J. A. 2002. Terminal fusions of skeletal elements as indicators of maturity in squamates. Journal of Vertebrate Paleontology 22: 268–275.
Malkmus, R., Manthey, U., Vogel, G., Hoffmann, P. and Kosuch, J. 2002. Amphibians and reptiles of Mount Kinabalu (North Borneo). A.R.G. Gantner Verlag Kommanditgesellschaft. Ruggell (Liechtenstein).
Manthey, U. and Denzer, W. 2006. A revision of the Melanesia-Australian angel head lizards of the genus Hypsilurus (Sauria: Agamidae: Amphibolurinae), with description of four new species and one new subspecies. Hamadryad, 30 (1/2): 28.
Manthey, U. and Grossmann, W. 1997. Amphibien & Reptilien Sudostasiens. Munster: Natur und Tier–Verlag.
Manthey, U. and Schuster, N. 1992. Agamn. Terrarien Bibliothek, Munster
Manthey, U. and Schuster, N. 1996. Agamid Lizards. TFH Publications, Muenster.
Manzani, P. R. and Abe, A. S. 1990. A new species of Tapinurus from the caatinga of Piaui northeastern Brazil Squamata Tropiduridae [Tapinurus helenae]. Herpetologica 46: 462-467.
Manzani, P. R. and Abe, A. S. 2002. A new species of Tupinambis Daudin, 1803 from Southeastern Brazil (Squamata, Teiidae). Arquivos do Museu Nacional Rio de Janeiro 60: 295-302.
Markezich, A. L. and Taphorn, D. C. 1994. A new Lepidoblepharis (Squamata: Gekkonidae) from the Paraguana Peninsula, Venezuela, with comments on its conservation status. Herpetologica 50: 7-14.

Markezich, A. L., Cole, C. J. and Dessauer, H. C. 1997. The blue and green whiptail lizards (Squamata, Teiidae, Cnemidophorus) of the Peninsula de Paraguana, Venezuela : systematics,
842 ecology, descriptions of two new taxa, and relationships to whiptails of the Guianas. American Museum novitates 3207: 1-60.
843 Marquet, P. A., Bozinovic, F., Medel, R. G., Werner, Y. L. and Jaksic, F. M. 1990. Ecology of Garthia gaudichaudi, a gecko endemic to the semiarid region of Chile. Journal of Herpetology,
844 Martins, E. P. 1993. A comparative study of the evolution of Sceloporus push-up displays. American Natualist 142: 994-1018.
845 Martins, M. 1991. The lizards of Balbina, Central Amazonia, Brazil: a qualitative analysis of resource utilization. Studies on Neotropical Fauna and Environment 26: 179-190.
846 Marx, H. 1956. A new lacertid lizard from Angola. Fieldiana Zoology, 39: 5-9.
847 Marx,H. 1960. A new iguanid lizard of the genus Ctenoblepharis. Fieldiana Zoology 39: 407-409
Mata-Silva, V. and Ramirez-Bautista, A. 2005. Reproductive characteristics of two syntopic, widely foraging lizards, Aspidoscelis deppii and Aspidoscelis guttata from Oaxaca, Mexico.
848 Southwestern Naturalist 50: 262-267.
Mateo, J. A., Geniez, P., Lopez-Jurado, L. F. and Bons, J. 1999. Chorological analysis and morphological variations of Saurians of the genus Uromastyx (Reptilia: Agamidae) in western
849 Sahara. Description of two new taxa. Rev. Esp. Herp. 12: 97-109.
Mateo, J. A., Marquez, M. G., Juardo, L. F. L. and Barahona, F. 2001. Descripcion del lagarto gigante de La Palma (Islas Canarias) a partir de restos subfosiles. Revista Espanola de
850 Herpetologia 15: 53-59.
Matschie, P. 1892. Uber eine kleine sammlung von saugethieren und reptilien, welche Herr L. Conradt aus Usambara (Deutsch Ostafrika) heimgebracht hat. Sitzungsberichte der Gesellschaft
851 Naturforschender Freunde zu Berlin (1892): 101-110.
Matschie, P. 1893. Uber einige von Herrn Oscar Neumann bei Aden gesammelte u. beobachtete Säugethiere, Reptilien und Amphibien. Sber. Berlinische Gesellschaft Naturforschender
852 Freunde, Berlin 1893: 24-31.
853 Mausfeld, P. and Bohme, W. 2002. A new Mabuya from Java, Indonesia. Salamandra 38: 135-144.
854 Mausfeld, P. and Vrcibradic, D. 2002. On the Nomenclature of the Skink (Mabuya) Endemic to the Western Atlantic Archipelago of Fernando de Noronha, Brazil. Journal of Herpetology,
855 Mayer, G. C. and Lazell, J. 2000. A new species of Mabuya (Sauria: Scincidae) from the British Virgin Islands. Proceedings of the Biological Society of Washington 113: 871-886.
856 Maza, E. 2008. unpublished MSc Thesis, Tel Aviv University
857 McConkey, E. H. 1954. A systematic study of the North American lizards of the genus Ophisaurus. American Midland Naturalist 51: 133-171.
858 McConkey, E. H. 1955. A new lizard of the genus Ophisaurus from Mexico. Natural History Miscellanea of the Chicago Academy of Sciences 145: 1-2.
859 McCoy, C. J. 1970. a new alligator lizard from the Cuatro Cienegas basin, Coahuila, Mexico. Southwestern Naturalist 15: 37- 44.
860 McCoy, E. D., Hartmann, P. P. and Mushinsky, H. R. 2004. Population biology of the rare Florida scrub lizard in fragmented habitat. Herpetologica 60: 54–61.
861 McCoY, M. 1980. Reptiles of the Solomon Islands. Wau Ecology Institute, Wau, Papua New Guinea.
862 Mccoy, M. 2006. Reptiles of the Solomon Islands. 2nd edition. Pensoft, Sofia.
863 McCranie, J. R. 1992. Rediscovery of the Honduran Giant Anole—Norops loveridgei (Sauria: Polychridae). Caribbean Journal of Science, 28: 233-234.
McCranie, J. R., Crus, G. A. and Holm, P. A. 193. A new species of cloud forest lizard of the Norops schiedei group (Sauria: Polychrotidae) from northern Honduras. Journal of
864 Herpetology, 27: 386-392.
865 McCranie, J. R., Nicholson, K. E. and Kohler, G. 2001. A new species of Norops (Squamata: Polychrotidae) from northwestern Honduras
Mccranie, J. R., Wilson, L. D. and Williams, K. L. 1992. A new species of anole of the Norops crassulus group (Sauria: Polychridae) from northwestern Honduras. Caribbean Journal of
866 Science, 28: 208-215.
McCranie, J. R., Wilson, L. D. and Williams, K. L. 1993. Another new species of lizard of the Norops schiedei group (Sauria: Polychrotidae) from northern Honduras. Journal of
867 Herpetology, 27: 393-399.
868 McGuire, J. A. 1996. Phylogenetic systematics of crotaphytid lizards. Bulletin of the Carnegie Museum 32: 1-143.
869 McGuire, J. A. 1998. Phylogenetic systematics, scaling relationships, and the evolution of gliding performance in flying lizards (genus Draco). PhD Dissertation University of Texas at
McGuire, J. A., and A. C. Alcala. 2000. A taxonomic revision of the flying lizards of the Philippine Islands (Iguania: Agamidae: Draco), with a description of a new species. Herpetological
870 Monographs 14: 81-138.
871 McKay, L. J. 2006. A field guide to the amphibians and reptiles of Bali. Krieger
872 MCranie, J.R., Wilson, L. D. and Kohler, G. 2005. Amphibians and reptiles of the Bay Islands and Cayos Cochinos, Honduras.

Medica, P. A. 1967. Food Habits, Habitat Preference, Reproduction, and Diurnal Activity in Four Sympatric Species of Whiptail Lizards (Cnemidophorus) in South Central New Mexico. Bulletin of the Southern California Academy of Sciences, 66: 251-276.
Meerman, J. 1984. Mabuya brauni hildae Loveridge 1953. considered a synonym of M. brauni Tornier 1902. (Sauria: Scincidae). Amphibia-Reptilia 5: 173-175.
Méhely L. von 1909 Materialien zu einer Systematik und Phylogenie der muralis-ähnlichen Lacerten. Annales Historico-Naturales Musei Nationalis Hungarici 7: 409-621
Meier, A. J., Noble, R. E. and Rathbun, S. L. 1993. Population status and notes on the biology and behavior of the St. Croix Ground Lizard on Green Cay (St. Croix, US Virgin Islands). Caribbean Journal of Science 29: 147-152.
Meier, H. 1980. Zur Taxonomie und okologie der gattung Phelsuma (Reptilia: Sauria: Gekkonidae) auf den Komoren, mit beschreibung einer neuen art. Bonner Zoologische Beitrage 31:
Meier, H. 1984. Zwei neue formen der gattung Phelsuma von den Komoren (Sauria: Gekkonidae). Salamandra 20: 32-38.
Meier, H. 1995 Neue nachweise von Phelsuma borbonica auf Reunion, Maskarenen, mit dem versuch einer taxonomischen einordnung. Salamandra 31: 33-40.
Mertens, R. 1928. Neue inselrassen von Cryptoblepharus boutonii (Desjardin). Zoologischer Anzeiger 78: 82-89.
Mertens, R. 1931. Ablepharus boutonii (Desjardin) und seine geographische Variation. Zoologische Jahrbucher, Abteilung fur Systematik, Geographie und Biologie der Tiere 61: 63-210.
Mertens, R. 1934. Die Inseln-Reptilien, ihre ausbreitung variation und arthildung. Zoologica (Stuttgart) 32, 1-209.
Mertens, R. 1950. Notes on some Indo-Australian monitors (Sauria, Varanidae). American Museum Novitates 1456: 1-7
Mertens, R. 1962. Die Arten und Unterarten der Geckonengattung Phelsuma. Senckenbergiana Biologica 43: 81-127.
Mertens, R. 1963. Studien uber die reptilienfauna Madagaskars. IV. Zwei neue arten der geckonengattung Phelsuma. Senckenbergiana Biologica 44: 349-356.
Mertens, R. 1963. The geckos of the genus Phelsuma on Mauritius and adjacent islands. Mauritius Institute Bulletin, 5: 299-305.
Mertens, R. 1964. Das chamaleon der Insel Pemba. Senckenbergiana Biologica, 45: 99-116.
Mertens, R. 1964. Studien uber die reptilienfauna Madagaskars V. Funf neue rassen der geckonengattung Phelsuma. Senckenbergiana Biologica, 45: 99-112.
Mertens, R. 1966. Die nichtmadagassichen arten und unterarten der geckonengattung Phelsuma. Senckenbergiana Biologica 47: 85-110.
Mertens, R. 1966. Liste der rezenten amphibien und reptilien: Chamaeleonidae. Das Tierreich 83: 1-37.
Mertens, R. 1968. Zur kenntnis der herpetofauna von Kamerun und Fernando Poo. Bonn Zoologische Beitrage 19: 69-84.
Mesquita, D. O. and Colli, G. R. 2003. Geographical variation in the ecology of populations of some Brazilian species of Cnemidophorus (Squamata, Teiidae). Copeia, 2003: 285-298.
Mesquita, D. O., Colli, G. R., Costa, G. C., Franca, F. G. R. , Garda, A. A. and Peres, A. K. 2006. At the water's edge: ecology of semiaquatic teiids in Brazilian Amazon. Journal of Herpetology 40: 221–229.
Mesquita, D. O., Colli, G. R., Franca, F. G. R. and Vitt, L. J. 2006. Ecology of a Cerrado Lizard Assemblage in the Jalapao Region of Brazil. Copeia 2006: 460–471.
Milne, T. and Bull, C. M. 2000. Burrow choice by individuals of different sizes in the endangered pygmy blue tongue lizard Tiliqua adelaidensis. Biological Conservation 95: 295-301.
Milne, T., Bull, C. M. and Hutchinson, M. N. 2002. Characteristics of litters and juvenile dispersal in the endangered Australian skink Tiliqua adelaidensis. Journal of Herpetology, 36: 110-
Minton, S. A. 1966. A contribution to the herpetology of West Pakistan. Bulletin of the American Museum of Natural History 134: 31-184.
Miralles, A. 2006. A new species of Mabuya (Reptilia, Squamata, Scincidae) from the Caribbean Island of San Andrés, with a new interpretation of nuchal scales: a character of taxonomic importance. Herpetological Journal, 16: 1-7.
Miralles, A., Barrio-Amoros, C. L., Rivas, G. and Chaparro-Auza, J. C. 2006. Speciation in the "Varzea" flooded forest: a new Mabuya (Squamata, Scincidae) from Western Amazonia. Zootaxa 1188: 1-22.
Miralles, A., Rivas Fuenmayor, G. and Barrio-Amoros, C. L. 2005. Taxonomy of the genus Mabuya (Reptilia, Squamata, Scincidae) in Venezuela. Zoosystema 27: 825-837.
Miralles, A., Rivas, G. and Schargel, W. E. 2005. A new species of Mabuya (Squamata, Scincidae) from the Venezuelan Andes. Zootaxa 895: 1–11.
Mitchell, F. J. 1965. Australian geckos assigned to the genus Gehyra Gray (Reptilia, Gekkonidae). Senckenbergiana Biologica 46: 287-319.
Mitchell, P. K., Eaton, S. and Marsh, C. 2007. Biological and socio-economic research of the dry deciduous forests of Ampombofofo, Madagascar. Frontier Madagascar Environmental Research Report 13: 1-48.
Miyata K. A. 1985. new Lepidoblepharis from the Pacific slope of the Ecuadorian Andes (Sauria: Gekkonidae). Herpetologica 41: 121-126.
Mojica, B. H., Rey, B. H., Serrano, V. H., Ramirez-Pinilla, M. P. 2003. Annual reproductive activity of a population of Cnemidophorus lemniscatus (Squamata : Teiidae). Journal of Herpetology 37: 35-42.
Molina, C. and Senaris, J. C. 2003. Una nueva especie del genero Riolama (Reptilia: Gymnophthalmidae) de las tierras altas del Estado Amazonas, Venezuela. Memoria de la Fundacion La Salle de Ciencias Naturales, 61: 5-19.

Molina, C., Senaris, J. C. and Ayarzaguena, J. 2002. Contribution to the knowledge of the taxonomy, Distribution, and natural history of Leposoma hexalepis (Reptilia: Gymnophthalmidae) in Venezuela. Herpetologica, 58: 485–491.
Molina-Borja, M. 2003. Sexual dimorphism of Gallotia atlantica atlantica and Gallotia atlantica mahoratae (Lacertidae) from the eastern Canary Islands. Journal of Herpetology 37: 769-772.
Molina-Borja, M. and Rodriguez-Dominguez, M. A. 2004. Evolution of biometric and life-history traits in lizards (Gallotia) from the Canary Islands. Journal of Zoological Systematics and Evolutionary Research 42: 44–53.
Monard, A. 1940. Resultats de la mission du Dr. Monard en Guinee Portugaise 1937–1938. Arquivos do Museu Bocage, Lisbon 11: 147-182.
Monard, A. 1949. Vertebres nouveaux du Cameroun. Revue Suisse de Zoologie 56: 731-745.
Monguillot, J. C., Cabrera, M. R., Acosta, J. C. and Villavicencio, J. 2006. A new species of Liolaemus (Reptilia: Iguanidae) from San Guillermo National Park, western Argentina. Zootaxa
Montanucci, R. R. 1971, Ecological and distributional data on Crotaphytus reticulatus (Sauria: Iguanidae): Herpetologica 27: 183–197.
Montanucci, R. R. 1973. Systematics and evolution of the Andean lizard genus Pholidobolus (Sauria: Teiidae). University of Kansas Museum of Natural History Miscellaneous Publications
Montanucci, R. R. 2004. Geographic variation in Phrynosoma coronatum (Lacertilia, Phrynosomatidae): Further evidence for a Peninsular Archipelago. Herpetologica 60: 117-139.
Montgomery, C. E., Mackessy, S. P. and Moore, J. C. 2003. Body size variation in the Texas horned lizard, Phrynosoma cornutum, from central Mexico to Colorado. Journal of Herpetology 37: 550-553.
Montoya, I. and Burns, K. C. 2007. Community-wide character displacement in New Zealand skinks. Journal of Biogeography 34: 2139-2147.
Moravec, J., El, Din, S. B., Seligmann, H., Sivan, N. and Werner, Y. L. 1999. Systematics and distribution of the Acanthodactylus pardalis group (Lacertidae) in Egypt and Israel. Zoology in the Middle East, 17: 21-50.
Moreno, M, R., Moreno, J., Torres-Perez, F., Ortiz, J. C. and Breskovic, A. 2001. Catalogo Herpetologico Del Museo Del Mar De La Universidad Arturo Prat De Iquique, Chile. Gayana 65:
Mosauer, W.1936. Description of a new Phyllodactylus from Mexico, with remarks on the status of P. tuberculosus. Copeia, 1936: 141-146.
Mouton, P. L. N. and VanWyk, J. H. 1993. Sexual dimorphism in cordylid lizards - a case-study of the drakensberg crag lizard, Pseudocordylus melanotus. Canadian Journal of Zoology 71:
Mukherjee, D., Bhupathy, S. and Nixon, A. M. A. 2005. A new species of day gecko (Squamata, Gekkonidae, Cnemaspis) from the Anaikatti Hills, Western Ghats, Tamil Nadu, India. Current Science 89: 1326-1328.
Müller, L. 1923. Neue oder seltene reptilien und batrachier der Zoologischen Sammlung des bayr. Staates. Zoologischer Anzeiger 57: 49-61.
Muller, L. and Hellmich, W. 1939. Liolaemus-Arten aus dem westlichen Argentinien. I Liolaemus darwini (Bell) und Liolaemus goetschi n. sp. Zool. Anz. 128: 1-17
Murphy, R. W., Fu, J., Macculloch, R. D. Darevsky, I. S. and Kupriyanova, L. A. 2000. A fine line between sex and unisexuality: the phylogenetic constraints on parthenogenesis in lacertid lizards. Zoological Journal of the Linnean Society, 130: 527–549.
Mushinsky, H. R. 1992. Natural history and abundance of southeastern five-lined skinks, Eumeces inexpectatus, on a periodically burned sandhill in Florida. Herpetologica 48: 307-312.
Myers, C. W. 1971. Central American lizards related to Anolis pentaprion: two new species from the Cordillera de Talamanca. American Museum Novitates 2471: 1-40.
Myers, C. W. 1973. Anguid lizards of the genus Diploglossus in Panama, with the description of a new species. American Museum Novitates 2523: 1-20.
Myers, C. W. and Donnelly, M. A. 2001. Herpetofauna of the Yutaje –Corocoro Massif, Venezuela: second report from the Robert G. Goelet American Museum–Terramar expedition to the northwestern Tepuis. Bulletin of the American Museum of Natural History 261: 1-85.
Myers, C. W., Donnelly, M. A. and Goelet, R. G. 1996. A new herpetofauna from Cerro Yaví, Venezuela : first results of the Robert G. Goelet American Museum-Terramar expedition to the northwestern Tepuis. American Museum Novitates 3172: 1-56.
Myers, C. W., Williams, E. E. and McDiarmid, R. W. 1993. A new anoline lizard (Phenacosaurus) from the highland of Cerro de la Neblina, southern Venezuela. American Museum Novitates 3070: 1-15.
Navarro, J. and Nunez, H. 1993. Liolaemus patriciaiturrae y liolaemus isabelae, dos nuevas especies de lagartijas para el norte de Chile: aspectos biogeográficos y citotaxonomicos (Squamata, tropiduridae). Boletin del Museo Nacional de Historia Natural Santiago 44: 99-113.
Navarro, N. P., Fernandez, A. V. and Garrido, O. H. 2001. Taxonomic reconsideracion of Anolis centralis litoralis and description of a new species of the argillaceus group (Sauria: Iguanidae) for Cuba. Solenodon 1: 66-75.
Naya, D. E. and Bozinovic, F. 2006. The role of ecological interactions on the physiological flexibility of lizards. Functional Ecology 20: 601-608.
Necas, P. 1994. Bemerkungen zur Chamaleon-Sammlung des Naturhistorischen Museums in Wien, mit vorlaufiger Beschreibung eines neuen Chamaleons aus Kenia (Squamata: Chamaeleonidae). Herpetozoa 7: 95-108.

Necas, P., Modry, D. and Slapeta, J. R. 2003. Chamaeleo (Trioceros) narraioca n. sp (Reptilia Chamaeleonidae), a new chameleon species from a relict montane forest of Mount Kulal, northern Kenya. Tropical Zoology, 16: 1-12.
Necas, P., Modry, D. and Slapeta, J. R. 2005. Chamaeleo (Trioceros) ntunte sp. n., a new chameleon species from Mt. Nyiru, northern Kenya. Herpetozoa 18: 125-132.
Nevo, E., Gorman, G. C., Soule, M., Yang, S. Y., Clover, R. and Jovanovic, V. 1972. Competitive exclusion between insular Lacerta species (Sauria: Lacertidae). Notes on experimental introductions. Oecologia, 10: 183–190.
Newman, D. 1994. Effects of a mouse, Mus musculus, eradication programme and habitat change on lizard populations of Mana Island, New Zealand, with special reference to McGregor's skink, Cyclodina macgregori. New Zealand Journal of Zoology 21: 443-456.
Nicholson, K. E., Ibanez, R., Jarainillo, C. A. and Lips, K. R. 2001. Morphological variation in the tropical anole, Anolis casildae (Squamata: Polychrotidae). Revista de Biologia Tropical
Nieden, F. 1913. Neues Verzeichnis der Kriechtiere (außer den Schlangen) von Deutsch-Ostafrika, I. Teil: Reptilia. Mitteilungen aus dem Museum fur Naturkunde in Berlin 7: 51-100.
Nikolsky, A. M. 1899. Contia statunini n. sp., and Agama ruderata Oliv., from Transcaucasia [in Russian]. Annuaire Musée Zoologique de l'Académie Impériale des Sciences de St.-Pétersbourg, 4: 449-451.
Nikolsky, A. M. 1899. Reptiles, amphibies et poissons, recueillis pendant le voyage de Mr. N. A. Zaroudny en 1898. dans la Perse. Annuaire Musee Zoologique de l'Academie Impériale des Sciences de St.-Petersbourg, 4 [1899]: 375-417.
Nikolsky, A. M. 1915. Faune of Russia and adjacent countries. Reptiles. Volume 1. Chelonia and Sauria. Petrograd. (Isael Program for Scientific Translations, Jerusalem 1963).
Nilson, G., Rastegar-Pouyani, N., Rastegar-Pouyani, E. and Andren, C. 2003. Lacertas of South and Central Zagros Mountains, Iran, with descriptions of two new taxa. Russian Journal of Herpetology 10: 11-24.
Noble, G. K. 1921. Some new lizards from northwestern Peru. Annals of the New York Academy of Sciences 29: 133-139.
Noble, G. K. 1921. Two new lizards from northwestern Peru. Annals of the New York Academy of Science 29: 141-143.
Noble, G. K. 1923. A new gekkonid lizard and a new brachycephalid frog from Colombia. American Museum Novitates, 88 :1-3.
Noble, G. K. 1924. New lizards from northwestern Peru. Occasional Papers of the Boston Society of Natural History 5: 107-113.
Nogueira, C. and Rodrigues, M. T. 2006. The genus Stenocercus (Squamata: Tropiduridae) in extra-Amazonian Brazil, with the description of two new species. South American Journal of Herpetology 1: 149-165.
Nunez, H. and Fox, S. F. 1989. Liolaemus puritamensis, a new species of iguanid lizard previously confused with Liolaemus multiformis (Squamata: Iguanidae). Copeia, 1989: 456-460.
Nunez, H. and Labra, A. M. 1985. Liolaemus curis, a new lizard from the Los Andes range, central Chile. Copeia 1985: 556-559.
Nunez, H. and Navarro, J. 1992. Liolaemus rosenmanni, una nueva especie Chilena de lagartija relacionada al grupo 'ruibali'. Boletin del Museo Nacional de Historia Natural, Chile 43: 55-
Nunez, H. and Yanez, J. 1983. Ctenoblepharis adituvelatus new species, a lizard from northern Chile (Reptilia Iguanidae). Copeia 1983: 454-457.
Nunez, H. and Yanez, J. 1984. Ctenoblepharis erroneus nov. sp. de Iguanidae para la zona norte de Chile. Museo Nacional de Historia Natural, Chile, Boletin 40: 91-95.
Nunez, H., Navarro, J. and Loyola, J. 1991. Liolaemus maldonadae y Liolaemus cristiani, dos especies nuevas de lagartijas para Chile (Reptilia, Squamata). Boletín del Museo Nacional de Historia Natural (Santiago) 42: 79-88.
Nunez, H., Navarro, J., Garin, C., Pincheira-Donoso D. and Meriggio, V. 2003. Phrynosaura manueli y Phrynosaura torresi, nuevas especies de lagartijas para el norte de Chile (Squamata: Sauria). Boletin del Museo Nacional de Historia Natural, Chile, 52: 67-88.
Nunez, H., Pincheira-Donoso, D. and Garin, C. 2004. Liolaemus hajeki, nueva especie de Lagartijade Chile (Squamata, Sauria). Boletín del Museo Nacional de Historia Natural, Chile, 53:
Nunez, H., Schulte, J. A. and Garin, C. 2001. Liolaemus josephorum, nueva especie de lagartija para el Norte de Chile. Boletin del Museo Nacional de Historia Natural (Chile) 50: 91-107.
Nussbaum, R. A. and Raxworthy, C. J. 1994. A new rainforest gecko of the genus Paroedura Gunther from Madagascar. Herpetological Natural History 2 (1): 43-49.
Nussbaum, R. A. and Raxworthy, C. J. 1994. The genus Paragehyra (Reptilia, Sauria, Gekkonidae) in southern Madagascar. Journal of Zoology 232: 37-59.
Nussbaum, R. A. and Raxworthy, C. J. 1995. A new Mabuya (Reptilia: Squamata: Scincidae) of the aureopunctata-group from Southern Madagascar. Journal of Herpetology, 29: 28-38.
Nussbaum, R. A. and Raxworthy, C. J. 1995. New Uroplatus Dumeril (Reptilia: Squamata: Gekkonidae) of the ebenaui-group from the Anosy Mountains of Southern Madagascar. Copeia, 1995: 118-124.
Nussbaum, R. A. and Raxworthy, C. J. 1995. Review of the scincine genus Pseudoacontias Barboza-Du-Bocage (Reptilia, Squamata, Scincidae) of Madagascar. Herpetologica 51: 91-99
Nussbaum, R. A. and Raxworthy, C. J. 1998. A new species of Mabuya Fitzinger (Reptilia: Squamata: Scincidae) from the high Plateau (Isalo National Park) of south-central Madagascar. Herpetologica 54: 336-343.
Nussbaum, R. A. and Raxworthy, C. J. 1998. New Long-Tailed Mabuya Fitzinger from Lokobe Reserve, Nosy Be, Madagascar (Reptilia: Squamata: Scincidae). Copeia 1998: 114-119.

Nussbaum, R. A. and Raxworthy, C. J. 1998. Revision of the genus Ebenavia Boettger (Reptilia : Squamata : Gekkonidae). Herpetologica 54: 18-34.
Nussbaum, R. A., Raxworthy, C. J. and Ramanamanjato, J. B. 1999. Additional species of Mabuya Fitzinger (Reptilia : Squamata : Scincidae) from western Madagascar. Journal of Herpetology 33: 264-280.
Nussbaum, R. A., Raxworthy, C. J., Raselimanana, A. P. and Ramanamanjato, J. B. 2000. New species of day gecko, Phelsuma Gray (Reptilia: Squamata: Gekkonidae), from the Reserve Naturelle Integrale d'Andohahela, southern Madagascar. Copeia, 2000: 763–770.
Oftedal, O. T. 1974. A revision of the genus Anadia (Sauria, Teiidae). Arquivos de Zoologia (Sao Paulo) 25: 203-265.
Olsson, M., Shine, R., Wapstra, E., Ujvari, B. and Madsen, T. 2002. Sexual dimorphism in lizard body shape: The roles of sexual selection and fecundity selection. Evolution 56: 1538-1542.
Ord, T. J. and Blumstein, D. T. 2002. Size constraints and the evolution of display complexity: why do large lizards have simple displays? Biological Journal of the Linnean Society, 76:
Orlov, N. L., Nguyen, T. Q. and Nguyen, S. V. 2006. A new Acanthosaura allied to A. capra Günther, 1861 (Agamidae, Sauria) from Central Vietnam and Southern Laos. Russian Journal of Herpetology 13: 61-76.
Ortiz, J. C. 1987. Une nouvelle espece de Liolaemus (Sauria, Iguanidae) du Chili. Bulletin du Museum National D'Histoire Naturelle Section A Zoologie Biologie et Ecologie Animales 9:
Ortiz, J. C. 1989. Description de Liolaemus silvai sp. nov. (Sauria, Igaunidae) du 'norte Chico' du Chili. Bulletin du Museum National d'Histoire Naturelle 11: 247-252.
Ortiz, J. C. 1994. Una nueva especies de largato altoandino del genero Liolaemus (Sauria, Tropiduridae). Boletín de la Sociedad de Biología de Concepción 65: 191-195.
Ortiz, J. C. and Marquet, P. 1987. Una nueva especie de lagarto altoandino: Liolaemus islugensis (Reptilia-Iguanidae). Gayana Zoologia 51: 59-63.
Ortiz-Zapata, J. C. 1980. Revision taxonomica del género Tropidurus en Chile. Reunion Iberoamericana de Conservasion y Zoologia de Vertebrados 1: 355-377 (1977)
Ota, H. 1989. A New Species of Japalura (Agamidae: Lacertilia: Reptilia) from Taiwan. Copeia 1989: 569-576.
Ota, H. 1989. A review of the geckos (Lacertilia: Reptilia) of the Ryukyu Archipelago and Taiwan. Pages 222-261 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
Ota, H. 1989. The status of an Agamid Lizard, Japalura swinhonis chapaensis Bourret, 1937, from Vietnam. Journal of Herpetology 23: 447-450.
Ota, H. 1991. Taxonomic redefinition of Japalura swinhonis Gunther (Agamidae: Squamata), with a description of a new subspecies of J. polygonata from Taiwan. Herpetologica 47: 280-
Ota, H. 2000. On the validity of Japalura yunnanensis popei Wettstein, 1938 (Squamata: Agamidae)
Ota, H. and Crombie, R. I. 1989. A new lizard of the genus Lepidodactylus (Reptilia: Gekkonidae) from Batan Island, Philippines. Proceedings of the Biological Society of Washington 102:
Ota, H. and Nabhitabhata, J. A 1991. New species of Gekko (Gekkonidae: Squamata) from Thailand. Copeia, 1991: 503-509.
Ota, H. and Weidenhofer, T. 1992. The first male specimen of the poorly known agamid lizard Japalura chapaensis Bourret, 1937 (Reptilia: Sauria), from Northern Vietnam, with notes on its taxonomic status. Raffles Bulletin of Zoology 40: 193-199.
Ota, H., Chen, S.-L. and Shang, G. 1998. Japalura luei: a new agamid lizard from Taiwan (Reptilia: Squamata). Copeia 1998: 649-656.
Ota, H., Darevsky, I. S., Ineich, I. and Yamashiro, S. 2000. Reevaluation of the taxonomic status of two Lepidodactylus species (Squamata: Gekkonidae) from the Lesser Sunda Archipelago, Indonesia. Copeia 2000: 1109–1113.
Ota, H., Fisher, R. N., Ineich, I. C. and Case, T. J. 1995. Geckos of the genus Lepidodactylus (Squamata : Reptilia) in Micronesia: description of a new species and reevaluation of the status of Gecko moestus Peters, 1867. Copeia 1995: 183-195.
Ota, H., Hikida, T. and Matsui, M. 1991. Re-evaluation of the status of Gecko verreauxi Tytler, 1864, from the Andaman Islands, India. Journal of Herpetology, 25: 147-151.
Ota, H., Lau, M. W., Weidenhofer, T., Yasukawa, Y. and Bogadek, A. 1995. Taxonomic review of the geckos allied to Gekko chinensis Gray 1942 (Gekkonidae Reptilia) from China and Vietnam. Tropical Zoology 8: 181-196.
Ota, H., Lue, K. Y., Chen, S. H. and Brown, W. C. 1989. Taxonomic status of the Taiwanese gekko, with comments on the synonymy of Luperosaurus amissus Taylor. Journal of Herpetology 23: 76-78.
Pafilis, P., Foufopoulos, J., Poulakakis, N., Lymberakis, P. and Valakos, E. 2007. Digestive performance in five Mediterranean lizard species: effects of temperature and insularity. Journal of Comparative Physiology B. 177: 49-60.
Panfilov, A. M. 1999. Mejpopyliatsionnie otiosheniia i vidovaia prinadkejnosty gornykh ligozomiykh kompleksa Asymblepharus alaicus Severo-Zapadnogo i Vnutrennego Tian-Shania.Izvestija nacional'noj Akademii Nauk Kyrghyzskoj Respubliki (Bulletin of the National Academy of Sciences of Kyrghystan) 1: 51-55.
Papenfuss, T. J. 1969. Preliminary analysis of the reptiles of arid central West Africa. The Wasmann Journal of Biology 27: 249–325.
Papenfuss, T. P, Macey, J. R. and Schulte, J. A. 2001. A new species of lizard (genus Xantusia) from Arizona. Scientific Papers of the Natural History Museum, University of Kansas 23: 1-9
Parker, H. W. 1929. A new Chamaeleon from Mt. Ruwenzori. Annals and Magazine of Natural History 3: 280-281.

998 Parker, H. W. 1932. Two collections of reptiles and amphibians from British Somaliland. Proceedings of the Zoological Society of London1932: 335-367.
999 Parker, H. W. 1935. A new melanic lizard from Transjordania, and some speculations concerning melanism. Proceedings of the Zoological Society of London 1935: 137-142.
1000 Parker, H. W. 1935. The frogs, lizards, and snakes of British Guiana. Proceedings of the Zoological Society of London 1935: 505-530
1001 Parker, H. W. 1936. Dr. Karl Jordan's expedition to South West Africa and Angola: herpetological collections. Novitates Zoologicae 40: 115-146.
1002 Parker, H. W. 1942. The lizards of British Somaliland. Bulletin of the Museum of Comparative Zoology 91: 1-101.
1003 Parrish, G. R. and Gill, B. J. 2003. Natural history of the lizards of the Three Kings Islands, New Zealand. New Zealand Journal of Zoology 30: 205–220.
1004 Pasteur, G. 1962. Notes preliminaires sur les lygodactyles (gekkonides). II. Diagnose de quelques Lygodactylus d'Afrique. Bulletin l'Institut Fondamental d'Afrique Noire, 24 :606-614.
1005 Pasteur, G. 1964. Notes preliminaires sur les lygodactyles (gekkonides). IV. Bulletin du Museum National d'Histoire Naturelle, Paris, 36: 311-314.
1006 Pasteur, G. 1964. Recherches sur l'evolution des lygodactyles, lezards Afro-Malagaches actuels. Traveaux de l'Institut Scientifique Cherifien, Serie Zoologie 29: 1-132.
Pasteur, G. 1967. Note preliminaire sur les geckos du genre Lygodactylus rapportes par Charles Blanc du Mont Ibity (Madagascar). Bulletin du Museum National d'Histoire Naturelle, Paris,
1007 39: 439-443.
1008 Pasteur, G. 1978. Note sur les sauriens du genre Chalcides. III. Description de Chalcides levitoni n. sp. D'Arabie Saoudite (Reptilia, Lacertilia, Scincidae). Journal of Herpetology 12: 371-
1009 Pasteur, G. 1995. Biodiversite et reptiles: diagnoses de sept nouvelles especes fossiles et actuelles du genre de lezards Lygodactylus (Sauria, Gekkonidae). Dumerilia 2: 1-21.
Pasteur, G. and Blanc, C. P. 1991. Un lezard parthenogenetique a Madagascar? Description de Lygodactylus pauliani sp. no. (Reptilia, Gekkonidae). Bulletin du Museum National d'Histoire
1010 Naturelle, Paris, 13: 209-215.
1011 Pasteur, G. and Broadley, D. G. 1988. A remote, insular species of the Lygodactylus somalicus superspecies (Sauria: Gekkonidae). Amphibia-Reptilia 9: 237-243.
1012 Patchell, F. C. and Shine, R. 1986. Food habits and reproductive biology of the Australian legless lizards (Pygopodidae) . Copeia, 1986: 30-39.
Patterson, G. B. 1997. South Island skinks of the genus Oligosoma: description of O. longipes n. sp. with redescription of O. otagense (McCann) and O. waimatense (McCann). Journal of the
1013 Royal Society of New Zealand 27: 439-450.
Patterson, G. B. and Daugherty, C. H. 1990. Four new species and one new subspecies of skinks, genus Leiolopisma (Reptilia: Lacertilia: Scincidae) from New Zealand. Journal of the Royal
1014 Society of New Zealand 20: 65-84.
1015 Patterson, G. B. and Daugherty, C. H. 1994. Leiolopisma stenotis, n. sp., (Reptilia: Lacertilia: Scincidae) from Stewart Island. New Zealand. Journal of the Royal Society of New Zealand 24:
1016 Patterson, J. W. 1990. Female reproductive cycles in two subspecies of the tropical lizard Mabuya striata. Oecologia 84: 232-237
1017 Paulissen, M. A. and Walker, J. M. 1994. Diet of the insular whiptail lizard Cnemidophorus nigricolor (Teiidae) from Grand Rocques Island, Venezuela. Journal of Herpetology, 28: 524-526.
Pauwels, O. S. G. David, P., Chimsunchart, C. and Thirakhupt, K. 2003. Reptiles of Phetchaburi Province, Western Thailand: a list of species, with natural history notes, and a discussion on
1018 the biogeography at the Isthmus of Kra. The Natural History Journal of Chulalongkorn University 3: 23-53.
1019 Pauwels, O. S. G., Bauer, A. M., Sumontha, M. and Chanhome, L. 2004. Cyrtodactylus thirakhupti (Squamata: Gekkonidae), a new cave-dwelling gecko from southern Thailand. Zootaxa
1020 Pengilley, R. 1981. Notes on the biology of Varanus spenceri and V. gouldii, Barkly Tablelands, Northern Territory. Australian Journal of Herpetology 1(1): 23-26.
Peracca, M. G. 1897. Rettili e Anfibi. Viaggio del Dott. Alfredo Borelli nel Chaco boliviano e nella Repubblica Argentina. Bollettino dei Musei di Zoologia ed Anatomia Comparata della R.
1021 Università di Torino, 12: 1-19.
1022 Peracca, M. G. 1904. Viaggio del Dr. Enrico Festa nell Ecuador e regioni vicine. Bollettino dei Musei di Zoologia e Anatomia Comparata, Universita del Torino 19: 1-41.
Peracca, M. G. 1907. Spedizione al Ruwenzori di S.A.R. Luigi Amadeo di Savoia Duca degli Abruzzi. Nuovi Rettili ed Amfibi; diagnosi preventive. Bollettino dei Musei di Zoologia -
1023 Universita del Torino 22 (553): 1-3
1024 Pereyra, E. A. 1992. Nueva especie de lagarto andino: Liolaemus vallecurensis (Tropiduridae, Liolaeminae). Noticiario Mensual del Museo Nacional de Historia Natural, Santiago 321: 10-14
1025 Perez-Mellado, V. 1992. Ecology of lacertid lizards in a desert area of eastern Morocco. Journal of Zoology 226: 369-386.
1026 Perez-Ramos, E., Saldana de la Riva, L. and Campbell, J. A. 2000. A new allopatric species of Xenosaurus (Squamata: Xenosauridae) from Guerrero, Mexico. Herpetologica 56: 228–234.
1027 Pernetta, J. C. and Black, D. 1983. Species of gecko (Lepidodactylus) in the Port Moresby area, with the description of a new species. Journal of Herpetology 17: 121-128.
1028 Perret, J. L. 1973. Contribution a l'etude des Panaspis (Reptilia, Scincidae) d'Afrique occidentale avec la description de deux especes nouvelles. Revue Suisse de Zoologie 80: 595-630.
1029 Perret, J. L. 1975. Revision critique de quelques types de reptiles et batraciens africains. Revue suisse de Zoologie 82: 185-192.
Perret, J. L. 1986. Revision des especes africaines du genre Cnemaspis Strauch, sous-genre Ancylodactylus Muller (Lacertilia, Gekkonidae), avec la description de quatre especes nouvelles.
1030 Revue Suisse de Zoologie 93: 457-505.
1031 Perry, G. 1989. Size and mass in five Israeli lizards (Reptilia: Lacertidae). Israel Journal of Zoology 36: 129–132.

Perry, G., and Garland, T. Jr. 2002. Lizard home ranges revisited: effects of sex, body size, diet, habitat, and phylogeny. Ecology 83: 1870–1885.
Peters, G. 1971. Die intragenerischen Gruppen und die Phylogenese der Schmetterlingsagamen (Agamidae: Leiolepis). Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 98: 11-130.
Peters, G. 1982. Eine neue Wirtelschwanzagame aus Ostafrika (Agamidae: Agama). Mitteilungen aus dem Museum fur Naturkunde in Berlin 58: 265-268.
Peters, G. 1984. Die krötenkopfagamen zentralasiens (Agamidae: Phrynocephalus). Mitteilungen aus dem Museum fur Naturkunde in Berlin 60: 23-67.
Peters, J. A. 1964. The lizard genus Ameiva in Ecuador. Bulletin of the Southern California Academy of Sciences 63: 113-127.
Peters, J. A. and Orces, V. G. 1956. A third leaf-nosed species of the lizard genus Anolis from South America. Breviora 62: 1-8.
Peters, W. C. H. 1863. Uber einige neue Arten der Saurier-Gattung Anolis. Monatsber. Konigl. Akad. Wiss. Berlin. 1863: 135-149.
Pethiyagoda, R. and Manamendra-Arachchi, K. 1998. A revision of the endemic Sri Lankan agamid lizard genus Ceratophora Gray, 1835, with description of two new species. Journal of South Asian natural History 3: 1-50.
Petren, K. and Case, T. J. 1997. A phylogenetic analysis of body size evolution in chuckwallas (Sauromalus) and other iguanines. Evolution 51: 206-219.
Pianka, E. R. 1971. Comparative ecology of two lizards. Copeia 1971: 129-138.
Pianka, E. R. 1982. Observations on the ecology of Varanus in the Great Victoria desert. Western Australian Naturalist 15: 37-44.
Pianka, E. R. 1986. Ecology and natural history of desert lizards. Princeton University Press, Princeton.
Pianka, E. R. 1994. Comparative ecology of Varanus in the Great Victoria desert. Australian Journal of Ecology 19: 395-408.
Pianka, E. R. 1995. Evolution of body Size: Varanid lizards as a model system. American Naturalist 146: 298-414.
Pianka, E. R. and King, D. R. editors. 2004. Varanoid lizards of the world. Indiana University Press.
Pianka, E. R. and Parker, W. S. 1975. Ecology of Horned Lizards: A Review with Special Reference to Phrynosoma platyrhinos. Copeia, 1975: 141-162.
Pianka, E. R. and Vitt, L. J. 2003. Lizards: windows to the evolution of diversity. University of California Press, Berkeley.
Piantoni, C., Ibargüengoytía, N. R. and Cussac, V. E. 2006. Age and growth of the Patagonian lizard Phymaturus patagonicus. Amphibia-Reptilia 27: 385-392.
Pincheira Donoso, D. 2004. Una nueva especie del genero Phymaturus (Iguania: Tropiduridae: Liolaemini) del centro-sur de Chile. Multequina 13: 57-70.
Pincheira Donoso, D. and Nunez, H. 2003. Liolaemus robertoi sp. nov. puede distinguirse de cualquier otra especie del grupo ruibali. Multequina 12: 1-15.
Pincheira-Donoso, D. and Scolaro, A. 2007. Iguanian species-richness in the Andes of boreal Patagonia: Evidence for an additional new Liolaemus lizard from Argentina lacking precloacal glands (Iguania, Liolaeminae). Zootaxa 1452: 55-68.
Pinto, A. C. S., Wiederhecker, H. C. and Colli, G. R. 2005. Sexual dimorphism in the Neotropical lizard, Tropidurus torquatus (Squamata, Tropiduridae). Amphibia-Reptilia 26: 127-137.
Poe, S. and Ibanez, R. 2007. A new species of Anolis lizard from the Cordillera de Talamanca of Western Panama. Journal of Herpetology, 41: 263-270.
Poglayen, I. and Smith, H. M. 1958. Noteworthy herptiles from Mexico. Herpetologica 14: 11-15.
Pope, C. H. 1928. Four new snakes and a new lizard from South China. American Museum Novitates 325: 1-4.
Pope, C. H. 1929. Notes on reptiles from Fukien and other Chinese provinces. Bulletin of the American Museum of Natural History 58: 335-487.
Pough, F. H., Preest, M. R. and Fusari, M. H. 1997. Prey-handling and the evolutionary ecology of sand-swimming lizards (Lerista : Scincidae). Oecologia 112: 351-361.
Powell, R. 1999. Herpetology of Navassa Island, West Indies. Caribbean Journal of Science 35: 1-13.
Powell, R. and Henderson, R. W. 2001. On the taxonomic status of some Lesser Antillean lizards. Caribbean Journal of Science, 37: 288-290.
Powell, R. and Henderson, R. W. 2005. A new species of Gonatodes (Squamata: Gekkonidae) from the West Indies. Caribbean Journal of Science, 41: 709-715.
Powell, R., Henderson R. W. and Parmerlee, J. S. 2005. The Reptiles and Amphibians of the Dutch Caribbean St Eustatius, Saba, and St Maarten. International Union for the Conservation of Nature ISBN: 0967395887.
Pregill, G. K. 1986. Body size of insular lizards: a pattern of Holocene dwarfism. Evolution 40: 997-1008.
Pregill, G. K. 1992. Systematics of the West Indian lizard genus Leiocephalus (Squamata: Iguania: Tropiduridae). University of Kansas Museum of Natural History Miscellaneous Publications 84: 1-69
Pregill, G. K. and Steadman, D. W. 2004. South Pacific iguanas: Human impacts and a new species. Journal of Herpetology 38: 15-21.
Puente, M., Raselimanana, A. P. and Vences, M. 2005. Rediscovery and redescription of the Malagasy dwarf gecko Lygodactylus klemmeri. Zootaxa 1073: 31-35.
Punzo, F. 2007. Life history, demography, diet and habitat associations in the southwestern earless lizard, Cophosaurus texanus scitulus from northern and southern limits of its geographical range. Amphibia-Reptilia 28: 65-76.

Qualls, C. P., Shine, R. Donnellan, S. and Hutchinson, M. 1995. The evolution of viviparity within the Australian scincid lizard Lerista bougainvillii. Journal of Zoology 237: 13-26.
Quinteros, A. S., Abdala, C. S. and Lobo, F. J. 2008. Redescription of Liolaemus dorbignyi Koslowsky, 1898 and description of a new species of Liolaemus (Iguania: Liolaemidae). Zootaxa
Rabosky, D. L., Reid, J., Cowan, M. A. and Foulkes, J. 2007. Overdispersion of body size in Australian desert lizard communities at local scales only: no evidence for the Narcissus effect.
Oecologia 154: 561-570.
Radder, R. and Shine, R. 2007. Germinal bed condition in a polyautochronic single-clutched lizard, Bassiana duperreyi (Scincidae). Amphibia-Reptilia 28: 159-162.
Radtkey, R. R., Fallon, S. M. and Case, T. J. 1997. Character displacement in some Cnemidophorus lizards revisited: A phylogenetic analysis. Proceedings of the National Academy of
Sciences of the United States of America 94: 9740-9745.
Ramanamanjato, J. B., Nussbaum, R. A. and Raxworthy, C. J. 1999. A new species of Mabuya Fitzinger (Reptilia: Squamata: Scincidae) from the Onilahy River of south-west Madagascar.
Herpetological Journal 9: 65-72.
Ramanamanjato, J. B., Nussbaum, R. A. and Raxworthy, C. J. 1999. A new species of Mabuya Fitzinger (Squamata: Scincidae: Lygosominae) from northern Madagascar. Occasional Papers
of the Museum of Zoology, University of Michigan 728: 1-22.
Ramírez Leyton, G. M. and Pincheira Donoso, D. 2005. Fauna del Altiplano y Desierto de Atacama. Phrynosaura Ediciones, Chile.
Ramirez-Bautista, A. and Gonzalez-Romero, A. 2002. Some reproductive and feeding characteristics of the viviparous Mexican lizard Sceloporus torquatus (Phrynosomatidae). Southwestern
Naturalist 47: 98-102.
Ramirez-Bautista, A. and Gutierrez-Mayen, G. 2003. Reproductive ecology of Sceloporus utiformis (Sauria : Phrynosomatidae) from a tropical dry forest of Mexico. Journal of Herpetology
Ramirez-Bautista, A. and Olivera-Becerril, V. 2004. Reproduction in the boulder spiny lizard, Sceloporus pyrocephalus (Sauria: Phrynosomatidae), from a tropical dry forest of Mexico.
Journal of Herpetology 38: 225-231.
Ramirez-Bautista, A. and Pardo-De La Rosa, D. 2002. Reproductive cycle and characteristics of the widely-foraging lizard, Cnemidophorus communis, from Jalisco, Mexico. Southwestern
Naturalist 47: 205-214.
Ramirez-Bautista, A. and Vitt, L. J. 1997. Reproduction in the lizard Anolis nebulosus (Polychrotidae) from the Pacific coast of Mexico. Herpetologica 53: 423-431.
Ramirez-Bautista, A. and Vitt, L. J. 1998. Reproductive biology of Urosaurus bicarinatus (Sauria : Phrynosomatidae) from a tropical dry forest of Mexico. Southwestern Naturalist 43: 381-
Ramirez-Bautista, A., Balderas-Valdivia, C. and Vitt, L. J. 2000. Reproductive ecology of the whiptail lizard Cnemidophorus lineatissimus (Squamata : Teiidae) in a tropical dry forest.
Copeia 2000: 712-722.
Ramirez-Bautista, A., Barba-Torres, J. and Vitt, L. J. 1998. Reproductive cycle and brood size of Eumeces lynxe from Pinal de Amoles, Queretero, Mexico. Journal of Herpetology 32: 18-
Ramirez-Bautista, A., Jimenez-Cruz, E. and Marshall, J. C. 2004. Comparative life history for populations of the Sceloporus grammicus complex (Squamata : Phrynosomatidae). Western
North American Naturalist 64: 175-183.
Ramirez-Bautista, A., Ortiz-Cruz, A. L., Arizmendi, M. D. and Campos, J. 2005. Reproductive characteristics of two syntopic lizard species, Sceloporus gadoviae and Sceloporus jalapae
(Squamata : Phrynosomatidae), from Tehuacan Valley, Puebla, Mexico. Western North American Naturalist 65: 202-209.
Ramirez-Bautista, A., Vitt, L. J., Ramirez-Hernandez, A., Quijano, F. M. and Smith, G. R. 2008. Reproduction and sexual dimorphism of Lepidophyma sylvaticum (Squamata: Xantusiidae),
a tropical night lizard from Tlanchinol, Hidalgo, Mexico. Amphibia-Reptilia 29: 207-216.
Ramirez-Sandoval, E., Ramirez-Bautista, A. and Vitt, L. J. 2006. Reproduction in the lizard Phyllodactylus lanei (Squamata: Gekkonidae) from the Pacific coast of Mexico. Copeia 2006: 1-9.
Rand, A. S. 1963. Notes on the Chamaeleo bitaeniatus complex. Bulletin of the Museum of Comparative Zoology 130: 1-29.
Rand, A. S., Gorman, G. C. and Rand, W. M. 1975. Natural history, behavior, and ecology of Anolis agassizi. Smithsonian Contributions to Zoology 176: 27-38.
Randriamahazo, H. J. A. R. 2002. Sexual size dimorphism in the lizard Oplurus cuvieri cuvieri (Squamata, Opluridae) from Madagascar. African Zoology 35: 287-293.
Raselimanana, A. P., Raxworthy, C. J. and Nussbaum, R. A. 2000. A Revision of the Dwarf Zonosaurus Boulenger (Reptilia: Squamata: Cordylidae) from Madagascar Including the
Description of Three New Species. Scientific Papers of the Natural History Museum, University of Kansas 18: 1-16.
Rastegar-Pouyani, N. 2000. Taxonomic status of Trapelus ruderatus (Olivier) and T. persicus (Blanford), and validity of T. lessonae (De Filippi). Amphibia-Reptilia 21: 91-102.
Rastegar-Pouyani, N. and Rastegar-Pouyani, E. 2001. A new species of Eremias (Sauria: Lacertidae) from highlands of Kermanshah Province, western Iran. Asiatic Herpetological Research
Raxworthy, C. J. 1991. Field observations on some dwarf chameleons (Brookesia spp) from rain-forest areas of Madagascar, with the description of a new species. Journal of Zoology 224:
Raxworthy, C. J. and Nussbaum, R. 1995. Systematics, speciation and biogeography of the dwarf chameleons (Brookesia; Reptilia, Squamata, Chamaeleontidae) of northern Madagascar.
Journal of Zoology 235: 525–558.

Raxworthy, C. J. and Nussbaum, R. A. 1993. A New Madagascan Phelsuma, with a review of Phelsuma Trilineata and Comments on Phelsuma Cepediana in Madagascar (Squamata: Gekkonidae). Herpetologica, 49: 342-349.
Raxworthy, C. J. and Nussbaum, R. A. 1993. Four new species of Amphiglossus from Madagascar (Squamata: Scincidae). Herpetologica 49: 326-341.
Raxworthy, C. J. and Nussbaum, R. A. 1994. A partial systematic revision of the day geckos, Phelsuma Gray, of Madagascar (Reptilia, Squamata, Gekkonidae). Zoological Journal of the Linnean Society 112: 321-335.
Raxworthy, C. J. and Nussbaum, R. A. 2006. Six new species of occipital-lobed Calumma chameleons (Squamata: Chamaeleonidae) from montane regions of Madagascar, with a new description and revision of Calumma brevicorne. Copeia 2006: 711–734.
Razzetti, E. and Msuya, C. A. 2002. Field guide to the amphibians and reptiles of Arusha National Park (Tanzania). Tanzania National Parks
Reaney, L. T. and Whiting, M. J. 2002. Life on a limb: ecology of the tree agama (Acanthocercus a. atricollis) in southern Africa. Journal of Zoology 257: 439-448.
Reed, C. A. and Marx, H. 1959. A herpetological collection from northeastern Iraq. Transactions of the Kansas Academy of Sciences 62: 91-122.
Reeder, T. W. 1996. A new species of Pholidobolus (Squamata: Gymnophthalmidae) from the Huancabamba depression of northern Peru. Herpetologica 52: 282-289.
Reeve, W. L. 1952. Taxonomy and distribution of the horned lizards genus Phrynosoma. The University of Kansas Science Bulletin, 34: 817-960.
Richmond, J. Q. and Jockusch, E. L. 2007. Body size evolution simultaneously creates and collapses species boundaries in a clade of scincid lizards. Proceedings of the Royal Society B. 274: 1701-1708.
Rivas, G., Schargel W. E. and Meik, J. M. 2005. A new species of Riama (Squamata: Gymnophthalmidae), endemic to the Península de Paria, Venezuela. Herpetologica 61: 461-468.
Robb, J. 1980. New Zealand Amphibians and reptiles in colour. Collins, Auckland.
Rocha, C. F. D. 2000. Selectivity in plant food consumption in the lizard Liolaemus lutzae from southeastern Brazil. Studies on Neotropical Fauna and Environment 35: 14–18.
Rocha, C. F. D., Araujo, A. F. B., Vrcibradic, D. and Costa, E. M. M. 2000. New Cnemidophorus (Squamata; Teiidae) from coastal Rio de Janeiro state, southeastern Brazil. Copeia 2000:
Rocha, C. F. D., Vrcibradic, D. and Van Sluys, M. 2004. Diet of the lizard Mabuya agilis (Sauria; Scincidae) in an insular habitat (Ilha Grande, Rj, Brazil). Brazilian Journal of Biology, 64:
Rochebrune, A. T. de 1884. Faune de la Senegambie. Reptiles. Octave Doin, Paris, 1-221.
Rodrigues, M. T. 1984. Sobre Platynotus Wagler, 1830, pre-ocupado substituido por Tapinurus Amaral, 1933. , com a descripcao de uma nova especie (Sauria, Iguanidae). Papeis Avulsos de Zoologia 35: 367-373.
Rodrigues, M. T. 1984. Uma nova especie brasileira de Tropidurus com crista dorsal (Sauria, Iguanidae). Papeis Avulsos de Zoologia 35: 169-175.
Rodrigues, M. T. 1986. Uma nova espece do genero Phyllopezus de Cabaceiras: Paraiba: Brasil; com comentarios sobre a fauna de lagartos da area (Sauria Gekkonidae). Papeis Avulsos de Zoologia 36: 237-250.
Rodrigues, M. T. 1987. Sistematica, ecologia e zoogeografia dos Tropidurus do grupo torquatus ao sul do Rio Amazonas (Sauria, Iguanidae). Arquivos de Zoologia (Sao Paulo) 31: 105-230.
Rodrigues, M. T. 1997. A new species of Leposoma (Squamata: Gymnophthalmidae) from the Atlantic forest of Brazil. Herpetologica 53: 383-389.
Rodrigues, M. T. 2000. A new species of Mabuya (Squamata: Scincidae) from the semiarid Caatingas of northeastern Brazil. Papeis Avulsos de Zoologia 41: 313-328.
Rodrigues, M. T. and Avila-Pires, T. C. S. 2005. New lizard of the genus Leposoma (Squamata, Gymnophthalmidae) from the lower Rio Negro, Amazonas, Brazil. Journal of Herpetology,
Rodrigues, M. T. and Borges, D. M. 1997. A new species of Leposoma (Squamata: Gymnophthalmidae) from a relictual forest in semiarid northeastern Brazil. Herpetologica 53: 1-6.
Rodrigues, M. T., Dixo, M., Pavan D. and Verdade, V. K. 2002. A new species of Leposoma (Squamata, Gymnopthalmidae) from the remnant Atlantic Forests of the state of Bahia, Brazil. Papeis Avulsos de Zoologia 42: 335-350.
Rodrigues, M. T., Freire, E. M. X., Pellegrino, K. C. M. and Sites, J. W. 2005. Phylogenetic relationships of a new genus and species of microteiid lizard from the Atlantic forest of north-eastern Brazil (Squamata, Gymnophthalmidae). Zoological Journal of the Linnean Society 144: 543–557.
Rodrigues, M. T., Freitas, M. A., Silva, T. F. S. and Bertolotto, C. E. V. 2006. A new species of lizard genus Enyalius (Squamata, Leiosauridae) from the highlands of Chapada Diamantina, state of Bahia, Brazil, with a key to species. Phyllomedusa 5: 11-24.
Rodrigues, M. T., Zaher, H.and Curcio, F. 2001. A new species of lizard, genus Calyptommatus, from the Caatingas of the state of Piauí, northeastern Brazil (Squamata, Gymnophthalmidae). Papeis Avulsos de Zoologia 41 (28): 529-546
Rogner, M. 1997. Lizards. Volume 1. Krieger Publishing Company, Malabar, FL.
Rogner, M. 1997. Lizards. Volume 2. Krieger Publishing Company, Malabar, FL.
Rojas-Gonzalez, R. I., Jones, C. P., Zuniga-Vega, J. J. and Lemos-Espinal, J. A. 2008. Demography of Xenosaurus platyceps (Squamata: Xenosauridae): a comparison between tropical and temperate populations. Amphibia-Reptilia 29: 245-256.

Roll, B. 2000. Two sympatric Lygodactylus species in coastal areas of Eastern Africa (Reptilia, Gekkonidae). Pages 189–198 in G. Rheinwald, ed. Isolated vertebrate communities in the tropics: Bonner Zoologische Monographien 46. Zoologisches Forschungsinstitut und Museum A. Koenig, Bonn, Germany.
Rosler, H. 2000. Kommentierte Liste der rezent, subrezent und fossil bekannten Geckotaxa (Reptilia: Gekkonomorpha). Gekkota 2: 28-153.
Rosler, H. 2001. Eine neue grosswuchsige Cyrtodactylus-Art von Neuguinea (Reptilia: Sauria: Gekkonidae). Zoologische Abhandlungen, Staatliches Museum fur Tierkunde, Dresden 51: 61-
Rosler, H. and Tiedemann, F. 2007. Gekko melli Vogt, 1922 and its types (Reptilia, Sauria, Gekkonidae). Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe
Rosler, H. and Wranik, W. 2006. The reptiles of the Socotra archipelago with special remarks on the slender blind snakes (Leptotyphlopidae: Leptotyphlops). pages 125-128 in Vences, M., Kohler, J., Ziegler, T. and Bohme, W. (eds): Herpetologia Bonnensis II. Proceedings of the 13th Congress of the Societas Europaea Herpetologica.
Rosler, H., Kohler, J. and Bohme, W. 2008. A new species of the diurnal gekkonid genus Pristurus Rüppell, 1835 from the Red Sea island Hanish al-Kabir, Yemen. Amphibia-Reptilia 29:
Rosler, H., Obst, F. J. and Seipp, R. 2000. A new species of day gecko from western Madagascar: Phelsuma hielscheri sp. n. (Reptilia: Sauria: Gekkonidae). Zoologische Abhandlungen, Staatliches Museum for Tierkunde, Dresden 51: 51-60.
Rosler, H., Ziegler, T., Thanh, V. N. Herrmann, H.-W., and Bohme, W. 2004. A new lizard of the genus Gekko Laurenti, 1768 (Squamata: Sauria: Gekkonidae) from the Phong Nha - Ke Bang National Park, Quang Binh Province, Vietnam. Bonner Zoologische Beitrage 53: 135-148.
Roughgarden, J. 1995. Anolis Lizards of the Caribbean: Ecology, Evolution, and Plate Tectonics. Oxford University Press, Oxford.
Routman, E. J. and Hulse, A. C. 1984. Ecology and reproduction of a parthenogenetic lizard, Cnemidophorus sonorae. Journal of Herpetology, 18: 381-386.
Roux, J. 1927. Contribution a l'erpetologie du Venezuela. Verhandlungen der Naturforschenden Gesellschaft in Basel 38: 252-261.
Rueda J. V. and Hernandez-Camacho, J. I. 1988. Phenacosaurus inderenae (Sauria: Iguanidae), nueva especie gigante proveniente de la cordillera oriental de. Colombia. Trianea 2: 339-350.
Rueda, J. V. Williams, E. E. 1986. Una nueva especie de saurio para la Cordillera Oriental de Colombia (Sauria: Iguanidae). Caldasia 15: 511-524.
Rueda-Almonacid, J. V. 1989. Un nuevo y extraordinario saurio de color rojo (Iguanidae: Anolis) para la Cordillera Occidental de Colombia. Trianea 3: 85-92.
Rueda-Almonacid, J. V. and Rances Caicedo, J. 2004. Una especie nueva de Anadia (Reptilia, Sauria, Gymnophthalmidae) para el noroccidente de la cordillera Oriental de Colombia. Revista de la Academia Colombiana de Ciencias Exactas, Fiscas, y Naturales 107: 281-284.
Ruibal, R. 1952. Revisionary studies of some South American Teiidae. Bulletin of the Museum of Comparative Zoology 106: 477-529.
Russell, A. P. and Bauer, A. M. 1986. Le gecko geant Hoplodactylus delcourti et ses relations avec le gigantisme et l'endemisme insulaire chez les Gekkonidae. Mesogee 46: 25-28.
Ruthven, A. G. 1916. Three new species of Anolis from the Santa Marta Mountains, Colombia. Occasional Papers of the Museum of Zoology, University of Michigan 32: 1-8.
Ruthven, A. G. 1925. Lizards of the genus Bachia. Proceedings of the Boston Society of Natural History 28: 101-109.
Ruthven, A. G. 1926 A new species of Anadia from the Santa Marta Mountains, Colombia. Occasional Papers of the Museum of Zoology, University of Michigan 117: 1-3.
Sadlier, R. A., Bauer, A. M. and Smith, S. A. 2006. A new species of Nannoscincus Günther (Squamata: Scincidae) from high elevation forest in southern New Caledonia. Records of the Australian Museum 58: 29-36.
Sadlier, R. A., Couper, P. J., Colgan, D. J., Vanderduys, E. and Rickard, E. 2005. A new species of scincid lizard, Saproscincus eungellensis, from mid-eastern Queensland. Memoirs of the Queensland Museum 51: 559-571.
Sadlier, R. A., O'Meally, D. and Shea, G. M. 2005. A new species of Spiny-tailed gecko (Squamata: Diplodactylidae: Strophurus) from inland Queensland. Memoirs of the Queensland Museum 51: 573-582.
Sadlier, R. A., Smith, S. A., Bauer, A. M. and Whitaker, A. H. 2004. A New Genus and Species of Live-Bearing Scincid Lizard (Reptilia: Scincidae) from New Caledonia. Journal of Herpetology 38: 320–330.
Sakata, S. and Hikida, T. 2003. A fossorial lizard with forelimbs only: description of a new genus and species of Malagasy skink (Reptilia: Squamata: Scincidae). Current Herpetology 22: 9-
Sakata, S. and Hikida, T. 2003. A new fossorial scincine lizard of the genus Pseudoacontias (Reptilia: Squamata: Scincidae) from Nosy Be, Madagascar. Amphibia-Reptilia 24: 57-64.
Sallaberry, M., Nunez, H. and Yanez, J. 1982. Liolaemus hernani n. sp. de Iguanidae de la zona central de Chile. Boletin del Museo Nacional de Historia Natural, Chile 39: 93-99.
Salvidio, S., Menegon, M., Sindaco, R. and Moyer, D. 2004. A new species of elongate seps from Udzungwa grasslands, southern Tanzania (Reptilia, Gerrhosauridae, Tetradactylus Merrem, 1820). Amphibia-Reptilia 25: 19-27.
Sarre, S. and Dearn, J. M. 1991. Morphological variation and fluctuating asymmetry among insular populations of the sleepy lizard Trachydosaurus rugosus (Squamata: Scincidae). Australian Journal of Zoology 39: 91-104.
Savage, J. M. 2002. The Amphibians and Reptiles of Costa Rica. The University of Chicago Press, Chicago.
Savage, J. M. and Talbot, J. J. 1978. The giant anoline lizards of Costa Rica and western Panama. Copeia 1978: 480-492.

Schall, J. J. 1993. Community ecology of Cnemidophorus lizards in southwestern Texas: a test of the weed hypothesis. pages 319-343 in J. W. Wright and L. J. Vitt (editors), Biology of Whiptail Lizards (Genus Cnemidophorus). Oklahoma Museum of Natural History, Norman.
Schatti, B. and Desvoignes, A. 1999. The herpetofauna of southern Yemen and the Sokotra Archipelago. Museum d'Histoire Naturelle, Geneve.
Schettino, L. R. 1999. The iguanid lizards of Cuba. University Press of Florida, Miami.
Schimmenti, G. and Jesu, R. 1996. Brookesia exarmata sp. nov. (Reptilia, Chamaeleonidae); a new dwarf chameleon from the limestone outcrops of western Madagascar. Italian Journal of Zoology, 63: 193-197.
Schleich, H. H. and Kastle, W. 2002. Amphibians and Reptiles of Nepal. Gantner Verlag, Koenigstein.
Schleich, H. H., Kastle, W. and Kabisch, K. 1996. Amphibians and reptiles of North Africa. Biology, systematics, field guide. Koeltz Scientific, Koenigstein, Germany.
Schlüter, U. 2004. Bemerkungen über warantejus, Tejovaranus flavipunctatus (Dumeril & Bibron 1839). Sauria, 26: 17-21.
Schmidt, K. P. 1919. Contributions to the herpetology of the Belgian Congo based on the collection of the American Museum Congo expedition, 1909-1915 part I. turtles, crocodiles, lizards and chameleons. Bulletin of the American Museum of Natural History, 39: 385-624.
Schmidt, K. P. 1921. New species of North American lizards of the genera Holbrookia and Uta. American Museum novitates 22: 1-6.
Schmidt, K. P. 1923. A list of Fijian lizards. Copeia, 116: 50-52.
Schmidt, K. P. 1927. Notes on Chinese reptiles. Bulletin of the American Museum of Natural History 54: 467-551.
Schmidt, K. P. 1927. The reptiles of Hainan. Bulletin of the American Museum of Natural History 54: 395-465.
Schmidt, K. P. 1932. Reptiles and amphibians of the Mandel Venezuelan Expedition. Field Museum of Natural History, Zoology Series 18: 159-163.
Schmidt, K. P. 1939. Contributions to the Herpetology of the Belgian Congo based on the collection of the American Museum Congo expedition, 1909-1915. Part II - Snakes. Field Museum of Natural History Zool. Ser. 24: 49-92.
Schmidt, K. P. 1939. Reptiles and amphibians from southwestern Asia. Field Museum of Natural History, Zoology Series 24: 49-92.
Schmidt, K. P. 1943. Amphibians and reptiles from the Sudan. Field Museum of Natural History, Zoology Series 24: 331-338.
Schmidt, K. P. 1957. Notes on lizards of the genus Dicrodon. Fieldiana Zoology 39: 65-71.
Schmidt, K. P. and Bogert, C. M. 1947. A new fringe-footed sand lizard from Coahuila, Mexico. American Museum novitates 1339: 1-9.
Schmidt, K. P., and Noble, G. K. 1998. Contributions to the Herpetology of the Belgian Congo. Society for the study of Amphibians and reptiles.
Schmidt, K. P., Lang, H. and Chapin, J. P. 1919. Contributions to the herpetology of the Belgian Congo based on the collection of the American Museum Congo Expedition, 1909-1915. Part 1, Turtles, crocodiles, lizards and chameleons. Bulletin of the American Museum of Natural History 39: 385-624.
Schmidtler, J. F. and Bischoff, W. 1999. Revision des levantinischen Lacerta laevis/kulzeri-Komplexes: 1. Die Felseneidechse Lacerta cyanisparsa sp. n. Salamandra, 35: 129-146.
Schmidtler, J. F., Eiselt, J. and Darevsky, I. S. 1994. Untersuchungen an Feldeidechsen (Lacerte-saxicola-Gruppe) in der östlichen Türkei: 3. Zwei neue parthogenetische Arten. Salamandra
Schoener, T. W. 1970. Size patterns in West Indian *Anolis* lizards. II. Correlations with the sizes of particular sympatric species—displacement and convergence. American Naturalist 104:
Schoener, T. W. and Schoener, A. 1982. Intraspecific variation in home-range size in some *Anolis* lizards. Ecology 63: 809-823.
Schoener, T. W., Slade, J. B. and Stinson, C. H. 1982. Diet and sexual dimorphism in the very catholic lizard genus, Leiocephalus, of the Bahamas. Oecologia 53: 160-169.
Schonecker, P., Bach, S. and Glaw, F. 2004. Eine neue taggecko-art der gattung Phelsuma aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). Salamandra 40: 105-112.
Schulte, J. A., Losos, J. B., Cruz, F. B. and Nunez, H. 2004. The relationship between morphology, escape behaviour and microhabitat occupation in the lizard clade Liolaemus (Iguanidae: Tropidurinae: Liolaemini). Journal of Evolutionary Biology 17: 408-420.
Schulte, J. A., Vindum, J. V., Win, H., Thin, T., Lwin, K. S. and Shein, A. K. 2004. Phylogenetic Relationships of the Genus Ptyctolaemus (Squamata: Agamidae), with a Description of a New Species from the Chin Hills of Western Myanmar. Proceedings of the California Academy of Sciences 55: 222-247.
Schwartz, A. 1959. Variation in lizards of the Leiocephalus cubensis complex in Cuba and the Isla de Pinos. Bulletin of the Florida State Museum 4: 97-143.
Schwartz, A. 1968. The Leiocephalus (Lacertilia, Iguanidae) of Hispaniola. III. Leiocephalus schreibersi, L. semilineatus, and L. pratensis. Journal of Herpetology 24: 39-63.
Schwartz, A. 1980. Variation in Hispaniolan Anolis whitemani Williams. Journal of Herpetology, 14: 399-406.
Schwartz, A. and Henderson, R. W. 1991. Amphibians and Reptiles of the West Indies. University of Florida Press, Gainesville.
Schwarzkopf, L. 2005. Sexual dimorphism in body shape without sexual dimorphism in body size in water skinks (Eulamprus quoyii). Herpetologica 61: 116-123.
Scolaro, J. A. 2005. Reptiles Patagonicos Sur. Una Guia de Campo. Ediciones Universidad Nacional de la Patagonia, Trelew.
Scolaro, J. A. 2006. Reptiles Patagonicos Norte. Una Guia de Campo. Ediciones Universidad Nacional de la Patagonia, Trelew.

Scolaro, J. A. and Cei, J. M. 1997. Systematic status and relationships of Liolaemus species of the archeforus and kingii groups: a morphological and taxonumerical approach (Reptilia: Tropiduridae). Bolletino del Museo Regionale di Scienze Naturali, Torino 15: 369-406.
Scolaro, J. A. and Cei, J. M. 2003. Some models of ecogeographic speciation explaining the herpetological Diversity of the Andean-Patagonian region. Historia Natural 2: 73-83.
Scolaro, J. A. and Cei, J. M. 2003. Una excepcional nueva especie de Phymaturus de la precordillera de Chubut, Argentina (Liolaemidae, Iguania, Lacertilia, Reptilia). Facena, 19: 107–112.
Scolaro, J. A. and Cei, J. M. 2005. Phymaturus calcogaster: rectificacion de la localidad tipo y descripcion de la hembra (Reptilia, Iguania, Liolaemidae). Facena, 19: 107–112.
Scolaro, J. A. and Cei, J. M. 2006. A new species of Liolaemus from central steppes of Chubut, Patagonia Argentina (Reptilia: Iguania: Iguanidae). Zootaxa 1133: 61-68.
Scolaro, J. A. and Cei, J. M. 2006. A new species of Liolaemus from central steppes of Chubut, Patagonia Argentina (Reptilia: Iguania: Iguanidae). Zootaxa 1133: 61-68.
Scolaro, J. A., Tapari, F. O. and Gonzalez, C. 2005. Phymaturus calcogaster: rectificacion de la localidad tipo y descripcion de la hembra (Reptilia, Iguania, Liolaemidae). Facena 21: 29-36.
Scortecci, G. 1928. Rettili dell'Eritrea esistenti nelle Collezioni del Museo Civico de Milano. Atti della Societa Italiana di Scienze Naturali, e del Museo Civico di Storia Naturale, Milano
Scortecci, G. 1948. Un nuovo Hemidactylus della Somalia. Bollettino dei Musei e degli Istituti Biologici dell'Università di Genova, 22: 51-55.
Seipp, R. 1994. Eine neue art der gattung Phelsuma Gray 1825 aus Zentral-Madagaskar (Reptilia: Sauria: Gekkonidae). Senckenbergiana Biologica, 74: 193-197.
Sharma, R. C. 2002. The fauna of India and the adjacent countries: Reptilia: Volume 2: Sauria. Fauna of India and the adjacent countries. Zoological Survey of India.
Shaw, C. E. 1960. Notes on the eggs, incubation and young of Chamaeleo basiliscus. British Journal of Herpetology 2: 182-185.
Shcherbak, N. N. and Nekrasova, O. D. 1994. A contribution to the knowledge of gekko lizards of southern Vietnam with description of a new species (Reptilia, Gekkonidae). Vestnik
Shea, G. M. 1991. The identity of Lygosoma (Rhodona) goerlingi Ahl, 1935. (Squamata: Scincidae). Records of the Western Australian Museum 15: 303-306.
Shea, G. M. and Greer, A. E. 2002. From Sphenomorphus to Lipinia: generic reassignment of two poorly known New Guinea skinks. Journal of Herpetology 36:148-156.
Shenbrot, G. I. and Semyonov, D. V. 1990. A new species of the genus Phrynocephalus (Reptilia, Agamidae) from Turkmenia. Zoologicheskii Zhurnal 69: 154-156.
Sherbrooke, W. C. 1975. Reproductive cycle of a tropical teiid lizard, Neusticurus ecpleopus Cope, in Peru. Biotropica 7: 194-207.
Sherbrooke, W. C. 1997. Ditmars' horned lizard, or rock horned lizard: an historical update since rediscovery (1970). Sonoran Herpetologist 10: 6-8.
Sherbrooke, W. C. 2002. Phrynosoma modestum (Round-tailed horned lizard). Death due to prey (beetle) ingestion. Herpetological Review 33: 312.
Sherbrooke, W. C. 2002. Seasonally skewed sex-ratios of road-collected Texas horned lizards (Phrynosoma cornutum). Herpetological Review 33: 21-24.
Sherbrooke, W. C. 2003. Introduction to Horned Lizards of North America. University of California Press, Berkeley, CA.
Sherbrooke, W. C. and Middendorf, G. A. 2001. Blood-Squirting Variability in Horned Lizards (Phrynosoma). Copeia 2001: 1114-1122.
Shine, R. 1986. Food habits, habitats and reproductive biology of four sympatric species of varanid lizards in tropical Australia. Herpetologica, 42: 346-360.
Shine, R. and Greer, A. E. 1991. Why are clutch sizes more variable in some species than in others? Evolution 45:1696-1706.
Shine, R., Harlow, P. S., Keogh, J. S. and Boeadi. 1998. The allometry of life-history traits: insights from a study of giant snakes (Python reticulatus). Journal of Zoology, 244: 405-414.
Shine, R., Keogh, J. S., Doughty, P. and Giragossyan, H. 1998. Costs of reproduction and the evolution of sexual dimorphism in a `flying lizard' Draco melanopogon (Agamidae). Journal of Zoology 246: 203-213.
Shrestha, T. K. 2001. Herpetology of Nepal: A study of amphibians and reptiles of Trans-Himalayan region of Nepal, India, Pakistan and Bhutan. Pragati Pustaka Sadana
Shreve, B. 1940. Reptiles and amphibians from Burma with descriptions of three new skinks. Proceedings of the New England Zoological Club 18: 17-26.
Shreve, B. 1949. On Venezuelan reptiles and amphibians collected by Dr. H.G. Kugler. Bulletin of the Museum of Comparative Zoology 99: 519-537.
Shukla, V. N. 1983. A new species of the lizard Hemidactylus from Kanpur (India). Indian Journal of Zootomy 24: 81-83.
Sinitsin, D. T. 1930. Description of a new species of Neusticurus from South America (Lizards, Teiidae). American Museum Novitates 408: 1.
Smedley, N. 1931. Amphibians and reptiles from the Cameron Highlands, Malay Peninsula. Bulletin of the Raffles Museum, 6: 105-123.
Smirina, E. M. and Ananjeva, N. B. 2007. Growth layers in bones and acrodont teeth of the agamid lizard Laudakia stoliczkana (Blanford, 1875) (Agamidae, Sauria). Amphibia-Reptilia 28:
Smith, G. R. 1992. Sexual dimorphism in the curly-tailed lizard, Leiocephalus psammodromus. Caribbean Journal of Science 28: 99-101.
Smith, G. R. and Iverson, J. B. 1993. Reproduction in the curly-tailed lizard Leiocephalus psammodromus from the Caicos Islands. Canadian Journal of Zoology 71: 2147-2151.
Smith, G. R. and Nickel A. M. 2002. Sexual dimorphism in three Cuban species of curly-tailed lizards (Leiocephalus). Caribbean Journal of Science, 38: 140-142.
Smith, G. R., Lemos-Espinal, J. A. and Ballinger, R. E. 2003. Body size, sexual dimorphism, and clutch size in two populations of the lizard, Sceloporus ochoteranae. Southwestern Naturalist 48: 123-126.
Smith, G. R., Lemos-Espinal, J. A., Ballinger, R. E. 1997. Sexual dimorphism in two species of knob-scaled lizards (genus Xenosaurus) from Mexico. Herpetologica 53: 200-205.
Smith, H. M. 1934. Notes on some Mexican lizards of the genus Anolis with the description of a new species, A. megapholidotus. Transactions of the Kansas Academy of Science 36: 318-

Smith, H. M. 1937. A synopsis of the Scalaris group of the lizard genus Sceloporus. Occasional Papers of the Museum of Zoology, University of Michigan 361: 1-8.
Smith, H. M. 1939. Notes on Mexican reptiles and amphibians. Zoological Series of Field Museum of Natural History 24 (4): 15-35.
Smith, H. M. 1939. The Mexican and Central American lizards of the genus Sceloporus. Field Museum of Natural History, Chicago.
Smith, H. M. 1942. Mexican herpetological miscellany. Proceedings of the United States National Museum 92: 349-395.
Smith, H. M. 1946. Handbook of lizards. Lizards of the United States and Canada. Cornell University Press, Ithaca.
Smith, H. M. 1951. A new species of Leiolopisma (Reptilia: Sauria) from Mexico. University of Kansas Science Bulletin 34: 195-200.
Smith, H. M. 1968. Another new lizard from Mexico of the schiedi group of Anolis. Southwestern Naturalist, 13: 368-370
Smith, H. M. 1968. Two new lizards, one new, of the genus Anolis from Mexico. Journal of Herpetology, 2: 143-146.
Smith, H. M. 1972. A new satellite of the Anolis gadovii species swarm (Reptilia: Sauria) in Mexico. Journal of Herpetology, 6: 179-181.
Smith, H. M. 1972. The sonoran subspecies of the lizard Ctenosaura hemilopha. Great Basin Naturalist 32: 104-111.
Smith, H. M. and Bumzahem, C. B. 1953. A new lizard of the genus Sceloporus from the Isthmus of Tehuantepec. Herpetologica 9: 183-188.
Smith, H. M. and Iverson, J. B. 1993. A new species of knobscale lizard (Reptilia:. Xenosauridae) from Mexico. Bulletin of the Maryland Herpetological Society 29: 51-66.
Smith, H. M. and Larsen, K. R. 1975. A new species of the formosus group of the lizard genus Sceloporus. Copeia, 1975: 47-50.
Smith, H. M. and Van Gelder, R. G. 1955. New and noteworthy amphibians and reptiles from Sinaloa and Puebla, Mexico. Herpetologica 11: 145-149.
Smith, H. M., Lemos-Espinal, J. A., Chiszar, D. and Ingrasci, M. J. 2003. The Madrean alligator lizard of the Sierra del Nido, Chihuahua, Mexico (Reptilia: Sauria: Anguidae). Bulletin of the Maryland Herpetological Society 39: 99-102.
Smith, H. M., Martin, R. L. and Swain, T. A. 1977. A new genus and two new species of South American geckos (Reptilia: Lacertilia). Papeis Avulsos de Zoologica, 30: 195-213.
Smith, H. M.and Hall, W. P. 1974. Contributions to the concepts of reproductive cycles and the systematics of the scalaris group of the lizard genus Sceloporus. Great Basin Naturalist 34: 97-
Smith, L A and Henry, J. 1999. Aprasia picturata (Squamata: Pygopodidae), a new legless lizard from the interior of Western Australia. Journal of the Royal Society of Western Australia 82:
Smith, M. A. 1930. The reptilia and amphibia of the Malay peninsula from the Isthmus of Kra to Singapore, including the adjacent islands. Bulletin of the Raffles Museum 3: 1-149.
Smith, M. A. 1931. The herpetology of Mt. Kinabalu, North Borneo, 13,455 ft. Bulletin of the Raffles Museum, 5: 8-32.
Smith, M. A. 1937. A review of the genus Lygosoma (Scincidae: Reptilia) and its allies. Records of the Indian Museum 39: 213-234.
Smith, M. A. 1937. Un nouveau lezard de Cochinchine. Bulletin du Muséum d'histoire naturelle 2 Ser. 9 p. 366.
Smith, M. A. 1940. The Amphibians and Reptiles obtained by Mr. Ronald Kaulback in Upper Burma. Records of the Indian Museum 42: 465-486.
Smith, M. A., 1935. The Fauna of British India, including Ceylon and Burma. Reptilia and Amphibia. Vol. II. Sauria. Taylor & Francis, London.
Song, M. 1985. A new species of Gekko from Shaanxi. Acta Herpetologica Sinica 4: 329-330.
Song-Mingtao 1987. Survey of the reptiles of southern Shaanxi. Acta Herpetologica Sinica 6 (1): 59-64
Soule, M. E. 1966. Trends in insular radiation of a lizard. American Naturalist 100: 47-64.
Spawls, S., Howell, K., Drewes, R. and Ashe, J. 2002. A field guide to the reptiles of East Africa: Kenya, Tanzania, Uganda, Rwanda and Burundi. Academic Press,San Diego.
Spellerberg , I. F. 2002. Amphibians and Reptiles of North-west Europe: Their Natural History, Ecology and Conservation. Science Publishers, Enfield, New Hampshire.
Sprackland, R. G. 1991. Taxonomic review of the Varanus prasinus group with descriptions of two new species. Memoirs of the Queensland Museum 3: 561-576.
Sprackland, R. G. 1999. New species of monitor (Squamata: Varanidae) from Indonesia. Reptile Hobbyist, 4: 20-27.
Sprackland, R. G. and Swinney, G. N. 1998. A new species of giant gecko of the genus Tarentola (Reptilia: Squamata: Gekkonidae) from Jamaica. Journal of Zoology 245: 73-78.
Stafford, P. J. and Meyer, J. R. 2000. A Guide to the Reptiles of Belize. Academic Press, London.
Stamps, J. A. and Andrews, R. M. 1992. Estimating asymptotic size using the largest individuals per sample. Oecologia 92: 503-512.
Stamps, J. A., Losos, J. B. and Andrews, R. M. 1997. A comparative study of population density and sexual size dimorphism in lizards. American Naturalist 149: 64-90.
Stebbins, R. C. 2003. A field guide to western reptiles and amphibians, Third Edition. Houghton Mifflin Company, Boston.
Steinberg, D. S., Powell, S. D., Powell, R., Parmerlee, J. S. and Henderson, R. W. 2007. Population densities, water-loss rates, and diets of Sphaerodactylus vincenti on St. Vincent, West Indies. Journal of Herpetology 41: 330-336.
Stejneger, L. 1907. Herpetology of Japan and adjacent territory. Bulletin of the United States National Museum, No. 58. Government Printing Office, Washington, D.C.
Sternfeld, R. 1910. Eine neue echse aus Deutsch-Sudwestafrika. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin, 1910: 372.
Sternfeld, R. 1912. Die reptilien aus der expedition professor Hans Meyers nach Deutsch-Ostafrika. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin 7: 384-388.

Sternfeld, R. 1912. IV. Zoologie II. Lfg. Reptilia. In: Schubotz., R. (ed.): Wissenschaftliche Ergebnisse der Deutschen Zentral-Afrika Expedition 1907- 1908, unter Führung A. Friedrichs, Herzogs zu Mecklenburg. Klinkhard und Biermann, Leipzig: 197-279.
Sternfeld, R. 1918. Zur tiergeographie Papuasiens und der pazifischen Inselwelt. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 36: 375-436.
Storr, G. M. 1971. The genus Lerista (Lacertilia: Scincidae) in Western Australia. Journal of the Royal Society of Western Australia 54: 59-75.
Storr, G. M. 1974. Agamid lizards of the genera Caimanops, Physignathus and Diporiphora in Western Australia and Northern Territory. Records of the Western Australian Museum 3: 121-
Storr, G. M. 1978. The genus Egernia (Lacertilia, Scincidae) in Western Australia. Records of the Western Australian Museum 6: 147–187.
Storr, G. M. 1988. The Diplodactylus ciliaris complex (Lacertilia: Gekkonidae) in Western Australia. Records of the Western Australian Museum, 14: 121-133.
Stuart, B. L., Sok, K. and Neang, T. 2006. A collection of amphibians and reptiles from hilly eastern Cambodia. Raffles Bulletin of Zoology 54: 129-155.
Stuart, L. C. 1955. A brief review of the Guatemalan lizards of the genus Anolis. Miscellaneous Papers of the Museum of Zoology, University of Michigan 91: 1-31.
Stuart-Fox, D. M. and Ord, T. J. 2004. Sexual selection, natural selection and the evolution of dimorphic coloration and ornamentation in agamid lizards. Proceedings of the Royal Society B. 271: 2249-2255.
Stuart-Smith, J., Swain, R. Stuart-Smith, R. D. and Wapstra, E. 2007. Is fecundity the ultimate cause of female-biased size dimorphism in the dragon lizard? Journal of Zoology 273: 266-272.
Swain, T. A., Arp, F. and Younkin, R. D. 1980. A preliminary report on the ecology of a tropical, high altitude lizard, Anadia brevifrontalis. Journal of Herpetology, 14: 321-326.
Szczerbak, N. 2003. Guide to the Reptiles of the Eastern Palearctic. Krieger Publishing Company, Malabar.
Szczerbak, N. N. and Golubev, M. L. 1996. Gecko Fauna of the USSR and Contiguous Regions. Society for the Study of Amphibians and Reptiles, St. Louis.
Szyndlar, Z. 1984. A description of a small collection of amphibians and reptiles from the People's Democratic Republic of Korea with notes on the distribution of the herpetofauna in that country. Acta Zoologica Cracoviensia. 27: 1-18.
Takenaka, S. 1989. Reproductive ecology of Japanese lizards. Pages 364-369 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
Tanaka, S. and Nishihira, M. 1989. Growth and reproduction of the gekkonid lizard Eublepharis kuroiwae kuroiwae. Pages 349-357 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
Tanner, W. W. 1957. A new skink of the multivirgatus group from Chihuahua. Great Basin Naturalist 17: 111-117.
Taylor, E. H. 1922. The lizards of the Philippine Islands. Manila Bureau of Printing, Manila.
Taylor, E. H. 1933. New species of skinks from Mexico. Proceedings of the Biological Society of Washington 46: 175-182.
Taylor, E. H. 1935. A new skink from Mexico. Zoological Series of Field Museum of Natural History 20: 77-80.
Taylor, E. H. 1936. The rediscovery of the lizard Eumeces altamirani (Dugès) with notes on two other mexican species of the genus. Proceedings of the Biological Society of Washington 49:
Taylor, E. H. 1937. Two new lizards of the genus Leiolopisma from Mexico, with comments on another Mexican species. Copeia 1937: 5-11.
Taylor, E. H. 1942. Some geckos of the genus Phyllodactylus. University of Kansas Science Bulletin 28: 91-112.
Taylor, E. H. 1956. A review of the lizards of Costa Rica. University of Kansas Science Bulletin 38: 3-322.
Taylor, E. H. 1963. The lizards of Thailand. University of Kansas Science Bulletin 44: 687-1077.
Taylor, E. H., 1962. New Oriental reptiles. University of Kansas Science Bulletin, 43: 209–263.
Tedesco, M. E. 1998. Una nueva especie de Pantodactylus (Squamata, Gymnophthalmidae) de la provincia de Corrientes, Republica Argentina. Facena 14: 53-62.
Teixeira, R. L., Roldi, K. and Vrcibradic, D. 2005. Ecological Comparisons between the Sympatric Lizards Enyalius bilineatus and Enyalius brasiliensis (Iguanidae, Leiosaurinae) from an Atlantic Rain-Forest Area in Southeastern Brazil. Journal of Herpetology 39: 504–509.
Telford, S. R. 1955. The lizard Eumeces anthracinus in central Virginia. Copeia 1955: 143.
Telford, S. R. 1959. A study of the sand skink, Neoseps Reynoldsi Stejneger. Copeia, 1959: 110-119.
Teynie, A. 2004. Notes on reptiles of Nam Lan conservation area in Phongsaly province of Lao PDR. Societe d'Histoire Naturelle Alcide d'Orbigny, Aydat, France.
Thomas, B. W. 1981. Hoplodactylus rakiurae n. sp. (Reptilia: Gekkonidae) from Stewart Island, New Zealand and comments on the taxonomic status of Heteropholis nebulosus McCann. New Zealand Journal of Zoology 8: 33-47.
Thomas, R. and Hedges, S. B. 1988. Two new geckos (Sphaerodactylus) from the southern Dominican Republic. Herpetologica 44: 96-104.
Thomas, R. and Hedges, S. B. 1989. A New Celestus (Sauria: Anguidae) from the Chaine de la Selle of Haiti. Copeia, 1989: 886-891.
Thomas, R. and Hedges, S. B. 1991. Rediscovery and description of the Hispaniolan lizard Anolis darlingtoni (Sauria, Iguanidae). Caribbean Journal of Science 27: 90-93.

Thomas, R. and Hedges, S. B. 1992. An unusual new Sphaerodactylus from Hispaniola (Squamata, Gekkonidae). Journal of Herpetology 26: 289-292.
Thomas, R. and Hedges, S. B. 1993. A new banded Sphaerodactylus from eastern Hispaniola (Squamata: Gekkonidae). Herpetologica 49: 350-354.
Thomas, R. and Hedges, S. B. 1998. A new anguid lizard from Cuba. Copeia 1998: 97-103.
Thomas, R. and Hedges, S. B. 1998. A new gecko from the Sierra de Neiba of Hispaniola. Herpetologica 54: 333-336.
Thomas, R., Hedges, S. B. and Garrido, O. H. 1992. Two new species of Sphaerodactylus from eastern Cuba (Sauria, Gekkonidae). Herpetologica 48: 358-367.
Thomas, R., Hedges, S. B. and Garrido, O. H. 1998. A new gecko (Sphaerodactylus) from the Sierra Maestra of Cuba. Journal of Herpetology 32: 66-69.
Thompson, G. G. and Pianka, E. R. 2001. Allometry of clutch and neonate sizes in monitor lizards (Varanidae: Varanus). Copeia 2001: 443-458.
Thompson, G. G., and Withers, P. C. 1997. Comparative morphology of Western Australian varanid lizards (Squamata: Varanidae). Journal of Morphology 233: 127-152.
Thompson, M. B., Stewart, J. R., Speake, B. K., Russell, K. J., McCartney, R. J. and Surai, P. F. 1999. Placental nutrition in a viviparous lizard (Pseudemoia pagenstecheri) with a complex placenta. Journal of Zoology 248: 295-305.
Tihen, J. A. 1954. Gerrhonotine lizards recently added to the American Museum collection : with further revisions of the genus Abronia. American Museum novitates 1687: 1-26.
Tikader, B. K. and Sharma, R. C. 1995. Handbook of Indian lizards. Zoological Survey of India, Calcutta.
Tilbury, C. R. 1991. A new species of Chamaeleo Laurenti 1768 (Reptilia: Chamaeleonidae) from a relict montane forest in northern Kenya. Tropical Zoology 4: 159-165.
Tilbury, C. R. 1992. A new dwarf forest chameleon (Sauria: Rhampholeon Gunther 1874) from Malawi, central Africa. Tropical Zoology 5: 1-9.
Tilbury, C. R. 1998. Two new chameleons (Sauria: Chamaeleonidae) from isolated Afromontane forests in Sudan and Ethiopia. Bonn Zoologische Beitrage 47: 293-299.
Tilbury, C. R. and Emmrich, D. 1996. A new dwarf forest chameleon (Squamata: Rhampholeon Gunther 1874) from Tanzania, East Africa with notes on its infrageneric and zoogeographic relationships. Tropical Zoology 9: 61-71.
Tinkle, D. W. 1961. Population structure and reproduction in the lizard Uta stansburiana stejnegeri. American Midland Naturalist 66: 206–234.
Tinkle, D. W., Wilbur, H. M. and Tilley, S. G. 1970. Evolutionary strategies in lizard reproduction. Evolution, 24: 55-74.
Tocher, M. D. 2003. The diet of grand skinks (Oligosoma grande) and Otago skinks (O. otagense) in Otago seral tussock grasslands. New Zealand Journal of Zoology 30: 243–257.
Tornier, G. 1899. Drei reptilien aus Afrika. Zoologischer Anzeiger 22: 258-261.
Tornier, G. 1899. Neues uber Chamaeleons. Zoologischer Anzeiger 22: 408-414.
Tornier, G. 1900. Beschreibung eines neuen chamaeleons. Zoologischer Anzeiger 23: 21-23.
Tornier, G. 1900. Neue Liste der Crocodilen, Schildkröten und Eidechsen Deutsch-Ost-Afrikas. Zoologische Jahrbucher, Abteilung fur Systematik 13: 579-681.
Tornier, G. 1902. Die crocodile, schildkroten und eidechsen in Kamerun. Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 15: 663-677.
Tornier, G. 1902. Herpetologisch neues aus Deutsch-Ostafrika. Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 15: 578-590.
Tornier, G. 1904. Drei neue reptilien aus Ost-Africa. Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 19: 173-178.
Torres, S., Scrocchi, G. J. and Harvey, M. B. 2000. The South American tropidurid lizard Stenocercus marmoratus: redescription, distribution, and natural history. Journal of Herpetology, Vol. 34: 129-134.
Torres-Carvajal, O. 2004. The abdominal skeleton of tropidurid lizards (Squamata: Tropiduridae). Herpetologica 60: 75-83.
Torres-Carvajal, O. 2005. A new species of iguanian lizard (Stenocercus) from the western lowlands of southern Ecuador and northern Peru. Herpetologica 61: 78–85.
Torres-Carvajal, O. 2005. A new species of Stenocercus (Squamata, Iguania) from central-western Brazil with a key to Brazilian Stenocercus. Phyllomedusa 4: 111–120.
Torres-Carvajal, O. 2005. New Species of Stenocercus (Squamata: Iguania) from the Andes of Central Peru with a Redescription of S. variabilis. Journal of Herpetology 39: 471–477.
Torres-Carvajal, O. 2007. A taxonomic revision of south American Stenocercus (Squamata: Iguania) lizards. Herpetological Monographs, 21: 76-178.
Torres-Carvajal, O. 2007. New Andean species of Stenocercus (Squamata: Iguania) from the eastern Cordillera in Colombia. Copeia, 2007: 56–61.
Torres-Carvajal, O., Lehr, E. and Lundberg, M. 2005. Resurrection of Stenocercus torquatus Boulenger, a spiny-tailed iguanid lizard (Squamata: Iguania) from Peru. Herpetologica 61: 440-
Towns, D. R. 1994. The role of ecological restoration in the conservation of Whitaker's skink (Cyclodina whitakeri), a rare New Zealand lizard (Lacertilia: Scincidae). New Zealand Journal of Zoology, 21: 457-471.
Tri, N. V. and Bauer, A. M. 2008. Descriptions of two new species of Cyrtodactylus Gray 1827 (Squamata : Gekkonidae) endemic to southern Vietnam. Zootaxa 1715: 27-42.
Trivers, R. L. 1976. Sexual selection and resourceaccuring abilities in Anolis garmani. Evolution 30: 253–269.
Tzarevsky, S. F. 1927. The Lizards of the genus Phrynocephalus collected by the expeditions of P. Kozlow in Tibet 1899-1901 and in Mongolia and Sze-chuan 1907-1909. Comptes Rendus Akademia Sci. USSR, Leningrad, ser.A. pp.304-305.

Uetz, P. 2006. The reptile database CD-ROM edition, October 2006. Heidelberg, Germany.
Ugueto, G. N., Fuenmayor, G. R., Barros, T., Sanchezpacheco, S. J. and Garcia-Perez, J. E. 2007. A revision of the Venezuelan Anoles I: A new Anolis species from the Andes of Venezuela with the redescription of Anolis jacare Boulenger 1903 (Reptilia: Polychrotidae) and the clarification of the status of Anolis nigropunctatus Williams 1974. Zootaxa 1501: 1-30.
Urban, H. 1999. Eine neue agamenart der gattung Gonocephalus aus Papua - Neu Guinea (Squamata: Sauria: Agamidae). Herpetozoa 11: 185-188.
Uzzell T. 1966. Teiid lizards of the genus Neusticurus (Reptilia, Sauria). Bulletin of the American Museum of Natural History 132: 277–328.
Uzzell, T. 1973. A revision of the genus Prionodactylus with a new genus for P. leucostictus and notes on the genus Euspondylus (Sauria, Teiidae). Postilla 159: 1-67.
Uzzell, T. M. 1958. Teiid lizards related to Proctoporus luctuosus, with the description of a new species from Venezuela. Occasional Papers of the Museum of Zoology, University of Michigan 597: 1–15.
Uzzell, T. M. 1970. Teiid lizards of the genus Proctoporus from Bolivia and Peru. Postilla 142: 1–39.
Uzzell, T. M. and Barry, J. C. 1971. Leposoma percarinatum, a unisexual species related to L. guianense; and Leposoma ioanna, a new species from Pacific Coastal Colombia (Sauria, Teiidae). Postilla 154: 1-39.
Vaillant, L. 1884. Catalogue raisonne des reptiles et batraciens d'Assinie,donnes par M. Chaper au Museum d'Histoire Naturelle. Bulletin de la Societe Zoologique de France 1884: 343-354.
Valdez-Gonzalez, M. A. and Ramirez-Bautista, A. 2002. Reproductive characteristics of the spiny lizards, Sceloporus horridus and Sceloporus spinosus (Squamata : Phrynosomatidae) from Mexico. Journal of Herpetology 36: 36-43.
Valido, A. and Nogales, M. 2003. Digestive ecology of two omnivorous Canarian lizard species (Gallotia, Lacertidae). Amphibia-Reptilia 24: 331-344.
Valladares, J. F. 2004. Nueva especie de lagarto del género Liolaemus (Reptilia: Liolaemidae) del norte de Chile, previamente confundido con Liolaemus (= Phrynosaura) reichei. Cuadernos de Herpetología 18: 43-53.
Valladares, J. P., Etheridge, R., Schulte, J., Manriquez, G. and Spotorno, A. 2002. New lizard species from northern Chile, Liolaemus molinai (Reptilia: Liolaeminae). Revista Chilena de Historia Natural 75: 473-489.
van Barneveld, S. 2006. Two new records of Delma mitella Shea, 1987 from the wet tropics. Herpetofauna 36: 66-67.
van Buurt, G. 2005. Field guide to the reptiles and amphibians of Aruba, Curacao and Bonaire. Serpents Tale, Frankfurt.
Van Damme, R. and Vanhooydonck, B. 2002. Speed versus manoeuvrability: association between vertebral number and habitat structure in lacertid lizards. Journal of Zoology 258: 327-334.
Van Denburgh, J. 1894. Descriptions of three new lizards from California and Lower California, with a note on Phrynosoma blainvillii. Proceedings of the California Academy of Sciences, 2nd Series 4: 296–301.
Van Denburgh, J. 1896. A list of some reptiles from southeastern Arizona, with a description of a new species of Cnemidophorus. Proceedings of the California Academy of Sciences 6: 338-
Van Denburgh, J. 1912. Expedition of the California Academy of Sciences to the Galapagos Islands, 1905-1906. VI. The geckos of the Galapagos Archipelago. Proceedings of the California Academy of Sciences 1: 405-430.
Van Denburgh, J. 1922. The Reptiles of Western North America. Volume I. Lizards. Occasional Papers of the California Academy of Sciences 10: 1–612.
Van Denburgh, J. and Slevin, J. R. 1913. Expedition of the California Academy of Sciences to the Galapagos Islands, 1905-1906. IX. The Galapagoan lizards of the genus Tropidurus with notes on iguanas of the genera Conolophus and Amblyrhynchus. Proceedings of the California Academy of Science (series 4) 2: 132-202.
Van Devender, R. W. 1982. Growth and ecology of spiny-tailed and green iguanas in Costa Rica, with comments on the evolution of herbivory and large body size. Pages 162-183 in G. M. Burghardt and A. S. Rand, editors. Iguanas of the World: Their Behaviour, Ecology and Conservation. Noyes Publications, New Jersey.
Vance, T. 1978. The identity of Cnemidophorus vittatus Boulenger (Reptilia, Lacertilia, Teiidae) with a redescription of the holotype. Journal of Herpetology 12: 98-100.
Vanhooydonck, B. and Van Damme, R. 1999. Evolutionary relationships between body shape and habitat use in lacertid lizards. Evolutionary Ecology Research, 1: 785–805.
Vanhooydonck, B., Van Damme, R. and Aerts, P. 2000. Ecomorphological correlates of habitat partitioning in Corsican lacertid lizards. Functional Ecology 14: 358–368.
Vanzolini, P. E. 1961. Bachia: especies Brasileiras e conceito generico (Sauria: Teiidae). Papeis Avulsos de Zoologia 14: 193-209.
Vanzolini, P. E. 1978. On South American Hemidactylus (Sauria, Gekkonidae). Papeis Avulsos de Zoologia 31: 307-343.
Vanzolini, P. E. 1982. A new Gymnodactylus from Minas Gerais, Brasil, with remarks on the genus on the area and on the montane endemisms in Brasil (Sauria, Gekkonidae). Papeis Avulsos de Zoologia 34: 403-413.
Vanzolini, P. E. 2005. On Gymnodactylus amarali Barbour, 1925, with the description of a new species (Sauria, Gekkonidae). Anais da Academia Brasileira de Ciencias 77: 595-611.
Vanzolini, P. E. and Ramos, A. M. M. 1977. A new species of Colobodactylus, with notes on the distribution of a group of stranded microteiid lizards (Sauria, Teiidae). Papeis Avulsos de Zoologia 31: 19-47.

Vanzolini, P. E. and Reboucas-Spieker, R. 1976. Distribution and differentation of animal along the coast and on continental islands of the state of São Paulo, Brazil. 3. Reproductive differences between and within Mabuya caissara and Mabuya macrorhyncha (Sauria: Scincidae). Papeis Avulsos de Zoologia 29: 95-109.
Vaz-Ferreira, R. and Sierra de Soriano, B. 1961. Un nuevo Gekkonidae del Uruguay Wallsaurus uruguayensis n. Sp. Comunicaciones Zoologicas del Museo de Historia Natural de Montevideo, 5: 1-11.
Vega, L. E., Bellagamba, P. J. and Fitzgerald, L. A. 2000. Long-term effects of anthropogenic habitat disturbance on a lizard assemblage inhabiting coastal dunes in Argentina. Canadian Journal of Zoology 78: 1653–1660.
Velasco, J. A. and Herrel, A. 2007. Ecomorphology of Anolis lizards of the Choco region in Colombia and comparisons with Greater Antillean ecomorphs. Biological Journal of the Linnean Society, 92: 29–39.
Vences, M., Galan, P. and Vieites, D. R. 2004. Weak expression of reproductive seasonality in a dwarf gecko (Lygodactylus verticillatus) from arid southwestern Madagascar. Journal of Arid Environments 56: 329–338.
Vences, M., Ziegler, T., Visser, S. and Andreone, F. 1999. New data on the zoogeography and genital morphology of the lizards Zonosaurus brygooi Lang & Bohme 1990 and Z. aeneus (Grandidier 1872) from Madagascar (Reptilia Squamata Gerrhosauridae). Tropical Zoology 12: 145-155.
Verrastro, L., Veronese, L., Bujes, C. and Dias Filho, M. M. 2003. A new species of Liolaemus from southern Brazil (Iguania: Tropiduridae). Herpetologica, 59: 105–118.
Verwaijen, D. and Van Damme, R. 2008. Foraging mode and locomotor capacities in Lacertidae. Amphibia-Reptilia 29: 197-206.
Verwaijen, D., Van Damme, R. and Herrel, A. 2002. Relationships between head size, bite force, prey handling efficiency and diet in two sympatric lacertid lizards. Functional Ecology 16:
Vesey-Fitzgerald, D. 1947. Reptiles and amphibians from the Seychelles Archipelago. Annals and Magazine of Natural History (11) 14: 577-584.
Vidal, M. A., Veloso, A. and Mendez, M. A. 2006. Insular morphological divergence in the lizard Liolaemus pictus (Liolaemidae). Amphibia-Reptilia 27: 103-111.
Vindum, J. V., Win, H., Thin, T., Lwin, K. S., Shein, A. K. and Tun, H. 2003. A New Calotes (Squamata: Agamidae) from the Indo-Burman Range of Western Myanmar (Burma). Proceedings of the California Academy of Sciences 54: 1-8.
Vinson, J., and Vinson, J.-M. 1969. The saurian fauna of the Mascarene Islands. Mauritius Institute Bulletin, 6: 203-320.
Visser, J. 1987. A new Homopholis (Sauria, Gekkonidae) from the northern Transvaal with a discussion of some generic characters. South African Journal of Zoology 22: 110-114.
Vitt, L. J. 1985. On the biology of the little known anguid lizard, Diploglossus lessonae in northeast Brazil. Papeis Avulsos de Zoologia, 36: 69-76.
Vitt, L. J. 1986. Reproductive tactics of sympatric gekkonid lizards with a comment on the evolutionary and ecological consequences of invariant clutch size. Copeia 1986: 773-786.
Vitt, L. J. 1991. Ecology and life history of the wide-foraging lizard Kentropyx calcarata (Teiidae) in Amazonian Brazil. Canadian Journal of Zoology 69: 2791-2799.
Vitt, L. J. 2000. Ecological consequences of body size in neonatal and small-bodied lizards in the neotropics. Herpetological Monographs 14: 388-400.
Vitt, L. J. and Blackburn, D. G. 1991. Ecology and Life History of the viviparous lizard Mabuya bistriata (Scincidae) in the Brazilian Amazon. Copeia 1991: 916-927.
Vitt, L. J. and Breitenbach, G. L. 1993. Life histories and reprodactive tactics among lizards in the genus Cnemidophorus (Sauria: Teiidae). pages 211-243 in J. W. Wright and L. J. Vitt (editors), Biology of Whiptail Lizards (Genus Cnemidophorus). Oklahoma Museum of Natural History, Norman.
Vitt, L. J. and Caldwell, J. P. 1993. Ecological observations on cerrado lizards in Rondonia, Brazil. Journal of Herpetology 27: 46-52.
Vitt, L. J. and Cooper, W. E. 1986. Foraging and diet of a diurnal predator (Eumeces laticeps) feeding on hidden prey. Journal of Herpetology, 20: 408-415.
Vitt, L. J. and de Carvalho, C. M. 1992. Life in the trees: the ecology and life history of *Kentropyx striatus* (Teiidae) in the lavrado area of Roraima, Brazil, with comments on the life histories of tropical teiid lizards. Canadian Journal of Zoology 70: 1995-2006.
Vitt, L. J. and de Carvalho, C. M. 1995. Niche partitioning in a tropical wet season: lizards in the lavrado area of northern Brazil. Copeia 1995: 305-329.
Vitt, L. J. and Zani, P. A. 1998. Ecological relationships among sympatric lizards in a transitional forest in the northern Amazon of Brazil. Journal of Tropical Ecology 14: 63–86.
Vitt, L. J., Avila-Pires, T. C. S., Zani, P. A. and Esposito, M. C. 2002. Life in shade: the ecology of Anolis trachyderma (Squamata: Polychrotidae) in Amazonian Ecuador and Brazil, with comparisons to ecologically similar anoles. Copeia, 2002: 275-286.
Vitt, L. J., Avila-Pires, T. C. S., Zani, P. A., Esposito, M. C. and Sartorius, S. S. 2003. Life at the interface: ecology of Prionodactylus oshaughnessyi in the western Amazon and comparisons with P-argulus and P-eigenmanni. Canadian Journal of Zoology 81: 302-312.
Vitt, L. J., Pianka, E. R., Cooper, W. E. and Schwenk, K. 2003. History and the global ecology of squamate reptiles. American Naturalist 162: 44-60.
Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S., Zani, P. A. and Esposito, M. C. 2005. Small in A big world: ecology of leaf-litter geckos in New world tropical forests. Herpetological Monographs, 19: 137–152.
Vitt, L. J., Shepard, D. B., Vieira, G. H. C. Caldwell, J. P., Colli, G. R. and Mesquita, D. O. 2008. Ecology of Anolis nitens brasiliensis in Cerrado Woodlands of Cantao. Copeia 2008: 144-

Vitt, L. J., Souza, R. A., Sartorius, S. S., Avila-Pires, T. C. S. and Esposito, M. C. 2000. Comparative ecology of sympatric Gonatodes (Squamata: Gekkonidae) in the western Amazon of Brazil. Copeia, 2000: 83–95.
Vitt, L. J., Zani, P. A., Caldwell, J. P. and Durtsche, R. D. 1993. Ecology of the whiptail lizard Cnemidophorus deppii on a tropical beach. Canadian Journal of Zoology 71: 2391-2400.
Vitt, L. J., Zani, P. A., Caldwell, J. P., Araujo, M. C. and Magnusson, W. E. 1997, Ecology of whiptail lizards (Cnemidophorus) in the Amazon region of Brazil. Copeia 1997: 745-757.
Vogt, T. 1932. Beitrag zur reptilienfauna der ehemaligen kolonie Deutsch-Neuguinea. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin 5-7: 281-294.
Vrcibradic, D. and Rocha, C. F. D. 1996. Ecological differences tropical sympatric skinks (Mabuya agilis and Mabuya macrorhyncha) in Southeastern Brazil. Journal of Herpetology, 30: 60-
Vrcibradic, D. and Rocha, C. F. D. 2005. Observations on the natural history of the lizard Mabuya macrorhyncha Hoge (Scincidae) in Queimada Grande Island, Sao Paulo, Brazil. Revista Brasileira de Zoologia 22: 1185 -1190.
Vrcibradic, D., Almeida-Gomes, M., Borges-Junior, V. N. T., Kiefer, M. C., Van Sluys, M. and Reptilia, Rocha, C. F. D. 2006. Scincidae, Mabuya frenata: distribution extension. Check List
Wake, D. B. and Kluge, A. G. 1961. The Machris expedition to Tchad, Africa: amphibians and reptiles. Contributions in Science, Natural History Museum of Los Angeles County 40: 1-12.
Walker, C. F. 1955. Two new lizards of the genus Lepidophyma from Tamaulipas. Occasional Papers of the Museum of Zoology, University of Michigan 564: 1-10
Walker, J. M. 1981. Population structure and reproductive characteristics in Cnemidophorus parvisocius (Lacertilia: Teiidae). American Midland Naturalist, 105: 217-224.
Walker, J. M., Cordes, J. E. and Taylor, H. L. 1997. Parthenogenetic Cnemidophorus tesselatus complex: a neotype for diploid C. tesselatus (Say, 1823), redescription of the taxon and description of a new triploid species. Herpetologica, 53: 233-239.
Walker, J. M., Cordes, J. E., Mendoza Quijano, F. and Hernandez Garcia, E. 1996 Implications of extraordinary variation in the little striped whiptail lizard, Cnemidophorus inornatus Baird (Sauria: Teiidae) in Chihuahua, Mexico. Journal of Herpetology 30: 271-275.
Walker, J. M., Lemos-Espinal, J. A., Cordes, J. E., Taylor, H. L. and Smith, H. M. 2001. Allocation of populations of whiptail Lizards to septemvittatus Cope, 1892 (genus Cnemidophorus) in Chihuahua, Mexico, and the scalaris problem. Copeia, 2001: 747–765.
Wall, M. and Shine, R. 2007. Dangerous food: lacking venom and constriction, how do snake-like lizards (Lialis burtonis, Pygopodidae) subdue their lizard prey? Biological Journal of the Linnean Society, 91: 719–727.
Waltner, R. C. 1991. Altitudinal ecology of Agama tuberculata Gray in the western Himalayas. University of Kansas Museum of Natural History Miscellaneous Publications 83: 1-74.
Wang, G., Fan, Y., Jai, R. X., Li, X. J. and Chan, S. R. 1989. A new species of Teratoscincus from Xinjiang, China. Journal of August 1st Agriculture College 4 (12): 10-14.
Wang, Y., Zeng, X., Fang, Z., Liu, Z., Wu, G., Papenfuss, T., and Macey, R. 1996. A New Species of the Genus Phrynocephalus—Phrynocephalus zetanensis (zetangensis) sp. nov., Zoological Research 17: 27–29.
Watkins, G. G. 1996. Proximate causes of sexual size dimorphism in the iguanian lizard Microlophus occipitalis. Ecology, 77: 1473-1482.
Webb, J. and Shine, R. 1994. Feeding habits and reproductive biology of Australian pygopodid lizards of the genus Aprasia. Copeia 1994: 390-398.
Webb, R. G. 1970. Another new night lizard (Xantusia) from Durango, Mexico. Los Angeles County Museum Contributions in Science 194: 1-10.
Werler, J. E., and Campbell, J. A. 2004. A new lizard of the genus Diploglossus (Anguidae: Diploglossinae) from the Tuxtlan Faunal Region, Veracruz, Mexico. Southwestern Naturalist 49:
Werner, F. 1894. Herpetologische nova. Zoologischer Anzeiger 17: 410-415.
Werner, F. 1895. Uber eine sammlung von reptilien aus Persien, Mesopotamien und Arabien. Verhandllungen der Kaiserlich-kongiglichen Zoologish-Botanischen Gesellschaft in Wien 45:
Werner, F. 1908. Ergebnisse der mit subvention aus der erbschaft treitl unternommenen zoologischen Forschungsreise Dr. Franz Werner's nach nach dem Ägyptischen Sudan und Norduganda. XII. die reptilien und amphibien. Sitzungsber Akademie der Wissenschaften Wien 116: 1823-1926.
Werner, F. 1910. Uber neue oder seltene reptilien des Naturhistorischen Museums in Hamburg. ii. Eidechsen. Hamburg Jahrbucher Wiss. Anst. 27, suppl. no. 2, pp. 1-46.
Werner, F. 1916. Bemerkungen über einige niedere wirbeltiere der Anden von Kolumbien mit beschreibungen neuer arten. Zoologischer Anzeiger 47: 305-311.
Werner, F. 1929. Beitrage zur Kenntnis der Fauna von Syrien und Persien. Zoologischer Anzeiger 81: 238-245.
Werner, Y. L. 2004. A new species of the Acanthodactylus pardalis group (Reptilia: Lacertidae) from Jordan. Zoology in the Middle East, 32: 39–46.
Werner, Y. L. and Igic P. G. 2002. The middle ear of gekkonoid lizards: interspecific variation of structure in relation to body size and to auditory sensitivity. Hearing Research 167: 33 -45.
Werner, Y. L. and Seifan, T. 2006. Eye size in geckos: asymmetry, allometry, sexual dimorphism, and behavioral correlates. Journal of Morphology 267: 1486-1500.
Whitaker, A. H., Tocher, M. and Blair, T. 2002. Conservation of lizards in Otago Conservancy, 2002-2007. Department of Conservation, Wellington.
Whitaker, T. and Lyall, J. 2004. Conservation of Lizards in West Coast/Tai Poutini Conservancy. Department of Conservation, Wellington.
Wickramasinghe, L. J. M. 2006. A new species of Cnemaspis (Sauria: Gekkonidae) from Sri Lanka. Zootaxa 1369: 19-33.

Wickramasinghe, L. J. M., Rodrigo, R., Dayawansa, N. and Jayantha, U. L. D. 2007. Two new species of Lankascincus (Squamata: Scincidae) from Sripada Sanctuary (Peak Wilderness), in Sri Lanka. Zootaxa 1612: 1-24.
Wiens, J. J. and Slingluff, J. L. 2001. How lizards turn into snakes: A phylogenetic analysis of body-form evolution in anguid lizards. Evolution, 55: 2303–2318.
Wiens, J. J., Brandley, M. C. and Reeder, T. W. 2006. Why does a trait evolve multiple times within a clade? Repeated evolution of snake-like body form in squamate reptiles. Evolution 60:
Wiewandt, T. A. 1982. Adaptations to herbivory in iguanine lizards. Pages 119-141 in G. M. Burghardt and A. S. Rand, editors. Iguanas of the World: Their Behaviour, Ecology and Conservation. Noyes Publications, New Jersey.
Wikelski, M. 2005. Evolution of body size in Galapagos marine iguanas. Proceedings of the Royal Society B. 272: 1985–1993.
Wikelski, M. and Carbone, C. 2004. Environmental scaling of body size in island populations of Galapagos marine iguanas. Pages 148-157 in Alberts, A. (editor). Iguanas: Biology and Conservation. University of California Press, Berkeley.
Williams, E. E. 1974. A case history in retrograde evolution: the onca lineage in anoline lizards. I. Anolis annectens new species, intermediate between the genera Anolis and Tropidodactylus. Breviora 421: 1-21.
Williams, E. E. 1974. South American Anolis: Three new species related to Anolis nigrolineatus and A. dissimilis. Breviora 422: 1-15.
Williams, E. E. 1983. Ecomorphs, faunas, island size and diverse end points in island radiations of Anolis. Pages 326-370 in Huei, R. B., Pianka, E. R. and Schoener, T. W. (eds). Lizard ecology, studies of a model organism. Harvard University Press, Cambridge, Mass.
Williams, E. E. 1984. New or problematic Anolis from Colombia. 2. Anolis propinquus, another new species from the cloud forest of western Colombia. Breviora 477: 1-7.
Williams, E. E. 1984. New or problematic Anolis from Colombia. 3. Two new semiaquatic anoles from Antioquia and Choco, Colombia. Breviora 478: 1-22.
Williams, E. E. 1986. Anolis vicarius, new species, related to A. granuliceps. Caldasia 15: 451-459.
Williams, E. E. 1988. New or problematic Anolis from Colombia. 5. Anolis danieli, a new species of the latifrons species group and a reassessment of Anolis apollinaris Boulenger, 1919. Breviora 489: 1-25.
Williams, E. E. 1992. New or problematic Anolis from Colombia. 7. Anolis lamari, a new anole from the Cordillera Oriental of Colombia, with a discussion of tigrinus and punctatus species group boundaries. Breviora 495: 1-24.
Williams, E. E. and Duellman, W. E. 1984. Anolis fitchi, a new species of the Anolis aequatorialis group from Ecuador and Colombia. Publications of the Museum of Natural History, University of Kansas 10: 257-266.
Williams, E. E., Orces V, G., Matheus, J. A. and Bleiweiss, R. 1996. A new giant phenacosaur from Ecuador. Breviora 505: 1-32.
Williams, E. E., Praderio, M. J. and Gorzula, S. 1996. A Phenacosaur from Chimanta Tepui, Venezuela. Breviora 506: 1-15.
Wilms, T. and Bohme, W. 2000. A new Uromastyx species from south-eastern Arabia, with comments on the taxonomy of Uromastyx aegyptia (Forskål, 1775) (Squamata: Sauria. Agamidae). Herpetozoa 13: 133-148.
Wilms, T. and Bohme, W. 2001. Revision der Uromastyx acanthinura - artengruppe, mit beschreibung einer neuen art aus der Zentralsahara (Reptilia: Sauria: Agamidae). Zoologische Abhandlungen, Staatliches Museum fur Tierkunde, Dresden 51: 73-104.
Wilms, T. M. and Schmitz, A. 2007. A new polytypic species of the genus Uromastyx Merrem 1820 (Reptilia: Squamata: Agamidae: Leiolepidinae) from southwestern Arabia. Zootaxa
Wilson, S. and Swan, G. 2003. A complete field guide to reptiles of Australia. Reed New Holland, Sydney.
Wright, J. L., Bauer, A. M. and Sadlier, R. A. 2000. Two new gecko species allied to Bavayia sauvagii and Bavayia cyclura (Reptilia: Diplodactylidae) from New Caledonia. Pacific Science
Wright, J. W. 1967. A new uniparental whiptail lizard (genus Cnemidophorus) from Sonora, Mexico. Journal of the Arizona Academy of Science 4: 185-193.
Wright, J. W. and Lowe, C. H. 1965. The rediscovery of Cnemidophorus arizonae Van Denburgh. Journal of the Arizona Academy of Science 3: 164-168.
Wright, J. W. and Lowe, C. H. 1993. Synopsis of the subspecies of the little striped whiptail lizard, Cnemidophorus inornatus BAIRD. Journal of the Arizona-Nevada Academy of Sciences 27: 129-157.
Wymann, M. N. and Whiting, M. J. 2002. Foraging ecology of rainbow skinks (Mabuya margaritifer) in Southern Africa. Copeia 2002: 943-957.
Xu, X-F. and Ji, X. 2006. Ontogenetic shifts in thermal tolerance, selected body temperature and thermal dependence of food assimilation and locomotor performance in a lacertid lizard, Eremias brenchleyi. Comparative Biochemistry and Physiology A 143: 118–124.
Yanez, J. L. and Nunez, H. 1983. Liolaemus fabiani, a New Species of Lizard from Northern Chile (Reptilia: Iguanidae). Copeia, 1983: 788-790.
Yanez-Munoz, M., Ortiz M. F. and Altamirano B. M. 2006. Reptilia, Polychrotidae, Polychrus peruvianus: new country record, Ecuador. Check List 2: 63-64.
Yang, D. T, Su, C. Y. and Li, S. M. 1979. New species and new subspecies of amphibians and reptiles from Gaoligong Shan, Yunnan. Acta Zootaxonomica Sinica 4: 185-188.

Yang, R. 1983. A new species of the genus Ophisaurus from Hainan Island. Acta Herpetologica Sinica 2: 67-69.
Yeriomchenko, V. K. and Panfilov, A. M. 1990. Ablepharus darvazi sp. nov. - new species Ablepharus (Sauria, Scinsidae [Scincidae]) from Tadjikistan. Izvestiya Akademii Nauk Kirgizskoi Ssr Khimiko-Tekhnologicheskie Biologicheskie Nauki 1990 (4): 56-63.
Young-Downey, A. and Moreno, J. 1991. A new species of tropidurine lizard (Squamata: Tropiduridae) from Los Andes of north Chile. Gayana Zoologia 55: 391-396.
Zaldivar-Riveron, A. and de Oca, A. N.-M. 2002. Variation in the Rare Lizard Barisia rudicollis (Wiegmann) (Anguidae) with Description of a New Species from Central Mexico. Herpetologica, 58: 313–326.
Zamudio, K. R. and Parra-Olea, G. 2000. Reproductive Mode and Female Reproductive Cycles of Two Endemic Mexican Horned Lizards (Phrynosoma taurus and Phrynosoma braconnieri). Copeia, 2000: 222–229.
Zhao, E. and Li, S. 1984. A new species of Calotes (Lacertilia: Agamidae) from Xizang (Tibet). Acta Herpetologica Sinica 3: 77-78.
Zhao, E. and Li, S. 1987. A new lizard of Tenuidactylus and a new Tibetan snake record of Amphiesma. Acta Herpetologica Sinica 6: 48-51.
Zhao, E. M. 1998. A new species of Laudakia from Xizang (Tibet) (Sauria: Agamidae). Zoological Research, 19: 401-404.
Zhao, E. M. 1998. A new species of the genus Laudakia from Xizang (Tibet) Autonomus Region. Acta Zootaxonomica Sinica, 23: 440-444.
Zhao, E. M., Zha, K. T. and Zhou, K. Y. (Editors). 1999. Fauna Sinica. Reptilia Vol. 2. Squamata. Lacertilia. Science Press, Beijing.
Zhao, K. 1979. A Study of the classification and distibution of the toad-headed agamids (Phrynocephalus) in China. Acta Scientiarum Naturalium Universitatis Intramongolicae 1979: 111-
Ziegler, T. 2002. Die Amphibien und Reptilien eines Tieflandfeuchtwald-Schutzgebietes in Vietnam. Natur und Tier-Verlag
Ziegler, T., Bohme, W. and Schmitz, A. 2007. A new species of the Varanus indicus group (Squamata, Varanidae) from Halmahera Island, Moluccas: morphological and molecular evidence. Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe 83 (Supplement): 109-119.
Ziegler, T., Ohler, A., Thanh, V. N., Quyet, L. C., Thuan, N. X., Tri, D. H. and Thanh, B. N. 2006. Review of the amphibian and reptile diversity of Phong Nha – Ke Bang National Park and adjacent areas, central Truong Son, Vietnam. Proceedings of the 13th Congress of the Societas Europaea Herpetologica. pp. 247-262.
Ziegler, T., Rosler, H., Herrmann, H.-W. and Vu, N. T. 2002. Cyrtodactylus phongnhakebangensis sp. n., ein neuer Bogenfingergecko aus dem annamitischen Karstwaldmassiv, Vietnam. Herpetofauna, 24: 11-25.
Ziegler, T., Schmitz, A., Koch, A. and Bohme, W. 2007. A review of the subgenus Euprepiosaurus of Varanus (Squamata: Varanidae): morphological and molecular phylogeny, distribution and zoogeography, with an identification key for the members of the V. indicus and the V. prasinus species groups. Zootaxa 1472: 1-28.
Ziegler, T., Thanh, V. N. and Thanh, B. N. 2005. A new water skink of the genus Tropidophorus from the Phong Nha-Ke Bang National Park, central Vietnam. Salamandra, 41: 137-146.
Zug, G. R. 1985. A new skink (Reptilia: Sauria: Leiolopisma) from Fiji. Proceedings of the Biological Society of Washington 98: 221-231.
Zug, G. R. 1985. Pacific Island Lizards: Status of Type Specimens from the US Exploring Expedition 1838-1842. Copeia 1985: 150-154.
Zug, G. R. 1991. The lizards of Fiji: natural history and systematics. Bishop Museum Bulletin of Zoology 2: 1-136.
Zug, G. R. 2004. Systematics of the Carlia "fusca" lizards (Squamata: Scincidae) of New Guinea and nearby islands. Bishop Museum Bulletin in Zoology 5: 1-84.
Zug, G. R. and Allison, A. 2006. New Carlia fusca complex lizards (Reptilia: Squamata: Scincidae) from New Guinea, Papua-Indonesia. Zootaxa 1237: 27-44.
Zug, G. R. and Ineich, I. 1995. A new skink (Emoia: Lacertilia: Reptilia) from the forest of Fiji. Proceedings of the Biological Society of Washington 108: 395-400.
Zug, G. R., Brown, H. H. K., Schulte, J. A. and . Vindum, J. V. 2006. Systematics of the Garden Lizards, Calotes versicolor Group (Reptilia, Squamata, Agamidae), in Myanmar: Central Dry Zone Populations. Proceedings of the California Academy of Sciences 57: 35–68.
Zug, G. R., Vitt, L. J. and Caldwell, J. P. 2001. Herpetology. 2nd edition. Academic Press, San Diego.
Zug, G. R., Watling, D., Alefaio, T., Alefaio, S. and Ludescher, C. 2003. A new gecko (Reptilia: Squamata: genus Lepidodactylus) from Tuvalu, South-central Pacific. Proceedings of the Biological Society of Washington 116: 38-46.
Zug, G. R., Win, H., Thin, T., Min, T. Z., Lhon, W. Z. and Kyaw, K. 1998. Herpetofauna of the Chatthin Wildlife Sanctuary, north-central Myanmar with preliminary observations of their Natural History. Hamadryad 23: 111-120.
Zugmayer, E. 1909. Beitrage zur Herpetologie von Zentral-Asien. Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 27: 481-508.
Zweifel, R. G. 1966. A new lizard of the genus Tribolonotus (Scincidae) from New Britain. American Museum novitates 2264:
Zweifel, R. G. 1979. Variation in the scincid lizard Lipinia noctua and notes on other Lipinia from the New Guinea region. American Museum Novitates 2676: 1-21.
Zweifel, R. G. 1980. Results of the Archbold Expeditions No. 103. Frogs and lizards from the Huon Peninsula, Papua New Guinea. Bulletin of the American Museum of Natural History 165:

Appendix 2

Appendix S2 – Lizard body sizes

Body sizes are maximum snout-vent lengths (SVL, in mm) obtained from the sources in appendix 1.

Family designation follows Uetz (2006). Taxon is the clade identified in Townsend et al. (2004).

Family	Taxon	*Species*	SVL (mm)	Remarks
Agamidae	Agamidae	*Acanthocercus_adramitanus*	150	
Agamidae	Agamidae	*Acanthocercus_annectens*	152	
Agamidae	Agamidae	*Acanthocercus_atricollis*	171	
Agamidae	Agamidae	*Acanthocercus_cyanogaster*	167	
Agamidae	Agamidae	*Acanthocercus_phillipsii*	112	
Agamidae	Agamidae	*Acanthocercus_trachypleurus*	71	
Agamidae	Agamidae	*Acanthocercus_yemensis*	130	
Agamidae	Agamidae	*Acanthocercus_zonurus*	75	
Agamidae	Agamidae	*Acanthosaura_armata*	140	
Agamidae	Agamidae	*Acanthosaura_capra*	137.9	
Agamidae	Agamidae	*Acanthosaura_crucigera*	140	
Agamidae	Agamidae	*Acanthosaura_lepidogaster*	111	
Agamidae	Agamidae	*Acanthosaura_nataliae*	158	
Agamidae	Agamidae	*Agama_aculeata*	117	
Agamidae	Agamidae	*Agama_agama*	140	
Agamidae	Agamidae	*Agama_anchietae*	140	
Agamidae	Agamidae	*Agama_armata*	94	
Agamidae	Agamidae	*Agama_atra*	140	
Agamidae	Agamidae	*Agama_bocourti*	80	
Agamidae	Agamidae	*Agama_bottegi*	120	
Agamidae	Agamidae	*Agama_boueti*	102	
Agamidae	Agamidae	*Agama_boulengeri*	103	
Agamidae	Agamidae	*Agama_caudospinosa*	144	
Agamidae	Agamidae	*Agama_cornii*	50	
Agamidae	Agamidae	*Agama_doriae*	113	
Agamidae	Agamidae	*Agama_etoshae*	75	
Agamidae	Agamidae	*Agama_gracilimembris*	57.6	
Agamidae	Agamidae	*Agama_hartmanni*	75	
Agamidae	Agamidae	*Agama_hispida*	134	
Agamidae	Agamidae	*Agama_impalearis*	131	
Agamidae	Agamidae	*Agama_insularis*	70	
Agamidae	Agamidae	*Agama_kirkii*	115	
Agamidae	Agamidae	*Agama_mehelyi*	70	
Agamidae	Agamidae	*Agama_montana*	87	
Agamidae	Agamidae	*Agama_mossambica*	120	
Agamidae	Agamidae	*Agama_mwanzae*	95	
Agamidae	Agamidae	*Agama_paragama*	108	
Agamidae	Agamidae	*Agama_persimilis*	85	
Agamidae	Agamidae	*Agama_planiceps*	148	
Agamidae	Agamidae	*Agama_robecchii*	137	
Agamidae	Agamidae	*Agama_rueppelli*	90	
Agamidae	Agamidae	*Agama_sankaranica*	70	
Agamidae	Agamidae	*Agama_spinosa*	126	
Agamidae	Agamidae	*Agama_weidholzi*	59	
Agamidae	Agamidae	*Amphibolurus_muricatus*	125	
Agamidae	Agamidae	*Amphibolurus_nobbi*	84	
Agamidae	Agamidae	*Amphibolurus_norrisi*	117	
Agamidae	Agamidae	*Aphaniotis_acutirostris*	72	
Agamidae	Agamidae	*Aphaniotis_fusca*	70	
Agamidae	Agamidae	*Aphaniotis_ornata*	57	
Agamidae	Agamidae	*Brachysaura_minor*	90	
Agamidae	Agamidae	*Bronchocela_celebensis*	119.4	
Agamidae	Agamidae	*Bronchocela_cristatella*	130	
Agamidae	Agamidae	*Bronchocela_danieli*	80	
Agamidae	Agamidae	*Bronchocela_hayeki*	120	
Agamidae	Agamidae	*Bronchocela_jubata*	150	
Agamidae	Agamidae	*Bronchocela_marmorata*	125	
Agamidae	Agamidae	*Bronchocela_orlovi*	109.6	
Agamidae	Agamidae	*Bronchocela_smaragdina*	113	
Agamidae	Agamidae	*Bronchocela_vietnamensis*	122	

Agamidae	Agamidae	*Bufoniceps_laungwalaensis*	69
Agamidae	Agamidae	*Caimanops_amphiboluroides*	94
Agamidae	Agamidae	*Calotes_andamanensis*	85
Agamidae	Agamidae	*Calotes_bhutanensis*	61
Agamidae	Agamidae	*Calotes_calotes*	140
Agamidae	Agamidae	*Calotes_ceylonensis*	83
Agamidae	Agamidae	*Calotes_chincollium*	142.9
Agamidae	Agamidae	*Calotes_desilvai*	76
Agamidae	Agamidae	*Calotes_ellioti*	76.2
Agamidae	Agamidae	*Calotes_emma*	125
Agamidae	Agamidae	*Calotes_grandisquamis*	145
Agamidae	Agamidae	*Calotes_htunwini*	91.4
Agamidae	Agamidae	*Calotes_irawadi*	106.8
Agamidae	Agamidae	*Calotes_jerdoni*	120
Agamidae	Agamidae	*Calotes_kingdonwardi*	100
Agamidae	Agamidae	*Calotes_liocephalus*	91
Agamidae	Agamidae	*Calotes_liolepis*	91.6
Agamidae	Agamidae	*Calotes_maria*	120
Agamidae	Agamidae	*Calotes_medogensis*	76
Agamidae	Agamidae	*Calotes_mystaceus*	158
Agamidae	Agamidae	*Calotes_nemoricola*	145
Agamidae	Agamidae	*Calotes_nigrigularis*	70
Agamidae	Agamidae	*Calotes_nigrilabris*	105
Agamidae	Agamidae	*Calotes_rouxii*	77
Agamidae	Agamidae	*Calotes_versicolor*	146
Agamidae	Agamidae	*Ceratophora_aspera*	44.5
Agamidae	Agamidae	*Ceratophora_erdeleni*	84
Agamidae	Agamidae	*Ceratophora_karu*	33.7
Agamidae	Agamidae	*Ceratophora_stoddartii*	85
Agamidae	Agamidae	*Ceratophora_tennentii*	90
Agamidae	Agamidae	*Chelosania_brunnea*	118
Agamidae	Agamidae	*Chlamydosaurus_kingii*	272.6
Agamidae	Agamidae	*Cophotis_ceylanica*	67
Agamidae	Agamidae	*Coryphophylax_subcristatus*	111.8
Agamidae	Agamidae	*Cryptagama_aurita*	46
Agamidae	Agamidae	*Ctenophorus_caudicinctus*	100
Agamidae	Agamidae	*Ctenophorus_clayi*	58
Agamidae	Agamidae	*Ctenophorus_cristatus*	110
Agamidae	Agamidae	*Ctenophorus_decresii*	90
Agamidae	Agamidae	*Ctenophorus_femoralis*	57
Agamidae	Agamidae	*Ctenophorus_fionni*	96
Agamidae	Agamidae	*Ctenophorus_fordi*	58
Agamidae	Agamidae	*Ctenophorus_gibba*	82
Agamidae	Agamidae	*Ctenophorus_isolepis*	83
Agamidae	Agamidae	*Ctenophorus_maculatus*	67
Agamidae	Agamidae	*Ctenophorus_maculosus*	70
Agamidae	Agamidae	*Ctenophorus_mckenziei*	77
Agamidae	Agamidae	*Ctenophorus_nuchalis*	120
Agamidae	Agamidae	*Ctenophorus_ornatus*	93
Agamidae	Agamidae	*Ctenophorus_pictus*	74.9
Agamidae	Agamidae	*Ctenophorus_reticulatus*	108
Agamidae	Agamidae	*Ctenophorus_rufescens*	97
Agamidae	Agamidae	*Ctenophorus_salinarum*	77.9
Agamidae	Agamidae	*Ctenophorus_scutulatus*	115
Agamidae	Agamidae	*Ctenophorus_tjantjalka*	75
Agamidae	Agamidae	*Ctenophorus_vadnappa*	90
Agamidae	Agamidae	*Ctenophorus_yinnietharra*	87
Agamidae	Agamidae	*Dendragama_boulengeri*	75
Agamidae	Agamidae	*Diporiphora_albilabris*	59
Agamidae	Agamidae	*Diporiphora_arnhemica*	63
Agamidae	Agamidae	*Diporiphora_australis*	50

Agamidae	Agamidae	*Diporiphora_bennettii*	80	
Agamidae	Agamidae	*Diporiphora_bilineata*	70	
Agamidae	Agamidae	*Diporiphora_convergens*	34	
Agamidae	Agamidae	*Diporiphora_lalliae*	76	
Agamidae	Agamidae	*Diporiphora_linga*	61	
Agamidae	Agamidae	*Diporiphora_magna*	87	
Agamidae	Agamidae	*Diporiphora_margaretae*	59	
Agamidae	Agamidae	*Diporiphora_pindan*	61	
Agamidae	Agamidae	*Diporiphora_reginae*	72	
Agamidae	Agamidae	*Diporiphora_superba*	93	
Agamidae	Agamidae	*Diporiphora_valens*	66	
Agamidae	Agamidae	*Diporiphora_winneckei*	70	
Agamidae	Agamidae	*Draco_biaro*	73.5	
Agamidae	Agamidae	*Draco_bimaculatus*	71	
Agamidae	Agamidae	*Draco_blanfordii*	134	
Agamidae	Agamidae	*Draco_caerulhians*	82	
Agamidae	Agamidae	*Draco_cornutus*	92	
Agamidae	Agamidae	*Draco_cristatellus*	90	
Agamidae	Agamidae	*Draco_cyanopterus*	95	
Agamidae	Agamidae	*Draco_dussumieri*	97	
Agamidae	Agamidae	*Draco_fimbriatus*	132	
Agamidae	Agamidae	*Draco_guentheri*	97	
Agamidae	Agamidae	*Draco_haematopogon*	95	
Agamidae	Agamidae	*Draco_jareckii*	90	
Agamidae	Agamidae	*Draco_lineatus*	82	
Agamidae	Agamidae	*Draco_maculatus*	87	
Agamidae	Agamidae	*Draco_maximus*	145	
Agamidae	Agamidae	*Draco_melanopogon*	93.2	
Agamidae	Agamidae	*Draco_mindanensis*	105	
Agamidae	Agamidae	*Draco_norvillii*	108	
Agamidae	Agamidae	*Draco_obscurus*	114	
Agamidae	Agamidae	*Draco_ornatus*	90	
Agamidae	Agamidae	*Draco_palawanensis*	85	
Agamidae	Agamidae	*Draco_quadrasi*	86.5	
Agamidae	Agamidae	*Draco_quinquefasciatus*	110	
Agamidae	Agamidae	*Draco_reticulatus*	91	
Agamidae	Agamidae	*Draco_spilopterus*	103	
Agamidae	Agamidae	*Draco_taeniopterus*	80	According to Taylor (1963, p854) the 100 mm specimen described in Smith 1935 belongs to a different species
Agamidae	Agamidae	*Draco_volans*	96	
Agamidae	Agamidae	*Gonocephalus_bellii*	152.4	
Agamidae	Agamidae	*Gonocephalus_beyschlagi*	126	
Agamidae	Agamidae	*Gonocephalus_borneensis*	138	
Agamidae	Agamidae	*Gonocephalus_chamaeleontinus*	170	
Agamidae	Agamidae	*Gonocephalus_doriae*	163	
Agamidae	Agamidae	*Gonocephalus_grandis*	160	
Agamidae	Agamidae	*Gonocephalus_interruptus*	95	
Agamidae	Agamidae	*Gonocephalus_klossi*	165	
Agamidae	Agamidae	*Gonocephalus_kuhlii*	185	
Agamidae	Agamidae	*Gonocephalus_lacunosus*	145	
Agamidae	Agamidae	*Gonocephalus_liogaster*	145	
Agamidae	Agamidae	*Gonocephalus_megalepis*	140	
Agamidae	Agamidae	*Gonocephalus_mjoebergi*	88	
Agamidae	Agamidae	*Gonocephalus_robinsonii*	152	
Agamidae	Agamidae	*Gonocephalus_semperi*	100	
Agamidae	Agamidae	*Gonocephalus_sophiae*	111	
Agamidae	Agamidae	*Harpesaurus_beccarii*	86	
Agamidae	Agamidae	*Harpesaurus_borneensis*	59	

Agamidae	Agamidae	*Harpesaurus_ensicauda*	60
Agamidae	Agamidae	*Harpesaurus_modigliani*	83
Agamidae	Agamidae	*Harpesaurus_tricinctus*	64
Agamidae	Agamidae	*Hydrosaurus_amboinensis*	350
Agamidae	Agamidae	*Hydrosaurus_pustulatus*	255
Agamidae	Agamidae	*Hydrosaurus_weberi*	330
Agamidae	Agamidae	*Hypsicalotes_kinabaluensis*	145
Agamidae	Agamidae	*Hypsilurus_auritus*	130
Agamidae	Agamidae	*Hypsilurus_binotatus*	200
Agamidae	Agamidae	*Hypsilurus_boydii*	175
Agamidae	Agamidae	*Hypsilurus_bruijnii*	143
Agamidae	Agamidae	*Hypsilurus_dilophus*	220
Agamidae	Agamidae	*Hypsilurus_geelvinkianus*	100
Agamidae	Agamidae	*Hypsilurus_godeffroyi*	235
Agamidae	Agamidae	*Hypsilurus_hikidanus*	158
Agamidae	Agamidae	*Hypsilurus_longi*	235
Agamidae	Agamidae	*Hypsilurus_macrolepis*	120
Agamidae	Agamidae	*Hypsilurus_magnus*	232
Agamidae	Agamidae	*Hypsilurus_modestus*	107
Agamidae	Agamidae	*Hypsilurus_nigrigularis*	230
Agamidae	Agamidae	*Hypsilurus_ornatus*	155
Agamidae	Agamidae	*Hypsilurus_papuensis*	228.6
Agamidae	Agamidae	*Hypsilurus_schoedei*	128
Agamidae	Agamidae	*Hypsilurus_schultzewestrumi*	166
Agamidae	Agamidae	*Hypsilurus_spinipes*	131
Agamidae	Agamidae	*Hypsilurus_tenuicephalus*	151
Agamidae	Agamidae	*Japalura_andersoniana*	75
Agamidae	Agamidae	*Japalura_brevipes*	71.3
Agamidae	Agamidae	*Japalura_chapaensis*	59.6
Agamidae	Agamidae	*Japalura_dymondi*	86
Agamidae	Agamidae	*Japalura_fasciata*	77
Agamidae	Agamidae	*Japalura_flavipes*	86
Agamidae	Agamidae	*Japalura_grahami*	51
Agamidae	Agamidae	*Japalura_hamptoni*	75
Agamidae	Agamidae	*Japalura_kaulbacki*	100
Agamidae	Agamidae	*Japalura_kumaonensis*	63
Agamidae	Agamidae	*Japalura_luei*	74.5
Agamidae	Agamidae	*Japalura_major*	94
Agamidae	Agamidae	*Japalura_makii*	78.7
Agamidae	Agamidae	*Japalura_micangshanensis*	70
Agamidae	Agamidae	*Japalura_planidorsata*	50
Agamidae	Agamidae	*Japalura_polygonata*	80.2
Agamidae	Agamidae	*Japalura_sagittifera*	60
Agamidae	Agamidae	*Japalura_splendida*	100
Agamidae	Agamidae	*Japalura_swinhonis*	87
Agamidae	Agamidae	*Japalura_tricarinata*	58.5
Agamidae	Agamidae	*Japalura_varcoae*	80
Agamidae	Agamidae	*Japalura_variegata*	121.9
Agamidae	Agamidae	*Japalura_yunnanensis*	88
Agamidae	Agamidae	*Japalura_zhaoermii*	85
Agamidae	Agamidae	*Laudakia_agrorensis*	110
Agamidae	Agamidae	*Laudakia_badakhshana*	82
Agamidae	Agamidae	*Laudakia_bochariensis*	120
Agamidae	Agamidae	*Laudakia_caucasia*	157
Agamidae	Agamidae	*Laudakia_dayana*	78.9
Agamidae	Agamidae	*Laudakia_erythrogastra*	151
Agamidae	Agamidae	*Laudakia_himalayana*	145
Agamidae	Agamidae	*Laudakia_kirmanensis*	186
Agamidae	Agamidae	*Laudakia_lehmanni*	150
Agamidae	Agamidae	*Laudakia_melanura*	145
Agamidae	Agamidae	*Laudakia_microlepis*	149

Agamidae	Agamidae	*Laudakia_nupta*	172	
Agamidae	Agamidae	*Laudakia_nuristanica*	135	
Agamidae	Agamidae	*Laudakia_pakistanica*	150	
Agamidae	Agamidae	*Laudakia_papenfussi*	124	
Agamidae	Agamidae	*Laudakia_sacra*	147	
Agamidae	Agamidae	*Laudakia_stellio*	284	
Agamidae	Agamidae	*Laudakia_stoliczkana*	180	
Agamidae	Agamidae	*Laudakia_tuberculata*	150	
Agamidae	Agamidae	*Laudakia_wui*	118	
Agamidae	Agamidae	*Leiolepis_belliana*	177.8	
Agamidae	Agamidae	*Leiolepis_boehmei*	123	
Agamidae	Agamidae	*Leiolepis_guentherpetersi*	156	
Agamidae	Agamidae	*Leiolepis_guttata*	200	
Agamidae	Agamidae	*Leiolepis_peguensis*	162	
Agamidae	Agamidae	*Leiolepis_reevesii*	166.5	
Agamidae	Agamidae	*Leiolepis_triploida*	148	
Agamidae	Agamidae	*Lophocalotes_ludekingi*	92	
Agamidae	Agamidae	*Lophognathus_gilberti*	135	
Agamidae	Agamidae	*Lophognathus_longirostris*	114	
Agamidae	Agamidae	*Lophognathus_maculilabris*	98	
Agamidae	Agamidae	*Lophognathus_temporalis*	152.4	
Agamidae	Agamidae	*Lyriocephalus_scutatus*	177.8	
Agamidae	Agamidae	*Mantheyus_phuwuanensis*	86	
Agamidae	Agamidae	*Mictopholis_austeniana*	90	
Agamidae	Agamidae	*Moloch_horridus*	122	
Agamidae	Agamidae	*Oriocalotes_paulus*	70	
Agamidae	Agamidae	*Oriotaris_dasi*	64.5	
Agamidae	Agamidae	*Otocryptis_beddomii*	45	
Agamidae	Agamidae	*Otocryptis_nigrostigma*	65.8	
Agamidae	Agamidae	*Otocryptis_wiegmanni*	77	
Agamidae	Agamidae	*Phoxophrys_borneensis*	66	large difference between SVL reported in Das 2004 (155mm) and Manthey and Grossmann 1997 (61-66 mm). Das probably relies on Inger 1960 description where total length is 155mm, and taillength 92 mm
Agamidae	Agamidae	*Phoxophrys_cephalum*	84	
Agamidae	Agamidae	*Phoxophrys_nigrilabris*	58	
Agamidae	Agamidae	*Phoxophrys_spiniceps*	60.3	
Agamidae	Agamidae	*Phoxophrys_tuberculata*	43	
Agamidae	Agamidae	*Phrynocephalus_affinis*	73	
Agamidae	Agamidae	*Phrynocephalus_albolineatus*	45	
Agamidae	Agamidae	*Phrynocephalus_alticola*	48.5	
Agamidae	Agamidae	*Phrynocephalus_arabicus*	60	
Agamidae	Agamidae	*Phrynocephalus_arcellazzii*	58.5	
Agamidae	Agamidae	*Phrynocephalus_axillaris*	63	
Agamidae	Agamidae	*Phrynocephalus_clarkorum*	45	
Agamidae	Agamidae	*Phrynocephalus_elegans*	45	
Agamidae	Agamidae	*Phrynocephalus_euptilopus*	63	
Agamidae	Agamidae	*Phrynocephalus_forsythii*	57.5	
Agamidae	Agamidae	*Phrynocephalus_frontalis*	57	
Agamidae	Agamidae	*Phrynocephalus_golubewii*	67.6	
Agamidae	Agamidae	*Phrynocephalus_guttatus*	65	
Agamidae	Agamidae	*Phrynocephalus_helioscopus*	70	
Agamidae	Agamidae	*Phrynocephalus_hongyuanensis*	60.4	
Agamidae	Agamidae	*Phrynocephalus_interscapularis*	42	
Agamidae	Agamidae	*Phrynocephalus_lidskii*	63	
Agamidae	Agamidae	*Phrynocephalus_luteoguttatus*	47	

Agamidae	Agamidae	*Phrynocephalus_maculatus*	91
Agamidae	Agamidae	*Phrynocephalus_melanurus*	58
Agamidae	Agamidae	*Phrynocephalus_mystaceus*	122.7
Agamidae	Agamidae	*Phrynocephalus_nasatus*	58.5
Agamidae	Agamidae	*Phrynocephalus_ornatus*	47
Agamidae	Agamidae	*Phrynocephalus_parvulus*	40
Agamidae	Agamidae	*Phrynocephalus_parvus*	66
Agamidae	Agamidae	*Phrynocephalus_persicus*	59
Agamidae	Agamidae	*Phrynocephalus_przewalskii*	90
Agamidae	Agamidae	*Phrynocephalus_raddei*	58
Agamidae	Agamidae	*Phrynocephalus_reticulatus*	55
Agamidae	Agamidae	*Phrynocephalus_roborowskii*	90
Agamidae	Agamidae	*Phrynocephalus_rossikowi*	50
Agamidae	Agamidae	*Phrynocephalus_salenskyi*	63
Agamidae	Agamidae	*Phrynocephalus_scutellatus*	56
Agamidae	Agamidae	*Phrynocephalus_sogdianus*	47
Agamidae	Agamidae	*Phrynocephalus_steindachneri*	49
Agamidae	Agamidae	*Phrynocephalus_strauchi*	50
Agamidae	Agamidae	*Phrynocephalus_theobaldi*	57
Agamidae	Agamidae	*Phrynocephalus_versicolor*	67
Agamidae	Agamidae	*Phrynocephalus_vlangalii*	77
Agamidae	Agamidae	*Phrynocephalus_zetangensis*	52.3
Agamidae	Agamidae	*Physignathus_cocincinus*	250
Agamidae	Agamidae	*Physignathus_lesueurii*	288
Agamidae	Agamidae	*Pogona_barbata*	250
Agamidae	Agamidae	*Pogona_henrylawsoni*	150
Agamidae	Agamidae	*Pogona_microlepidota*	180
Agamidae	Agamidae	*Pogona_minima*	160
Agamidae	Agamidae	*Pogona_minor*	170
Agamidae	Agamidae	*Pogona_nullarbor*	141
Agamidae	Agamidae	*Pogona_vitticeps*	250
Agamidae	Agamidae	*Psammophilus_blanfordanus*	104
Agamidae	Agamidae	*Psammophilus_dorsalis*	139.7
Agamidae	Agamidae	*Pseudocalotes_brevipes*	77.5
Agamidae	Agamidae	*Pseudocalotes_dringi*	70.3
Agamidae	Agamidae	*Pseudocalotes_flavigula*	72
Agamidae	Agamidae	*Pseudocalotes_floweri_*	98
Agamidae	Agamidae	*Pseudocalotes_larutensis*	77.3
Agamidae	Agamidae	*Pseudocalotes_microlepis*	85
Agamidae	Agamidae	*Pseudocalotes_poilani*	89.4
Agamidae	Agamidae	*Pseudocalotes_saravacensis*	82
Agamidae	Agamidae	*Pseudocalotes_sumatrana*	81
Agamidae	Agamidae	*Pseudocalotes_tympanistriga*	80.8
Agamidae	Agamidae	*Pseudotrapelus_sinaitus*	100
Agamidae	Agamidae	*Ptyctolaemus_collicristatus*	91.3
Agamidae	Agamidae	*Ptyctolaemus_gularis*	87.4
Agamidae	Agamidae	*Rankinia_adelaidensis*	53
Agamidae	Agamidae	*Rankinia_diemensis*	82
Agamidae	Agamidae	*Salea_anamallayana*	111
Agamidae	Agamidae	*Salea_gularis*	120.7
Agamidae	Agamidae	*Salea_horsfieldii*	95
Agamidae	Agamidae	*Salea_kakhienensis*	125
Agamidae	Agamidae	*Sitana_fusca*	47.7
Agamidae	Agamidae	*Sitana_ponticeriana*	81
Agamidae	Agamidae	*Sitana_schleichi*	39.5
Agamidae	Agamidae	*Sitana_sivalensis*	44.5
Agamidae	Agamidae	*Thaumatorhynchus_brooksi*	60
Agamidae	Agamidae	*Trapelus_agilis*	116
Agamidae	Agamidae	*Trapelus_blanfordi*	100
Agamidae	Agamidae	*Trapelus_flavimaculatus*	130
Agamidae	Agamidae	*Trapelus_jayakari*	153

Agamidae	Agamidae	*Trapelus_lessonae*	79
Agamidae	Agamidae	*Trapelus_megalonyx*	75
Agamidae	Agamidae	*Trapelus_mutabilis*	95
Agamidae	Agamidae	*Trapelus_pallidus*	93
Agamidae	Agamidae	*Trapelus_rubrigularis*	95
Agamidae	Agamidae	*Trapelus_ruderatus*	118
Agamidae	Agamidae	*Trapelus_sanguinolentus*	188
Agamidae	Agamidae	*Trapelus_savignii*	123
Agamidae	Agamidae	*Trapelus_tournevillei*	100
Agamidae	Agamidae	*Tympanocryptis_cephalus*	62
Agamidae	Agamidae	*Tympanocryptis_intima*	61
Agamidae	Agamidae	*Tympanocryptis_lineata*	72
Agamidae	Agamidae	*Tympanocryptis_parviceps*	46
Agamidae	Agamidae	*Tympanocryptis_tetraporophora*	74
Agamidae	Agamidae	*Tympanocryptis_uniformis*	50
Agamidae	Uromastycidae	*Uromastyx_acanthinura*	400
Agamidae	Uromastycidae	*Uromastyx_aegyptia*	375
Agamidae	Uromastycidae	*Uromastyx_alfredschmidti*	219
Agamidae	Uromastycidae	*Uromastyx_asmussi*	269
Agamidae	Uromastycidae	*Uromastyx_benti*	177
Agamidae	Uromastycidae	*Uromastyx_dispar*	232
Agamidae	Uromastycidae	*Uromastyx_geyri*	197
Agamidae	Uromastycidae	*Uromastyx_hardwickii*	250
Agamidae	Uromastycidae	*Uromastyx_leptieni*	254
Agamidae	Uromastycidae	*Uromastyx_loricata*	252
Agamidae	Uromastycidae	*Uromastyx_macfadyeni*	122
Agamidae	Uromastycidae	*Uromastyx_occidentalis*	308
Agamidae	Uromastycidae	*Uromastyx_ocellata*	175
Agamidae	Uromastycidae	*Uromastyx_ornata*	210
Agamidae	Uromastycidae	*Uromastyx_princeps*	150
Agamidae	Uromastycidae	*Uromastyx_thomasi*	130
Agamidae	Agamidae	*Xenagama_batillifera*	80
Agamidae	Agamidae	*Xenagama_taylori*	86
Anguidae	Anguidae	*Abronia_anzuetoi*	135
Anguidae	Anguidae	*Abronia_aurita*	125
Anguidae	Anguidae	*Abronia_campbelli*	127
Anguidae	Anguidae	*Abronia_chiszari*	75
Anguidae	Anguidae	*Abronia_deppii*	115
Anguidae	Anguidae	*Abronia_fimbriata*	130
Anguidae	Anguidae	*Abronia_frosti*	110
Anguidae	Anguidae	*Abronia_fuscolabialis*	112
Anguidae	Anguidae	*Abronia_gaiophantasma*	110
Anguidae	Anguidae	*Abronia_graminea*	96.2
Anguidae	Anguidae	*Abronia_leurolepis*	105
Anguidae	Anguidae	*Abronia_lythrochila*	120
Anguidae	Anguidae	*Abronia_martindelcampoi*	115
Anguidae	Anguidae	*Abronia_matudai*	96
Anguidae	Anguidae	*Abronia_meledona*	120
Anguidae	Anguidae	*Abronia_mitchelli*	105
Anguidae	Anguidae	*Abronia_mixteca*	148
Anguidae	Anguidae	*Abronia_montecristoi*	93
Anguidae	Anguidae	*Abronia_oaxacae*	107.2
Anguidae	Anguidae	*Abronia_ochoterenai*	97
Anguidae	Anguidae	*Abronia_ornelasi*	97
Anguidae	Anguidae	*Abronia_ramirezi*	93
Anguidae	Anguidae	*Abronia_reidi*	91.2
Anguidae	Anguidae	*Abronia_salvadorensis*	94
Anguidae	Anguidae	*Abronia_smithi*	110
Anguidae	Anguidae	*Abronia_taeniata*	88
Anguidae	Anguidae	*Anguis_cephallonica*	227
Anguidae	Anguidae	*Anguis_fragilis*	290

Anguidae	Anguidae	*Barisia_herrerae*	125
Anguidae	Anguidae	*Barisia_imbricata*	158.3
Anguidae	Anguidae	*Barisia_levicollis*	142.9
Anguidae	Anguidae	*Barisia_rudicollis*	127
Anguidae	Anguidae	*Celestus_agasepsoides*	71
Anguidae	Anguidae	*Celestus_anelpistus*	285
Anguidae	Anguidae	*Celestus_badius*	95
Anguidae	Anguidae	*Celestus_barbouri*	106
Anguidae	Anguidae	*Celestus_bivittatus*	103
Anguidae	Anguidae	*Celestus_carraui*	283
Anguidae	Anguidae	*Celestus_costatus*	127
Anguidae	Anguidae	*Celestus_crusculus*	90
Anguidae	Anguidae	*Celestus_curtissi*	86
Anguidae	Anguidae	*Celestus_cyanochloris*	99
Anguidae	Anguidae	*Celestus_darlingtoni*	85
Anguidae	Anguidae	*Celestus_duquesneyi*	96
Anguidae	Anguidae	*Celestus_enneagrammus*	115
Anguidae	Anguidae	*Celestus_fowleri*	105
Anguidae	Anguidae	*Celestus_haetianus*	98
Anguidae	Anguidae	*Celestus_hewardi*	180
Anguidae	Anguidae	*Celestus_hylaius*	107
Anguidae	Anguidae	*Celestus_macrotus*	60
Anguidae	Anguidae	*Celestus_marcanoi*	78
Anguidae	Anguidae	*Celestus_microblepharis*	87
Anguidae	Anguidae	*Celestus_montanus*	93
Anguidae	Anguidae	*Celestus_occiduus*	320
Anguidae	Anguidae	*Celestus_orobius*	83
Anguidae	Anguidae	*Celestus_rozellae*	102
Anguidae	Anguidae	*Celestus_scansorius*	111
Anguidae	Anguidae	*Celestus_sepsoides*	78
Anguidae	Anguidae	*Celestus_stenurus*	172
Anguidae	Anguidae	*Celestus_warreni*	279
Anguidae	Anguidae	*Coloptychon_rhombifer*	120
Anguidae	Anguidae	*Diploglossus_atitlanensis*	119.5
Anguidae	Anguidae	*Diploglossus_bilobatus*	99
Anguidae	Anguidae	*Diploglossus_delasagra*	121
Anguidae	Anguidae	*Diploglossus_fasciatus*	170
Anguidae	Anguidae	*Diploglossus_garridoi*	103
Anguidae	Anguidae	*Diploglossus_ingridae*	105
Anguidae	Anguidae	*Diploglossus_legnotus*	113
Anguidae	Anguidae	*Diploglossus_lessonae*	162
Anguidae	Anguidae	*Diploglossus_maculatus*	80.67
Anguidae	Anguidae	*Diploglossus_microcephalus*	53
Anguidae	Anguidae	*Diploglossus_microlepis*	74
Anguidae	Anguidae	*Diploglossus_millepunctatus*	235
Anguidae	Anguidae	*Diploglossus_monotropis*	215
Anguidae	Anguidae	*Diploglossus_montisilvestris*	100
Anguidae	Anguidae	*Diploglossus_montisserrati*	180
Anguidae	Anguidae	*Diploglossus_nigropunctatus*	111
Anguidae	Anguidae	*Diploglossus_owenii*	64
Anguidae	Anguidae	*Diploglossus_pleii*	160
Anguidae	Anguidae	*Elgaria_coerulea*	136
Anguidae	Anguidae	*Elgaria_kingii*	133
Anguidae	Anguidae	*Elgaria_multicarinata*	178
Anguidae	Anguidae	*Elgaria_panamintina*	152
Anguidae	Anguidae	*Elgaria_paucicarinata*	110
Anguidae	Anguidae	*Elgaria_velazquezi*	124
Anguidae	Anguidae	*Gerrhonotus_infernalis*	200
Anguidae	Anguidae	*Gerrhonotus_liocephalus*	203
Anguidae	Anguidae	*Gerrhonotus_lugoi*	89
Anguidae	Anguidae	*Gerrhonotus_parvus*	70

Anguidae	Anguidae	*Mesaspis_antauges*	85.2	
Anguidae	Anguidae	*Mesaspis_gadovii*	93.5	
Anguidae	Anguidae	*Mesaspis_juarezi*	77	
Anguidae	Anguidae	*Mesaspis_monticola*	88	
Anguidae	Anguidae	*Mesaspis_moreletii*	96	
Anguidae	Anguidae	*Mesaspis_viridiflava*	54	
Anguidae	Anguidae	*Ophiodes_intermedius*	268	
Anguidae	Anguidae	*Ophiodes_striatus*	230	
Anguidae	Anguidae	*Ophiodes_vertebralis*	217	
Anguidae	Anguidae	*Ophiodes_yacupoi*	211	
Anguidae	Anguidae	*Ophisaurus_attenuatus*	289	
Anguidae	Anguidae	*Ophisaurus_buettikoferi*	125	
Anguidae	Anguidae	*Ophisaurus_ceroni*	181	
Anguidae	Anguidae	*Ophisaurus_compressus*	195	
Anguidae	Anguidae	*Ophisaurus_gracilis*	192.8	Cox et al. 1998 reports 350 mm SVL, which far exceeds any other published data and my own measurements, may be total length
Anguidae	Anguidae	*Ophisaurus_hainanensis*	285	
Anguidae	Anguidae	*Ophisaurus_harti*	286	
Anguidae	Anguidae	*Ophisaurus_incomptus*	231	
Anguidae	Anguidae	*Ophisaurus_koellikeri*	183.3	
Anguidae	Anguidae	*Ophisaurus_mimicus*	183	
Anguidae	Anguidae	*Ophisaurus_sokolovi*	176	
Anguidae	Anguidae	*Ophisaurus_ventralis*	306	
Anguidae	Anguidae	*Ophisaurus_wegneri*	175	
Anguidae	Anguidae	*Pseudopus_apodus*	530	
Anniellidae	Anniellidae	*Anniella_geronimensis*	142	
Anniellidae	Anniellidae	*Anniella_pulchra*	178	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_adolfifriderici*	65	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_caffer*	68	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_carpenteri*	84	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_damaranum*	79	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_dracomontanum*	77	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_excubitor*	69.88	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_fischeri*	200	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_gutturale*	84	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_karrooicum*	75	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_melanocephalum*	71	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_mlanjense*	77	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_nemorale*	80	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_occidentale*	91	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_oxyrhinum*	72	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_pumilum*	102	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_setaroi*	59	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_taeniabronchum*	62	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_tavetanum*	97	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_tenue*	70	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_thamnobates*	103	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_transvaalense*	86	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_uthmoelleri*	93	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_ventrale*	86	
Chamaeleonidae	Chamaeleonidae	*Bradypodion_xenorhinum*	95	
Chamaeleonidae	Chamaeleonidae	*Brookesia_ambreensis*	55	
Chamaeleonidae	Chamaeleonidae	*Brookesia_antakarana*	58	
Chamaeleonidae	Chamaeleonidae	*Brookesia_bekolosy*	34	
Chamaeleonidae	Chamaeleonidae	*Brookesia_betschi*	42	
Chamaeleonidae	Chamaeleonidae	*Brookesia_bonsi*	38	
Chamaeleonidae	Chamaeleonidae	*Brookesia_brygooi*	52	

Chamaeleonidae	Chamaeleonidae	*Brookesia_decaryi*	53
Chamaeleonidae	Chamaeleonidae	*Brookesia_dentata*	25.5
Chamaeleonidae	Chamaeleonidae	*Brookesia_ebenaui*	52
Chamaeleonidae	Chamaeleonidae	*Brookesia_exarmata*	25
Chamaeleonidae	Chamaeleonidae	*Brookesia_griveaudi*	64
Chamaeleonidae	Chamaeleonidae	*Brookesia_karchei*	30
Chamaeleonidae	Chamaeleonidae	*Brookesia_lambertoni*	44
Chamaeleonidae	Chamaeleonidae	*Brookesia_lineata*	45
Chamaeleonidae	Chamaeleonidae	*Brookesia_lolontany*	32
Chamaeleonidae	Chamaeleonidae	*Brookesia_minima*	33
Chamaeleonidae	Chamaeleonidae	*Brookesia_nasus*	49
Chamaeleonidae	Chamaeleonidae	*Brookesia_perarmata*	66
Chamaeleonidae	Chamaeleonidae	*Brookesia_peyrierasi*	27
Chamaeleonidae	Chamaeleonidae	*Brookesia_stumpffi*	57
Chamaeleonidae	Chamaeleonidae	*Brookesia_superciliaris*	54
Chamaeleonidae	Chamaeleonidae	*Brookesia_therezieni*	53
Chamaeleonidae	Chamaeleonidae	*Brookesia_thieli*	45
Chamaeleonidae	Chamaeleonidae	*Brookesia_tuberculata*	19.5
Chamaeleonidae	Chamaeleonidae	*Brookesia_vadoni*	35
Chamaeleonidae	Chamaeleonidae	*Brookesia_valerieae*	53
Chamaeleonidae	Chamaeleonidae	*Calumma_andringitraensis*	62
Chamaeleonidae	Chamaeleonidae	*Calumma_boettgeri*	59
Chamaeleonidae	Chamaeleonidae	*Calumma_brevicornis*	170
Chamaeleonidae	Chamaeleonidae	*Calumma_capuroni*	90
Chamaeleonidae	Chamaeleonidae	*Calumma_cucullatum*	190
Chamaeleonidae	Chamaeleonidae	*Calumma_fallax*	44
Chamaeleonidae	Chamaeleonidae	*Calumma_furcifer*	72
Chamaeleonidae	Chamaeleonidae	*Calumma_gallus*	60
Chamaeleonidae	Chamaeleonidae	*Calumma_gastrotaenia*	73
Chamaeleonidae	Chamaeleonidae	*Calumma_glawi*	68
Chamaeleonidae	Chamaeleonidae	*Calumma_globifer*	187
Chamaeleonidae	Chamaeleonidae	*Calumma_guibei*	55
Chamaeleonidae	Chamaeleonidae	*Calumma_guillaumeti*	58
Chamaeleonidae	Chamaeleonidae	*Calumma_hilleniusi*	73
Chamaeleonidae	Chamaeleonidae	*Calumma_linotum*	52
Chamaeleonidae	Chamaeleonidae	*Calumma_malthe*	135
Chamaeleonidae	Chamaeleonidae	*Calumma_marojezensis*	74
Chamaeleonidae	Chamaeleonidae	*Calumma_nasutum*	50
Chamaeleonidae	Chamaeleonidae	*Calumma_oshaughnessyi*	180
Chamaeleonidae	Chamaeleonidae	*Calumma_parsonii*	295
Chamaeleonidae	Chamaeleonidae	*Calumma_peyrierasi*	50
Chamaeleonidae	Chamaeleonidae	*Calumma_tigris*	100
Chamaeleonidae	Chamaeleonidae	*Calumma_tsaratananense*	64
Chamaeleonidae	Chamaeleonidae	*Calumma_vatosoa*	60
Chamaeleonidae	Chamaeleonidae	*Calumma_vencesi*	73
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_affinis*	76
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_africanus*	190
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_anchietae*	90
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_arabicus*	230
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_balebicornutus*	76
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_bitaeniatus*	199
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_calcaricarens*	150
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_calyptratus*	239
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_camerunensis*	90
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_chamaeleon*	170
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_chapini*	80
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_conirostratus*	67
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_cristatus*	160
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_deremensis*	165
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_dilepis*	195
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_eisentrauti*	142

Chamaeleonidae	Chamaeleonidae	*Chamaeleo_ellioti*	97
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_etiennei*	137
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_feae*	104
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_fuelleborni*	89.23
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_goetzei*	87
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_gracilis*	175
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_harennae*	51
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_hohnelii*	110
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_incornutus*	93
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_ituriensis*	130
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_jacksonii*	160
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_johnstoni*	130
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_kinetensis*	69
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_laevigatus*	130
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_laterispinis*	67
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_marsabitensis*	86
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_melleri*	270
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_monachus*	174
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_montium*	121
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_namaquensis*	160
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_narraioca*	86
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_ntunte*	79
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_oweni*	148
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_pfefferi*	90
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_quadricornis*	168
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_quilensis*	138
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_roperi*	150
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_rudis*	75
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_ruspolii*	123
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_schubotzi*	60.37
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_senegalensis*	152
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_sternfeldi*	84
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_tempeli*	76
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_tremperi*	88
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_werneri*	103
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_wiedersheimi*	95
Chamaeleonidae	Chamaeleonidae	*Chamaeleo_zeylanicus*	235
Chamaeleonidae	Chamaeleonidae	*Furcifer_angeli*	160
Chamaeleonidae	Chamaeleonidae	*Furcifer_antimena*	170
Chamaeleonidae	Chamaeleonidae	*Furcifer_balteatus*	175
Chamaeleonidae	Chamaeleonidae	*Furcifer_belalandaensis*	120
Chamaeleonidae	Chamaeleonidae	*Furcifer_bifidus*	200
Chamaeleonidae	Chamaeleonidae	*Furcifer_campani*	68.5
Chamaeleonidae	Chamaeleonidae	*Furcifer_cephalolepis*	77
Chamaeleonidae	Chamaeleonidae	*Furcifer_labordi*	147
Chamaeleonidae	Chamaeleonidae	*Furcifer_lateralis*	139
Chamaeleonidae	Chamaeleonidae	*Furcifer_minor*	100
Chamaeleonidae	Chamaeleonidae	*Furcifer_monoceras*	79
Chamaeleonidae	Chamaeleonidae	*Furcifer_nicosiai*	145
Chamaeleonidae	Chamaeleonidae	*Furcifer_oustaleti*	299
Chamaeleonidae	Chamaeleonidae	*Furcifer_pardalis*	250
Chamaeleonidae	Chamaeleonidae	*Furcifer_petteri*	90
Chamaeleonidae	Chamaeleonidae	*Furcifer_polleni*	83
Chamaeleonidae	Chamaeleonidae	*Furcifer_rhinoceratus*	143
Chamaeleonidae	Chamaeleonidae	*Furcifer_tuzetae*	173
Chamaeleonidae	Chamaeleonidae	*Furcifer_verrucosus*	265
Chamaeleonidae	Chamaeleonidae	*Furcifer_willsii*	82
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_boulengeri*	62
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_brachyurus*	46
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_brevicaudatus*	75
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_chapmanorum*	51.5

Chamaeleonidae	Chamaeleonidae	*Rhampholeon_kerstenii*	71	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_marshalli*	73	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_moyeri*	51.3	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_nchisiensis*	67	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_platyceps*	62	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_spectrum*	60	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_spinosum*	49	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_temporalis*	45	
Chamaeleonidae	Chamaeleonidae	*Rhampholeon_uluguruensis*	40	
Cordylidae	Cordylidae	*Chamaesaura_aenea*	137	
Cordylidae	Cordylidae	*Chamaesaura_anguina*	152.5	
Cordylidae	Cordylidae	*Chamaesaura_macrolepis*	166	
Cordylidae	Cordylidae	*Cordylus_angolensis*	74	
Cordylidae	Cordylidae	*Cordylus_aridus*	66.2	
Cordylidae	Cordylidae	*Cordylus_beraduccii*	78	
Cordylidae	Cordylidae	*Cordylus_campbelli*	79	
Cordylidae	Cordylidae	*Cordylus_capensis*	108	
Cordylidae	Cordylidae	*Cordylus_cataphractus*	105	
Cordylidae	Cordylidae	*Cordylus_cloetei*	69.5	
Cordylidae	Cordylidae	*Cordylus_coeruleopunctatus*	82	
Cordylidae	Cordylidae	*Cordylus_cordylus*	98	
Cordylidae	Cordylidae	*Cordylus_giganteus*	220	
Cordylidae	Cordylidae	*Cordylus_imkeae*	67.8	
Cordylidae	Cordylidae	*Cordylus_jonesii*	92	
Cordylidae	Cordylidae	*Cordylus_jordani*	127	
Cordylidae	Cordylidae	*Cordylus_langi*	106	
Cordylidae	Cordylidae	*Cordylus_lawrenci*	75	
Cordylidae	Cordylidae	*Cordylus_macropholis*	70	
Cordylidae	Cordylidae	*Cordylus_mclachlani*	73	
Cordylidae	Cordylidae	*Cordylus_meculae*	94	
Cordylidae	Cordylidae	*Cordylus_melanotus*	151	Loveridge 1944 reports a 221 mm individual (p 80, 221+58 mm tail) which is far in excess of other published SVL data
Cordylidae	Cordylidae	*Cordylus_microlepidotus*	145	
Cordylidae	Cordylidae	*Cordylus_minor*	68.5	
Cordylidae	Cordylidae	*Cordylus_namaquensis*	82	
Cordylidae	Cordylidae	*Cordylus_nebulosus*	80.7	
Cordylidae	Cordylidae	*Cordylus_niger*	92	
Cordylidae	Cordylidae	*Cordylus_nyikae*	95	
Cordylidae	Cordylidae	*Cordylus_oelofseni*	69	
Cordylidae	Cordylidae	*Cordylus_peersi*	85	
Cordylidae	Cordylidae	*Cordylus_polyzonus*	116	
Cordylidae	Cordylidae	*Cordylus_pustulatus*	82	
Cordylidae	Cordylidae	*Cordylus_rhodesianus*	91	
Cordylidae	Cordylidae	*Cordylus_rivae*	105	
Cordylidae	Cordylidae	*Cordylus_spinosus*	89	
Cordylidae	Cordylidae	*Cordylus_tasmani*	81	
Cordylidae	Cordylidae	*Cordylus_tropidosternum*	107	
Cordylidae	Cordylidae	*Cordylus_ukingensis*	80	
Cordylidae	Cordylidae	*Cordylus_vittifer*	95	
Cordylidae	Cordylidae	*Cordylus_warreni*	155	
Cordylidae	Cordylidae	*Platysaurus_broadleyi*	86	
Cordylidae	Cordylidae	*Platysaurus_capensis*	86	
Cordylidae	Cordylidae	*Platysaurus_guttatus*	105	
Cordylidae	Cordylidae	*Platysaurus_imperator*	146	
Cordylidae	Cordylidae	*Platysaurus_intermedius*	129	
Cordylidae	Cordylidae	*Platysaurus_lebomboensis*	75	
Cordylidae	Cordylidae	*Platysaurus_maculatus*	76	
Cordylidae	Cordylidae	*Platysaurus_minor*	73	

				Broadley (1965) reports a maximum of 112 mm, which is far in excess of other published SVL data
Cordylidae	Cordylidae	*Platysaurus_mitchelli*	52	
Cordylidae	Cordylidae	*Platysaurus_monotropis*	77	
Cordylidae	Cordylidae	*Platysaurus_ocellatus*	94	
Cordylidae	Cordylidae	*Platysaurus_orientalis*	91	
Cordylidae	Cordylidae	*Platysaurus_pungweensis*	91	
Cordylidae	Cordylidae	*Platysaurus_relictus*	73	
Cordylidae	Cordylidae	*Platysaurus_torquatus*	76	
Corytophanidae	Corytophanidae	*Basiliscus_basiliscus*	250	
Corytophanidae	Corytophanidae	*Basiliscus_galeritus*	240	
Corytophanidae	Corytophanidae	*Basiliscus_plumifrons*	250	
Corytophanidae	Corytophanidae	*Basiliscus_vittatus*	225	
Corytophanidae	Corytophanidae	*Corytophanes_cristatus*	125	
Corytophanidae	Corytophanidae	*Corytophanes_hernandezi*	120	
Corytophanidae	Corytophanidae	*Corytophanes_percarinatus*	103	
				in Boulenger 1885b head+body =150 mm, but total length-tail=190 mm
Corytophanidae	Corytophanidae	*Laemanctus_longipes*	150	
Corytophanidae	Corytophanidae	*Laemanctus_serratus*	190	
Crotaphytidae	Crotaphytidae	*Crotaphytus_antiquus*	108.6	
Crotaphytidae	Crotaphytidae	*Crotaphytus_collaris*	131	
Crotaphytidae	Crotaphytidae	*Crotaphytus_grismeri*	99	
Crotaphytidae	Crotaphytidae	*Crotaphytus_insularis*	120	
Crotaphytidae	Crotaphytidae	*Crotaphytus_nebrius*	112	
Crotaphytidae	Crotaphytidae	*Crotaphytus_reticulatus*	137	
Crotaphytidae	Crotaphytidae	*Crotaphytus_vestigium*	127	
Crotaphytidae	Crotaphytidae	*Gambelia_copeii*	127	
Crotaphytidae	Crotaphytidae	*Gambelia_sila*	125	
Crotaphytidae	Crotaphytidae	*Gambelia_wislizenii*	146	
Dibamidae	Dibamidae	*Anelytropsis_papillosus*	180	
Dibamidae	Dibamidae	*Dibamus_alfredi*	135	
Dibamidae	Dibamidae	*Dibamus_bogadeki*	180	
Dibamidae	Dibamidae	*Dibamus_booliati*	102.7	
Dibamidae	Dibamidae	*Dibamus_bourreti*	180	
Dibamidae	Dibamidae	*Dibamus_celebensis*	188	
Dibamidae	Dibamidae	*Dibamus_deharvengi*	92	
Dibamidae	Dibamidae	*Dibamus_dezwaani*	123.1	
Dibamidae	Dibamidae	*Dibamus_greeri*	86	
Dibamidae	Dibamidae	*Dibamus_ingeri*	96	
Dibamidae	Dibamidae	*Dibamus_kondaoensis*	112.4	
Dibamidae	Dibamidae	*Dibamus_leucurus*	136	
Dibamidae	Dibamidae	*Dibamus_montanus*	130	
Dibamidae	Dibamidae	*Dibamus_nicobaricum*	134.7	
Dibamidae	Dibamidae	*Dibamus_novaeguineae*	165	
Dibamidae	Dibamidae	*Dibamus_seramensis*	203	
Dibamidae	Dibamidae	*Dibamus_smithi*	108	
Dibamidae	Dibamidae	*Dibamus_somsaki*	106.6	
Dibamidae	Dibamidae	*Dibamus_taylori*	169	
Dibamidae	Dibamidae	*Dibamus_tiomanensis*	123	
Dibamidae	Dibamidae	*Dibamus_vorisi*	90.1	
Gekkonidae	Gekkoninae	*Aeluroscalabotes_felinus*	122	
Gekkonidae	Gekkoninae	*Afroedura_africana*	64	
Gekkonidae	Gekkoninae	*Afroedura_amatolica*	60	
Gekkonidae	Gekkoninae	*Afroedura_bogerti*	50	
Gekkonidae	Gekkoninae	*Afroedura_hawequensis*	83	
Gekkonidae	Gekkoninae	*Afroedura_karroica*	64.2	
Gekkonidae	Gekkoninae	*Afroedura_nivaria*	66	
Gekkonidae	Gekkoninae	*Afroedura_pondolia*	76	
Gekkonidae	Gekkoninae	*Afroedura_tembulica*	57	

Gekkonidae	Gekkoninae	*Afroedura_transvaalica*	73	
Gekkonidae	Gekkoninae	*Afrogecko_ansorgii*	45	
Gekkonidae	Gekkoninae	*Afrogecko_porphyreus*	51	
Gekkonidae	Gekkoninae	*Afrogecko_swartbergensis*	77	
Gekkonidae	Gekkoninae	*Agamura_femoralis*	62	
Gekkonidae	Gekkoninae	*Agamura_misonnei*	81	
Gekkonidae	Gekkoninae	*Agamura_persica*	77	
Gekkonidae	Gekkoninae	*Ailuronyx_seychellensis*	116	
Gekkonidae	Gekkoninae	*Ailuronyx_tachyscopaeus*	85	
Gekkonidae	Gekkoninae	*Ailuronyx_trachygaster*	172	Bowler 2006 reports 260 mm, far exceeding all other known measurements
Gekkonidae	Gekkoninae	*Alsophylax_boehmei*	39	
Gekkonidae	Gekkoninae	*Alsophylax_laevis*	37.8	
Gekkonidae	Gekkoninae	*Alsophylax_loricatus*	32.8	
Gekkonidae	Gekkoninae	*Alsophylax_pipiens*	41.6	
Gekkonidae	Gekkoninae	*Alsophylax_przewalskii*	33.8	
Gekkonidae	Gekkoninae	*Alsophylax_tadjikiensis*	31	
Gekkonidae	Gekkoninae	*Alsophylax_tokobajevi*	49.5	
Gekkonidae	Gekkoninae	*Aristelliger_barbouri*	50	
Gekkonidae	Gekkoninae	*Aristelliger_cochranae*	63	
Gekkonidae	Gekkoninae	*Aristelliger_expectatus*	51	
Gekkonidae	Gekkoninae	*Aristelliger_georgeensis*	115	
Gekkonidae	Gekkoninae	*Aristelliger_hechti*	90	
Gekkonidae	Gekkoninae	*Aristelliger_lar*	150	
Gekkonidae	Gekkoninae	*Aristelliger_praesignis*	96	
Gekkonidae	Gekkoninae	*Asaccus_caudivolvulus*	62.5	
Gekkonidae	Gekkoninae	*Asaccus_elisae*	63	
Gekkonidae	Gekkoninae	*Asaccus_gallagheri*	40	
Gekkonidae	Gekkoninae	*Asaccus_griseonotus*	71	
Gekkonidae	Gekkoninae	*Asaccus_kermanshahensis*	55.7	
Gekkonidae	Gekkoninae	*Asaccus_montanus*	40	
Gekkonidae	Gekkoninae	*Asaccus_platyrhynchus*	63	
Gekkonidae	Gekkoninae	*Asiocolotes_depressus*	34	
Gekkonidae	Gekkoninae	*Asiocolotes_levitoni*	44.9	
Gekkonidae	Diplodactylinae	*Bavayia_crassicollis*	86	
Gekkonidae	Diplodactylinae	*Bavayia_cyclura*	72	
Gekkonidae	Diplodactylinae	*Bavayia_exsuccida*	47	
Gekkonidae	Diplodactylinae	*Bavayia_geitaina*	72	
Gekkonidae	Diplodactylinae	*Bavayia_madjo*	75	
Gekkonidae	Diplodactylinae	*Bavayia_montana*	76	
Gekkonidae	Diplodactylinae	*Bavayia_ornata*	69	
Gekkonidae	Diplodactylinae	*Bavayia_pulchella*	49	
Gekkonidae	Diplodactylinae	*Bavayia_robusta*	83	
Gekkonidae	Diplodactylinae	*Bavayia_sauvagii*	62	
Gekkonidae	Diplodactylinae	*Bavayia_septuiclavis*	50	
Gekkonidae	Diplodactylinae	*Bavayia_validiclavis*	45	
Gekkonidae	Gekkoninae	*Blaesodactylus_antongilensis*	97	
Gekkonidae	Gekkoninae	*Blaesodactylus_boivini*	156	
Gekkonidae	Gekkoninae	*Blaesodactylus_sakalava*	104	
Gekkonidae	Gekkoninae	*Bogertia_lutzae*	64	
Gekkonidae	Gekkoninae	*Bunopus_blanfordii*	52	
Gekkonidae	Gekkoninae	*Bunopus_crassicauda*	54.5	
Gekkonidae	Gekkoninae	*Bunopus_spatalurus*	70	
Gekkonidae	Gekkoninae	*Bunopus_tuberculatus*	56	
Gekkonidae	Gekkoninae	*Calodactylodes_aureus*	89	
Gekkonidae	Gekkoninae	*Calodactylodes_illingworthorum*	100	
Gekkonidae	Gekkoninae	*Carinatogecko_aspratilis*	27.4	
Gekkonidae	Gekkoninae	*Carinatogecko_heteropholis*	31	
Gekkonidae	Diplodactylinae	*Carphodactylus_laevis*	130	
Gekkonidae	Gekkoninae	*Chondrodactylus_angulifer*	113	

Gekkonidae	Gekkoninae	*Chondrodactylus_bibronii*	100	
Gekkonidae	Gekkoninae	*Chondrodactylus_fitzsimonsi*	90	
Gekkonidae	Gekkoninae	*Chondrodactylus_turneri*	95	
Gekkonidae	Gekkoninae	*Christinus_guentheri*	102	
Gekkonidae	Gekkoninae	*Christinus_marmoratus*	70	
Gekkonidae	Gekkoninae	*Cnemaspis_affinis*	50	
Gekkonidae	Gekkoninae	*Cnemaspis_africana*	61	
Gekkonidae	Gekkoninae	*Cnemaspis_anaikattiensis*	61	
Gekkonidae	Gekkoninae	*Cnemaspis_argus*	65.3	
Gekkonidae	Gekkoninae	*Cnemaspis_assamensis*	33.2	
Gekkonidae	Gekkoninae	*Cnemaspis_barbouri*	42	
Gekkonidae	Gekkoninae	*Cnemaspis_baueri*	64.9	
Gekkonidae	Gekkoninae	*Cnemaspis_beddomei*	51	
Gekkonidae	Gekkoninae	*Cnemaspis_boiei*	34	
Gekkonidae	Gekkoninae	*Cnemaspis_boulengerii*	66	
Gekkonidae	Gekkoninae	*Cnemaspis_chanthaburiensis*	41	
Gekkonidae	Gekkoninae	*Cnemaspis_dezwaani*	31.4	
Gekkonidae	Gekkoninae	*Cnemaspis_dickersoni*	41	
Gekkonidae	Gekkoninae	*Cnemaspis_dilepis*	32	
Gekkonidae	Gekkoninae	*Cnemaspis_dringi*	45.5	
Gekkonidae	Gekkoninae	*Cnemaspis_flavolineata*	46.7	
Gekkonidae	Gekkoninae	*Cnemaspis_gigas*	70	
Gekkonidae	Gekkoninae	*Cnemaspis_goaensis*	71	
Gekkonidae	Gekkoninae	*Cnemaspis_gordongekkoi*	73	
Gekkonidae	Gekkoninae	*Cnemaspis_heteropholis*	40.2	
Gekkonidae	Gekkoninae	*Cnemaspis_indica*	40.6	
Gekkonidae	Gekkoninae	*Cnemaspis_jacobsoni*	30.5	
Gekkonidae	Gekkoninae	*Cnemaspis_jerdonii*	43	
Gekkonidae	Gekkoninae	*Cnemaspis_kandiana*	61	
Gekkonidae	Gekkoninae	*Cnemaspis_kendallii*	80	Hendrickson (1966) doubts a maximum SVL of 80 by Boulanger (1912), gives 60.9 as maximum, But 80mm SVL also recorded by Das (2004)
Gekkonidae	Gekkoninae	*Cnemaspis_koehleri*	50	
Gekkonidae	Gekkoninae	*Cnemaspis_kumpoli*	60	
Gekkonidae	Gekkoninae	*Cnemaspis_limi*	88.2	
Gekkonidae	Gekkoninae	*Cnemaspis_littoralis*	34.3	
Gekkonidae	Gekkoninae	*Cnemaspis_modiglianii*	33.7	
Gekkonidae	Gekkoninae	*Cnemaspis_nairi*	44	
Gekkonidae	Gekkoninae	*Cnemaspis_nigridia*	89	
Gekkonidae	Gekkoninae	*Cnemaspis_occidentalis*	57	
Gekkonidae	Gekkoninae	*Cnemaspis_ornata*	56	
Gekkonidae	Gekkoninae	*Cnemaspis_otai*	32.2	
Gekkonidae	Gekkoninae	*Cnemaspis_pemanggilensis*	76	
Gekkonidae	Gekkoninae	*Cnemaspis_petrodroma*	64	
Gekkonidae	Gekkoninae	*Cnemaspis_phuketensis*	29.1	
Gekkonidae	Gekkoninae	*Cnemaspis_podihuna*	26.6	
Gekkonidae	Gekkoninae	*Cnemaspis_quattuorseriata*	45	
Gekkonidae	Gekkoninae	*Cnemaspis_siamensis*	42	
Gekkonidae	Gekkoninae	*Cnemaspis_sisparensis*	62	
Gekkonidae	Gekkoninae	*Cnemaspis_spinicollis*	55	
Gekkonidae	Gekkoninae	*Cnemaspis_timoriensis*	35	
Gekkonidae	Gekkoninae	*Cnemaspis_tropidogaster*	66	
Gekkonidae	Gekkoninae	*Cnemaspis_uzungwae*	40	
Gekkonidae	Gekkoninae	*Cnemaspis_whittenorum*	31.5	
Gekkonidae	Gekkoninae	*Cnemaspis_wynadensis*	41	
Gekkonidae	Gekkoninae	*Cnemaspis_yercaudensis*	24.9	
Gekkonidae	Gekkoninae	*Coleodactylus_amazonicus*	29	
Gekkonidae	Gekkoninae	*Coleodactylus_brachystoma*	25	

Gekkonidae	Gekkoninae	*Coleodactylus_meridionalis*	29
Gekkonidae	Gekkoninae	*Coleodactylus_natalensis*	24
Gekkonidae	Gekkoninae	*Coleodactylus_septentrionalis*	32
Gekkonidae	Gekkoninae	*Coleonyx_brevis*	66.6
Gekkonidae	Gekkoninae	*Coleonyx_elegans*	120
Gekkonidae	Gekkoninae	*Coleonyx_fasciatus*	70
Gekkonidae	Gekkoninae	*Coleonyx_mitratus*	97
Gekkonidae	Gekkoninae	*Coleonyx_reticulatus*	94
Gekkonidae	Gekkoninae	*Coleonyx_switaki*	89
Gekkonidae	Gekkoninae	*Coleonyx_variegatus*	77
Gekkonidae	Gekkoninae	*Colopus_kochii*	54
Gekkonidae	Gekkoninae	*Colopus_wahlbergii*	61
Gekkonidae	Gekkoninae	*Cosymbotus_craspedotus*	62
Gekkonidae	Diplodactylinae	*Crenadactylus_ocellatus*	50
Gekkonidae	Gekkoninae	*Crossobamon_eversmanni*	70
Gekkonidae	Gekkoninae	*Crossobamon_orientalis*	56.5
Gekkonidae	Gekkoninae	*Cryptactites_peringueyi*	28.3
Gekkonidae	Gekkoninae	*Cyrtodactylus_aaroni*	100.5
Gekkonidae	Gekkoninae	*Cyrtodactylus_abrae*	160
Gekkonidae	Gekkoninae	*Cyrtodactylus_adleri*	68.5
Gekkonidae	Gekkoninae	*Cyrtodactylus_aequalis*	90.1
Gekkonidae	Gekkoninae	*Cyrtodactylus_agusanensis*	106
Gekkonidae	Gekkoninae	*Cyrtodactylus_angularis*	92
Gekkonidae	Gekkoninae	*Cyrtodactylus_annandalei*	55.3
Gekkonidae	Gekkoninae	*Cyrtodactylus_annulatus*	75.7
Gekkonidae	Gekkoninae	*Cyrtodactylus_aravallensis*	51
Gekkonidae	Gekkoninae	*Cyrtodactylus_aurensis*	99.4
Gekkonidae	Gekkoninae	*Cyrtodactylus_ayeyarwadyensis*	78
Gekkonidae	Gekkoninae	*Cyrtodactylus_baluensis*	86
Gekkonidae	Gekkoninae	*Cyrtodactylus_basoglui*	47
Gekkonidae	Gekkoninae	*Cyrtodactylus_biordinis*	90
Gekkonidae	Gekkoninae	*Cyrtodactylus_brevidactylus*	88
Gekkonidae	Gekkoninae	*Cyrtodactylus_brevipalmatus*	73
Gekkonidae	Gekkoninae	*Cyrtodactylus_cavernicolus*	81
Gekkonidae	Gekkoninae	*Cyrtodactylus_chanhomeae*	78.8
Gekkonidae	Gekkoninae	*Cyrtodactylus_chrysopylos*	79.1
Gekkonidae	Gekkoninae	*Cyrtodactylus_collegalensis*	52
Gekkonidae	Gekkoninae	*Cyrtodactylus_condorensis*	80.9
Gekkonidae	Gekkoninae	*Cyrtodactylus_consobrinoides*	48
Gekkonidae	Gekkoninae	*Cyrtodactylus_consobrinus*	125
Gekkonidae	Gekkoninae	*Cyrtodactylus_cracens*	102.3
Gekkonidae	Gekkoninae	*Cyrtodactylus_darmandvillei*	85
Gekkonidae	Gekkoninae	*Cyrtodactylus_deccanensis*	85
Gekkonidae	Gekkoninae	*Cyrtodactylus_derongo*	120
Gekkonidae	Gekkoninae	*Cyrtodactylus_deveti*	105
Gekkonidae	Gekkoninae	*Cyrtodactylus_edwardtaylori*	95.5
Gekkonidae	Gekkoninae	*Cyrtodactylus_elok*	68
Gekkonidae	Gekkoninae	*Cyrtodactylus_feae*	45
Gekkonidae	Gekkoninae	*Cyrtodactylus_fraenatus*	100
Gekkonidae	Gekkoninae	*Cyrtodactylus_gansi*	63
Gekkonidae	Gekkoninae	*Cyrtodactylus_gubernatoris*	53
Gekkonidae	Gekkoninae	*Cyrtodactylus_ingeri*	80.2
Gekkonidae	Gekkoninae	*Cyrtodactylus_interdigitalis*	80
Gekkonidae	Gekkoninae	*Cyrtodactylus_intermedius*	87
Gekkonidae	Gekkoninae	*Cyrtodactylus_irianjayaensis*	163
Gekkonidae	Gekkoninae	*Cyrtodactylus_irregularis*	79
Gekkonidae	Gekkoninae	*Cyrtodactylus_jarujini*	90
Gekkonidae	Gekkoninae	*Cyrtodactylus_jellesmae*	63
Gekkonidae	Gekkoninae	*Cyrtodactylus_khasiensis*	90
Gekkonidae	Gekkoninae	*Cyrtodactylus_laevigatus*	43
Gekkonidae	Gekkoninae	*Cyrtodactylus_lateralis*	85

Gekkonidae	Gekkoninae	*Cyrtodactylus_loriae*	156	
Gekkonidae	Gekkoninae	*Cyrtodactylus_louisiadensis*	160	
Gekkonidae	Gekkoninae	*Cyrtodactylus_malayanus*	117.8	
Gekkonidae	Gekkoninae	*Cyrtodactylus_malcomsmithi*	55	
Gekkonidae	Gekkoninae	*Cyrtodactylus_marmoratus*	76	
Gekkonidae	Gekkoninae	*Cyrtodactylus_matsuii*	105	
Gekkonidae	Gekkoninae	*Cyrtodactylus_mimikanus*	103	
Gekkonidae	Gekkoninae	*Cyrtodactylus_murua*	113	
Gekkonidae	Gekkoninae	*Cyrtodactylus_nebulosus*	54	
Gekkonidae	Gekkoninae	*Cyrtodactylus_novaeguineae*	172	
Gekkonidae	Gekkoninae	*Cyrtodactylus_oldhami*	77	
Gekkonidae	Gekkoninae	*Cyrtodactylus_papilionoides*	93	
Gekkonidae	Gekkoninae	*Cyrtodactylus_papuensis*	140	
Gekkonidae	Gekkoninae	*Cyrtodactylus_peguensis*	85	
Gekkonidae	Gekkoninae	*Cyrtodactylus_philippinicus*	94	
Gekkonidae	Gekkoninae	*Cyrtodactylus_phongnhakebangensis*	96.3	
Gekkonidae	Gekkoninae	*Cyrtodactylus_pubisulcus*	77	
Gekkonidae	Gekkoninae	*Cyrtodactylus_pulchellus*	115	Bauer et al. 2002 report maximum size of 165, far exceeding all other records
Gekkonidae	Gekkoninae	*Cyrtodactylus_quadrivirgatus*	71	
Gekkonidae	Gekkoninae	*Cyrtodactylus_ramboda*	99.1	
Gekkonidae	Gekkoninae	*Cyrtodactylus_redimiculus*	81	
Gekkonidae	Gekkoninae	*Cyrtodactylus_rubidus*	75	
Gekkonidae	Gekkoninae	*Cyrtodactylus_russelli*	116	
Gekkonidae	Gekkoninae	*Cyrtodactylus_sadleiri*	80	
Gekkonidae	Gekkoninae	*Cyrtodactylus_semenanjungensis*	69	
Gekkonidae	Gekkoninae	*Cyrtodactylus_seribuatensis*	75	
Gekkonidae	Gekkoninae	*Cyrtodactylus_sermowaiensis*	88	
Gekkonidae	Gekkoninae	*Cyrtodactylus_slowinskii*	108	
Gekkonidae	Gekkoninae	*Cyrtodactylus_soba*	105.7	
Gekkonidae	Gekkoninae	*Cyrtodactylus_stoliczkai*	55	
Gekkonidae	Gekkoninae	*Cyrtodactylus_subsolanus*	104.6	
Gekkonidae	Gekkoninae	*Cyrtodactylus_sumonthai*	70.7	
Gekkonidae	Gekkoninae	*Cyrtodactylus_sworderi*	77	
Gekkonidae	Gekkoninae	*Cyrtodactylus_thirakhupti*	80	
Gekkonidae	Gekkoninae	*Cyrtodactylus_tibetanus*	52.3	
Gekkonidae	Gekkoninae	*Cyrtodactylus_tigroides*	83.2	
Gekkonidae	Gekkoninae	*Cyrtodactylus_tiomanensis*	84	
Gekkonidae	Gekkoninae	*Cyrtodactylus_variegatus*	71	
Gekkonidae	Gekkoninae	*Cyrtodactylus_wakeorum*	63.8	
Gekkonidae	Gekkoninae	*Cyrtodactylus_walli*	59.5	
Gekkonidae	Gekkoninae	*Cyrtodactylus_wetariensis*	70	
Gekkonidae	Gekkoninae	*Cyrtodactylus_yoshii*	103.5	
Gekkonidae	Gekkoninae	*Cyrtopodion_agamuroides*	50	
Gekkonidae	Gekkoninae	*Cyrtopodion_amictopholis*	36	
Gekkonidae	Gekkoninae	*Cyrtopodion_battalensis*	64	
Gekkonidae	Gekkoninae	*Cyrtopodion_baturensis*	53	
Gekkonidae	Gekkoninae	*Cyrtopodion_brevipes*	44	
Gekkonidae	Gekkoninae	*Cyrtopodion_caspius*	75	
Gekkonidae	Gekkoninae	*Cyrtopodion_dattanensis*	62	
Gekkonidae	Gekkoninae	*Cyrtopodion_elongatus*	56.8	
Gekkonidae	Gekkoninae	*Cyrtopodion_fasciolatus*	82	
Gekkonidae	Gekkoninae	*Cyrtopodion_fedtschenkoi*	77	
Gekkonidae	Gekkoninae	*Cyrtopodion_fortmunroi*	50	
Gekkonidae	Gekkoninae	*Cyrtopodion_gastropholis*	50	
Gekkonidae	Gekkoninae	*Cyrtopodion_heterocercus*	49.9	
Gekkonidae	Gekkoninae	*Cyrtopodion_himalayanus*	76	
Gekkonidae	Gekkoninae	*Cyrtopodion_indusoani*	54	
Gekkonidae	Gekkoninae	*Cyrtopodion_kachhensis*	53	
Gekkonidae	Gekkoninae	*Cyrtopodion_kirmanensis*	50.7	

Gekkonidae	Gekkoninae	*Cyrtopodion_kohsulaimanai*	59
Gekkonidae	Gekkoninae	*Cyrtopodion_kotschyi*	56
Gekkonidae	Gekkoninae	*Cyrtopodion_lawderanus*	55
Gekkonidae	Gekkoninae	*Cyrtopodion_longipes*	68.8
Gekkonidae	Gekkoninae	*Cyrtopodion_medogensis*	38
Gekkonidae	Gekkoninae	*Cyrtopodion_mintoni*	40
Gekkonidae	Gekkoninae	*Cyrtopodion_montiumsalsorum*	47
Gekkonidae	Gekkoninae	*Cyrtopodion_potoharensis*	52
Gekkonidae	Gekkoninae	*Cyrtopodion_rhodocaudus*	64
Gekkonidae	Gekkoninae	*Cyrtopodion_rohtasfortai*	53
Gekkonidae	Gekkoninae	*Cyrtopodion_russowii*	53.2
Gekkonidae	Gekkoninae	*Cyrtopodion_sagittifer*	33
Gekkonidae	Gekkoninae	*Cyrtopodion_scabrum*	65
Gekkonidae	Gekkoninae	*Cyrtopodion_spinicaudus*	48.2
Gekkonidae	Gekkoninae	*Cyrtopodion_turcmenicus*	80
Gekkonidae	Gekkoninae	*Cyrtopodion_voraginosus*	60
Gekkonidae	Gekkoninae	*Cyrtopodion_watsoni*	54
Gekkonidae	Diplodactylinae	*Diplodactylus_alboguttatus*	57
Gekkonidae	Diplodactylinae	*Diplodactylus_byrnei*	56.5
Gekkonidae	Diplodactylinae	*Diplodactylus_conspicillatus*	65
Gekkonidae	Diplodactylinae	*Diplodactylus_fulleri*	51
Gekkonidae	Diplodactylinae	*Diplodactylus_furcosus*	50.4
Gekkonidae	Diplodactylinae	*Diplodactylus_galeatus*	54
Gekkonidae	Diplodactylinae	*Diplodactylus_granariensis*	72
Gekkonidae	Diplodactylinae	*Diplodactylus_immaculatus*	85
Gekkonidae	Diplodactylinae	*Diplodactylus_kenneallyi*	48
Gekkonidae	Diplodactylinae	*Diplodactylus_klugei*	58
Gekkonidae	Diplodactylinae	*Diplodactylus_maini*	54
Gekkonidae	Diplodactylinae	*Diplodactylus_mitchelli*	65.2
Gekkonidae	Diplodactylinae	*Diplodactylus_occultus*	41
Gekkonidae	Diplodactylinae	*Diplodactylus_ornatus*	58
Gekkonidae	Diplodactylinae	*Diplodactylus_polyophthalmus*	56
Gekkonidae	Diplodactylinae	*Diplodactylus_pulcher*	62
Gekkonidae	Diplodactylinae	*Diplodactylus_savagei*	46
Gekkonidae	Diplodactylinae	*Diplodactylus_squarrosus*	57
Gekkonidae	Diplodactylinae	*Diplodactylus_steindachneri*	59
Gekkonidae	Diplodactylinae	*Diplodactylus_stenodactylus*	57
Gekkonidae	Diplodactylinae	*Diplodactylus_taenicauda*	73
Gekkonidae	Diplodactylinae	*Diplodactylus_tessellatus*	58
Gekkonidae	Diplodactylinae	*Diplodactylus_vittatus*	55
Gekkonidae	Diplodactylinae	*Diplodactylus_wombeyi*	54
Gekkonidae	Gekkoninae	*Dixonius_hangseesom*	42.1
Gekkonidae	Gekkoninae	*Dixonius_melanostictus*	50
Gekkonidae	Gekkoninae	*Dixonius_siamensis*	57
Gekkonidae	Gekkoninae	*Dixonius_vietnamensis*	46.5
Gekkonidae	Gekkoninae	*Dravidogecko_anamallensis*	45
Gekkonidae	Gekkoninae	*Ebenavia_inunguis*	42
Gekkonidae	Gekkoninae	*Ebenavia_maintimainty*	24
Gekkonidae	Gekkoninae	*Elasmodactylus_tetensis*	100
Gekkonidae	Gekkoninae	*Elasmodactylus_tuberculosus*	79
Gekkonidae	Gekkoninae	*Eublepharis_angramainyu*	170
Gekkonidae	Gekkoninae	*Eublepharis_fuscus*	252
Gekkonidae	Gekkoninae	*Eublepharis_hardwickii*	112
Gekkonidae	Gekkoninae	*Eublepharis_macularius*	165
Gekkonidae	Gekkoninae	*Eublepharis_turcmenicus*	143
Gekkonidae	Gekkoninae	*Euleptes_europaea*	44
Gekkonidae	Diplodactylinae	*Eurydactylodes_agricolae*	52
Gekkonidae	Diplodactylinae	*Eurydactylodes_symmetricus*	53
Gekkonidae	Diplodactylinae	*Eurydactylodes_vieillardi*	58
Gekkonidae	Gekkoninae	*Geckoella_jeyporensis*	54
Gekkonidae	Gekkoninae	*Geckoella_triedrus*	62

Gekkonidae	Gekkoninae	*Geckoella_yakhuna*	41	
Gekkonidae	Gekkoninae	*Geckolepis_anomala*	43	
Gekkonidae	Gekkoninae	*Geckolepis_maculata*	70	
Gekkonidae	Gekkoninae	*Geckolepis_petiti*	37	
Gekkonidae	Gekkoninae	*Geckolepis_polylepis*	51	
Gekkonidae	Gekkoninae	*Geckolepis_typica*	63	
Gekkonidae	Gekkoninae	*Geckonia_chazaliae*	67	
Gekkonidae	Gekkoninae	*Gehyra_angusticaudata*	57	
Gekkonidae	Gekkoninae	*Gehyra_australis*	81	
Gekkonidae	Gekkoninae	*Gehyra_baliola*	101	
Gekkonidae	Gekkoninae	*Gehyra_barea*	93	
Gekkonidae	Gekkoninae	*Gehyra_borroloola*	69	
Gekkonidae	Gekkoninae	*Gehyra_brevipalmata*	74	
Gekkonidae	Gekkoninae	*Gehyra_butleri*	32	
Gekkonidae	Gekkoninae	*Gehyra_catenata*	55	
Gekkonidae	Gekkoninae	*Gehyra_dubia*	80	
Gekkonidae	Gekkoninae	*Gehyra_fehlmanni*	51	
Gekkonidae	Gekkoninae	*Gehyra_fenestra*	60	
Gekkonidae	Gekkoninae	*Gehyra_intermedia*	58	
Gekkonidae	Gekkoninae	*Gehyra_interstitialis*	93	
Gekkonidae	Gekkoninae	*Gehyra_kimberleyi*	40	
Gekkonidae	Gekkoninae	*Gehyra_koira*	96	
Gekkonidae	Gekkoninae	*Gehyra_lacerata*	55	
Gekkonidae	Gekkoninae	*Gehyra_lampei*	60	
Gekkonidae	Gekkoninae	*Gehyra_leopoldi*	44	
Gekkonidae	Gekkoninae	*Gehyra_marginata*	130	
Gekkonidae	Gekkoninae	*Gehyra_membranacruralis*	123	
Gekkonidae	Gekkoninae	*Gehyra_minuta*	45	
Gekkonidae	Gekkoninae	*Gehyra_montium*	50	
Gekkonidae	Gekkoninae	*Gehyra_mutilata*	64	de Rooij (1915 p42) reports a body length of 98mm (tail 96) which is far in excess of other published SVL data
Gekkonidae	Gekkoninae	*Gehyra_nana*	54	
Gekkonidae	Gekkoninae	*Gehyra_occidentalis*	70	
Gekkonidae	Gekkoninae	*Gehyra_oceanica*	152	
Gekkonidae	Gekkoninae	*Gehyra_pamela*	70	
Gekkonidae	Gekkoninae	*Gehyra_papuana*	98.85	
Gekkonidae	Gekkoninae	*Gehyra_pilbara*	55	
Gekkonidae	Gekkoninae	*Gehyra_punctata*	65	
Gekkonidae	Gekkoninae	*Gehyra_purpurascens*	64	
Gekkonidae	Gekkoninae	*Gehyra_robusta*	75	
Gekkonidae	Gekkoninae	*Gehyra_variegata*	71	
Gekkonidae	Gekkoninae	*Gehyra_vorax*	156	
Gekkonidae	Gekkoninae	*Gehyra_xenopus*	79	
Gekkonidae	Gekkoninae	*Gekko_athymus*	120	
Gekkonidae	Gekkoninae	*Gekko_auriverrucosus*	69	
Gekkonidae	Gekkoninae	*Gekko_badenii*	76.5	
Gekkonidae	Gekkoninae	*Gekko_chinensis*	80	
Gekkonidae	Gekkoninae	*Gekko_gecko*	200	
Gekkonidae	Gekkoninae	*Gekko_gigante*	103.5	
Gekkonidae	Gekkoninae	*Gekko_grossmanni*	89.4	
Gekkonidae	Gekkoninae	*Gekko_hokouensis*	85	
Gekkonidae	Gekkoninae	*Gekko_japonicus*	74	
Gekkonidae	Gekkoninae	*Gekko_kikuchii*	80	
Gekkonidae	Gekkoninae	*Gekko_mindorensis*	86	
Gekkonidae	Gekkoninae	*Gekko_monarchus*	102	
Gekkonidae	Gekkoninae	*Gekko_palawanensis*	63	
Gekkonidae	Gekkoninae	*Gekko_palmatus*	79.1	
Gekkonidae	Gekkoninae	*Gekko_petricolus*	101	
Gekkonidae	Gekkoninae	*Gekko_porosus*	93.2	

Gekkonidae	Gekkoninae	*Gekko_romblon*	89
Gekkonidae	Gekkoninae	*Gekko_scabridus*	65
Gekkonidae	Gekkoninae	*Gekko_scientiadventura*	73
Gekkonidae	Gekkoninae	*Gekko_siamensis*	150
Gekkonidae	Gekkoninae	*Gekko_similignum*	52.4
Gekkonidae	Gekkoninae	*Gekko_smithii*	191
Gekkonidae	Gekkoninae	*Gekko_subpalmatus*	78
Gekkonidae	Gekkoninae	*Gekko_swinhonis*	69
Gekkonidae	Gekkoninae	*Gekko_taibaiensis*	70
Gekkonidae	Gekkoninae	*Gekko_tawaensis*	71
Gekkonidae	Gekkoninae	*Gekko_taylori*	130.2
Gekkonidae	Gekkoninae	*Gekko_ulikovskii*	108
Gekkonidae	Gekkoninae	*Gekko_verreauxi*	155
Gekkonidae	Gekkoninae	*Gekko_vittatus*	140
Gekkonidae	Gekkoninae	*Gekko_yakuensis*	72
Gekkonidae	Gekkoninae	*Goggia_braacki*	34.6
Gekkonidae	Gekkoninae	*Goggia_essexi*	28.4
Gekkonidae	Gekkoninae	*Goggia_gemmula*	30
Gekkonidae	Gekkoninae	*Goggia_hewitti*	37.5
Gekkonidae	Gekkoninae	*Goggia_hexapora*	35.3
Gekkonidae	Gekkoninae	*Goggia_lineata*	31.8
Gekkonidae	Gekkoninae	*Goggia_microlepidota*	68.7
Gekkonidae	Gekkoninae	*Goggia_rupicola*	31.5
Gekkonidae	Gekkoninae	*Gonatodes_albogularis*	48
Gekkonidae	Gekkoninae	*Gonatodes_alexandermendesi*	49.1
Gekkonidae	Gekkoninae	*Gonatodes_annularis*	55
Gekkonidae	Gekkoninae	*Gonatodes_antillensis*	38
Gekkonidae	Gekkoninae	*Gonatodes_atricucullaris*	29.6
Gekkonidae	Gekkoninae	*Gonatodes_caudiscutatus*	42
Gekkonidae	Gekkoninae	*Gonatodes_ceciliae*	67
Gekkonidae	Gekkoninae	*Gonatodes_concinnatus*	52
Gekkonidae	Gekkoninae	*Gonatodes_daudini*	29.9
Gekkonidae	Gekkoninae	*Gonatodes_eladioi*	34
Gekkonidae	Gekkoninae	*Gonatodes_falconensis*	62
Gekkonidae	Gekkoninae	*Gonatodes_hasemani*	46
Gekkonidae	Gekkoninae	*Gonatodes_humeralis*	47
Gekkonidae	Gekkoninae	*Gonatodes_ocellatus*	50
Gekkonidae	Gekkoninae	*Gonatodes_petersi*	42.07
Gekkonidae	Gekkoninae	*Gonatodes_purpurogularis*	50
Gekkonidae	Gekkoninae	*Gonatodes_seigliei*	44.2
Gekkonidae	Gekkoninae	*Gonatodes_taniae*	49.2
Gekkonidae	Gekkoninae	*Gonatodes_tapajonicus*	55
Gekkonidae	Gekkoninae	*Gonatodes_vittatus*	33
Gekkonidae	Gekkoninae	*Goniurosaurus_araneus*	130
Gekkonidae	Gekkoninae	*Goniurosaurus_bawanglingensis*	104
Gekkonidae	Gekkoninae	*Goniurosaurus_kuroiwae*	100
Gekkonidae	Gekkoninae	*Goniurosaurus_lichtenfelderi*	105
Gekkonidae	Gekkoninae	*Goniurosaurus_luii*	122.8
Gekkonidae	Gekkoninae	*Gonydactylus_markuscombaii*	72.2
Gekkonidae	Gekkoninae	*Gonydactylus_martinstolli*	82
Gekkonidae	Gekkoninae	*Gonydactylus_nepalensis*	72.6
Gekkonidae	Gekkoninae	*Gonydactylus_paradoxus*	84
Gekkonidae	Gekkoninae	*Gymnodactylus_carvalhoi*	49
Gekkonidae	Gekkoninae	*Gymnodactylus_darwinii*	58
Gekkonidae	Gekkoninae	*Gymnodactylus_geckoides*	54.7
Gekkonidae	Gekkoninae	*Gymnodactylus_guttulatus*	46
Gekkonidae	Gekkoninae	*Haemodracon_riebeckii*	140
Gekkonidae	Gekkoninae	*Haemodracon_trachyrhinus*	55
Gekkonidae	Gekkoninae	*Hemidactylus_agrius*	66
Gekkonidae	Gekkoninae	*Hemidactylus_albopunctatus*	46
Gekkonidae	Gekkoninae	*Hemidactylus_ansorgii*	62

Gekkonidae	Gekkoninae	*Hemidactylus_aporus*	54
Gekkonidae	Gekkoninae	*Hemidactylus_arnoldi*	82
Gekkonidae	Gekkoninae	*Hemidactylus_barodanus*	78
Gekkonidae	Gekkoninae	*Hemidactylus_bavazzanoi*	40
Gekkonidae	Gekkoninae	*Hemidactylus_bayonii*	44.8
Gekkonidae	Gekkoninae	*Hemidactylus_beninensis*	68.3
Gekkonidae	Gekkoninae	*Hemidactylus_bouvieri*	46
Gekkonidae	Gekkoninae	*Hemidactylus_bowringii*	81.3
Gekkonidae	Gekkoninae	*Hemidactylus_brasilianus*	64
Gekkonidae	Gekkoninae	*Hemidactylus_brookii*	85
Gekkonidae	Gekkoninae	*Hemidactylus_citernii*	36
Gekkonidae	Gekkoninae	*Hemidactylus_curlei*	43
Gekkonidae	Gekkoninae	*Hemidactylus_depressus*	81.3
Gekkonidae	Gekkoninae	*Hemidactylus_dracaenacolus*	69
Gekkonidae	Gekkoninae	*Hemidactylus_echinus*	68
Gekkonidae	Gekkoninae	*Hemidactylus_fasciatus*	95
Gekkonidae	Gekkoninae	*Hemidactylus_flaviviridis*	95
Gekkonidae	Gekkoninae	*Hemidactylus_forbesii*	83
Gekkonidae	Gekkoninae	*Hemidactylus_foudaii*	44
Gekkonidae	Gekkoninae	*Hemidactylus_frenatus*	67
Gekkonidae	Gekkoninae	*Hemidactylus_funaiolii*	38
Gekkonidae	Gekkoninae	*Hemidactylus_garnotii*	65
Gekkonidae	Gekkoninae	*Hemidactylus_giganteus*	122
Gekkonidae	Gekkoninae	*Hemidactylus_gracilis*	37
Gekkonidae	Gekkoninae	*Hemidactylus_granchii*	62
Gekkonidae	Gekkoninae	*Hemidactylus_granti*	78
Gekkonidae	Gekkoninae	*Hemidactylus_greefii*	60
Gekkonidae	Gekkoninae	*Hemidactylus_haitianus*	68
Gekkonidae	Gekkoninae	*Hemidactylus_homoeolepis*	46
Gekkonidae	Gekkoninae	*Hemidactylus_isolepis*	40
Gekkonidae	Gekkoninae	*Hemidactylus_jubensis*	70
Gekkonidae	Gekkoninae	*Hemidactylus_kamdemtohami*	71
Gekkonidae	Gekkoninae	*Hemidactylus_karenorum*	57
Gekkonidae	Gekkoninae	*Hemidactylus_klauberi*	39
Gekkonidae	Gekkoninae	*Hemidactylus_laevis*	39
Gekkonidae	Gekkoninae	*Hemidactylus_laticaudatus*	60
Gekkonidae	Gekkoninae	*Hemidactylus_lemurinus*	67
Gekkonidae	Gekkoninae	*Hemidactylus_leschenaultii*	86
Gekkonidae	Gekkoninae	*Hemidactylus_longicephalus*	78
Gekkonidae	Gekkoninae	*Hemidactylus_mabouia*	90
Gekkonidae	Gekkoninae	*Hemidactylus_macropholis*	91
Gekkonidae	Gekkoninae	*Hemidactylus_maculatus*	122
Gekkonidae	Gekkoninae	*Hemidactylus_mahendrai*	48
Gekkonidae	Gekkoninae	*Hemidactylus_marmoratus*	57.2
Gekkonidae	Gekkoninae	*Hemidactylus_matschiei*	26.5
Gekkonidae	Gekkoninae	*Hemidactylus_megalops*	36
Gekkonidae	Gekkoninae	*Hemidactylus_mercatorius*	56
Gekkonidae	Gekkoninae	*Hemidactylus_modestus*	45
Gekkonidae	Gekkoninae	*Hemidactylus_muriceus*	58
Gekkonidae	Gekkoninae	*Hemidactylus_newtoni*	49.8
Gekkonidae	Gekkoninae	*Hemidactylus_ophiolepis*	45
Gekkonidae	Gekkoninae	*Hemidactylus_ophiolepoides*	50
Gekkonidae	Gekkoninae	*Hemidactylus_oxyrhinus*	50
Gekkonidae	Gekkoninae	*Hemidactylus_palaichthus*	71
Gekkonidae	Gekkoninae	*Hemidactylus_persicus*	73
Gekkonidae	Gekkoninae	*Hemidactylus_platycephalus*	94
Gekkonidae	Gekkoninae	*Hemidactylus_platyurus*	69
Gekkonidae	Gekkoninae	*Hemidactylus_porbandarensis*	45
Gekkonidae	Gekkoninae	*Hemidactylus_prashadi*	95
Gekkonidae	Gekkoninae	*Hemidactylus_pseudomuriceus*	56
Gekkonidae	Gekkoninae	*Hemidactylus_puccionii*	40

Gekkonidae	Gekkoninae	*Hemidactylus_pumilio*	28
Gekkonidae	Gekkoninae	*Hemidactylus_reticulatus*	60
Gekkonidae	Gekkoninae	*Hemidactylus_richardsonii*	80
Gekkonidae	Gekkoninae	*Hemidactylus_ruspolii*	50
Gekkonidae	Gekkoninae	*Hemidactylus_scabriceps*	45
Gekkonidae	Gekkoninae	*Hemidactylus_sinaitus*	57
Gekkonidae	Gekkoninae	*Hemidactylus_smithi*	57
Gekkonidae	Gekkoninae	*Hemidactylus_somalicus*	43
Gekkonidae	Gekkoninae	*Hemidactylus_squamulatus*	48
Gekkonidae	Gekkoninae	*Hemidactylus_stejnegeri*	59.6
Gekkonidae	Gekkoninae	*Hemidactylus_subtriedrus*	57
Gekkonidae	Gekkoninae	*Hemidactylus_tanganicus*	80
Gekkonidae	Gekkoninae	*Hemidactylus_tasmani*	78
Gekkonidae	Gekkoninae	*Hemidactylus_taylori*	79
Gekkonidae	Gekkoninae	*Hemidactylus_triedrus*	94
Gekkonidae	Gekkoninae	*Hemidactylus_tropidolepis*	52.7
Gekkonidae	Gekkoninae	*Hemidactylus_turcicus*	61
Gekkonidae	Gekkoninae	*Hemidactylus_vietnamensis*	58
Gekkonidae	Gekkoninae	*Hemidactylus_yerburyi*	75
Gekkonidae	Gekkoninae	*Hemiphyllodactylus_aurantiacus*	37
Gekkonidae	Gekkoninae	*Hemiphyllodactylus_larutensis*	50
Gekkonidae	Gekkoninae	*Hemiphyllodactylus_typus*	60
Gekkonidae	Gekkoninae	*Hemiphyllodactylus_yunnanensis*	54
Gekkonidae	Gekkoninae	*Hemitheconyx_caudicinctus*	155
Gekkonidae	Gekkoninae	*Hemitheconyx_taylori*	137
Gekkonidae	Gekkoninae	*Heteronotia_binoei*	55
Gekkonidae	Gekkoninae	*Heteronotia_planiceps*	50
Gekkonidae	Gekkoninae	*Heteronotia_spelea*	56
Gekkonidae	Gekkoninae	*Holodactylus_africanus*	85
Gekkonidae	Gekkoninae	*Holodactylus_cornii*	94
Gekkonidae	Gekkoninae	*Homonota_andicola*	43
Gekkonidae	Gekkoninae	*Homonota_borellii*	42
Gekkonidae	Gekkoninae	*Homonota_darwinii*	55
Gekkonidae	Gekkoninae	*Homonota_fasciata*	60
Gekkonidae	Gekkoninae	*Homonota_gaudichaudii*	47
Gekkonidae	Gekkoninae	*Homonota_horrida*	60
Gekkonidae	Gekkoninae	*Homonota_penai*	33.2
Gekkonidae	Gekkoninae	*Homonota_underwoodi*	50.9
Gekkonidae	Gekkoninae	*Homonota_uruguayensis*	43.5
Gekkonidae	Gekkoninae	*Homonota_whitii*	43
Gekkonidae	Gekkoninae	*Homopholis_fasciata*	82
Gekkonidae	Gekkoninae	*Homopholis_mulleri*	75
Gekkonidae	Gekkoninae	*Homopholis_walbergii*	123
Gekkonidae	Diplodactylinae	*Hoplodactylus_chrysosireticus*	70
Gekkonidae	Diplodactylinae	*Hoplodactylus_delcourti*	370
Gekkonidae	Diplodactylinae	*Hoplodactylus_duvaucelii*	160
Gekkonidae	Diplodactylinae	*Hoplodactylus_granulatus*	93
Gekkonidae	Diplodactylinae	*Hoplodactylus_kahutarae*	85
Gekkonidae	Diplodactylinae	*Hoplodactylus_maculatus*	89
Gekkonidae	Diplodactylinae	*Hoplodactylus_nebulosus*	80
Gekkonidae	Diplodactylinae	*Hoplodactylus_pacificus*	97
Gekkonidae	Diplodactylinae	*Hoplodactylus_rakiurae*	64
Gekkonidae	Diplodactylinae	*Hoplodactylus_stephensi*	74
Gekkonidae	Gekkoninae	*Lepidoblepharis_buchwaldi*	23
Gekkonidae	Gekkoninae	*Lepidoblepharis_colombianus*	46
Gekkonidae	Gekkoninae	*Lepidoblepharis_conolepis*	44
Gekkonidae	Gekkoninae	*Lepidoblepharis_duolepis*	38
Gekkonidae	Gekkoninae	*Lepidoblepharis_festae*	47
Gekkonidae	Gekkoninae	*Lepidoblepharis_grandis*	56
Gekkonidae	Gekkoninae	*Lepidoblepharis_heyerorum*	35
Gekkonidae	Gekkoninae	*Lepidoblepharis_hoogmoedi*	38

Gekkonidae	Gekkoninae	*Lepidoblepharis_intermedius*	33	
Gekkonidae	Gekkoninae	*Lepidoblepharis_microlepis*	25	
Gekkonidae	Gekkoninae	*Lepidoblepharis_miyatai*	22	
Gekkonidae	Gekkoninae	*Lepidoblepharis_montecanoensis*	21	
Gekkonidae	Gekkoninae	*Lepidoblepharis_oxycephalus*	32	
Gekkonidae	Gekkoninae	*Lepidoblepharis_peraccae*	29	
Gekkonidae	Gekkoninae	*Lepidoblepharis_ruthveni*	46	
Gekkonidae	Gekkoninae	*Lepidoblepharis_sanctaemartae*	35	
Gekkonidae	Gekkoninae	*Lepidoblepharis_williamsi*	30	
Gekkonidae	Gekkoninae	*Lepidoblepharis_xanthostigma*	45	
Gekkonidae	Gekkoninae	*Lepidodactylus_aureolineatus*	44.2	
Gekkonidae	Gekkoninae	*Lepidodactylus_balioburius*	38.7	
Gekkonidae	Gekkoninae	*Lepidodactylus_browni*	47.5	
Gekkonidae	Gekkoninae	*Lepidodactylus_christiani*	45.6	
Gekkonidae	Gekkoninae	*Lepidodactylus_euaensis*	50	
Gekkonidae	Gekkoninae	*Lepidodactylus_flaviocularis*	49	
Gekkonidae	Gekkoninae	*Lepidodactylus_gardineri*	53	de Rooij 1915 (p50) reports SVL of 185mm which is far in excess of other published SVL data
Gekkonidae	Gekkoninae	*Lepidodactylus_guppyi*	54.4	
Gekkonidae	Gekkoninae	*Lepidodactylus_herrei*	55	
Gekkonidae	Gekkoninae	*Lepidodactylus_intermedius*	42	
Gekkonidae	Gekkoninae	*Lepidodactylus_listeri*	51.5	
Gekkonidae	Gekkoninae	*Lepidodactylus_lombocensis*	38.6	
Gekkonidae	Gekkoninae	*Lepidodactylus_lugubris*	50	
Gekkonidae	Gekkoninae	*Lepidodactylus_magnus*	71	
Gekkonidae	Gekkoninae	*Lepidodactylus_manni*	48.1	
Gekkonidae	Gekkoninae	*Lepidodactylus_moestus*	40.5	
Gekkonidae	Gekkoninae	*Lepidodactylus_mutahi*	56.3	
Gekkonidae	Gekkoninae	*Lepidodactylus_novaeguineae*	45	
Gekkonidae	Gekkoninae	*Lepidodactylus_oortii*	57	
Gekkonidae	Gekkoninae	*Lepidodactylus_orientalis*	43	
Gekkonidae	Gekkoninae	*Lepidodactylus_paurolepis*	39.4	
Gekkonidae	Gekkoninae	*Lepidodactylus_planicaudus*	41.5	
Gekkonidae	Gekkoninae	*Lepidodactylus_pulcher*	55	
Gekkonidae	Gekkoninae	*Lepidodactylus_pumilus*	48	
Gekkonidae	Gekkoninae	*Lepidodactylus_pusillus*	74.1	
Gekkonidae	Gekkoninae	*Lepidodactylus_ranauensis*	47.7	
Gekkonidae	Gekkoninae	*Lepidodactylus_shebae*	36.2	
Gekkonidae	Gekkoninae	*Lepidodactylus_tepukapili*	50.3	
Gekkonidae	Gekkoninae	*Lepidodactylus_vanuatuensis*	46.5	
Gekkonidae	Gekkoninae	*Lepidodactylus_woodfordi*	41	
Gekkonidae	Gekkoninae	*Lepidodactylus_yami*	42.1	
Gekkonidae	Gekkoninae	*Lucasium_damaeum*	57	
Gekkonidae	Gekkoninae	*Luperosaurus_brooksii*	58.5	
Gekkonidae	Gekkoninae	*Luperosaurus_browni*	66.5	
Gekkonidae	Gekkoninae	*Luperosaurus_cumingii*	86.5	
Gekkonidae	Gekkoninae	*Luperosaurus_iskandari*	69.4	
Gekkonidae	Gekkoninae	*Luperosaurus_joloensis*	36	
Gekkonidae	Gekkoninae	*Luperosaurus_macgregori*	58.9	
Gekkonidae	Gekkoninae	*Luperosaurus_palawanensis*	52	
Gekkonidae	Gekkoninae	*Luperosaurus_yasumai*	38.9	
Gekkonidae	Gekkoninae	*Lygodactylus_angolensis*	36	
Gekkonidae	Gekkoninae	*Lygodactylus_angularis*	46	
Gekkonidae	Gekkoninae	*Lygodactylus_arnoulti*	37	
Gekkonidae	Gekkoninae	*Lygodactylus_bernardi*	40	
Gekkonidae	Gekkoninae	*Lygodactylus_blancae*	35	
Gekkonidae	Gekkoninae	*Lygodactylus_blanci*	39	
Gekkonidae	Gekkoninae	*Lygodactylus_bradfieldi*	30	
Gekkonidae	Gekkoninae	*Lygodactylus_broadleyi*	23	

Gekkonidae	Gekkoninae	*Lygodactylus_capensis*	43	Barbour and Loveridge (1928) report a 54 mm (+54 to 108 TL) male L. grotei (p145) which is far in excess of other published SVL data
Gekkonidae	Gekkoninae	*Lygodactylus_chobiensis*	42	
Gekkonidae	Gekkoninae	*Lygodactylus_conradti*	39	
Gekkonidae	Gekkoninae	*Lygodactylus_conraui*	32	
Gekkonidae	Gekkoninae	*Lygodactylus_decaryi*	27	
Gekkonidae	Gekkoninae	*Lygodactylus_depressus*	38	
Gekkonidae	Gekkoninae	*Lygodactylus_expectatus*	31	
Gekkonidae	Gekkoninae	*Lygodactylus_fischeri*	42	
Gekkonidae	Gekkoninae	*Lygodactylus_grandisonae*	27.5	
Gekkonidae	Gekkoninae	*Lygodactylus_graniticolus*	39.5	
Gekkonidae	Gekkoninae	*Lygodactylus_gravis*	42	
Gekkonidae	Gekkoninae	*Lygodactylus_guibei*	40	
Gekkonidae	Gekkoninae	*Lygodactylus_gutturalis*	42	Loveridge (1936) reports 90 mm, may be total length: Spawls et al. 2002 writes that L. guttoralis is "a small dwarf gecko" and that 9 cm is its maximum total length
Gekkonidae	Gekkoninae	*Lygodactylus_heterurus*	25	
Gekkonidae	Gekkoninae	*Lygodactylus_howelli*	27.2	
Gekkonidae	Gekkoninae	*Lygodactylus_inexpectatus*	32.67	
Gekkonidae	Gekkoninae	*Lygodactylus_insularis*	26	
Gekkonidae	Gekkoninae	*Lygodactylus_intermedius*	31.5	
Gekkonidae	Gekkoninae	*Lygodactylus_keniensis*	42	
Gekkonidae	Gekkoninae	*Lygodactylus_kimhowelli*	35.5	
Gekkonidae	Gekkoninae	*Lygodactylus_klemmeri*	28	
Gekkonidae	Gekkoninae	*Lygodactylus_klugei*	30.9	
Gekkonidae	Gekkoninae	*Lygodactylus_lawrencei*	34	
Gekkonidae	Gekkoninae	*Lygodactylus_luteopicturatus*	42.5	
Gekkonidae	Gekkoninae	*Lygodactylus_madagascariensis*	37	
Gekkonidae	Gekkoninae	*Lygodactylus_manni*	27	
Gekkonidae	Gekkoninae	*Lygodactylus_methueni*	42	
Gekkonidae	Gekkoninae	*Lygodactylus_miops*	34	
Gekkonidae	Gekkoninae	*Lygodactylus_mirabilis*	29	
Gekkonidae	Gekkoninae	*Lygodactylus_montanus*	38	
Gekkonidae	Gekkoninae	*Lygodactylus_nigropunctatus*	38	
Gekkonidae	Gekkoninae	*Lygodactylus_ocellatus*	38	
Gekkonidae	Gekkoninae	*Lygodactylus_ornatus*	27	
Gekkonidae	Gekkoninae	*Lygodactylus_pauliani*	36	
Gekkonidae	Gekkoninae	*Lygodactylus_picturatus*	43	
Gekkonidae	Gekkoninae	*Lygodactylus_pictus*	41	
Gekkonidae	Gekkoninae	*Lygodactylus_rarus*	37	
Gekkonidae	Gekkoninae	*Lygodactylus_rex*	50	
Gekkonidae	Gekkoninae	*Lygodactylus_scheffleri*	34	
Gekkonidae	Gekkoninae	*Lygodactylus_scorteccii*	33.9	
Gekkonidae	Gekkoninae	*Lygodactylus_septemtuberculatus*	26	
Gekkonidae	Gekkoninae	*Lygodactylus_somalicus*	32.8	
Gekkonidae	Gekkoninae	*Lygodactylus_stevensoni*	40	
Gekkonidae	Gekkoninae	*Lygodactylus_thomensis*	36.7	
Gekkonidae	Gekkoninae	*Lygodactylus_tolampyae*	35	
Gekkonidae	Gekkoninae	*Lygodactylus_tuberosus*	38	
Gekkonidae	Gekkoninae	*Lygodactylus_verticillatus*	35	
Gekkonidae	Gekkoninae	*Lygodactylus_waterbergensis*	40	
Gekkonidae	Gekkoninae	*Lygodactylus_wetzeli*	28.5	
Gekkonidae	Gekkoninae	*Lygodactylus_williamsi*	34	
Gekkonidae	Gekkoninae	*Matoatoa_brevipes*	40	

Gekkonidae	Gekkoninae	*Matoatoa_spannringi*	58
Gekkonidae	Gekkoninae	*Microscalabotes_bivittis*	36
Gekkonidae	Gekkoninae	*Nactus_cheverti*	57
Gekkonidae	Gekkoninae	*Nactus_coindemirensis*	33
Gekkonidae	Gekkoninae	*Nactus_eboracensis*	57
Gekkonidae	Gekkoninae	*Nactus_galgajuga*	50
Gekkonidae	Gekkoninae	*Nactus_multicarinatus*	60
Gekkonidae	Gekkoninae	*Nactus_pelagicus*	80
Gekkonidae	Gekkoninae	*Nactus_serpensinsula*	65
Gekkonidae	Gekkoninae	*Nactus_sphaerodactylodes*	26
Gekkonidae	Gekkoninae	*Nactus_vankampeni*	33
Gekkonidae	Gekkoninae	*Narudasia_festiva*	31
Gekkonidae	Diplodactylinae	*Naultinus_elegans*	95
Gekkonidae	Diplodactylinae	*Naultinus_gemmeus*	80
Gekkonidae	Diplodactylinae	*Naultinus_grayii*	95
Gekkonidae	Diplodactylinae	*Naultinus_manukanus*	74
Gekkonidae	Diplodactylinae	*Naultinus_poecilochlorus*	85
Gekkonidae	Diplodactylinae	*Naultinus_rudis*	70
Gekkonidae	Diplodactylinae	*Naultinus_stellatus*	80
Gekkonidae	Diplodactylinae	*Naultinus_tuberculatus*	78
Gekkonidae	Diplodactylinae	*Nephrurus_amyae*	135
Gekkonidae	Diplodactylinae	*Nephrurus_asper*	115
Gekkonidae	Diplodactylinae	*Nephrurus_deleani*	100
Gekkonidae	Diplodactylinae	*Nephrurus_laevissimus*	93
Gekkonidae	Diplodactylinae	*Nephrurus_levis*	102
Gekkonidae	Diplodactylinae	*Nephrurus_sheai*	120
Gekkonidae	Diplodactylinae	*Nephrurus_stellatus*	90
Gekkonidae	Diplodactylinae	*Nephrurus_vertebralis*	93
Gekkonidae	Diplodactylinae	*Nephrurus_wheeleri*	100
Gekkonidae	Gekkoninae	*Oedodera_marmorata*	61
Gekkonidae	Diplodactylinae	*Oedura_castelnaui*	90
Gekkonidae	Diplodactylinae	*Oedura_coggeri*	71.3
Gekkonidae	Diplodactylinae	*Oedura_filicipoda*	105
Gekkonidae	Diplodactylinae	*Oedura_gemmata*	100
Gekkonidae	Diplodactylinae	*Oedura_gracilis*	85
Gekkonidae	Diplodactylinae	*Oedura_lesueurii*	80
Gekkonidae	Diplodactylinae	*Oedura_marmorata*	110
Gekkonidae	Diplodactylinae	*Oedura_monilis*	86
Gekkonidae	Diplodactylinae	*Oedura_obscura*	62
Gekkonidae	Diplodactylinae	*Oedura_reticulata*	70
Gekkonidae	Diplodactylinae	*Oedura_rhombifer*	80
Gekkonidae	Diplodactylinae	*Oedura_robusta*	85
Gekkonidae	Diplodactylinae	*Oedura_tryoni*	87
Gekkonidae	Gekkoninae	*Pachydactylus_amoenus*	36
Gekkonidae	Gekkoninae	*Pachydactylus_atorquatus*	54.2
Gekkonidae	Gekkoninae	*Pachydactylus_austeni*	47
Gekkonidae	Gekkoninae	*Pachydactylus_barnardi*	60
Gekkonidae	Gekkoninae	*Pachydactylus_bicolor*	43
Gekkonidae	Gekkoninae	*Pachydactylus_capensis*	68
Gekkonidae	Gekkoninae	*Pachydactylus_caraculicus*	41
Gekkonidae	Gekkoninae	*Pachydactylus_fasciatus*	56
Gekkonidae	Gekkoninae	*Pachydactylus_formosus*	60
Gekkonidae	Gekkoninae	*Pachydactylus_gaiasensis*	68
Gekkonidae	Gekkoninae	*Pachydactylus_geitje*	45
Gekkonidae	Gekkoninae	*Pachydactylus_haackei*	85
Gekkonidae	Gekkoninae	*Pachydactylus_kladaroderma*	86
Gekkonidae	Gekkoninae	*Pachydactylus_kobosensis*	50.5
Gekkonidae	Gekkoninae	*Pachydactylus_labialis*	46
Gekkonidae	Gekkoninae	*Pachydactylus_laevigatus*	91
Gekkonidae	Gekkoninae	*Pachydactylus_maculatus*	58
Gekkonidae	Gekkoninae	*Pachydactylus_mariquensis*	58

Gekkonidae	Gekkoninae	*Pachydactylus_monticolus*	36
Gekkonidae	Gekkoninae	*Pachydactylus_namaquensis*	85
Gekkonidae	Gekkoninae	*Pachydactylus_oculatus*	53
Gekkonidae	Gekkoninae	*Pachydactylus_oreophilus*	57
Gekkonidae	Gekkoninae	*Pachydactylus_oshaughnessyi*	58
Gekkonidae	Gekkoninae	*Pachydactylus_parascutatus*	38.4
Gekkonidae	Gekkoninae	*Pachydactylus_punctatus*	42
Gekkonidae	Gekkoninae	*Pachydactylus_rangei*	80
Gekkonidae	Gekkoninae	*Pachydactylus_rugosus*	65
Gekkonidae	Gekkoninae	*Pachydactylus_sansteyni*	48
Gekkonidae	Gekkoninae	*Pachydactylus_scherzi*	35
Gekkonidae	Gekkoninae	*Pachydactylus_scutatus*	47
Gekkonidae	Gekkoninae	*Pachydactylus_serval*	45.5
Gekkonidae	Gekkoninae	*Pachydactylus_tigrinus*	53
Gekkonidae	Gekkoninae	*Pachydactylus_tsodiloensis*	60
Gekkonidae	Gekkoninae	*Pachydactylus_vansoni*	59
Gekkonidae	Gekkoninae	*Pachydactylus_vanzyli*	66
Gekkonidae	Gekkoninae	*Pachydactylus_waterbergensis*	49.3
Gekkonidae	Gekkoninae	*Pachydactylus_weberi*	49
Gekkonidae	Gekkoninae	*Paragehyra_gabriellae*	75
Gekkonidae	Gekkoninae	*Paroedura_androyensis*	47
Gekkonidae	Gekkoninae	*Paroedura_bastardi*	80
Gekkonidae	Gekkoninae	*Paroedura_gracilis*	67
Gekkonidae	Gekkoninae	*Paroedura_homalorhina*	74
Gekkonidae	Gekkoninae	*Paroedura_karstophila*	55
Gekkonidae	Gekkoninae	*Paroedura_lohatsara*	80
Gekkonidae	Gekkoninae	*Paroedura_maingoka*	71
Gekkonidae	Gekkoninae	*Paroedura_masobe*	107
Gekkonidae	Gekkoninae	*Paroedura_oviceps*	69
Gekkonidae	Gekkoninae	*Paroedura_picta*	90
Gekkonidae	Gekkoninae	*Paroedura_sanctijohannis*	67
Gekkonidae	Gekkoninae	*Paroedura_stumpffi*	70
Gekkonidae	Gekkoninae	*Paroedura_tanjaka*	102
Gekkonidae	Gekkoninae	*Paroedura_vahiny*	42
Gekkonidae	Gekkoninae	*Paroedura_vazimba*	50
Gekkonidae	Gekkoninae	*Perochirus_ateles*	90
Gekkonidae	Gekkoninae	*Perochirus_guentheri*	69
Gekkonidae	Gekkoninae	*Perochirus_scutellatus*	131.6
Gekkonidae	Gekkoninae	*Phelsuma_abbotti*	65
Gekkonidae	Gekkoninae	*Phelsuma_andamanense*	63.5
Gekkonidae	Gekkoninae	*Phelsuma_antanosy*	48
Gekkonidae	Gekkoninae	*Phelsuma_astriata*	60
Gekkonidae	Gekkoninae	*Phelsuma_barbouri*	64
Gekkonidae	Gekkoninae	*Phelsuma_berghofi*	58
Gekkonidae	Gekkoninae	*Phelsuma_borbonica*	73
Gekkonidae	Gekkoninae	*Phelsuma_breviceps*	54
Gekkonidae	Gekkoninae	*Phelsuma_cepediana*	60
Gekkonidae	Gekkoninae	*Phelsuma_comorensis*	56
Gekkonidae	Gekkoninae	*Phelsuma_dubia*	70
Gekkonidae	Gekkoninae	*Phelsuma_edwardnewtoni*	108
Gekkonidae	Gekkoninae	*Phelsuma_flavigularis*	70
Gekkonidae	Gekkoninae	*Phelsuma_gigas*	218
Gekkonidae	Gekkoninae	*Phelsuma_guentheri*	160
Gekkonidae	Gekkoninae	*Phelsuma_guimbeaui*	62
Gekkonidae	Gekkoninae	*Phelsuma_guttata*	56.5
Gekkonidae	Gekkoninae	*Phelsuma_hielscheri*	73.4
Gekkonidae	Gekkoninae	*Phelsuma_inexpectata*	58
Gekkonidae	Gekkoninae	*Phelsuma_kely*	33
Gekkonidae	Gekkoninae	*Phelsuma_klemmeri*	43
Gekkonidae	Gekkoninae	*Phelsuma_laticauda*	65
Gekkonidae	Gekkoninae	*Phelsuma_lineata*	64

Gekkonidae	Gekkoninae	*Phelsuma_madagascariensis*	120
Gekkonidae	Gekkoninae	*Phelsuma_malamakibo*	60.9
Gekkonidae	Gekkoninae	*Phelsuma_masohoala*	47
Gekkonidae	Gekkoninae	*Phelsuma_modesta*	46
Gekkonidae	Gekkoninae	*Phelsuma_mutabilis*	50
Gekkonidae	Gekkoninae	*Phelsuma_nigristriata*	45
Gekkonidae	Gekkoninae	*Phelsuma_ocellata*	46
Gekkonidae	Gekkoninae	*Phelsuma_ornata*	54.3
Gekkonidae	Gekkoninae	*Phelsuma_parkeri*	69
Gekkonidae	Gekkoninae	*Phelsuma_pronki*	50
Gekkonidae	Gekkoninae	*Phelsuma_pusilla*	37
Gekkonidae	Gekkoninae	*Phelsuma_quadriocellata*	61
Gekkonidae	Gekkoninae	*Phelsuma_robertmertensi*	50
Gekkonidae	Gekkoninae	*Phelsuma_rosagularis*	69
Gekkonidae	Gekkoninae	*Phelsuma_seippi*	55
Gekkonidae	Gekkoninae	*Phelsuma_serraticauda*	60
Gekkonidae	Gekkoninae	*Phelsuma_standingi*	93
Gekkonidae	Gekkoninae	*Phelsuma_sundbergi*	110
Gekkonidae	Gekkoninae	*Phelsuma_vanheygeni*	35
Gekkonidae	Gekkoninae	*Phelsuma_v-nigra*	53
Gekkonidae	Gekkoninae	*Phyllodactylus_angelensis*	52
Gekkonidae	Gekkoninae	*Phyllodactylus_angustidigitus*	57
Gekkonidae	Gekkoninae	*Phyllodactylus_apricus*	50
Gekkonidae	Gekkoninae	*Phyllodactylus_barringtonensis*	41
Gekkonidae	Gekkoninae	*Phyllodactylus_baurii*	48
Gekkonidae	Gekkoninae	*Phyllodactylus_bordai*	60
Gekkonidae	Gekkoninae	*Phyllodactylus_bugastrolepis*	63
Gekkonidae	Gekkoninae	*Phyllodactylus_clinatus*	46
Gekkonidae	Gekkoninae	*Phyllodactylus_darwini*	72
Gekkonidae	Gekkoninae	*Phyllodactylus_davisi*	69
Gekkonidae	Gekkoninae	*Phyllodactylus_delcampoi*	90
Gekkonidae	Gekkoninae	*Phyllodactylus_dixoni*	76
Gekkonidae	Gekkoninae	*Phyllodactylus_duellmani*	43
Gekkonidae	Gekkoninae	*Phyllodactylus_galapagensis*	46
Gekkonidae	Gekkoninae	*Phyllodactylus_gerrhopygus*	56
Gekkonidae	Gekkoninae	*Phyllodactylus_gilberti*	55.5
Gekkonidae	Gekkoninae	*Phyllodactylus_heterurus*	41
Gekkonidae	Gekkoninae	*Phyllodactylus_homolepidurus*	69
Gekkonidae	Gekkoninae	*Phyllodactylus_inaequalis*	42
Gekkonidae	Gekkoninae	*Phyllodactylus_insularis*	69
Gekkonidae	Gekkoninae	*Phyllodactylus_interandinus*	47
Gekkonidae	Gekkoninae	*Phyllodactylus_johnwrighti*	50
Gekkonidae	Gekkoninae	*Phyllodactylus_julieni*	57
Gekkonidae	Gekkoninae	*Phyllodactylus_kofordi*	46
Gekkonidae	Gekkoninae	*Phyllodactylus_lanei*	81
Gekkonidae	Gekkoninae	*Phyllodactylus_leei*	43
Gekkonidae	Gekkoninae	*Phyllodactylus_lepidopygus*	55
Gekkonidae	Gekkoninae	*Phyllodactylus_martini*	54
Gekkonidae	Gekkoninae	*Phyllodactylus_microphyllus*	58
Gekkonidae	Gekkoninae	*Phyllodactylus_muralis*	64
Gekkonidae	Gekkoninae	*Phyllodactylus_nocticolus*	62
Gekkonidae	Gekkoninae	*Phyllodactylus_palmeus*	76
Gekkonidae	Gekkoninae	*Phyllodactylus_partidus*	67
Gekkonidae	Gekkoninae	*Phyllodactylus_paucituberculatus*	70
Gekkonidae	Gekkoninae	*Phyllodactylus_pulcher*	66
Gekkonidae	Gekkoninae	*Phyllodactylus_pumilius*	51
Gekkonidae	Gekkoninae	*Phyllodactylus_reissii*	75
Gekkonidae	Gekkoninae	*Phyllodactylus_rutteni*	51.1
Gekkonidae	Gekkoninae	*Phyllodactylus_santacruzensis*	51
Gekkonidae	Gekkoninae	*Phyllodactylus_sentosus*	56
Gekkonidae	Gekkoninae	*Phyllodactylus_tinklei*	52

Gekkonidae	Gekkoninae	*Phyllodactylus_transversalis*	57
Gekkonidae	Gekkoninae	*Phyllodactylus_tuberculosus*	100
Gekkonidae	Gekkoninae	*Phyllodactylus_unctus*	57
Gekkonidae	Gekkoninae	*Phyllodactylus_ventralis*	75
Gekkonidae	Gekkoninae	*Phyllodactylus_wirshingi*	66
Gekkonidae	Gekkoninae	*Phyllodactylus_xanti*	76
Gekkonidae	Gekkoninae	*Phyllopezus_maranjonensis*	115
Gekkonidae	Gekkoninae	*Phyllopezus_periosus*	114
Gekkonidae	Gekkoninae	*Phyllopezus_pollicaris*	95
Gekkonidae	Diplodactylinae	*Phyllurus_amnicola*	113
Gekkonidae	Diplodactylinae	*Phyllurus_caudiannulatus*	103
Gekkonidae	Diplodactylinae	*Phyllurus_championae*	80.6
Gekkonidae	Diplodactylinae	*Phyllurus_gulbaru*	93
Gekkonidae	Diplodactylinae	*Phyllurus_isis*	76
Gekkonidae	Diplodactylinae	*Phyllurus_nepthys*	103
Gekkonidae	Diplodactylinae	*Phyllurus_ossa*	89
Gekkonidae	Diplodactylinae	*Phyllurus_platurus*	110
Gekkonidae	Gekkoninae	*Pristurus_abdelkuri*	37
Gekkonidae	Gekkoninae	*Pristurus_adrarensis*	31.6
Gekkonidae	Gekkoninae	*Pristurus_carteri*	78
Gekkonidae	Gekkoninae	*Pristurus_celerrimus*	40
Gekkonidae	Gekkoninae	*Pristurus_collaris*	52
Gekkonidae	Gekkoninae	*Pristurus_crucifer*	40
Gekkonidae	Gekkoninae	*Pristurus_flavipunctatus*	40
Gekkonidae	Gekkoninae	*Pristurus_gasperetti*	38
Gekkonidae	Gekkoninae	*Pristurus_guichardi*	37.2
Gekkonidae	Gekkoninae	*Pristurus_insignis*	60
Gekkonidae	Gekkoninae	*Pristurus_insignoides*	52.8
Gekkonidae	Gekkoninae	*Pristurus_minimus*	30
Gekkonidae	Gekkoninae	*Pristurus_obsti*	36.2
Gekkonidae	Gekkoninae	*Pristurus_ornithocephalus*	54
Gekkonidae	Gekkoninae	*Pristurus_phillipsii*	30
Gekkonidae	Gekkoninae	*Pristurus_popovi*	37.5
Gekkonidae	Gekkoninae	*Pristurus_rupestris*	32
Gekkonidae	Gekkoninae	*Pristurus_saada*	41
Gekkonidae	Gekkoninae	*Pristurus_samhaensis*	38.5
Gekkonidae	Gekkoninae	*Pristurus_simonettai*	27
Gekkonidae	Gekkoninae	*Pristurus_sokotranus*	40
Gekkonidae	Gekkoninae	*Pristurus_somalicus*	39
Gekkonidae	Gekkoninae	*Pseudogekko_brevipes*	54
Gekkonidae	Gekkoninae	*Pseudogekko_compressicorpus*	77.7
Gekkonidae	Gekkoninae	*Pseudogekko_labialis*	63
Gekkonidae	Gekkoninae	*Pseudogekko_smaragdinus*	64
Gekkonidae	Gekkoninae	*Pseudogonatodes_barbouri*	20.5
Gekkonidae	Gekkoninae	*Pseudogonatodes_furvus*	45
Gekkonidae	Gekkoninae	*Pseudogonatodes_gasconi*	24
Gekkonidae	Gekkoninae	*Pseudogonatodes_guianensis*	30
Gekkonidae	Gekkoninae	*Pseudogonatodes_lunulatus*	25
Gekkonidae	Gekkoninae	*Pseudogonatodes_manessi*	38
Gekkonidae	Gekkoninae	*Pseudogonatodes_peruvianus*	32
Gekkonidae	Diplodactylinae	*Pseudothecadactylus_australis*	120
Gekkonidae	Diplodactylinae	*Pseudothecadactylus_cavaticus*	115
Gekkonidae	Diplodactylinae	*Pseudothecadactylus_lindneri*	107
Gekkonidae	Gekkoninae	*Ptenopus_carpi*	60.4
Gekkonidae	Gekkoninae	*Ptenopus_garrulus*	62.6
Gekkonidae	Gekkoninae	*Ptenopus_kochi*	64.8
Gekkonidae	Gekkoninae	*Ptychozoon_horsfieldii*	96
Gekkonidae	Gekkoninae	*Ptychozoon_intermedium*	99.5
Gekkonidae	Gekkoninae	*Ptychozoon_kuhli*	107.8
Gekkonidae	Gekkoninae	*Ptychozoon_lionotum*	100
Gekkonidae	Gekkoninae	*Ptychozoon_rhacophorus*	75

Gekkonidae	Gekkoninae	*Ptychozoon_trinotaterra*	71.3
Gekkonidae	Gekkoninae	*Ptyodactylus_guttatus*	90
Gekkonidae	Gekkoninae	*Ptyodactylus_hasselquistii*	98
Gekkonidae	Gekkoninae	*Ptyodactylus_homolepis*	110
Gekkonidae	Gekkoninae	*Ptyodactylus_oudrii*	61
Gekkonidae	Gekkoninae	*Ptyodactylus_puiseuxi*	75
Gekkonidae	Gekkoninae	*Ptyodactylus_ragazzii*	96
Gekkonidae	Gekkoninae	*Quedenfeldtia_moerens*	40
Gekkonidae	Gekkoninae	*Quedenfeldtia_trachyblepharus*	45
Gekkonidae	Diplodactylinae	*Rhacodactylus_auriculatus*	125
Gekkonidae	Diplodactylinae	*Rhacodactylus_chahoua*	147
Gekkonidae	Diplodactylinae	*Rhacodactylus_ciliatus*	130
Gekkonidae	Diplodactylinae	*Rhacodactylus_leachianus*	280
Gekkonidae	Diplodactylinae	*Rhacodactylus_sarasinorum*	135
Gekkonidae	Diplodactylinae	*Rhacodactylus_trachyrhynchus*	190
Gekkonidae	Gekkoninae	*Rhoptropus_afer*	55
Gekkonidae	Gekkoninae	*Rhoptropus_barnardi*	49
Gekkonidae	Gekkoninae	*Rhoptropus_biporosus*	55
Gekkonidae	Gekkoninae	*Rhoptropus_boultoni*	74
Gekkonidae	Gekkoninae	*Rhoptropus_braconnieri*	56
Gekkonidae	Gekkoninae	*Rhoptropus_bradfieldi*	69
Gekkonidae	Gekkoninae	*Rhoptropus_taeniostictus*	65
Gekkonidae	Diplodactylinae	*Rhynchoedura_ornata*	54
Gekkonidae	Diplodactylinae	*Saltuarius_cornutus*	160
Gekkonidae	Diplodactylinae	*Saltuarius_occultus*	108
Gekkonidae	Diplodactylinae	*Saltuarius_salebrosus*	143
Gekkonidae	Diplodactylinae	*Saltuarius_swaini*	131
Gekkonidae	Diplodactylinae	*Saltuarius_wyberba*	109
Gekkonidae	Gekkoninae	*Saurodactylus_fasciatus*	38
Gekkonidae	Gekkoninae	*Saurodactylus_mauritanicus*	34
Gekkonidae	Gekkoninae	*Sphaerodactylus_altavelensis*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_argivus*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_argus*	33
Gekkonidae	Gekkoninae	*Sphaerodactylus_ariasae*	17.9
Gekkonidae	Gekkoninae	*Sphaerodactylus_armasi*	30
Gekkonidae	Gekkoninae	*Sphaerodactylus_armstrongi*	31
Gekkonidae	Gekkoninae	*Sphaerodactylus_asterulus*	31
Gekkonidae	Gekkoninae	*Sphaerodactylus_beattyi*	30
Gekkonidae	Gekkoninae	*Sphaerodactylus_becki*	31
Gekkonidae	Gekkoninae	*Sphaerodactylus_bromeliarum*	24
Gekkonidae	Gekkoninae	*Sphaerodactylus_caicosensis*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_callocricus*	28
Gekkonidae	Gekkoninae	*Sphaerodactylus_celicara*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_cinereus*	37
Gekkonidae	Gekkoninae	*Sphaerodactylus_clenchi*	33
Gekkonidae	Gekkoninae	*Sphaerodactylus_cochranae*	30
Gekkonidae	Gekkoninae	*Sphaerodactylus_copei*	41
Gekkonidae	Gekkoninae	*Sphaerodactylus_corticola*	39
Gekkonidae	Gekkoninae	*Sphaerodactylus_cricoderus*	25
Gekkonidae	Gekkoninae	*Sphaerodactylus_cryphius*	22
Gekkonidae	Gekkoninae	*Sphaerodactylus_darlingtoni*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_difficilis*	34
Gekkonidae	Gekkoninae	*Sphaerodactylus_docimus*	30
Gekkonidae	Gekkoninae	*Sphaerodactylus_dunni*	28
Gekkonidae	Gekkoninae	*Sphaerodactylus_elasmorhynchus*	17
Gekkonidae	Gekkoninae	*Sphaerodactylus_elegans*	39
Gekkonidae	Gekkoninae	*Sphaerodactylus_elegantulus*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_epiurus*	25
Gekkonidae	Gekkoninae	*Sphaerodactylus_fantasticus*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_gaigeae*	25
Gekkonidae	Gekkoninae	*Sphaerodactylus_gilvitorques*	27

Gekkonidae	Gekkoninae	*Sphaerodactylus_glaucus*	31
Gekkonidae	Gekkoninae	*Sphaerodactylus_goniorhynchus*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_graptolaemus*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_heliconiae*	31.2
Gekkonidae	Gekkoninae	*Sphaerodactylus_homolepis*	33
Gekkonidae	Gekkoninae	*Sphaerodactylus_inaguae*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_intermedius*	36
Gekkonidae	Gekkoninae	*Sphaerodactylus_kirbyi*	25
Gekkonidae	Gekkoninae	*Sphaerodactylus_klauberi*	37
Gekkonidae	Gekkoninae	*Sphaerodactylus_ladae*	27
Gekkonidae	Gekkoninae	*Sphaerodactylus_lazelli*	31
Gekkonidae	Gekkoninae	*Sphaerodactylus_leucaster*	31
Gekkonidae	Gekkoninae	*Sphaerodactylus_levinsi*	28
Gekkonidae	Gekkoninae	*Sphaerodactylus_lineolatus*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_macrolepis*	35
Gekkonidae	Gekkoninae	*Sphaerodactylus_mariguanae*	41
Gekkonidae	Gekkoninae	*Sphaerodactylus_microlepis*	34
Gekkonidae	Gekkoninae	*Sphaerodactylus_micropithecus*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_millepunctatus*	35.4
Gekkonidae	Gekkoninae	*Sphaerodactylus_molei*	28
Gekkonidae	Gekkoninae	*Sphaerodactylus_monensis*	30
Gekkonidae	Gekkoninae	*Sphaerodactylus_nicholsi*	25
Gekkonidae	Gekkoninae	*Sphaerodactylus_nigropunctatus*	40
Gekkonidae	Gekkoninae	*Sphaerodactylus_notatus*	34
Gekkonidae	Gekkoninae	*Sphaerodactylus_nycteropus*	21
Gekkonidae	Gekkoninae	*Sphaerodactylus_ocoae*	37
Gekkonidae	Gekkoninae	*Sphaerodactylus_oliveri*	34
Gekkonidae	Gekkoninae	*Sphaerodactylus_omoglaux*	20
Gekkonidae	Gekkoninae	*Sphaerodactylus_oxyrhinus*	34
Gekkonidae	Gekkoninae	*Sphaerodactylus_pacificus*	49
Gekkonidae	Gekkoninae	*Sphaerodactylus_parkeri*	35
Gekkonidae	Gekkoninae	*Sphaerodactylus_parthenopion*	18
Gekkonidae	Gekkoninae	*Sphaerodactylus_parvus*	24
Gekkonidae	Gekkoninae	*Sphaerodactylus_perissodactylius*	23
Gekkonidae	Gekkoninae	*Sphaerodactylus_pimienta*	36
Gekkonidae	Gekkoninae	*Sphaerodactylus_plummeri*	22
Gekkonidae	Gekkoninae	*Sphaerodactylus_ramsdeni*	33
Gekkonidae	Gekkoninae	*Sphaerodactylus_randi*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_rhabdotus*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_richardi*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_richardsonii*	40
Gekkonidae	Gekkoninae	*Sphaerodactylus_roosevelti*	39
Gekkonidae	Gekkoninae	*Sphaerodactylus_rosaurae*	39
Gekkonidae	Gekkoninae	*Sphaerodactylus_ruibali*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_sabanus*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_samanensis*	29
Gekkonidae	Gekkoninae	*Sphaerodactylus_savagei*	33
Gekkonidae	Gekkoninae	*Sphaerodactylus_scaber*	34
Gekkonidae	Gekkoninae	*Sphaerodactylus_scapularis*	33.1
Gekkonidae	Gekkoninae	*Sphaerodactylus_schuberti*	33
Gekkonidae	Gekkoninae	*Sphaerodactylus_schwartzi*	20
Gekkonidae	Gekkoninae	*Sphaerodactylus_semasiops*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_shrevei*	30
Gekkonidae	Gekkoninae	*Sphaerodactylus_sommeri*	35
Gekkonidae	Gekkoninae	*Sphaerodactylus_sputator*	39
Gekkonidae	Gekkoninae	*Sphaerodactylus_storeyae*	32
Gekkonidae	Gekkoninae	*Sphaerodactylus_streptophorus*	26
Gekkonidae	Gekkoninae	*Sphaerodactylus_thompsoni*	33
Gekkonidae	Gekkoninae	*Sphaerodactylus_torrei*	39
Gekkonidae	Gekkoninae	*Sphaerodactylus_townsendi*	28
Gekkonidae	Gekkoninae	*Sphaerodactylus_underwoodi*	32

Gekkonidae	Gekkoninae	*Sphaerodactylus_vincenti*	40	
Gekkonidae	Gekkoninae	*Sphaerodactylus_williamsi*	22	
Gekkonidae	Gekkoninae	*Sphaerodactylus_zygaena*	32	
Gekkonidae	Gekkoninae	*Stenodactylus_affinis*	60	
Gekkonidae	Gekkoninae	*Stenodactylus_arabicus*	67	
Gekkonidae	Gekkoninae	*Stenodactylus_doriae*	83	
Gekkonidae	Gekkoninae	*Stenodactylus_grandiceps*	55	
Gekkonidae	Gekkoninae	*Stenodactylus_khobarensis*	62	
Gekkonidae	Gekkoninae	*Stenodactylus_leptocosymbotus*	80	
Gekkonidae	Gekkoninae	*Stenodactylus_petrii*	66.9	
Gekkonidae	Gekkoninae	*Stenodactylus_pulcher*	47	
Gekkonidae	Gekkoninae	*Stenodactylus_slevini*	88	
Gekkonidae	Gekkoninae	*Stenodactylus_sthenodactylus*	60	
Gekkonidae	Gekkoninae	*Stenodactylus_yemenensis*	60	
Gekkonidae	Diplodactylinae	*Strophurus_assimilis*	78	
Gekkonidae	Diplodactylinae	*Strophurus_ciliaris*	89	
Gekkonidae	Diplodactylinae	*Strophurus_elderi*	48.7	
Gekkonidae	Diplodactylinae	*Strophurus_intermedius*	79.9	
Gekkonidae	Diplodactylinae	*Strophurus_jeanae*	49	
Gekkonidae	Diplodactylinae	*Strophurus_krisalys*	70	
Gekkonidae	Diplodactylinae	*Strophurus_mcmillani*	53	
Gekkonidae	Diplodactylinae	*Strophurus_michaelseni*	66	
Gekkonidae	Diplodactylinae	*Strophurus_rankini*	63	
Gekkonidae	Diplodactylinae	*Strophurus_robinsoni*	55	
Gekkonidae	Diplodactylinae	*Strophurus_spinigerus*	79.4	
Gekkonidae	Diplodactylinae	*Strophurus_strophurus*	76.1	
Gekkonidae	Diplodactylinae	*Strophurus_taeniatus*	50	
Gekkonidae	Diplodactylinae	*Strophurus_wellingtonae*	85	
Gekkonidae	Diplodactylinae	*Strophurus_williamsi*	65	
Gekkonidae	Diplodactylinae	*Strophurus_wilsoni*	60	
Gekkonidae	Gekkoninae	*Tarentola_albertschwartzi*	137	
Gekkonidae	Gekkoninae	*Tarentola_americana*	120	
Gekkonidae	Gekkoninae	*Tarentola_angustimentalis*	80	
Gekkonidae	Gekkoninae	*Tarentola_annularis*	140	
Gekkonidae	Gekkoninae	*Tarentola_bischoffi*	60	
Gekkonidae	Gekkoninae	*Tarentola_boehmei*	81.5	
Gekkonidae	Gekkoninae	*Tarentola_boettgeri*	60	
Gekkonidae	Gekkoninae	*Tarentola_caboverdianus*	70	
Gekkonidae	Gekkoninae	*Tarentola_darwini*	80	
Gekkonidae	Gekkoninae	*Tarentola_delalandii*	81	
Gekkonidae	Gekkoninae	*Tarentola_deserti*	103	
Gekkonidae	Gekkoninae	*Tarentola_ephippiata*	102	
Gekkonidae	Gekkoninae	*Tarentola_gigas*	127	
Gekkonidae	Gekkoninae	*Tarentola_gomerensis*	75	
Gekkonidae	Gekkoninae	*Tarentola_mauritanica*	86	
Gekkonidae	Gekkoninae	*Tarentola_mindiae*	81	
Gekkonidae	Gekkoninae	*Tarentola_neglecta*	73.2	
Gekkonidae	Gekkoninae	*Tarentola_parvicarinata*	97	
Gekkonidae	Gekkoninae	*Tarentola_rudis*	80.5	
Gekkonidae	Gekkoninae	*Teratolepis_albofasciatus*	36	
Gekkonidae	Gekkoninae	*Teratolepis_fasciata*	56	
Gekkonidae	Gekkoninae	*Teratoscincus_bedriagai*	73.4	
Gekkonidae	Gekkoninae	*Teratoscincus_microlepis*	77	
Gekkonidae	Gekkoninae	*Teratoscincus_przewalskii*	97	
Gekkonidae	Gekkoninae	*Teratoscincus_roborowskii*	70	
Gekkonidae	Gekkoninae	*Teratoscincus_scincus*	120	
Gekkonidae	Gekkoninae	*Teratoscincus_toksunicus*	95	
Gekkonidae	Gekkoninae	*Thecadactylus_rapicauda*	126	Guyer and Donnelly 2005 report a maximum SVL of 212 mm - far exceeding all other published reports

Gekkonidae	Gekkoninae	*Tropiocolotes_bisharicus*	31	
Gekkonidae	Gekkoninae	*Tropiocolotes_helenae*	32	
Gekkonidae	Gekkoninae	*Tropiocolotes_latifi*	26	
Gekkonidae	Gekkoninae	*Tropiocolotes_nattereri*	30	
Gekkonidae	Gekkoninae	*Tropiocolotes_nubicus*	30.5	
Gekkonidae	Gekkoninae	*Tropiocolotes_persicus*	35.9	
Gekkonidae	Gekkoninae	*Tropiocolotes_scortecci*	30	
Gekkonidae	Gekkoninae	*Tropiocolotes_steudneri*	34.8	
Gekkonidae	Gekkoninae	*Tropiocolotes_tripolitanus*	37	
Gekkonidae	Gekkoninae	*Underwoodisaurus_milii*	110	
Gekkonidae	Diplodactylinae	*Underwoodisaurus_sphyrurus*	70	
Gekkonidae	Gekkoninae	*Urocotyledon_inexpectata*	40	
Gekkonidae	Gekkoninae	*Urocotyledon_palmata*	58	
Gekkonidae	Gekkoninae	*Urocotyledon_rasmusseni*	41.9	
Gekkonidae	Gekkoninae	*Urocotyledon_weileri*	45	
Gekkonidae	Gekkoninae	*Urocotyledon_wolterstorffi*	49.5	
Gekkonidae	Gekkoninae	*Uroplatus_alluaudi*	79.3	
Gekkonidae	Gekkoninae	*Uroplatus_ebenaui*	70	
Gekkonidae	Gekkoninae	*Uroplatus_fimbriatus*	190	
Gekkonidae	Gekkoninae	*Uroplatus_giganteus*	200	
Gekkonidae	Gekkoninae	*Uroplatus_guentheri*	79	
Gekkonidae	Gekkoninae	*Uroplatus_henkeli*	160	
Gekkonidae	Gekkoninae	*Uroplatus_lineatus*	139.1	
Gekkonidae	Gekkoninae	*Uroplatus_malahelo*	79	
Gekkonidae	Gekkoninae	*Uroplatus_malama*	71	
Gekkonidae	Gekkoninae	*Uroplatus_phantasticus*	66	
Gekkonidae	Gekkoninae	*Uroplatus_pietschmanni*	81	
Gekkonidae	Gekkoninae	*Uroplatus_sikorae*	123	Parker 1936 (p 133) reports SVL of 143mm, which is far in excess of other published SVL data
Gerrhosauridae	Gerrhosauridae	*Cordylosaurus_subtessellatus*	55	
Gerrhosauridae	Gerrhosauridae	*Gerrhosaurus_flavigularis*	142	
Gerrhosauridae	Gerrhosauridae	*Gerrhosaurus_major*	224	
Gerrhosauridae	Gerrhosauridae	*Gerrhosaurus_multilineatus*	215	
Gerrhosauridae	Gerrhosauridae	*Gerrhosaurus_nigrolineatus*	183	
Gerrhosauridae	Gerrhosauridae	*Gerrhosaurus_skoogi*	160	
Gerrhosauridae	Gerrhosauridae	*Gerrhosaurus_typicus*	114	
Gerrhosauridae	Gerrhosauridae	*Gerrhosaurus_validus*	285	
Gerrhosauridae	Gerrhosauridae	*Tetradactylus_africanus*	86.3	
Gerrhosauridae	Gerrhosauridae	*Tetradactylus_breyeri*	72	
Gerrhosauridae	Gerrhosauridae	*Tetradactylus_eastwoodae*	64	
Gerrhosauridae	Gerrhosauridae	*Tetradactylus_ellenbergeri*	66	
Gerrhosauridae	Gerrhosauridae	*Tetradactylus_seps*	68	
Gerrhosauridae	Gerrhosauridae	*Tetradactylus_tetradactylus*	73.4	
Gerrhosauridae	Gerrhosauridae	*Tetradactylus_udzungwensis*	66.5	
Gerrhosauridae	Gerrhosauridae	*Tracheloptychus_madagascariensis*	90	
Gerrhosauridae	Gerrhosauridae	*Tracheloptychus_petersi*	97	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_aeneus*	76	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_anelanelany*	93	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_bemaraha*	75	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_boettgeri*	120	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_brygooi*	78	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_haraldmeieri*	140	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_karsteni*	133	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_laticaudatus*	170	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_madagascariensis*	140	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_maximus*	246	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_ornatus*	135	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_quadrilineatus*	165	
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_rufipes*	88	

Gerrhosauridae	Gerrhosauridae	*Zonosaurus_subunicolor*	86
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_trilineatus*	155
Gerrhosauridae	Gerrhosauridae	*Zonosaurus_tsingy*	85
Gymnophthalmidae	Gymnophthalmidae	*Alopoglossus_andeanus*	58
Gymnophthalmidae	Gymnophthalmidae	*Alopoglossus_angulatus*	61
Gymnophthalmidae	Gymnophthalmidae	*Alopoglossus_atriventris*	53
Gymnophthalmidae	Gymnophthalmidae	*Alopoglossus_buckleyi*	57
Gymnophthalmidae	Gymnophthalmidae	*Alopoglossus_copii*	74
Gymnophthalmidae	Gymnophthalmidae	*Alopoglossus_festae*	59
Gymnophthalmidae	Gymnophthalmidae	*Alopoglossus_lehmanni*	33.1
Gymnophthalmidae	Gymnophthalmidae	*Amapasaurus_tetradactylus*	24
Gymnophthalmidae	Gymnophthalmidae	*Anadia_altaserrania*	76
Gymnophthalmidae	Gymnophthalmidae	*Anadia_bitaeniata*	87.8
Gymnophthalmidae	Gymnophthalmidae	*Anadia_blakei*	91
Gymnophthalmidae	Gymnophthalmidae	*Anadia_bogotensis*	64.6
Gymnophthalmidae	Gymnophthalmidae	*Anadia_brevifrontalis*	99.2
Gymnophthalmidae	Gymnophthalmidae	*Anadia_bumanguesa*	91.6
Gymnophthalmidae	Gymnophthalmidae	*Anadia_hobarti*	86.8
Gymnophthalmidae	Gymnophthalmidae	*Anadia_marmorata*	94.9
Gymnophthalmidae	Gymnophthalmidae	*Anadia_ocellata*	75
Gymnophthalmidae	Gymnophthalmidae	*Anadia_pamplonensis*	85
Gymnophthalmidae	Gymnophthalmidae	*Anadia_petersi*	74.3
Gymnophthalmidae	Gymnophthalmidae	*Anadia_pulchella*	105.9
Gymnophthalmidae	Gymnophthalmidae	*Anadia_rhombifera*	68
Gymnophthalmidae	Gymnophthalmidae	*Anadia_steyeri*	81
Gymnophthalmidae	Gymnophthalmidae	*Anadia_vittata*	67
Gymnophthalmidae	Gymnophthalmidae	*Anotosaura_collaris*	50
Gymnophthalmidae	Gymnophthalmidae	*Arthrosaura_guianensis*	63
Gymnophthalmidae	Gymnophthalmidae	*Arthrosaura_kockii*	54
Gymnophthalmidae	Gymnophthalmidae	*Arthrosaura_reticulata*	71
Gymnophthalmidae	Gymnophthalmidae	*Arthrosaura_synaptolepis*	51
Gymnophthalmidae	Gymnophthalmidae	*Arthrosaura_testigensis*	36.1
Gymnophthalmidae	Gymnophthalmidae	*Arthrosaura_tyleri*	47
Gymnophthalmidae	Gymnophthalmidae	*Arthrosaura_versteegii*	71
Gymnophthalmidae	Gymnophthalmidae	*Bachia_barbouri*	68
Gymnophthalmidae	Gymnophthalmidae	*Bachia_bicolor*	78
Gymnophthalmidae	Gymnophthalmidae	*Bachia_bresslaui*	98.6
Gymnophthalmidae	Gymnophthalmidae	*Bachia_cacerensis*	82.3
Gymnophthalmidae	Gymnophthalmidae	*Bachia_cuvieri*	47
Gymnophthalmidae	Gymnophthalmidae	*Bachia_dorbignyi*	80
Gymnophthalmidae	Gymnophthalmidae	*Bachia_flavescens*	80
Gymnophthalmidae	Gymnophthalmidae	*Bachia_guianensis*	63
Gymnophthalmidae	Gymnophthalmidae	*Bachia_heteropa*	64
Gymnophthalmidae	Gymnophthalmidae	*Bachia_huallagana*	73
Gymnophthalmidae	Gymnophthalmidae	*Bachia_intermedia*	104
Gymnophthalmidae	Gymnophthalmidae	*Bachia_pallidiceps*	73
Gymnophthalmidae	Gymnophthalmidae	*Bachia_panoplia*	85
Gymnophthalmidae	Gymnophthalmidae	*Bachia_peruana*	107
Gymnophthalmidae	Gymnophthalmidae	*Bachia_pyburni*	84.5
Gymnophthalmidae	Gymnophthalmidae	*Bachia_scolecoides*	78
Gymnophthalmidae	Gymnophthalmidae	*Bachia_talpa*	65
Gymnophthalmidae	Gymnophthalmidae	*Bachia_trisanale*	79
Gymnophthalmidae	Gymnophthalmidae	*Calyptommatus_confusionibus*	72
Gymnophthalmidae	Gymnophthalmidae	*Calyptommatus_leiolepis*	71
Gymnophthalmidae	Gymnophthalmidae	*Calyptommatus_nicterus*	69
Gymnophthalmidae	Gymnophthalmidae	*Calyptommatus_sinebrachiatus*	71
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_ampuedae*	58.5
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_argulus*	50
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_dicrus*	53
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_eigenmanni*	49
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_goeleti*	52

Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_manicatus*	73
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_nigroventris*	44.1
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_ocellata*	65
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_oshaughnessyi*	51
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_parkeri*	48
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_phelpsorum*	47
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_quadrilineata*	40.5
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_schreibersii*	55
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_steyeri*	45
Gymnophthalmidae	Gymnophthalmidae	*Cercosaura_vertebralis*	68
Gymnophthalmidae	Gymnophthalmidae	*Colobodactylus_dalcyanus*	50
Gymnophthalmidae	Gymnophthalmidae	*Colobodactylus_taunayi*	65
Gymnophthalmidae	Gymnophthalmidae	*Colobosaura_kraepelini*	40
Gymnophthalmidae	Gymnophthalmidae	*Colobosaura_mentalis*	59
Gymnophthalmidae	Gymnophthalmidae	*Colobosaura_modesta*	55
Gymnophthalmidae	Gymnophthalmidae	*Colobosauroides_carvalhoi*	35
Gymnophthalmidae	Gymnophthalmidae	*Colobosauroides_cearensis*	46
Gymnophthalmidae	Gymnophthalmidae	*Echinosaura_brachycephala*	78
Gymnophthalmidae	Gymnophthalmidae	*Echinosaura_horrida*	86
Gymnophthalmidae	Gymnophthalmidae	*Echinosaura_orcesi*	81
Gymnophthalmidae	Gymnophthalmidae	*Echinosaura_sulcarostrum*	42
Gymnophthalmidae	Gymnophthalmidae	*Ecpleopus_gaudichaudii*	40
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_acutirostris*	56
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_caideni*	82
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_guentheri*	94
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_josyi*	80
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_maculatus*	55
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_monsfumus*	46
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_nellycarrillae*	60
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_rahmi*	80
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_simonsii*	48
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_spinalis*	70
Gymnophthalmidae	Gymnophthalmidae	*Euspondylus_stenolepis*	58
Gymnophthalmidae	Gymnophthalmidae	*Gymnophthalmus_cryptus*	28
Gymnophthalmidae	Gymnophthalmidae	*Gymnophthalmus_leucomystax*	46
Gymnophthalmidae	Gymnophthalmidae	*Gymnophthalmus_lineatus*	41
Gymnophthalmidae	Gymnophthalmidae	*Gymnophthalmus_pleii*	51
Gymnophthalmidae	Gymnophthalmidae	*Gymnophthalmus_speciosus*	45
Gymnophthalmidae	Gymnophthalmidae	*Gymnophthalmus_underwoodi*	44
Gymnophthalmidae	Gymnophthalmidae	*Gymnophthalmus_vanzoi*	43
Gymnophthalmidae	Gymnophthalmidae	*Heterodactylus_imbricatus*	110
Gymnophthalmidae	Gymnophthalmidae	*Heterodactylus_lundii*	39
Gymnophthalmidae	Gymnophthalmidae	*Iphisa_elegans*	63
Gymnophthalmidae	Gymnophthalmidae	*Kaieteurosaurus_hindsi*	44.4
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_baturitensis*	35
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_caparensis*	41.6
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_ferreirai*	34.5
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_guianense*	39
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_hexalepis*	41.1
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_ioanna*	41
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_nanodactylus*	34
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_osvaldoi*	37
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_parietale*	45
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_percarinatum*	37
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_puk*	38
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_rugiceps*	44
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_scincoides*	45
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_snethlageae*	33
Gymnophthalmidae	Gymnophthalmidae	*Leposoma_southi*	55
Gymnophthalmidae	Gymnophthalmidae	*Macropholidus_ataktolepis*	43
Gymnophthalmidae	Gymnophthalmidae	*Macropholidus_ruthveni*	46

Gymnophthalmidae	Gymnophthalmidae	*Micrablepharus_atticolus*	40
Gymnophthalmidae	Gymnophthalmidae	*Micrablepharus_maximiliani*	41
Gymnophthalmidae	Gymnophthalmidae	*Neusticurus_bicarinatus*	117
Gymnophthalmidae	Gymnophthalmidae	*Neusticurus_medemi*	121
Gymnophthalmidae	Gymnophthalmidae	*Neusticurus_racenisi*	104
Gymnophthalmidae	Gymnophthalmidae	*Neusticurus_rudis*	94
Gymnophthalmidae	Gymnophthalmidae	*Neusticurus_tatei*	104
Gymnophthalmidae	Gymnophthalmidae	*Nothobachia_ablephara*	56.8
Gymnophthalmidae	Gymnophthalmidae	*Opipeuter_xestus*	58
Gymnophthalmidae	Gymnophthalmidae	*Petracola_labioocularis*	65
Gymnophthalmidae	Gymnophthalmidae	*Petracola_ventrimaculatus*	35
Gymnophthalmidae	Gymnophthalmidae	*Pholidobolus_affinis*	65
Gymnophthalmidae	Gymnophthalmidae	*Pholidobolus_annectens*	60
Gymnophthalmidae	Gymnophthalmidae	*Pholidobolus_anomalus*	52
Gymnophthalmidae	Gymnophthalmidae	*Pholidobolus_huancabambae*	57
Gymnophthalmidae	Gymnophthalmidae	*Pholidobolus_macbrydei*	56
Gymnophthalmidae	Gymnophthalmidae	*Pholidobolus_montium*	66
Gymnophthalmidae	Gymnophthalmidae	*Pholidobolus_prefrontalis*	63
Gymnophthalmidae	Gymnophthalmidae	*Placosoma_cipoense*	70
Gymnophthalmidae	Gymnophthalmidae	*Placosoma_cordylinum*	43
Gymnophthalmidae	Gymnophthalmidae	*Placosoma_glabella*	53.1
Gymnophthalmidae	Gymnophthalmidae	*Potamites_apodemus*	65
Gymnophthalmidae	Gymnophthalmidae	*Potamites_cochranae*	79
Gymnophthalmidae	Gymnophthalmidae	*Potamites_ecpleopus*	84
Gymnophthalmidae	Gymnophthalmidae	*Potamites_juruazensis*	53.9
Gymnophthalmidae	Gymnophthalmidae	*Potamites_ocellatus*	76
Gymnophthalmidae	Gymnophthalmidae	*Potamites_strangulatus*	98
Gymnophthalmidae	Gymnophthalmidae	*Procellosaurinus_erythrocercus*	30.3
Gymnophthalmidae	Gymnophthalmidae	*Procellosaurinus_tetradactylus*	26
Gymnophthalmidae	Gymnophthalmidae	*Proctoporus_bolivianus*	64.1
Gymnophthalmidae	Gymnophthalmidae	*Proctoporus_cephalolineatus*	50.8
Gymnophthalmidae	Gymnophthalmidae	*Proctoporus_guentheri*	47
Gymnophthalmidae	Gymnophthalmidae	*Proctoporus_pachyurus*	58
Gymnophthalmidae	Gymnophthalmidae	*Proctoporus_subsolanus*	47.3
Gymnophthalmidae	Gymnophthalmidae	*Proctoporus_sucullucu*	47.7
Gymnophthalmidae	Gymnophthalmidae	*Proctoporus_unsaacae*	46.3
Gymnophthalmidae	Gymnophthalmidae	*Psilophthalmus_paeminosus*	32.7
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_bicolor*	61
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_brevifrontalis*	68
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_danieli*	57
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_eurylepis*	41
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_festae*	57
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_gorgonae*	78
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_grandisquamatus*	46
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_kugleri*	57
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_myersi*	52
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_nicefori*	53
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_picticeps*	55
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_plicatus*	66
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_romaleos*	54
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_stenolepis*	60
Gymnophthalmidae	Gymnophthalmidae	*Ptychoglossus_vallensis*	54
Gymnophthalmidae	Gymnophthalmidae	*Rhachisaurus_brachylepis*	61
Gymnophthalmidae	Gymnophthalmidae	*Riama_achlyens*	88
Gymnophthalmidae	Gymnophthalmidae	*Riama_anatoloros*	63
Gymnophthalmidae	Gymnophthalmidae	*Riama_balneator*	50
Gymnophthalmidae	Gymnophthalmidae	*Riama_cashcaensis*	73
Gymnophthalmidae	Gymnophthalmidae	*Riama_colomaromani*	84
Gymnophthalmidae	Gymnophthalmidae	*Riama_columbiana*	74
Gymnophthalmidae	Gymnophthalmidae	*Riama_hyposticta*	82
Gymnophthalmidae	Gymnophthalmidae	*Riama_inanis*	51.5

Gymnophthalmidae	Gymnophthalmidae	*Riama_labionis*	60	
Gymnophthalmidae	Gymnophthalmidae	*Riama_laevis*	72	
Gymnophthalmidae	Gymnophthalmidae	*Riama_laudahnae*	65	
Gymnophthalmidae	Gymnophthalmidae	*Riama_luctuosa*	92	
Gymnophthalmidae	Gymnophthalmidae	*Riama_meleagris*	80	
Gymnophthalmidae	Gymnophthalmidae	*Riama_oculata*	88	
Gymnophthalmidae	Gymnophthalmidae	*Riama_orcesi*	63	
Gymnophthalmidae	Gymnophthalmidae	*Riama_petrorum*	76	
Gymnophthalmidae	Gymnophthalmidae	*Riama_raneyi*	82	
Gymnophthalmidae	Gymnophthalmidae	*Riama_rhodogaster*	47.3	
Gymnophthalmidae	Gymnophthalmidae	*Riama_shrevei*	47	
Gymnophthalmidae	Gymnophthalmidae	*Riama_simoterus*	75	
Gymnophthalmidae	Gymnophthalmidae	*Riama_stigmatoral*	79	
Gymnophthalmidae	Gymnophthalmidae	*Riama_striata*	66.2	
Gymnophthalmidae	Gymnophthalmidae	*Riama_unicolor*	68	
Gymnophthalmidae	Gymnophthalmidae	*Riama_vespertina*	40	
Gymnophthalmidae	Gymnophthalmidae	*Riama_vieta*	52	
Gymnophthalmidae	Gymnophthalmidae	*Riolama_leucostictus*	53	
Gymnophthalmidae	Gymnophthalmidae	*Riolama_luridiventris*	58.9	
Gymnophthalmidae	Gymnophthalmidae	*Riolama_uzzelli*	57.6	
Gymnophthalmidae	Gymnophthalmidae	*Stenolepis_ridleyi*	45	
Gymnophthalmidae	Gymnophthalmidae	*Teuchocercus_keyi*	80	
Gymnophthalmidae	Gymnophthalmidae	*Tretioscincus_agilis*	62	
Gymnophthalmidae	Gymnophthalmidae	*Tretioscincus_bifasciatus*	58	
Gymnophthalmidae	Gymnophthalmidae	*Tretioscincus_oriximinensis*	52	
Gymnophthalmidae	Gymnophthalmidae	*Vanzosaura_rubricauda*	45	
Helodermatidae	Helodermatidae	*Heloderma_horridum*	470	
Helodermatidae	Helodermatidae	*Heloderma_suspectum*	360	Duellman and Mendelson 1995, report 215 + 140 mm (p359), with a mass of 60 (probably grams), seems doubtful, maybe confused body length and tail length? I use 140 max here from that work
Hoplocercidae	Hoplocercidae	*Enyalioides_cofanorum*	140	
Hoplocercidae	Hoplocercidae	*Enyalioides_heterolepis*	138	
Hoplocercidae	Hoplocercidae	*Enyalioides_laticeps*	157	
Hoplocercidae	Hoplocercidae	*Enyalioides_microlepis*	113	
Hoplocercidae	Hoplocercidae	*Enyalioides_oshaughnessyi*	135	
Hoplocercidae	Hoplocercidae	*Enyalioides_palpebralis*	120	
Hoplocercidae	Hoplocercidae	*Enyalioides_praestabilis*	126	
Hoplocercidae	Hoplocercidae	*Hoplocercus_spinosus*	105	
Hoplocercidae	Hoplocercidae	*Morunasaurus_annularis*	137	
Hoplocercidae	Hoplocercidae	*Morunasaurus_groi*	110	
Hoplocercidae	Hoplocercidae	*Morunasaurus_peruvianus*	153	
Iguanidae	Iguanidae	*Amblyrhynchus_cristatus*	560	
Iguanidae	Iguanidae	*Brachylophus_fasciatus*	250	
Iguanidae	Iguanidae	*Brachylophus_vitiensis*	223	
Iguanidae	Iguanidae	*Conolophus_pallidus*	500	
Iguanidae	Iguanidae	*Conolophus_subcristatus*	530	
Iguanidae	Iguanidae	*Ctenosaura_acanthura*	369.4	
Iguanidae	Iguanidae	*Ctenosaura_alfredschmidti*	170	
Iguanidae	Iguanidae	*Ctenosaura_bakeri*	315	
Iguanidae	Iguanidae	*Ctenosaura_clarki*	160	
Iguanidae	Iguanidae	*Ctenosaura_defensor*	155	
Iguanidae	Iguanidae	*Ctenosaura_flavidorsalis*	170	
Iguanidae	Iguanidae	*Ctenosaura_hemilopha*	400	
Iguanidae	Iguanidae	*Ctenosaura_melanosterna*	320	
Iguanidae	Iguanidae	*Ctenosaura_oaxacana*	170	

Iguanidae	Iguanidae	*Ctenosaura_oedirhina*	270	Mcranie et al. 2005 report unmeasured specimens with "estimated... SVL of 350 mm"
Iguanidae	Iguanidae	*Ctenosaura_palearis*	310	
Iguanidae	Iguanidae	*Ctenosaura_pectinata*	353	
Iguanidae	Iguanidae	*Ctenosaura_quinquecarinata*	200	
Iguanidae	Iguanidae	*Ctenosaura_similis*	490	
Iguanidae	Iguanidae	*Cyclura_carinata*	510	
Iguanidae	Iguanidae	*Cyclura_collei*	428	
Iguanidae	Iguanidae	*Cyclura_cornuta*	640	
Iguanidae	Iguanidae	*Cyclura_cychlura*	620	
Iguanidae	Iguanidae	*Cyclura_nubila*	750	
Iguanidae	Iguanidae	*Cyclura_pinguis*	539	
Iguanidae	Iguanidae	*Cyclura_ricordi*	440	
Iguanidae	Iguanidae	*Cyclura_rileyi*	395	
Iguanidae	Iguanidae	*Dipsosaurus_dorsalis*	154	
Iguanidae	Iguanidae	*Iguana_delicatissima*	400	
Iguanidae	Iguanidae	*Iguana_iguana*	580	
Iguanidae	Iguanidae	*Sauromalus_ater*	210	
Iguanidae	Iguanidae	*Sauromalus_hispidus*	317	
Iguanidae	Iguanidae	*Sauromalus_klauberi*	194	
Iguanidae	Iguanidae	*Sauromalus_obesus*	228	
Iguanidae	Iguanidae	*Sauromalus_slevini*	248	
Iguanidae	Iguanidae	*Sauromalus_varius*	338	
Lacertidae	Lacertidae	*Acanthodactylus_ahmaddisii*	78.5	
Lacertidae	Lacertidae	*Acanthodactylus_arabicus*	77	
Lacertidae	Lacertidae	*Acanthodactylus_aureus*	65	
Lacertidae	Lacertidae	*Acanthodactylus_bedriagai*	77	
Lacertidae	Lacertidae	*Acanthodactylus_beershebensis*	87	
Lacertidae	Lacertidae	*Acanthodactylus_blanci*	95	
Lacertidae	Lacertidae	*Acanthodactylus_blanfordii*	75	
Lacertidae	Lacertidae	*Acanthodactylus_boskianus*	95	
Lacertidae	Lacertidae	*Acanthodactylus_boueti*	63	
Lacertidae	Lacertidae	*Acanthodactylus_busacki*	73.6	
Lacertidae	Lacertidae	*Acanthodactylus_cantoris*	94	
Lacertidae	Lacertidae	*Acanthodactylus_dumerilii*	68	
Lacertidae	Lacertidae	*Acanthodactylus_erythrurus*	84	
Lacertidae	Lacertidae	*Acanthodactylus_felicis*	62	
Lacertidae	Lacertidae	*Acanthodactylus_gongrorhynchatus*	53	Jongbloed 2000 reports SVL up to 90 m, far exceeding any other published records
Lacertidae	Lacertidae	*Acanthodactylus_grandis*	103	
Lacertidae	Lacertidae	*Acanthodactylus_guineensis*	60	
Lacertidae	Lacertidae	*Acanthodactylus_haasi*	51	
Lacertidae	Lacertidae	*Acanthodactylus_lineomaculatus*	94	
Lacertidae	Lacertidae	*Acanthodactylus_longipes*	62	
Lacertidae	Lacertidae	*Acanthodactylus_maculatus*	62	
Lacertidae	Lacertidae	*Acanthodactylus_masirae*	52	
Lacertidae	Lacertidae	*Acanthodactylus_micropholis*	65	
Lacertidae	Lacertidae	*Acanthodactylus_nilsoni*	73.4	
Lacertidae	Lacertidae	*Acanthodactylus_opheodurus*	62	
Lacertidae	Lacertidae	*Acanthodactylus_orientalis*	63	
Lacertidae	Lacertidae	*Acanthodactylus_pardalis*	77	
Lacertidae	Lacertidae	*Acanthodactylus_robustus*	70	
Lacertidae	Lacertidae	*Acanthodactylus_savignyi*	75	
Lacertidae	Lacertidae	*Acanthodactylus_schmidti*	105	
Lacertidae	Lacertidae	*Acanthodactylus_schreiberi*	93	
Lacertidae	Lacertidae	*Acanthodactylus_scutellatus*	77	
Lacertidae	Lacertidae	*Acanthodactylus_senegalensis*	60	

Lacertidae	Lacertidae	*Acanthodactylus_spinicauda*	56
Lacertidae	Lacertidae	*Acanthodactylus_taghitensis*	55
Lacertidae	Lacertidae	*Acanthodactylus_tilburyi*	65
Lacertidae	Lacertidae	*Acanthodactylus_tristrami*	95
Lacertidae	Lacertidae	*Acanthodactylus_yemenicus*	55.5
Lacertidae	Lacertidae	*Adolfus_africanus*	67
Lacertidae	Lacertidae	*Adolfus_alleni*	70
Lacertidae	Lacertidae	*Adolfus_jacksoni*	90
Lacertidae	Lacertidae	*Adolfus_vauereselli*	62
Lacertidae	Lacertidae	*Algyroides_fitzingeri*	45
Lacertidae	Lacertidae	*Algyroides_marchi*	53
Lacertidae	Lacertidae	*Algyroides_moreoticus*	50
Lacertidae	Lacertidae	*Algyroides_nigropunctatus*	70
Lacertidae	Lacertidae	*Australolacerta_australis*	70
Lacertidae	Lacertidae	*Australolacerta_rupicola*	49
Lacertidae	Lacertidae	*Darevskia_alpina*	65
Lacertidae	Lacertidae	*Darevskia_armeniaca*	73
Lacertidae	Lacertidae	*Darevskia_bendimahiensis*	63.5
Lacertidae	Lacertidae	*Darevskia_brauneri*	71
Lacertidae	Lacertidae	*Darevskia_caucasica*	67
Lacertidae	Lacertidae	*Darevskia_clarkorum*	69
Lacertidae	Lacertidae	*Darevskia_daghestanica*	58
Lacertidae	Lacertidae	*Darevskia_dahli*	64
Lacertidae	Lacertidae	*Darevskia_derjugini*	65
Lacertidae	Lacertidae	*Darevskia_dryada*	72.4
Lacertidae	Lacertidae	*Darevskia_lindholmi*	75
Lacertidae	Lacertidae	*Darevskia_mixta*	63
Lacertidae	Lacertidae	*Darevskia_parvula*	57
Lacertidae	Lacertidae	*Darevskia_portschinskii*	67
Lacertidae	Lacertidae	*Darevskia_praticola*	65
Lacertidae	Lacertidae	*Darevskia_raddei*	76
Lacertidae	Lacertidae	*Darevskia_rostombekovi*	56
Lacertidae	Lacertidae	*Darevskia_rudis*	88
Lacertidae	Lacertidae	*Darevskia_sapphirina*	57
Lacertidae	Lacertidae	*Darevskia_saxicola*	88
Lacertidae	Lacertidae	*Darevskia_unisexualis*	70
Lacertidae	Lacertidae	*Darevskia_uzzelli*	60
Lacertidae	Lacertidae	*Darevskia_valentini*	78
Lacertidae	Lacertidae	*Eremias_acutirostris*	70
Lacertidae	Lacertidae	*Eremias_afghanistanica*	67
Lacertidae	Lacertidae	*Eremias_andersoni*	40
Lacertidae	Lacertidae	*Eremias_argus*	66
Lacertidae	Lacertidae	*Eremias_arguta*	100
Lacertidae	Lacertidae	*Eremias_aria*	61
Lacertidae	Lacertidae	*Eremias_brenchleyi*	69
Lacertidae	Lacertidae	*Eremias_buechneri*	66
Lacertidae	Lacertidae	*Eremias_fasciata*	65
Lacertidae	Lacertidae	*Eremias_grammica*	100
Lacertidae	Lacertidae	*Eremias_intermedia*	69
Lacertidae	Lacertidae	*Eremias_lalezharica*	71
Lacertidae	Lacertidae	*Eremias_lineolata*	55.1
Lacertidae	Lacertidae	*Eremias_montanus*	58.5
Lacertidae	Lacertidae	*Eremias_multiocellata*	78
Lacertidae	Lacertidae	*Eremias_nigrocellata*	83.2
Lacertidae	Lacertidae	*Eremias_nigrolateralis*	84
Lacertidae	Lacertidae	*Eremias_nikolskii*	75
Lacertidae	Lacertidae	*Eremias_persica*	98
Lacertidae	Lacertidae	*Eremias_pleskei*	60
Lacertidae	Lacertidae	*Eremias_przewalskii*	98
Lacertidae	Lacertidae	*Eremias_quadrifrons*	100
Lacertidae	Lacertidae	*Eremias_regeli*	70

Lacertidae	Lacertidae	*Eremias_scripta*	66	
Lacertidae	Lacertidae	*Eremias_strauchi*	80	
Lacertidae	Lacertidae	*Eremias_suphani*	63	
Lacertidae	Lacertidae	*Eremias_velox*	90	
Lacertidae	Lacertidae	*Eremias_vermiculata*	71.8	
Lacertidae	Lacertidae	*Gallotia_atlantica*	105	
Lacertidae	Lacertidae	*Gallotia_auaritae*	444	
Lacertidae	Lacertidae	*Gallotia_caesaris*	100	
Lacertidae	Lacertidae	*Gallotia_galloti*	145	
Lacertidae	Lacertidae	*Gallotia_gomerana*	195	
Lacertidae	Lacertidae	*Gallotia_intermedia*	160	
Lacertidae	Lacertidae	*Gallotia_simonyi*	502	
Lacertidae	Lacertidae	*Gallotia_stehlini*	370	
Lacertidae	Lacertidae	*Gastropholis_echinata*	100	
Lacertidae	Lacertidae	*Gastropholis_prasina*	110	
Lacertidae	Lacertidae	*Gastropholis_tropidopholis*	116	
Lacertidae	Lacertidae	*Gastropholis_vittata*	109	
Lacertidae	Lacertidae	*Heliobolus_lugubris*	65	
Lacertidae	Lacertidae	*Heliobolus_neumanni*	53	
Lacertidae	Lacertidae	*Heliobolus_nitida*	66	
Lacertidae	Lacertidae	*Heliobolus_spekii*	60	
Lacertidae	Lacertidae	*Holaspis_guentheri*	53	
Lacertidae	Lacertidae	*Holaspis_laevis*	47	
Lacertidae	Lacertidae	*Iberolacerta_aranica*	60	
Lacertidae	Lacertidae	*Iberolacerta_aurelioi*	60	
Lacertidae	Lacertidae	*Iberolacerta_bonnali*	60	
Lacertidae	Lacertidae	*Iberolacerta_galani*	84.42	
Lacertidae	Lacertidae	*Iberolacerta_horvathi*	65	
Lacertidae	Lacertidae	*Iberolacerta_monticola*	84.6	
Lacertidae	Lacertidae	*Ichnotropis_bivittata*	78	
Lacertidae	Lacertidae	*Ichnotropis_capensis*	66.7	
Lacertidae	Lacertidae	*Ichnotropis_chapini*	58	
Lacertidae	Lacertidae	*Ichnotropis_grandiceps*	70	
Lacertidae	Lacertidae	*Ichnotropis_microlepidota*	52	
Lacertidae	Lacertidae	*Ichnotropis_squamulosa*	77	
Lacertidae	Lacertidae	*Lacerta_agilis*	114	
Lacertidae	Lacertidae	*Lacerta_anatolica*	75	
Lacertidae	Lacertidae	*Lacerta_bedriagae*	82	
Lacertidae	Lacertidae	*Lacerta_bilineata*	130	
Lacertidae	Lacertidae	*Lacerta_brandtii*	75	
Lacertidae	Lacertidae	*Lacerta_cappadocica*	76	
Lacertidae	Lacertidae	*Lacerta_chlorogaster*	72	
Lacertidae	Lacertidae	*Lacerta_cyanisparsa*	65	
Lacertidae	Lacertidae	*Lacerta_danfordi*	75	
Lacertidae	Lacertidae	*Lacerta_defilippii*	58	
Lacertidae	Lacertidae	*Lacerta_graeca*	85	
Lacertidae	Lacertidae	*Lacerta_kulzeri*	64.4	
Lacertidae	Lacertidae	*Lacerta_laevis*	85	155 reported by Van Damme and Vanhooydonck 2002 far exceeds all other records
Lacertidae	Lacertidae	*Lacerta_media*	160	
Lacertidae	Lacertidae	*Lacerta_mosorensis*	80	
Lacertidae	Lacertidae	*Lacerta_mostoufii*	65	
Lacertidae	Lacertidae	*Lacerta_oertzeni*	76	
Lacertidae	Lacertidae	*Lacerta_oxycephala*	65	
Lacertidae	Lacertidae	*Lacerta_pamphylica*	120	
Lacertidae	Lacertidae	*Lacerta_schreiberi*	135	
Lacertidae	Lacertidae	*Lacerta_steineri*	71	
Lacertidae	Lacertidae	*Lacerta_strigata*	160	
Lacertidae	Lacertidae	*Lacerta_trilineata*	174	

Lacertidae	Lacertidae	*Lacerta_viridis*	150	
Lacertidae	Lacertidae	*Lacerta_yassujica*	58	
Lacertidae	Lacertidae	*Lacerta_zagrosica*	70	
Lacertidae	Lacertidae	*Latastia_boscai*	58	
Lacertidae	Lacertidae	*Latastia_carinata*	95	
Lacertidae	Lacertidae	*Latastia_cherchii*	74.6	
Lacertidae	Lacertidae	*Latastia_doriai*	87.3	
Lacertidae	Lacertidae	*Latastia_johnstonii*	63	
Lacertidae	Lacertidae	*Latastia_lanzai*	89.5	
Lacertidae	Lacertidae	*Latastia_longicaudata*	110	
Lacertidae	Lacertidae	*Latastia_ornata*	78	
Lacertidae	Lacertidae	*Latastia_siebenrocki*	49.8	
Lacertidae	Lacertidae	*Latastia_taylori*	43	
Lacertidae	Lacertidae	*Meroles_anchietae*	55	Van Damme and Vanhooydonck (2002) report 112 mm (infered from their formula), which is far in excess of other published SVL data
Lacertidae	Lacertidae	*Meroles_ctenodactylus*	97	
Lacertidae	Lacertidae	*Meroles_cuneirostris*	58	
Lacertidae	Lacertidae	*Meroles_knoxii*	68	
Lacertidae	Lacertidae	*Meroles_micropholidotus*	68	
Lacertidae	Lacertidae	*Meroles_reticulatus*	55	
Lacertidae	Lacertidae	*Meroles_suborbitalis*	71	
Lacertidae	Lacertidae	*Mesalina_adramitana*	46	
Lacertidae	Lacertidae	*Mesalina_ayunensis*	43.5	
Lacertidae	Lacertidae	*Mesalina_bahaeldini*	52	
Lacertidae	Lacertidae	*Mesalina_balfouri*	58	
Lacertidae	Lacertidae	*Mesalina_brevirostris*	60	
Lacertidae	Lacertidae	*Mesalina_ercolinii*	66	
Lacertidae	Lacertidae	*Mesalina_guttulata*	70	
Lacertidae	Lacertidae	*Mesalina_kuri*	57	
Lacertidae	Lacertidae	*Mesalina_martini*	45	
Lacertidae	Lacertidae	*Mesalina_olivieri*	52	
Lacertidae	Lacertidae	*Mesalina_pasteuri*	50	
Lacertidae	Lacertidae	*Mesalina_rubropunctata*	67	
Lacertidae	Lacertidae	*Mesalina_simoni*	50	
Lacertidae	Lacertidae	*Mesalina_watsonana*	60	
Lacertidae	Lacertidae	*Nucras_boulengeri*	65	
Lacertidae	Lacertidae	*Nucras_caesicaudata*	65	
Lacertidae	Lacertidae	*Nucras_intertexta*	94	
Lacertidae	Lacertidae	*Nucras_lalandii*	120	
Lacertidae	Lacertidae	*Nucras_livida*	85	
Lacertidae	Lacertidae	*Nucras_scalaris*	88	
Lacertidae	Lacertidae	*Nucras_taeniolata*	96	
Lacertidae	Lacertidae	*Nucras_tessellata*	94	
Lacertidae	Lacertidae	*Omanosaura_cyanura*	50.7	
Lacertidae	Lacertidae	*Omanosaura_jayakari*	161	
Lacertidae	Lacertidae	*Ophisops_beddomei*	37	
Lacertidae	Lacertidae	*Ophisops_elbaensis*	35	
Lacertidae	Lacertidae	*Ophisops_elegans*	70	
Lacertidae	Lacertidae	*Ophisops_jerdonii*	49	
Lacertidae	Lacertidae	*Ophisops_leschenaultii*	57	
Lacertidae	Lacertidae	*Ophisops_microlepis*	65	
Lacertidae	Lacertidae	*Ophisops_minor*	41.2	
Lacertidae	Lacertidae	*Ophisops_occidentalis*	48	
Lacertidae	Lacertidae	*Parvilacerta_fraasii*	60	
Lacertidae	Lacertidae	*Parvilacerta_parva*	62	
Lacertidae	Lacertidae	*Pedioplanis_benguelensis*	52	
Lacertidae	Lacertidae	*Pedioplanis_breviceps*	46	

Lacertidae	Lacertidae	*Pedioplanis_burchelli*	62
Lacertidae	Lacertidae	*Pedioplanis_gaerdesi*	52
Lacertidae	Lacertidae	*Pedioplanis_husabensis*	58
Lacertidae	Lacertidae	*Pedioplanis_laticeps*	63
Lacertidae	Lacertidae	*Pedioplanis_lineoocellata*	65
Lacertidae	Lacertidae	*Pedioplanis_namaquensis*	55
Lacertidae	Lacertidae	*Pedioplanis_rubens*	50
Lacertidae	Lacertidae	*Pedioplanis_undata*	62
Lacertidae	Lacertidae	*Philochortus_hardeggeri*	70
Lacertidae	Lacertidae	*Philochortus_intermedius*	85
Lacertidae	Lacertidae	*Philochortus_lhotei*	66
Lacertidae	Lacertidae	*Philochortus_neumanni*	82
Lacertidae	Lacertidae	*Philochortus_phillipsi*	42
Lacertidae	Lacertidae	*Philochortus_spinalis*	58
Lacertidae	Lacertidae	*Philochortus_zolii*	73
Lacertidae	Lacertidae	*Podarcis_bocagei*	70
Lacertidae	Lacertidae	*Podarcis_erhardii*	71
Lacertidae	Lacertidae	*Podarcis_filfolensis*	86
Lacertidae	Lacertidae	*Podarcis_gaigeae*	85
Lacertidae	Lacertidae	*Podarcis_hispanicus*	74
Lacertidae	Lacertidae	*Podarcis_lilfordi*	81
Lacertidae	Lacertidae	*Podarcis_melisellensis*	74
Lacertidae	Lacertidae	*Podarcis_milensis*	75
Lacertidae	Lacertidae	*Podarcis_muralis*	80
Lacertidae	Lacertidae	*Podarcis_peloponnesiacus*	85
Lacertidae	Lacertidae	*Podarcis_pityusensis*	82
Lacertidae	Lacertidae	*Podarcis_raffonei*	85
Lacertidae	Lacertidae	*Podarcis_siculus*	90
Lacertidae	Lacertidae	*Podarcis_tauricus*	90
Lacertidae	Lacertidae	*Podarcis_tiliguertus*	87
Lacertidae	Lacertidae	*Podarcis_vaucheri*	60
Lacertidae	Lacertidae	*Podarcis_waglerianus*	76
Lacertidae	Lacertidae	*Poromera_fordii*	65
Lacertidae	Lacertidae	*Psammodromus_algirus*	93
Lacertidae	Lacertidae	*Psammodromus_blanci*	61
Lacertidae	Lacertidae	*Psammodromus_hispanicus*	56
Lacertidae	Lacertidae	*Psammodromus_jeanneae*	76
Lacertidae	Lacertidae	*Psammodromus_manuelae*	79
Lacertidae	Lacertidae	*Psammodromus_microdactylus*	58
Lacertidae	Lacertidae	*Pseuderemias_brenneri*	53
Lacertidae	Lacertidae	*Pseuderemias_erythrosticta*	52
Lacertidae	Lacertidae	*Pseuderemias_mucronata*	52
Lacertidae	Lacertidae	*Pseuderemias_savagei*	50
Lacertidae	Lacertidae	*Pseuderemias_septemstriata*	50
Lacertidae	Lacertidae	*Pseuderemias_smithii*	47
Lacertidae	Lacertidae	*Pseuderemias_striatus*	47
Lacertidae	Lacertidae	*Scapteira_aporosceles*	80
Lacertidae	Lacertidae	*Takydromus_amurensis*	80
Lacertidae	Lacertidae	*Takydromus_dorsalis*	70
Lacertidae	Lacertidae	*Takydromus_formosanus*	64
Lacertidae	Lacertidae	*Takydromus_hani*	79
Lacertidae	Lacertidae	*Takydromus_haughtonianus*	60
Lacertidae	Lacertidae	*Takydromus_hsuehshanensis*	62.4
Lacertidae	Lacertidae	*Takydromus_intermedius*	62
Lacertidae	Lacertidae	*Takydromus_khasiensis*	75
Lacertidae	Lacertidae	*Takydromus_kuehnei*	60
Lacertidae	Lacertidae	*Takydromus_sauteri*	76.5
Lacertidae	Lacertidae	*Takydromus_septentrionalis*	76
Lacertidae	Lacertidae	*Takydromus_sexlineatus*	70
Lacertidae	Lacertidae	*Takydromus_smaragdinus*	65
Lacertidae	Lacertidae	*Takydromus_stejnegeri*	62

Lacertidae	Lacertidae	*Takydromus_sylvaticus*	58	
Lacertidae	Lacertidae	*Takydromus_tachydromoides*	70	
Lacertidae	Lacertidae	*Takydromus_toyamai*	54.9	
Lacertidae	Lacertidae	*Takydromus_wolteri*	66	
Lacertidae	Lacertidae	*Teira_andreanskyi*	55	
Lacertidae	Lacertidae	*Teira_dugesii*	81	
Lacertidae	Lacertidae	*Teira_perspicillata*	60	
Lacertidae	Lacertidae	*Timon_lepidus*	260	
Lacertidae	Lacertidae	*Timon_pater*	170	
Lacertidae	Lacertidae	*Timon_princeps*	148	
Lacertidae	Lacertidae	*Tropidosaura_cottrelli*	66	
Lacertidae	Lacertidae	*Tropidosaura_essexi*	52	
Lacertidae	Lacertidae	*Tropidosaura_gularis*	62	
Lacertidae	Lacertidae	*Tropidosaura_montana*	66	
Lacertidae	Lacertidae	*Zootoca_vivipara*	75	
Lanthanotidae	Lanthanotidae	*Lanthanotus_borneensis*	400	
Opluridae	Opluridae	*Chalarodon_madagascariensis*	90	
Opluridae	Opluridae	*Oplurus_cuvieri*	153.8	
Opluridae	Opluridae	*Oplurus_cyclurus*	160	
Opluridae	Opluridae	*Oplurus_fierinensis*	100	
Opluridae	Opluridae	*Oplurus_grandidieri*	118	
Opluridae	Opluridae	*Oplurus_quadrimaculatus*	145	
Opluridae	Opluridae	*Oplurus_saxicola*	109	
Phrynosomatidae	Phrynosomatidae	*Callisaurus_draconoides*	109	
Phrynosomatidae	Phrynosomatidae	*Cophosaurus_texanus*	89	
Phrynosomatidae	Phrynosomatidae	*Holbrookia_lacerata*	71	
Phrynosomatidae	Phrynosomatidae	*Holbrookia_maculata*	75	
Phrynosomatidae	Phrynosomatidae	*Holbrookia_propinqua*	60	
Phrynosomatidae	Phrynosomatidae	*Holbrookia_subcaudalis*	70.8	
Phrynosomatidae	Phrynosomatidae	*Petrosaurus_mearnsi*	106	unlikely values in Fitch (1981): reports range as 132-172 mm, but mean = 73.9mm
Phrynosomatidae	Phrynosomatidae	*Petrosaurus_thalassinus*	162	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_asio*	124.5	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_blainvillii*	100	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_braconnieri*	79	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_cerroense*	85	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_cornutum*	130	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_coronatum*	114	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_ditmarsi*	90	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_douglassii*	125	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_hernandesi*	124	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_mcallii*	109.2	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_modestum*	71	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_orbiculare*	90	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_platyrhinos*	95	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_solare*	117	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_taurus*	90	
Phrynosomatidae	Phrynosomatidae	*Phrynosoma_wigginsi*	79	
Phrynosomatidae	Phrynosomatidae	*Sator_angustus*	101	
Phrynosomatidae	Phrynosomatidae	*Sator_grandaevus*	81	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_acanthinus*	99	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_adleri*	72	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_aeneus*	60	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_anahuacus*	54	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_arenicolus*	70	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_asper*	81	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_bicanthalis*	57	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_bulleri*	116	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_carinatus*	55	

Phrynosomatidae	Phrynosomatidae	*Sceloporus_cautus*	80	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_chaneyi*	54	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_chrysostictus*	62	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_clarkii*	142	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_consobrinus*	74	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_couchii*	60	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_cozumelae*	60	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_cryptus*	65.5	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_dugesii*	88	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_edwardtaylori*	107	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_exsul*	63	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_formosus*	88	Rogner (1997a p276) writes "these lizards may reach a maximum SVL of almost 200mm and have a tail over 10 cm long", probably he mean total length of almost 200 mm
Phrynosomatidae	Phrynosomatidae	*Sceloporus_gadovae*	76	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_goldmani*	60	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_graciosus*	89	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_grammicus*	81	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_heterolepis*	71	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_horridus*	118	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_hunsakeri*	86	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_insignis*	99	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_jalapae*	62	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_jarrovii*	106	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_lemosespinali*	53.2	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_licki*	94	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_lineatulus*	115	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_lundelli*	100	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_macdougalli*	82	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_maculosus*	50	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_magister*	142	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_malachiticus*	98.2	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_megalepidurus*	55	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_melanorhinus*	105	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_merriami*	66	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_monserratensis*	108	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_mucronatus*	106	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_nelsoni*	65	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_occidentalis*	94	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_ochoterenae*	57	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_olivaceus*	121	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_orcutti*	117	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_ornatus*	90.4	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_palaciosi*	61.2	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_parvus*	51	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_poinsettii*	137	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_pyrocephalus*	75	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_rufidorsum*	131	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_salvini*	95	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_samcolemani*	51	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_scalaris*	78	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_serrifer*	148	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_siniferus*	71.2	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_slevini*	70	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_smaragdinus*	85	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_smithi*	71	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_spinosus*	118	

Phrynosomatidae	Phrynosomatidae	*Sceloporus_squamosus*	59	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_stejnegeri*	94	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_subniger*	59	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_subpictus*	57	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_taeniocnemis*	82	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_tanneri*	86	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_teapensis*	70	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_torquatus*	141	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_undulatus*	91	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_utiformis*	84	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_vandenburgianus*	65	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_variabilis*	77	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_virgatus*	71	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_woodi*	65	
Phrynosomatidae	Phrynosomatidae	*Sceloporus_zosteromus*	131	
Phrynosomatidae	Phrynosomatidae	*Uma_exsul*	100	
Phrynosomatidae	Phrynosomatidae	*Uma_inornata*	124	
Phrynosomatidae	Phrynosomatidae	*Uma_notata*	122	
Phrynosomatidae	Phrynosomatidae	*Uma_paraphygas*	86	
Phrynosomatidae	Phrynosomatidae	*Uma_scoparia*	114	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_auriculatus*	74	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_bicarinatus*	59	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_clarionensis*	60	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_gadovi*	53	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_graciosus*	66	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_irregularis*	95	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_lahtelai*	58	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_nigricaudus*	51	
Phrynosomatidae	Phrynosomatidae	*Urosaurus_ornatus*	69	
Phrynosomatidae	Phrynosomatidae	*Uta_concinna*	48	
Phrynosomatidae	Phrynosomatidae	*Uta_encantadae*	69	
Phrynosomatidae	Phrynosomatidae	*Uta_lowei*	66	
Phrynosomatidae	Phrynosomatidae	*Uta_nolascensis*	55	
Phrynosomatidae	Phrynosomatidae	*Uta_palmeri*	83	
Phrynosomatidae	Phrynosomatidae	*Uta_squamata*	57	
Phrynosomatidae	Phrynosomatidae	*Uta_stansburiana*	77	
Phrynosomatidae	Phrynosomatidae	*Uta_stejnegeri*	60	
Phrynosomatidae	Phrynosomatidae	*Uta_tumidarostra*	74	
Polychrotidae	Polychrotidae	*Anisolepis_grilli*	97	
Polychrotidae	Polychrotidae	*Anisolepis_longicauda*	98	
Polychrotidae	Polychrotidae	*Anisolepis_undulatus*	88	
Polychrotidae	Polychrotidae	*Anolis_achilles*	45	
Polychrotidae	Polychrotidae	*Anolis_acutus*	67	
Polychrotidae	Polychrotidae	*Anolis_adleri*	44	
Polychrotidae	Polychrotidae	*Anolis_aeneus*	80	Lazell (1972 p 80) reports he has seen specimens "in excess of 80 mm" but does not quote actuale lengths
Polychrotidae	Polychrotidae	*Anolis_aequatorialis*	120	
Polychrotidae	Polychrotidae	*Anolis_agassizi*	114	
Polychrotidae	Polychrotidae	*Anolis_agueroi*	158.1	
Polychrotidae	Polychrotidae	*Anolis_alayoni*	46.8	
Polychrotidae	Polychrotidae	*Anolis_albimaculatus*	53	
Polychrotidae	Polychrotidae	*Anolis_alfaroi*	36	
Polychrotidae	Polychrotidae	*Anolis_aliniger*	60	
Polychrotidae	Polychrotidae	*Anolis_allisoni*	100	
Polychrotidae	Polychrotidae	*Anolis_altavelensis*	47	
Polychrotidae	Polychrotidae	*Anolis_alumina*	40	
Polychrotidae	Polychrotidae	*Anolis_alutaceus*	43	
Polychrotidae	Polychrotidae	*Anolis_andianus*	55	
Polychrotidae	Polychrotidae	*Anolis_anfiloquioi*	40.5	

Polychrotidae	Polychrotidae	*Anolis_angusticeps*	53
Polychrotidae	Polychrotidae	*Anolis_antioquiae*	77
Polychrotidae	Polychrotidae	*Anolis_apollinaris*	112
Polychrotidae	Polychrotidae	*Anolis_argenteolus*	59.8
Polychrotidae	Polychrotidae	*Anolis_argillaceus*	46.2
Polychrotidae	Polychrotidae	*Anolis_armouri*	67
Polychrotidae	Polychrotidae	*Anolis_attenuatus*	95
Polychrotidae	Polychrotidae	*Anolis_bahorucoensis*	51
Polychrotidae	Polychrotidae	*Anolis_baleatus*	180
Polychrotidae	Polychrotidae	*Anolis_baracoae*	172
Polychrotidae	Polychrotidae	*Anolis_barahonae*	160
Polychrotidae	Polychrotidae	*Anolis_barbatus*	170
Polychrotidae	Polychrotidae	*Anolis_barbouri*	55
Polychrotidae	Polychrotidae	*Anolis_bartschi*	80
Polychrotidae	Polychrotidae	*Anolis_bellipeniculus*	70.2
Polychrotidae	Polychrotidae	*Anolis_bimaculatus*	170
Polychrotidae	Polychrotidae	*Anolis_binotatus*	46
Polychrotidae	Polychrotidae	*Anolis_blanquillanus*	85
Polychrotidae	Polychrotidae	*Anolis_boettgeri*	68
Polychrotidae	Polychrotidae	*Anolis_bonairensis*	75
Polychrotidae	Polychrotidae	*Anolis_brevirostris*	51
Polychrotidae	Polychrotidae	*Anolis_brunneus*	76
Polychrotidae	Polychrotidae	*Anolis_caquetae*	58
Polychrotidae	Polychrotidae	*Anolis_carlostoddi*	55
Polychrotidae	Polychrotidae	*Anolis_carolinensis*	75
Polychrotidae	Polychrotidae	*Anolis_casildae*	108
Polychrotidae	Polychrotidae	*Anolis_caudalis*	51
Polychrotidae	Polychrotidae	*Anolis_centralis*	47.2
Polychrotidae	Polychrotidae	*Anolis_chamaeleonides*	177
Polychrotidae	Polychrotidae	*Anolis_chloris*	60
Polychrotidae	Polychrotidae	*Anolis_chlorocyanus*	80
Polychrotidae	Polychrotidae	*Anolis_chocorum*	80
Polychrotidae	Polychrotidae	*Anolis_christophei*	49
Polychrotidae	Polychrotidae	*Anolis_clivicola*	49.4
Polychrotidae	Polychrotidae	*Anolis_coelestinus*	84
Polychrotidae	Polychrotidae	*Anolis_cooki*	70
Polychrotidae	Polychrotidae	*Anolis_cristatellus*	78
Polychrotidae	Polychrotidae	*Anolis_cristifer*	88
Polychrotidae	Polychrotidae	*Anolis_cupeyalensis*	33
Polychrotidae	Polychrotidae	*Anolis_cuvieri*	180
Polychrotidae	Polychrotidae	*Anolis_cyanopleurus*	43
Polychrotidae	Polychrotidae	*Anolis_cybotes*	81
Polychrotidae	Polychrotidae	*Anolis_danieli*	125
Polychrotidae	Polychrotidae	*Anolis_darlingtoni*	74
Polychrotidae	Polychrotidae	*Anolis_deltae*	58
Polychrotidae	Polychrotidae	*Anolis_desechensis*	57
Polychrotidae	Polychrotidae	*Anolis_dissimilis*	56
Polychrotidae	Polychrotidae	*Anolis_distichus*	58
Polychrotidae	Polychrotidae	*Anolis_dolichocephalus*	52
Polychrotidae	Polychrotidae	*Anolis_eewi*	69.4
Polychrotidae	Polychrotidae	*Anolis_equestris*	190
Polychrotidae	Polychrotidae	*Anolis_ernestwilliamsi*	82
Polychrotidae	Polychrotidae	*Anolis_etheridgei*	43
Polychrotidae	Polychrotidae	*Anolis_eugenegrahami*	72
Polychrotidae	Polychrotidae	*Anolis_eulaemus*	100
Polychrotidae	Polychrotidae	*Anolis_euskalerriari*	53
Polychrotidae	Polychrotidae	*Anolis_evermanni*	78
Polychrotidae	Polychrotidae	*Anolis_extremus*	83
Polychrotidae	Polychrotidae	*Anolis_fairchildi*	76
Polychrotidae	Polychrotidae	*Anolis_fasciatus*	66
Polychrotidae	Polychrotidae	*Anolis_ferreus*	119

Polychrotidae	Polychrotidae	*Anolis_festae*	61
Polychrotidae	Polychrotidae	*Anolis_fitchi*	91
Polychrotidae	Polychrotidae	*Anolis_fowleri*	77
Polychrotidae	Polychrotidae	*Anolis_fraseri*	116
Polychrotidae	Polychrotidae	*Anolis_frenatus*	150
Polychrotidae	Polychrotidae	*Anolis_fugitivus*	36.2
Polychrotidae	Polychrotidae	*Anolis_garridoi*	41.8
Polychrotidae	Polychrotidae	*Anolis_gemmosus*	66
Polychrotidae	Polychrotidae	*Anolis_gingivinus*	72
Polychrotidae	Polychrotidae	*Anolis_gorgonae*	67
Polychrotidae	Polychrotidae	*Anolis_greyi*	59.06
Polychrotidae	Polychrotidae	*Anolis_griseus*	136
Polychrotidae	Polychrotidae	*Anolis_guamuhaya*	162
Polychrotidae	Polychrotidae	*Anolis_gundlachi*	75
Polychrotidae	Polychrotidae	*Anolis_haetianus*	75
Polychrotidae	Polychrotidae	*Anolis_hendersoni_*	49.3
Polychrotidae	Polychrotidae	*Anolis_heterodermus*	86
Polychrotidae	Polychrotidae	*Anolis_huilae*	82
Polychrotidae	Polychrotidae	*Anolis_impetigosus*	49
Polychrotidae	Polychrotidae	*Anolis_incredulus*	34
Polychrotidae	Polychrotidae	*Anolis_inderenae*	118.3
Polychrotidae	Polychrotidae	*Anolis_inexpectatus*	37
Polychrotidae	Polychrotidae	*Anolis_insignis*	160
Polychrotidae	Polychrotidae	*Anolis_insolitus*	47
Polychrotidae	Polychrotidae	*Anolis_isolepis*	52
Polychrotidae	Polychrotidae	*Anolis_jacare*	74.5
Polychrotidae	Polychrotidae	*Anolis_juangundlachi*	36
Polychrotidae	Polychrotidae	*Anolis_koopmani*	39
Polychrotidae	Polychrotidae	*Anolis_krugi*	55
Polychrotidae	Polychrotidae	*Anolis_laevis*	60
Polychrotidae	Polychrotidae	*Anolis_lamari*	42.8
Polychrotidae	Polychrotidae	*Anolis_latifrons*	131
Polychrotidae	Polychrotidae	*Anolis_leachii*	123
Polychrotidae	Polychrotidae	*Anolis_lividus*	70
Polychrotidae	Polychrotidae	*Anolis_longicauda*	40.2
Polychrotidae	Polychrotidae	*Anolis_longiceps*	83
Polychrotidae	Polychrotidae	*Anolis_longitibialis*	72
Polychrotidae	Polychrotidae	*Anolis_loysiana*	47.2
Polychrotidae	Polychrotidae	*Anolis_luciae*	91
Polychrotidae	Polychrotidae	*Anolis_lucius*	70
Polychrotidae	Polychrotidae	*Anolis_luteogularis*	191
Polychrotidae	Polychrotidae	*Anolis_luteosignifer*	56
Polychrotidae	Polychrotidae	*Anolis_macilentus*	41
Polychrotidae	Polychrotidae	*Anolis_maculigula*	107
Polychrotidae	Polychrotidae	*Anolis_marcanoi*	65
Polychrotidae	Polychrotidae	*Anolis_marmoratus*	82
Polychrotidae	Polychrotidae	*Anolis_marron*	50
Polychrotidae	Polychrotidae	*Anolis_maynardi*	76
Polychrotidae	Polychrotidae	*Anolis_megalopithecus*	83
Polychrotidae	Polychrotidae	*Anolis_menta*	56
Polychrotidae	Polychrotidae	*Anolis_microtus*	111
Polychrotidae	Polychrotidae	*Anolis_mirus*	105
Polychrotidae	Polychrotidae	*Anolis_monensis*	60
Polychrotidae	Polychrotidae	*Anolis_monticola*	56
Polychrotidae	Polychrotidae	*Anolis_nasofrontalis*	45
Polychrotidae	Polychrotidae	*Anolis_neblininus*	64
Polychrotidae	Polychrotidae	*Anolis_nelsoni*	66.88
Polychrotidae	Polychrotidae	*Anolis_nicefori*	63
Polychrotidae	Polychrotidae	*Anolis_nigrolineatus*	55
Polychrotidae	Polychrotidae	*Anolis_nigropunctatus*	72
Polychrotidae	Polychrotidae	*Anolis_noblei*	190

Polychrotidae	Polychrotidae	*Anolis_nubilis*	81
Polychrotidae	Polychrotidae	*Anolis_occultus*	40
Polychrotidae	Polychrotidae	*Anolis_oculatus*	96
Polychrotidae	Polychrotidae	*Anolis_oligaspis*	44
Polychrotidae	Polychrotidae	*Anolis_olssoni*	50
Polychrotidae	Polychrotidae	*Anolis_oporinus*	46.7
Polychrotidae	Polychrotidae	*Anolis_orcesi*	59
Polychrotidae	Polychrotidae	*Anolis_palmeri*	52
Polychrotidae	Polychrotidae	*Anolis_parilis*	81
Polychrotidae	Polychrotidae	*Anolis_paternus*	50
Polychrotidae	Polychrotidae	*Anolis_peraccae*	63
Polychrotidae	Polychrotidae	*Anolis_philopunctatus*	75.3
Polychrotidae	Polychrotidae	*Anolis_phyllorhinus*	71
Polychrotidae	Polychrotidae	*Anolis_pigmaequestris*	140
Polychrotidae	Polychrotidae	*Anolis_placidus*	46
Polychrotidae	Polychrotidae	*Anolis_pogus*	50
Polychrotidae	Polychrotidae	*Anolis_poncensis*	48
Polychrotidae	Polychrotidae	*Anolis_porcatus*	74.3
Polychrotidae	Polychrotidae	*Anolis_porcus*	172
Polychrotidae	Polychrotidae	*Anolis_princeps*	121
Polychrotidae	Polychrotidae	*Anolis_proboscis*	74
Polychrotidae	Polychrotidae	*Anolis_pseudotigrinus*	45
Polychrotidae	Polychrotidae	*Anolis_pulchellus*	51
Polychrotidae	Polychrotidae	*Anolis_pumilus*	39.2
Polychrotidae	Polychrotidae	*Anolis_punctatus*	90
Polychrotidae	Polychrotidae	*Anolis_purpurescens*	125
Polychrotidae	Polychrotidae	*Anolis_radulinus*	45
Polychrotidae	Polychrotidae	*Anolis_rejectus*	37
Polychrotidae	Polychrotidae	*Anolis_richardii*	140
Polychrotidae	Polychrotidae	*Anolis_ricordi*	190
Polychrotidae	Polychrotidae	*Anolis_rimarum*	45
Polychrotidae	Polychrotidae	*Anolis_roosevelti*	160
Polychrotidae	Polychrotidae	*Anolis_roquet*	86
Polychrotidae	Polychrotidae	*Anolis_ruizi*	58
Polychrotidae	Polychrotidae	*Anolis_rupinae*	56
Polychrotidae	Polychrotidae	*Anolis_sabanus*	69
Polychrotidae	Polychrotidae	*Anolis_santamartae*	55
Polychrotidae	Polychrotidae	*Anolis_scriptus*	76
Polychrotidae	Polychrotidae	*Anolis_semilineatus*	47
Polychrotidae	Polychrotidae	*Anolis_sheplani*	41
Polychrotidae	Polychrotidae	*Anolis_shrevei*	60
Polychrotidae	Polychrotidae	*Anolis_singularis*	52
Polychrotidae	Polychrotidae	*Anolis_smallwoodi*	190
Polychrotidae	Polychrotidae	*Anolis_smaragdinus*	64
Polychrotidae	Polychrotidae	*Anolis_solitarius*	51.5
Polychrotidae	Polychrotidae	*Anolis_spectrum*	42.1
Polychrotidae	Polychrotidae	*Anolis_squamulatus*	125
Polychrotidae	Polychrotidae	*Anolis_strahmi*	79
Polychrotidae	Polychrotidae	*Anolis_stratulus*	50
Polychrotidae	Polychrotidae	*Anolis_terueli*	40
Polychrotidae	Polychrotidae	*Anolis_tetarii*	86
Polychrotidae	Polychrotidae	*Anolis_tigrinus*	57
Polychrotidae	Polychrotidae	*Anolis_toldo*	61.2
Polychrotidae	Polychrotidae	*Anolis_transversalis*	98
Polychrotidae	Polychrotidae	*Anolis_trinitatis*	74
Polychrotidae	Polychrotidae	*Anolis_vanidicus*	39
Polychrotidae	Polychrotidae	*Anolis_vanzolinii*	104
Polychrotidae	Polychrotidae	*Anolis_vaupesianus*	82
Polychrotidae	Polychrotidae	*Anolis_ventrimaculatus*	80
Polychrotidae	Polychrotidae	*Anolis_vermiculatus*	124.5
Polychrotidae	Polychrotidae	*Anolis_vescus*	41

Polychrotidae	Polychrotidae	*Anolis_wattsi*	58	
Polychrotidae	Polychrotidae	*Anolis_websteri*	51	
Polychrotidae	Polychrotidae	*Anolis_whitemani*	67	
Polychrotidae	Polychrotidae	*Anolis_williamsii*	50	
Polychrotidae	Polychrotidae	*Diplolaemus_bibronii*	120	
Polychrotidae	Polychrotidae	*Diplolaemus_darwinii*	120	
Polychrotidae	Polychrotidae	*Diplolaemus_leopardinus*	80	
Polychrotidae	Polychrotidae	*Diplolaemus_sexcinctus*	120	
Polychrotidae	Polychrotidae	*Enyalius_bibronii*	104	
Polychrotidae	Polychrotidae	*Enyalius_bilineatus*	105	
Polychrotidae	Polychrotidae	*Enyalius_brasiliensis*	117	
Polychrotidae	Polychrotidae	*Enyalius_catenatus*	110	
Polychrotidae	Polychrotidae	*Enyalius_iheringii*	124	
Polychrotidae	Polychrotidae	*Enyalius_leechii*	115	
Polychrotidae	Polychrotidae	*Enyalius_perditus*	86	
Polychrotidae	Polychrotidae	*Enyalius_pictus*	110	
Polychrotidae	Polychrotidae	*Leiosaurus_bellii*	110	
Polychrotidae	Polychrotidae	*Leiosaurus_catamarcensis*	120	
Polychrotidae	Polychrotidae	*Leiosaurus_paronae*	110	
Polychrotidae	Polychrotidae	*Norops_ahli*	61.7	
Polychrotidae	Polychrotidae	*Norops_allogus*	62.8	
Polychrotidae	Polychrotidae	*Norops_altae*	52	
Polychrotidae	Polychrotidae	*Norops_alvarezdeltoroi*	99	
Polychrotidae	Polychrotidae	*Norops_amplisquamosus*	46	
Polychrotidae	Polychrotidae	*Norops_anisolepis*	47	
Polychrotidae	Polychrotidae	*Norops_annectens*	77.6	
Polychrotidae	Polychrotidae	*Norops_antonii*	53	
Polychrotidae	Polychrotidae	*Norops_aquaticus*	71	
Polychrotidae	Polychrotidae	*Norops_auratus*	57	Lotzkat (2007, Table 4) reports 78 mm, far exceeding all other SVL values
Polychrotidae	Polychrotidae	*Norops_baccatus*	40	
Polychrotidae	Polychrotidae	*Norops_barkeri*	101	
Polychrotidae	Polychrotidae	*Norops_bicaorum*	76	
Polychrotidae	Polychrotidae	*Norops_biporcatus*	115	
Polychrotidae	Polychrotidae	*Norops_birama*	65	
Polychrotidae	Polychrotidae	*Norops_bitectus*	55.76	
Polychrotidae	Polychrotidae	*Norops_bocourtii*	45	
Polychrotidae	Polychrotidae	*Norops_bombiceps*	74	
Polychrotidae	Polychrotidae	*Norops_bouvierii*	55	
Polychrotidae	Polychrotidae	*Norops_breedlovei*	54	
Polychrotidae	Polychrotidae	*Norops_bremeri*	72	
Polychrotidae	Polychrotidae	*Norops_capito*	100	
Polychrotidae	Polychrotidae	*Norops_carpenteri*	45	
Polychrotidae	Polychrotidae	*Norops_chrysolepis*	86	
Polychrotidae	Polychrotidae	*Norops_cobanensis*	50	
Polychrotidae	Polychrotidae	*Norops_compressicauda*	55	
Polychrotidae	Polychrotidae	*Norops_concolor*	80	
Polychrotidae	Polychrotidae	*Norops_confusus*	53	
Polychrotidae	Polychrotidae	*Norops_conspersus*	76	
Polychrotidae	Polychrotidae	*Norops_crassulus*	59	
Polychrotidae	Polychrotidae	*Norops_cumingii*	49	
Polychrotidae	Polychrotidae	*Norops_cupreus*	57	
Polychrotidae	Polychrotidae	*Norops_cuprinus*	69	
Polychrotidae	Polychrotidae	*Norops_cusuco*	46	
Polychrotidae	Polychrotidae	*Norops_cymbops*	40	
Polychrotidae	Polychrotidae	*Norops_damulus*	52	
Polychrotidae	Polychrotidae	*Norops_delafuentei*	61	
Polychrotidae	Polychrotidae	*Norops_dollfusianus*	44	
Polychrotidae	Polychrotidae	*Norops_duellmani*	37	

Polychrotidae	Polychrotidae	*Norops_dunni*	58
Polychrotidae	Polychrotidae	*Norops_exsul*	48
Polychrotidae	Polychrotidae	*Norops_fortunensis*	48
Polychrotidae	Polychrotidae	*Norops_fungosus*	47
Polychrotidae	Polychrotidae	*Norops_fuscoauratus*	50.5
Polychrotidae	Polychrotidae	*Norops_gadovii*	80
Polychrotidae	Polychrotidae	*Norops_garmani*	138
Polychrotidae	Polychrotidae	*Norops_gibbiceps*	49
Polychrotidae	Polychrotidae	*Norops_gracilipes*	55
Polychrotidae	Polychrotidae	*Norops_grahami*	75
Polychrotidae	Polychrotidae	*Norops_granuliceps*	49
Polychrotidae	Polychrotidae	*Norops_guafe*	48.8
Polychrotidae	Polychrotidae	*Norops_guazuma*	48.5
Polychrotidae	Polychrotidae	*Norops_haguei*	53
Polychrotidae	Polychrotidae	*Norops_hobartsmithi*	49
Polychrotidae	Polychrotidae	*Norops_homolechis*	70
Polychrotidae	Polychrotidae	*Norops_humilis*	45
Polychrotidae	Polychrotidae	*Norops_imias*	67.4
Polychrotidae	Polychrotidae	*Norops_intermedius*	54
Polychrotidae	Polychrotidae	*Norops_isthmicus*	63
Polychrotidae	Polychrotidae	*Norops_johnmeyeri*	70.4
Polychrotidae	Polychrotidae	*Norops_jubar*	62
Polychrotidae	Polychrotidae	*Norops_kemptoni*	55
Polychrotidae	Polychrotidae	*Norops_kreutzi*	51
Polychrotidae	Polychrotidae	*Norops_laeviventris*	66
Polychrotidae	Polychrotidae	*Norops_lemniscatus*	52
Polychrotidae	Polychrotidae	*Norops_lemurinus*	79
Polychrotidae	Polychrotidae	*Norops_limifrons*	51
Polychrotidae	Polychrotidae	*Norops_lineatopus*	73
Polychrotidae	Polychrotidae	*Norops_lineatus*	75
Polychrotidae	Polychrotidae	*Norops_liogaster*	51.5
Polychrotidae	Polychrotidae	*Norops_lionotus*	85
Polychrotidae	Polychrotidae	*Norops_loveridgei*	118
Polychrotidae	Polychrotidae	*Norops_lynchi*	61
Polychrotidae	Polychrotidae	*Norops_macrinii*	85
Polychrotidae	Polychrotidae	*Norops_macrolepis*	62
Polychrotidae	Polychrotidae	*Norops_macrophallus*	54
Polychrotidae	Polychrotidae	*Norops_maculiventris*	50
Polychrotidae	Polychrotidae	*Norops_mariarum*	51.82
Polychrotidae	Polychrotidae	*Norops_matudai*	42
Polychrotidae	Polychrotidae	*Norops_medemi*	52
Polychrotidae	Polychrotidae	*Norops_megapholidotus*	53
Polychrotidae	Polychrotidae	*Norops_meridionalis*	51
Polychrotidae	Polychrotidae	*Norops_mestrei*	56.5
Polychrotidae	Polychrotidae	*Norops_microlepidotus*	54
Polychrotidae	Polychrotidae	*Norops_microlepis*	40
Polychrotidae	Polychrotidae	*Norops_milleri*	57
Polychrotidae	Polychrotidae	*Norops_muralla*	56
Polychrotidae	Polychrotidae	*Norops_naufragus*	53
Polychrotidae	Polychrotidae	*Norops_nebuloides*	55.5
Polychrotidae	Polychrotidae	*Norops_nebulosus*	50
Polychrotidae	Polychrotidae	*Norops_nitens*	85
Polychrotidae	Polychrotidae	*Norops_notopholis*	52
Polychrotidae	Polychrotidae	*Norops_ocelloscapularis*	47
Polychrotidae	Polychrotidae	*Norops_omiltemanus*	44
Polychrotidae	Polychrotidae	*Norops_onca*	75
Polychrotidae	Polychrotidae	*Norops_opalinus*	56
Polychrotidae	Polychrotidae	*Norops_ophiolepis*	39.8
Polychrotidae	Polychrotidae	*Norops_ortonii*	57
Polychrotidae	Polychrotidae	*Norops_pachypus*	54
Polychrotidae	Polychrotidae	*Norops_pandoensis*	60

Polychrotidae	Polychrotidae	*Norops_parvicirculatus*	50	
Polychrotidae	Polychrotidae	*Norops_pentaprion*	80	
Polychrotidae	Polychrotidae	*Norops_petersii*	108	
Polychrotidae	Polychrotidae	*Norops_pijolense*	60	
Polychrotidae	Polychrotidae	*Norops_pinchoti*	57	
Polychrotidae	Polychrotidae	*Norops_poecilopus*	74	
Polychrotidae	Polychrotidae	*Norops_polylepis*	57	
Polychrotidae	Polychrotidae	*Norops_polyrhachis*	50	
Polychrotidae	Polychrotidae	*Norops_purpurgularis*	60	
Polychrotidae	Polychrotidae	*Norops_pygmaeus*	35	
Polychrotidae	Polychrotidae	*Norops_quadriocellifer*	55	
Polychrotidae	Polychrotidae	*Norops_quercorum*	46	
Polychrotidae	Polychrotidae	*Norops_reconditus*	100	
Polychrotidae	Polychrotidae	*Norops_rhombifer*	55	
Polychrotidae	Polychrotidae	*Norops_rivalis*	64	
Polychrotidae	Polychrotidae	*Norops_roatanensis*	63	
Polychrotidae	Polychrotidae	*Norops_rodriguezi*	50	
Polychrotidae	Polychrotidae	*Norops_rubribarbaris*	58	
Polychrotidae	Polychrotidae	*Norops_rubribarbus*	65.9	
Polychrotidae	Polychrotidae	*Norops_sagrei*	75	
Polychrotidae	Polychrotidae	*Norops_salvini*	57	
Polychrotidae	Polychrotidae	*Norops_scapularis*	43	
Polychrotidae	Polychrotidae	*Norops_schiedei*	50	
Polychrotidae	Polychrotidae	*Norops_schmidti*	45	
Polychrotidae	Polychrotidae	*Norops_sericeus*	52	
Polychrotidae	Polychrotidae	*Norops_serranoi*	85	
Polychrotidae	Polychrotidae	*Norops_simmonsi*	49	
Polychrotidae	Polychrotidae	*Norops_sminthus*	59	
Polychrotidae	Polychrotidae	*Norops_subocularis*	63	
Polychrotidae	Polychrotidae	*Norops_sulcifrons*	64	
Polychrotidae	Polychrotidae	*Norops_taylori*	78	
Polychrotidae	Polychrotidae	*Norops_tolimensis*	60	
Polychrotidae	Polychrotidae	*Norops_townsendi*	69	
Polychrotidae	Polychrotidae	*Norops_trachyderma*	61	
Polychrotidae	Polychrotidae	*Norops_tropidogaster*	63	
Polychrotidae	Polychrotidae	*Norops_tropidolepis*	59	
Polychrotidae	Polychrotidae	*Norops_tropidonotus*	65	
Polychrotidae	Polychrotidae	*Norops_uniformis*	40	
Polychrotidae	Polychrotidae	*Norops_utilensis*	59	
Polychrotidae	Polychrotidae	*Norops_valencienni*	86	
Polychrotidae	Polychrotidae	*Norops_vicarius*	47	
Polychrotidae	Polychrotidae	*Norops_villai*	60	
Polychrotidae	Polychrotidae	*Norops_vittigerus*	72	
Polychrotidae	Polychrotidae	*Norops_vociferans*	64	
Polychrotidae	Polychrotidae	*Norops_wampuensis*	51	
Polychrotidae	Polychrotidae	*Norops_wermuthi*	54	
Polychrotidae	Polychrotidae	*Norops_woodi*	100	
Polychrotidae	Polychrotidae	*Norops_yoroensis*	47	
Polychrotidae	Polychrotidae	*Norops_zeus*	44	
Polychrotidae	Polychrotidae	*Polychrus_acutirostris*	150	
Polychrotidae	Polychrotidae	*Polychrus_femoralis*	108	
Polychrotidae	Polychrotidae	*Polychrus_gutturosus*	170	
Polychrotidae	Polychrotidae	*Polychrus_liogaster*	152	
Polychrotidae	Polychrotidae	*Polychrus_marmoratus*	148	Fitch (1981) reports values (478mm for females, 385 for males) far exceeding all other SVL values
Polychrotidae	Polychrotidae	*Polychrus_peruvianus*	145.4	
Polychrotidae	Polychrotidae	*Pristidactylus_achalensis*	120	
Polychrotidae	Polychrotidae	*Pristidactylus_alvaroi*	89	
Polychrotidae	Polychrotidae	*Pristidactylus_araucanus*	103	

Polychrotidae	Polychrotidae	*Pristidactylus_casuhatiensis*	73
Polychrotidae	Polychrotidae	*Pristidactylus_fasciatus*	100
Polychrotidae	Polychrotidae	*Pristidactylus_nigroiugulus*	110
Polychrotidae	Polychrotidae	*Pristidactylus_scapulatus*	110
Polychrotidae	Polychrotidae	*Pristidactylus_torquatus*	95
Polychrotidae	Polychrotidae	*Pristidactylus_valeriae*	81
Polychrotidae	Polychrotidae	*Pristidactylus_volcanensis*	97.1
Polychrotidae	Polychrotidae	*Urostrophus_gallardoi*	78
Polychrotidae	Polychrotidae	*Urostrophus_vautieri*	92
Pygopodidae	Pygopodidae	*Aprasia_aurita*	110
Pygopodidae	Pygopodidae	*Aprasia_fusca*	107
Pygopodidae	Pygopodidae	*Aprasia_haroldi*	110
Pygopodidae	Pygopodidae	*Aprasia_inaurita*	136
Pygopodidae	Pygopodidae	*Aprasia_parapulchella*	140
Pygopodidae	Pygopodidae	*Aprasia_picturata*	143
Pygopodidae	Pygopodidae	*Aprasia_pseudopulchella*	155
Pygopodidae	Pygopodidae	*Aprasia_pulchella*	133
Pygopodidae	Pygopodidae	*Aprasia_repens*	126
Pygopodidae	Pygopodidae	*Aprasia_rostrata*	109
Pygopodidae	Pygopodidae	*Aprasia_smithi*	128
Pygopodidae	Pygopodidae	*Aprasia_striolata*	142
Pygopodidae	Pygopodidae	*Delma_australis*	88
Pygopodidae	Pygopodidae	*Delma_borea*	98
Pygopodidae	Pygopodidae	*Delma_butleri*	96
Pygopodidae	Pygopodidae	*Delma_concinna*	112
Pygopodidae	Pygopodidae	*Delma_elegans*	97
Pygopodidae	Pygopodidae	*Delma_fraseri*	128
Pygopodidae	Pygopodidae	*Delma_grayii*	121
Pygopodidae	Pygopodidae	*Delma_impar*	100
Pygopodidae	Pygopodidae	*Delma_inornata*	133
Pygopodidae	Pygopodidae	*Delma_labilis*	115
Pygopodidae	Pygopodidae	*Delma_mitella*	200
Pygopodidae	Pygopodidae	*Delma_molleri*	111
Pygopodidae	Pygopodidae	*Delma_nasuta*	112
Pygopodidae	Pygopodidae	*Delma_pax*	94
Pygopodidae	Pygopodidae	*Delma_plebeia*	122
Pygopodidae	Pygopodidae	*Delma_tincta*	92
Pygopodidae	Pygopodidae	*Delma_torquata*	63
Pygopodidae	Pygopodidae	*Lialis_burtonis*	300
Pygopodidae	Pygopodidae	*Lialis_jicari*	311
Pygopodidae	Pygopodidae	*Ophidiocephalus_taeniatus*	107
Pygopodidae	Pygopodidae	*Paradelma_orientalis*	198
Pygopodidae	Pygopodidae	*Pletholax_gracilis*	90
Pygopodidae	Pygopodidae	*Pygopus_lepidopodus*	230
Pygopodidae	Pygopodidae	*Pygopus_nigriceps*	227
Pygopodidae	Pygopodidae	*Pygopus_steelescotti*	185
Scincidae	Scincidae	*Ablepharus_bivittatus*	61
Scincidae	Scincidae	*Ablepharus_chernovi*	53
Scincidae	Scincidae	*Ablepharus_darvazi*	44
Scincidae	Scincidae	*Ablepharus_deserti*	58.8
Scincidae	Scincidae	*Ablepharus_grayanus*	33
Scincidae	Scincidae	*Ablepharus_kitaibelii*	55
Scincidae	Scincidae	*Ablepharus_pannonicus*	55
Scincidae	Scincidae	*Acontias_brevipes*	199
Scincidae	Scincidae	*Acontias_gracilicauda*	260
Scincidae	Scincidae	*Acontias_meleagris*	275
Scincidae	Scincidae	*Acontias_percivali*	257
Scincidae	Scincidae	*Acontias_plumbeus*	500
Scincidae	Scincidae	*Acontias_poecilus*	382
Scincidae	Scincidae	*Acontophiops_lineatus*	185
Scincidae	Scincidae	*Afroablepharus_duruarum*	45

Scincidae	Scincidae	*Afroablepharus_seydeli*	38	
Scincidae	Scincidae	*Afroablepharus_tancredi*	28	
Scincidae	Scincidae	*Afroablepharus_wilsoni*	25	
Scincidae	Scincidae	*Amphiglossus_alluaudi*	85	
Scincidae	Scincidae	*Amphiglossus_andranovahensis*	38	
Scincidae	Scincidae	*Amphiglossus_ankodabensis*	50	
Scincidae	Scincidae	*Amphiglossus_anosyensis*	65	
Scincidae	Scincidae	*Amphiglossus_ardouini*	137	
Scincidae	Scincidae	*Amphiglossus_astrolabi*	226	
Scincidae	Scincidae	*Amphiglossus_crenni*	164	
Scincidae	Scincidae	*Amphiglossus_decaryi*	43	
Scincidae	Scincidae	*Amphiglossus_elongatus*	100	
Scincidae	Scincidae	*Amphiglossus_frontoparietalis*	76	
Scincidae	Scincidae	*Amphiglossus_gastrostictus*	106	
Scincidae	Scincidae	*Amphiglossus_igneocaudatus*	78	
Scincidae	Scincidae	*Amphiglossus_intermedius*	73	
Scincidae	Scincidae	*Amphiglossus_johannae*	102	
Scincidae	Scincidae	*Amphiglossus_macrocercus*	110	
Scincidae	Scincidae	*Amphiglossus_macrolepis*	34	
Scincidae	Scincidae	*Amphiglossus_mandady*	62	only known from the type specimen, Raxworthy and Nussbaum (1993) report it is "approaching maturity"
Scincidae	Scincidae	*Amphiglossus_mandokava*	148	
Scincidae	Scincidae	*Amphiglossus_melanopleura*	57	
Scincidae	Scincidae	*Amphiglossus_melanurus*	112	
Scincidae	Scincidae	*Amphiglossus_minutus*	44.5	
Scincidae	Scincidae	*Amphiglossus_mouroundavae*	72	
Scincidae	Scincidae	*Amphiglossus_nanus*	29	
Scincidae	Scincidae	*Amphiglossus_ornaticeps*	62	
Scincidae	Scincidae	*Amphiglossus_poecilopus*	54	Glaw and Vences (1994) report maximum SVL of 90mm, this may be total lengths, as Henkel and Schmidt (2000) and Angel (1942) report 92 mm is the maximum total length, of which 42 mm is the tail. However later Glaw and Vences (2007) updated SVL to 102 mm and 102 mm tail length
Scincidae	Scincidae	*Amphiglossus_polleni*	102	
Scincidae	Scincidae	*Amphiglossus_praeornatus*	71.5	
Scincidae	Scincidae	*Amphiglossus_punctatus*	73	
Scincidae	Scincidae	*Amphiglossus_reticulatus*	220	
Scincidae	Scincidae	*Amphiglossus_spilostichus*	81.5	
Scincidae	Scincidae	*Amphiglossus_splendidus*	117	
Scincidae	Scincidae	*Amphiglossus_stumpffi*	103	
Scincidae	Scincidae	*Amphiglossus_tanysoma*	103	
Scincidae	Scincidae	*Amphiglossus_tsaratananensis*	84.1	
Scincidae	Scincidae	*Amphiglossus_valhallae*	106	
Scincidae	Scincidae	*Androngo_trivittatus*	147	
Scincidae	Scincidae	*Anomalopus_brevicollis*	83	
Scincidae	Scincidae	*Anomalopus_gowi*	108	
Scincidae	Scincidae	*Anomalopus_leuckartii*	137	
Scincidae	Scincidae	*Anomalopus_mackayi*	123	
Scincidae	Scincidae	*Anomalopus_pluto*	76	
Scincidae	Scincidae	*Anomalopus_swansoni*	107	
Scincidae	Scincidae	*Anomalopus_verreauxii*	185	
Scincidae	Scincidae	*Apterygodon_vittatus*	96	

Scincidae	Scincidae	*Asymblepharus_alaicus*	65
Scincidae	Scincidae	*Asymblepharus_eremchenkoi*	59.8
Scincidae	Scincidae	*Asymblepharus_nepalensis*	41
Scincidae	Scincidae	*Asymblepharus_sikimmensis*	55.8
Scincidae	Scincidae	*Asymblepharus_tragbulense*	56.5
Scincidae	Scincidae	*Ateuchosaurus_chinensis*	100
Scincidae	Scincidae	*Ateuchosaurus_pellopleurus*	69
Scincidae	Scincidae	*Barkudia_insularis*	115
Scincidae	Scincidae	*Barkudia_melanosticta*	165
Scincidae	Scincidae	*Bartleia_jigurru*	70
Scincidae	Scincidae	*Bassiana_duperreyi*	80
Scincidae	Scincidae	*Bassiana_platynota*	80
Scincidae	Scincidae	*Bassiana_trilineata*	70
Scincidae	Scincidae	*Brachymeles_apus*	131
Scincidae	Scincidae	*Brachymeles_bicolor*	155
Scincidae	Scincidae	*Brachymeles_bonitae*	94
Scincidae	Scincidae	*Brachymeles_boulengeri*	105.7
Scincidae	Scincidae	*Brachymeles_cebuensis*	74.4
Scincidae	Scincidae	*Brachymeles_elerae*	71.5
Scincidae	Scincidae	*Brachymeles_gracilis*	113
Scincidae	Scincidae	*Brachymeles_hilong*	81
Scincidae	Scincidae	*Brachymeles_minimus*	64
Scincidae	Scincidae	*Brachymeles_pathfinderi*	60.4
Scincidae	Scincidae	*Brachymeles_samarensis*	65.2
Scincidae	Scincidae	*Brachymeles_schadenbergi*	118.2
Scincidae	Scincidae	*Brachymeles_talinis*	140.9
Scincidae	Scincidae	*Brachymeles_tridactylus*	84
Scincidae	Scincidae	*Brachymeles_vermis*	86
Scincidae	Scincidae	*Brachymeles_wrighti*	120
Scincidae	Scincidae	*Caledoniscincus_aquilonius*	49
Scincidae	Scincidae	*Caledoniscincus_atropunctatus*	53
Scincidae	Scincidae	*Caledoniscincus_auratus*	51
Scincidae	Scincidae	*Caledoniscincus_austrocaledonicus*	57
Scincidae	Scincidae	*Caledoniscincus_chazeaui*	43
Scincidae	Scincidae	*Caledoniscincus_cryptos*	45
Scincidae	Scincidae	*Caledoniscincus_festivus*	72
Scincidae	Scincidae	*Caledoniscincus_haplorhinus*	55
Scincidae	Scincidae	*Caledoniscincus_orestes*	65
Scincidae	Scincidae	*Caledoniscincus_renevieri*	51
Scincidae	Scincidae	*Caledoniscincus_terma*	50
Scincidae	Scincidae	*Calyptotis_lepidorostrum*	55
Scincidae	Scincidae	*Calyptotis_ruficauda*	55
Scincidae	Scincidae	*Calyptotis_scutirostrum*	59
Scincidae	Scincidae	*Calyptotis_temporalis*	36
Scincidae	Scincidae	*Calyptotis_thorntonensis*	35
Scincidae	Scincidae	*Carlia_aenigma*	57.5
Scincidae	Scincidae	*Carlia_ailanpalai*	59.3
Scincidae	Scincidae	*Carlia_amax*	40
Scincidae	Scincidae	*Carlia_aramia*	58
Scincidae	Scincidae	*Carlia_babarensis*	51.5
Scincidae	Scincidae	*Carlia_beccarii*	79.7
Scincidae	Scincidae	*Carlia_bicarinata*	48
Scincidae	Scincidae	*Carlia_bomberai*	53.9
Scincidae	Scincidae	*Carlia_caesius*	64.5
Scincidae	Scincidae	*Carlia_coensis*	68
Scincidae	Scincidae	*Carlia_diguliensis*	54.4
Scincidae	Scincidae	*Carlia_dogare*	50
Scincidae	Scincidae	*Carlia_eothen*	68.6
Scincidae	Scincidae	*Carlia_fusca*	67
Scincidae	Scincidae	*Carlia_gracilis*	41
Scincidae	Scincidae	*Carlia_jarnoldae*	49

Scincidae	Scincidae	*Carlia_johnstonei*	43
Scincidae	Scincidae	*Carlia_leucotaenia*	53.3
Scincidae	Scincidae	*Carlia_longipes*	66.4
Scincidae	Scincidae	*Carlia_luctuosa*	77.7
Scincidae	Scincidae	*Carlia_munda*	44
Scincidae	Scincidae	*Carlia_mundivensis*	56
Scincidae	Scincidae	*Carlia_mysi*	62.3
Scincidae	Scincidae	*Carlia_parrhasius*	35
Scincidae	Scincidae	*Carlia_pectoralis*	64
Scincidae	Scincidae	*Carlia_prava*	53.2
Scincidae	Scincidae	*Carlia_pulla*	64.6
Scincidae	Scincidae	*Carlia_rhomboidalis*	61
Scincidae	Scincidae	*Carlia_rimula*	39
Scincidae	Scincidae	*Carlia_rostralis*	70
Scincidae	Scincidae	*Carlia_rubrigularis*	60
Scincidae	Scincidae	*Carlia_rufilatus*	42
Scincidae	Scincidae	*Carlia_schmeltzii*	69
Scincidae	Scincidae	*Carlia_scirtetis*	64
Scincidae	Scincidae	*Carlia_storri*	46
Scincidae	Scincidae	*Carlia_tetradactyla*	64
Scincidae	Scincidae	*Carlia_triacantha*	53
Scincidae	Scincidae	*Carlia_tutela*	53.7
Scincidae	Scincidae	*Carlia_vivax*	47
Scincidae	Scincidae	*Cautula_zia*	59
Scincidae	Scincidae	*Celatiscincus_euryotis*	42
Scincidae	Scincidae	*Chalcides_armitagei*	99.3
Scincidae	Scincidae	*Chalcides_bedriagai*	89
Scincidae	Scincidae	*Chalcides_bottegi*	121
Scincidae	Scincidae	*Chalcides_chalcides*	210
Scincidae	Scincidae	*Chalcides_colosii*	114
Scincidae	Scincidae	*Chalcides_ebneri*	90
Scincidae	Scincidae	*Chalcides_guentheri*	165
Scincidae	Scincidae	*Chalcides_lanzai*	104
Scincidae	Scincidae	*Chalcides_levitoni*	99
Scincidae	Scincidae	*Chalcides_manueli*	75.9
Scincidae	Scincidae	*Chalcides_mauritanicus*	80
Scincidae	Scincidae	*Chalcides_minutus*	114.8
Scincidae	Scincidae	*Chalcides_mionecton*	107.4
Scincidae	Scincidae	*Chalcides_montanus*	99
Scincidae	Scincidae	*Chalcides_ocellatus*	200
Scincidae	Scincidae	*Chalcides_parallelus*	91.5
Scincidae	Scincidae	*Chalcides_polylepis*	160
Scincidae	Scincidae	*Chalcides_pseudostriatus*	202
Scincidae	Scincidae	*Chalcides_pulchellus*	130
Scincidae	Scincidae	*Chalcides_ragazzii*	127.4
Scincidae	Scincidae	*Chalcides_sexlineatus*	82.9
Scincidae	Scincidae	*Chalcides_striatus*	210
Scincidae	Scincidae	*Chalcides_thierryi*	150.3
Scincidae	Scincidae	*Chalcides_viridanus*	129
Scincidae	Scincidae	*Chalcidoseps_thwaitesi*	75
Scincidae	Scincidae	*Chioninia_delalandii*	80
Scincidae	Scincidae	*Chioninia_fogoensis*	78
Scincidae	Scincidae	*Chioninia_geisthardti*	67
Scincidae	Scincidae	*Chioninia_spinalis*	87
Scincidae	Scincidae	*Chioninia_stangeri*	77
Scincidae	Scincidae	*Chioninia_vaillantii*	240
Scincidae	Scincidae	*Coeranoscincus_frontalis*	290
Scincidae	Scincidae	*Coeranoscincus_reticulatus*	195
Scincidae	Scincidae	*Coggeria_naufragus*	127
Scincidae	Scincidae	*Cophoscincopus_durus*	55
Scincidae	Scincidae	*Cophoscincopus_greeri*	66

Scincidae	Scincidae	*Cophoscincopus_simulans*	61
Scincidae	Scincidae	*Corucia_zebrata*	350
Scincidae	Scincidae	*Cryptoblepharus_aldabrae*	39.5
Scincidae	Scincidae	*Cryptoblepharus_ater*	47.5
Scincidae	Scincidae	*Cryptoblepharus_balinensis*	50
Scincidae	Scincidae	*Cryptoblepharus_bitaeniatus*	42.5
Scincidae	Scincidae	*Cryptoblepharus_boutonii*	58
Scincidae	Scincidae	*Cryptoblepharus_burdeni*	47
Scincidae	Scincidae	*Cryptoblepharus_carnabyi*	46
Scincidae	Scincidae	*Cryptoblepharus_caudatus*	48.5
Scincidae	Scincidae	*Cryptoblepharus_cursor*	40
Scincidae	Scincidae	*Cryptoblepharus_degrijsi*	43.5
Scincidae	Scincidae	*Cryptoblepharus_egeriae*	52
Scincidae	Scincidae	*Cryptoblepharus_eximius*	40.3
Scincidae	Scincidae	*Cryptoblepharus_fuhni*	47
Scincidae	Scincidae	*Cryptoblepharus_gloriosus*	40
Scincidae	Scincidae	*Cryptoblepharus_keiensis*	40
Scincidae	Scincidae	*Cryptoblepharus_leschenault*	43
Scincidae	Scincidae	*Cryptoblepharus_litoralis*	55
Scincidae	Scincidae	*Cryptoblepharus_megastictus*	40
Scincidae	Scincidae	*Cryptoblepharus_mohelicus*	41
Scincidae	Scincidae	*Cryptoblepharus_novaeguineae*	42
Scincidae	Scincidae	*Cryptoblepharus_novocaledonicus*	43
Scincidae	Scincidae	*Cryptoblepharus_pallidus*	35.5
Scincidae	Scincidae	*Cryptoblepharus_plagiocephalus*	47
Scincidae	Scincidae	*Cryptoblepharus_poecilopleurus*	49.5
Scincidae	Scincidae	*Cryptoblepharus_renschi*	40
Scincidae	Scincidae	*Cryptoblepharus_rutilus*	35.5
Scincidae	Scincidae	*Cryptoblepharus_sumbawanus*	42
Scincidae	Scincidae	*Cryptoblepharus_virgatus*	41
Scincidae	Scincidae	*Cryptoscincus_minimus*	72
Scincidae	Scincidae	*Ctenotus_agrestis*	75
Scincidae	Scincidae	*Ctenotus_alacer*	62
Scincidae	Scincidae	*Ctenotus_alleni*	93
Scincidae	Scincidae	*Ctenotus_allotropis*	55
Scincidae	Scincidae	*Ctenotus_angusticeps*	74
Scincidae	Scincidae	*Ctenotus_aphrodite*	70
Scincidae	Scincidae	*Ctenotus_arcanus*	90
Scincidae	Scincidae	*Ctenotus_ariadnae*	64
Scincidae	Scincidae	*Ctenotus_arnhemensis*	55.1
Scincidae	Scincidae	*Ctenotus_astarte*	82
Scincidae	Scincidae	*Ctenotus_astictus*	51.9
Scincidae	Scincidae	*Ctenotus_atlas*	70
Scincidae	Scincidae	*Ctenotus_australis*	110
Scincidae	Scincidae	*Ctenotus_borealis*	121
Scincidae	Scincidae	*Ctenotus_brachyonyx*	83
Scincidae	Scincidae	*Ctenotus_brooksi*	55
Scincidae	Scincidae	*Ctenotus_burbidgei*	58
Scincidae	Scincidae	*Ctenotus_calurus*	50
Scincidae	Scincidae	*Ctenotus_capricorni*	65
Scincidae	Scincidae	*Ctenotus_catenifer*	58
Scincidae	Scincidae	*Ctenotus_coggeri*	80
Scincidae	Scincidae	*Ctenotus_colletti*	45
Scincidae	Scincidae	*Ctenotus_decaneurus*	52
Scincidae	Scincidae	*Ctenotus_delli*	63
Scincidae	Scincidae	*Ctenotus_dux*	65.1
Scincidae	Scincidae	*Ctenotus_ehmanni*	41
Scincidae	Scincidae	*Ctenotus_essingtonii*	70
Scincidae	Scincidae	*Ctenotus_eurydice*	76.6
Scincidae	Scincidae	*Ctenotus_eutaenius*	90
Scincidae	Scincidae	*Ctenotus_fallens*	95

Scincidae	Scincidae	*Ctenotus_gagudju*	54
Scincidae	Scincidae	*Ctenotus_gemmula*	58
Scincidae	Scincidae	*Ctenotus_grandis*	122
Scincidae	Scincidae	*Ctenotus_greeri*	65
Scincidae	Scincidae	*Ctenotus_hanloni*	73.3
Scincidae	Scincidae	*Ctenotus_hebetior*	60
Scincidae	Scincidae	*Ctenotus_helenae*	101
Scincidae	Scincidae	*Ctenotus_hilli*	50
Scincidae	Scincidae	*Ctenotus_iapetus*	68
Scincidae	Scincidae	*Ctenotus_impar*	66
Scincidae	Scincidae	*Ctenotus_ingrami*	84
Scincidae	Scincidae	*Ctenotus_inornatus*	95
Scincidae	Scincidae	*Ctenotus_joanae*	86
Scincidae	Scincidae	*Ctenotus_kurnbudj*	54
Scincidae	Scincidae	*Ctenotus_labillardieri*	75
Scincidae	Scincidae	*Ctenotus_lancelini*	87
Scincidae	Scincidae	*Ctenotus_lateralis*	85
Scincidae	Scincidae	*Ctenotus_leae*	62
Scincidae	Scincidae	*Ctenotus_leonhardii*	79
Scincidae	Scincidae	*Ctenotus_maryani*	55
Scincidae	Scincidae	*Ctenotus_mastigura*	88
Scincidae	Scincidae	*Ctenotus_militaris*	65
Scincidae	Scincidae	*Ctenotus_mimetes*	82
Scincidae	Scincidae	*Ctenotus_monticola*	65
Scincidae	Scincidae	*Ctenotus_nasutus*	46
Scincidae	Scincidae	*Ctenotus_nigrilineatus*	49
Scincidae	Scincidae	*Ctenotus_nullum*	79
Scincidae	Scincidae	*Ctenotus_olympicus*	75
Scincidae	Scincidae	*Ctenotus_pallescens*	45
Scincidae	Scincidae	*Ctenotus_pantherinus*	126
Scincidae	Scincidae	*Ctenotus_piankai*	60
Scincidae	Scincidae	*Ctenotus_pulchellus*	85
Scincidae	Scincidae	*Ctenotus_quattuordecimlineatus*	71
Scincidae	Scincidae	*Ctenotus_quinkan*	81
Scincidae	Scincidae	*Ctenotus_rawlinsoni*	80
Scincidae	Scincidae	*Ctenotus_regius*	73
Scincidae	Scincidae	*Ctenotus_rimacolus*	95
Scincidae	Scincidae	*Ctenotus_robustus*	125
Scincidae	Scincidae	*Ctenotus_rosarium*	43.8
Scincidae	Scincidae	*Ctenotus_rubicundus*	101
Scincidae	Scincidae	*Ctenotus_rufescens*	45
Scincidae	Scincidae	*Ctenotus_rutilans*	53
Scincidae	Scincidae	*Ctenotus_saxatilis*	100
Scincidae	Scincidae	*Ctenotus_schevilli*	85
Scincidae	Scincidae	*Ctenotus_schomburgkii*	57
Scincidae	Scincidae	*Ctenotus_septenarius*	72
Scincidae	Scincidae	*Ctenotus_serotinus*	50
Scincidae	Scincidae	*Ctenotus_severentyi*	57
Scincidae	Scincidae	*Ctenotus_severus*	91
Scincidae	Scincidae	*Ctenotus_spaldingi*	100
Scincidae	Scincidae	*Ctenotus_storri*	40
Scincidae	Scincidae	*Ctenotus_strauchii*	55
Scincidae	Scincidae	*Ctenotus_striaticeps*	50
Scincidae	Scincidae	*Ctenotus_stuarti*	54
Scincidae	Scincidae	*Ctenotus_taeniolatus*	80
Scincidae	Scincidae	*Ctenotus_tanamiensis*	95
Scincidae	Scincidae	*Ctenotus_tantillus*	45
Scincidae	Scincidae	*Ctenotus_terrareginae*	90
Scincidae	Scincidae	*Ctenotus_uber*	82
Scincidae	Scincidae	*Ctenotus_vertebralis*	55
Scincidae	Scincidae	*Ctenotus_xenopleura*	50

Scincidae	Scincidae	*Ctenotus_youngsoni*	84
Scincidae	Scincidae	*Ctenotus_zastictus*	60
Scincidae	Scincidae	*Ctenotus_zebrilla*	40
Scincidae	Scincidae	*Cyclodina_aenea*	66.6
Scincidae	Scincidae	*Cyclodina_alani*	142
Scincidae	Scincidae	*Cyclodina_lichenigera*	80
Scincidae	Scincidae	*Cyclodina_macgregori*	114
Scincidae	Scincidae	*Cyclodina_oliveri*	108
Scincidae	Scincidae	*Cyclodina_ornata*	80
Scincidae	Scincidae	*Cyclodina_whitakeri*	100
Scincidae	Scincidae	*Cyclodomorphus_branchialis*	100
Scincidae	Scincidae	*Cyclodomorphus_casuarinae*	174
Scincidae	Scincidae	*Cyclodomorphus_celatus*	121
Scincidae	Scincidae	*Cyclodomorphus_maxima*	232
Scincidae	Scincidae	*Cyclodomorphus_melanops*	132
Scincidae	Scincidae	*Cyclodomorphus_michaeli*	174
Scincidae	Scincidae	*Cyclodomorphus_praealtus*	119
Scincidae	Scincidae	*Cyclodomorphus_venustus*	101.5
Scincidae	Scincidae	*Dasia_griffini*	116.3
Scincidae	Scincidae	*Dasia_grisea*	130
Scincidae	Scincidae	*Dasia_haliana*	85
Scincidae	Scincidae	*Dasia_nicobarensis*	98
Scincidae	Scincidae	*Dasia_olivacea*	150
Scincidae	Scincidae	*Dasia_semicincta*	130
Scincidae	Scincidae	*Dasia_subcaerulea*	57
Scincidae	Scincidae	*Davewakeum_miriamae*	114
Scincidae	Scincidae	*Egernia_arnhemensis*	180
Scincidae	Scincidae	*Egernia_carinata*	105
Scincidae	Scincidae	*Egernia_coventryi*	150
Scincidae	Scincidae	*Egernia_cunninghami*	250
Scincidae	Scincidae	*Egernia_depressa*	117
Scincidae	Scincidae	*Egernia_douglasi*	170
Scincidae	Scincidae	*Egernia_formosa*	107
Scincidae	Scincidae	*Egernia_frerei*	210
Scincidae	Scincidae	*Egernia_guthega*	111
Scincidae	Scincidae	*Egernia_hosmeri*	180
Scincidae	Scincidae	*Egernia_inornata*	85
Scincidae	Scincidae	*Egernia_kingii*	244
Scincidae	Scincidae	*Egernia_kintorei*	200
Scincidae	Scincidae	*Egernia_luctuosa*	130
Scincidae	Scincidae	*Egernia_major*	391
Scincidae	Scincidae	*Egernia_margaretae*	105
Scincidae	Scincidae	*Egernia_mcpheei*	143
Scincidae	Scincidae	*Egernia_modesta*	112
Scincidae	Scincidae	*Egernia_montana*	110
Scincidae	Scincidae	*Egernia_multiscutata*	96
Scincidae	Scincidae	*Egernia_napoleonis*	133
Scincidae	Scincidae	*Egernia_pilbarensis*	121
Scincidae	Scincidae	*Egernia_pulchra*	110
Scincidae	Scincidae	*Egernia_richardi*	105
Scincidae	Scincidae	*Egernia_rugosa*	223
Scincidae	Scincidae	*Egernia_saxatilis*	135
Scincidae	Scincidae	*Egernia_slateri*	95
Scincidae	Scincidae	*Egernia_stokesii*	207
Scincidae	Scincidae	*Egernia_striata*	112
Scincidae	Scincidae	*Egernia_striolata*	119
Scincidae	Scincidae	*Egernia_whittii*	113
Scincidae	Scincidae	*Emoia_adspersa*	93
Scincidae	Scincidae	*Emoia_aenea*	71
Scincidae	Scincidae	*Emoia_ahli*	62
Scincidae	Scincidae	*Emoia_aneityumensis*	95.5

Scincidae	Scincidae	*Emoia_arnoensis*	91
Scincidae	Scincidae	*Emoia_atrocostata*	100
Scincidae	Scincidae	*Emoia_aurulenta*	49.5
Scincidae	Scincidae	*Emoia_battersbyi*	77.2
Scincidae	Scincidae	*Emoia_bismarckensis*	64
Scincidae	Scincidae	*Emoia_boettgeri*	77
Scincidae	Scincidae	*Emoia_bogerti*	59
Scincidae	Scincidae	*Emoia_brongersmai*	69.8
Scincidae	Scincidae	*Emoia_caeruleocauda*	65
Scincidae	Scincidae	*Emoia_callisticta*	56
Scincidae	Scincidae	*Emoia_campbelli*	97.8
Scincidae	Scincidae	*Emoia_coggeri*	49.8
Scincidae	Scincidae	*Emoia_concolor*	88.9
Scincidae	Scincidae	*Emoia_cyanogaster*	99
Scincidae	Scincidae	*Emoia_cyanura*	65
Scincidae	Scincidae	*Emoia_cyclops*	57.1
Scincidae	Scincidae	*Emoia_digul*	56.8
Scincidae	Scincidae	*Emoia_erronan*	75
Scincidae	Scincidae	*Emoia_flavigularis*	75.5
Scincidae	Scincidae	*Emoia_guttata*	73
Scincidae	Scincidae	*Emoia_impar*	50
Scincidae	Scincidae	*Emoia_irianensis*	63.6
Scincidae	Scincidae	*Emoia_isolata*	60
Scincidae	Scincidae	*Emoia_jakati*	53.3
Scincidae	Scincidae	*Emoia_jamur*	51.3
Scincidae	Scincidae	*Emoia_kitcheneri*	39
Scincidae	Scincidae	*Emoia_klossi*	90.5
Scincidae	Scincidae	*Emoia_kordoana*	60.8
Scincidae	Scincidae	*Emoia_kuekenthali*	79.9
Scincidae	Scincidae	*Emoia_laobaoense*	74
Scincidae	Scincidae	*Emoia_lawesi*	106
Scincidae	Scincidae	*Emoia_longicauda*	100
Scincidae	Scincidae	*Emoia_loveridgei*	46
Scincidae	Scincidae	*Emoia_loyaltiensis*	83.2
Scincidae	Scincidae	*Emoia_maculata*	70
Scincidae	Scincidae	*Emoia_maxima*	47
Scincidae	Scincidae	*Emoia_mivarti*	56.5
Scincidae	Scincidae	*Emoia_mokosariniveikau*	55.1
Scincidae	Scincidae	*Emoia_montana*	70.2
Scincidae	Scincidae	*Emoia_nativittatis*	78
Scincidae	Scincidae	*Emoia_nigra*	128
Scincidae	Scincidae	*Emoia_nigromarginata*	77.4
Scincidae	Scincidae	*Emoia_obscura*	63.5
Scincidae	Scincidae	*Emoia_oribata*	77.1
Scincidae	Scincidae	*Emoia_pallidiceps*	61.5
Scincidae	Scincidae	*Emoia_paniai*	50.4
Scincidae	Scincidae	*Emoia_parkeri*	53.8
Scincidae	Scincidae	*Emoia_physicae*	77.6
Scincidae	Scincidae	*Emoia_physicina*	50.7
Scincidae	Scincidae	*Emoia_ponapea*	50.8
Scincidae	Scincidae	*Emoia_popei*	65
Scincidae	Scincidae	*Emoia_pseudocyanura*	70
Scincidae	Scincidae	*Emoia_pseudopallidiceps*	64.3
Scincidae	Scincidae	*Emoia_reimschisseli*	78
Scincidae	Scincidae	*Emoia_rennellensis*	45
Scincidae	Scincidae	*Emoia_ruficauda*	54
Scincidae	Scincidae	*Emoia_rufilabialis*	65.4
Scincidae	Scincidae	*Emoia_samoensis*	118
Scincidae	Scincidae	*Emoia_sanfordi*	115
Scincidae	Scincidae	*Emoia_schmidti*	63.3
Scincidae	Scincidae	*Emoia_similis*	42

Scincidae	Scincidae	*Emoia_slevini*	84	
Scincidae	Scincidae	*Emoia_sorex*	59.2	
Scincidae	Scincidae	*Emoia_submetallica*	64	
Scincidae	Scincidae	*Emoia_taumakoensis*	57.6	
Scincidae	Scincidae	*Emoia_tetrataenia*	63.5	
Scincidae	Scincidae	*Emoia_tongana*	74.9	
Scincidae	Scincidae	*Emoia_tropidolepis*	73.4	
Scincidae	Scincidae	*Emoia_trossula*	108.5	
Scincidae	Scincidae	*Emoia_veracunda*	52.7	
Scincidae	Scincidae	*Eremiascincus_fasciolatus*	98	
Scincidae	Scincidae	*Eremiascincus_richardsonii*	127	
Scincidae	Scincidae	*Eroticoscincus_graciloides*	35	
Scincidae	Scincidae	*Eugongylus_albofasciolatus*	213	
Scincidae	Scincidae	*Eugongylus_rufescens*	169	
Scincidae	Scincidae	*Eugongylus_sulaensis*	137	
Scincidae	Scincidae	*Eugongylus_unilineatus*	118	
Scincidae	Scincidae	*Eulamprus_amplus*	115	
Scincidae	Scincidae	*Eulamprus_brachyosoma*	74	
Scincidae	Scincidae	*Eulamprus_frerei*	70	
Scincidae	Scincidae	*Eulamprus_heatwolei*	100	
Scincidae	Scincidae	*Eulamprus_kosciuskoi*	85	
Scincidae	Scincidae	*Eulamprus_leuraensis*	80	
Scincidae	Scincidae	*Eulamprus_luteilateralis*	112	
Scincidae	Scincidae	*Eulamprus_martini*	71	
Scincidae	Scincidae	*Eulamprus_murrayi*	108	
Scincidae	Scincidae	*Eulamprus_quoyii*	127	
Scincidae	Scincidae	*Eulamprus_sokosoma*	79	
Scincidae	Scincidae	*Eulamprus_tenuis*	85	
Scincidae	Scincidae	*Eulamprus_tigrinus*	85	
Scincidae	Scincidae	*Eulamprus_tryoni*	104	
Scincidae	Scincidae	*Eulamprus_tympanum*	97	
Scincidae	Scincidae	*Eumeces_algeriensis*	210	
Scincidae	Scincidae	*Eumeces_blythianus*	111	
Scincidae	Scincidae	*Eumeces_indothalensis*	57	
Scincidae	Scincidae	*Eumeces_schneideri*	170	
Scincidae	Scincidae	*Eumecia_anchietae*	300	
Scincidae	Scincidae	*Eumecia_johnstoni*	263	
Scincidae	Scincidae	*Euprepes_chaperi*	65	
Scincidae	Scincidae	*Eurylepis_poonaensis*	118	
Scincidae	Scincidae	*Eurylepis_taeniolatus*	175	
Scincidae	Scincidae	*Eutropis_allapallensis*	75	
Scincidae	Scincidae	*Eutropis_andamanensis*	132	
Scincidae	Scincidae	*Eutropis_beddomii*	115	
Scincidae	Scincidae	*Eutropis_bibronii*	50	
Scincidae	Scincidae	*Eutropis_bontocensis*	60	
Scincidae	Scincidae	*Eutropis_carinata*	160	
Scincidae	Scincidae	*Eutropis_clivicola*	55	
Scincidae	Scincidae	*Eutropis_cumingi*	54.2	
Scincidae	Scincidae	*Eutropis_darevskii*	50.5	
Scincidae	Scincidae	*Eutropis_englei*	70	
Scincidae	Scincidae	*Eutropis_gansi*	62.6	
Scincidae	Scincidae	*Eutropis_indeprensa*	67	
Scincidae	Scincidae	*Eutropis_innotata*	55.9	
Scincidae	Scincidae	*Eutropis_longicaudata*	140	
Scincidae	Scincidae	*Eutropis_macularia*	77	
Scincidae	Scincidae	*Eutropis_multicarinata*	97	
Scincidae	Scincidae	*Eutropis_multifasciata*	137	Lim and Lim (1999) report 525 mm, far exceeding other published SVL values
Scincidae	Scincidae	*Eutropis_nagarjuni*	57	
Scincidae	Scincidae	*Eutropis_novemcarinata*	98	

Scincidae	Scincidae	*Eutropis_quadricarinata*	50.8
Scincidae	Scincidae	*Eutropis_rudis*	120
Scincidae	Scincidae	*Eutropis_rugifera*	65
Scincidae	Scincidae	*Feylinia_boulengeri*	100
Scincidae	Scincidae	*Feylinia_currori*	340
Scincidae	Scincidae	*Feylinia_elegans*	142
Scincidae	Scincidae	*Feylinia_grandisquamis*	140
Scincidae	Scincidae	*Feylinia_macrolepis*	94
Scincidae	Scincidae	*Feylinia_polylepis*	160
Scincidae	Scincidae	*Fojia_bumui*	59
Scincidae	Scincidae	*Geomyersia_coggeri*	34
Scincidae	Scincidae	*Geomyersia_glabra*	36
Scincidae	Scincidae	*Geoscincus_haraldmeieri*	112
Scincidae	Scincidae	*Glaphyromorphus_antoniorum*	67
Scincidae	Scincidae	*Glaphyromorphus_brongersmai*	98
Scincidae	Scincidae	*Glaphyromorphus_butlerorum*	50
Scincidae	Scincidae	*Glaphyromorphus_clandestinus*	72
Scincidae	Scincidae	*Glaphyromorphus_cracens*	58
Scincidae	Scincidae	*Glaphyromorphus_crassicaudum*	55
Scincidae	Scincidae	*Glaphyromorphus_darwiniensis*	59
Scincidae	Scincidae	*Glaphyromorphus_douglasi*	80
Scincidae	Scincidae	*Glaphyromorphus_emigrans*	68.5
Scincidae	Scincidae	*Glaphyromorphus_fuscicaudis*	90
Scincidae	Scincidae	*Glaphyromorphus_gracilipes*	89
Scincidae	Scincidae	*Glaphyromorphus_isolepis*	75
Scincidae	Scincidae	*Glaphyromorphus_mjobergi*	97
Scincidae	Scincidae	*Glaphyromorphus_nigricaudis*	90
Scincidae	Scincidae	*Glaphyromorphus_pardalis*	75
Scincidae	Scincidae	*Glaphyromorphus_pumilus*	55
Scincidae	Scincidae	*Glaphyromorphus_punctulatus*	70
Scincidae	Scincidae	*Glaphyromorphus_timorensis*	93
Scincidae	Scincidae	*Gnypetoscincus_queenslandiae*	85
Scincidae	Scincidae	*Gongylomorphus_bojerii*	70
Scincidae	Scincidae	*Graciliscincus_shonae*	42
Scincidae	Scincidae	*Haackgreerius_miopus*	73
Scincidae	Scincidae	*Hakaria_simonyi*	60
Scincidae	Scincidae	*Hemiergis_decresiensis*	79
Scincidae	Scincidae	*Hemiergis_initialis*	50
Scincidae	Scincidae	*Hemiergis_millewae*	58
Scincidae	Scincidae	*Hemiergis_peronii*	79
Scincidae	Scincidae	*Hemiergis_quadrilineatum*	75
Scincidae	Scincidae	*Hemisphaeriodon_gerrardii*	255
Scincidae	Scincidae	*Isopachys_anguinoides*	75
Scincidae	Scincidae	*Isopachys_borealis*	177
Scincidae	Scincidae	*Isopachys_gyldenstolpei*	220
Scincidae	Scincidae	*Isopachys_roulei_*	109
Scincidae	Scincidae	*Janetaescincus_braueri*	53
Scincidae	Scincidae	*Janetaescincus_veseyfitzgeraldi*	37
Scincidae	Scincidae	*Kanakysaurus_viviparus*	83
Scincidae	Scincidae	*Lacertaspis_chriswildi*	45
Scincidae	Scincidae	*Lacertaspis_gemmiventris*	81
Scincidae	Scincidae	*Lacertaspis_lepesmei*	58
Scincidae	Scincidae	*Lacertaspis_reichenowi*	54
Scincidae	Scincidae	*Lacertaspis_rohdei*	62
Scincidae	Scincidae	*Lacertoides_pardalis*	102
Scincidae	Scincidae	*Lamprolepis_leucosticta*	74
Scincidae	Scincidae	*Lamprolepis_nieuwenhuisi*	72
Scincidae	Scincidae	*Lamprolepis_smaragdina*	107.3
Scincidae	Scincidae	*Lamprolepis_vyneri*	66
Scincidae	Scincidae	*Lampropholis_adonis*	51
Scincidae	Scincidae	*Lampropholis_amicula*	35

Scincidae	Scincidae	*Lampropholis_caligula*	54
Scincidae	Scincidae	*Lampropholis_coggeri*	45
Scincidae	Scincidae	*Lampropholis_colossus*	56
Scincidae	Scincidae	*Lampropholis_couperi*	49
Scincidae	Scincidae	*Lampropholis_delicata*	51
Scincidae	Scincidae	*Lampropholis_elongata*	53
Scincidae	Scincidae	*Lampropholis_guichenoti*	52
Scincidae	Scincidae	*Lampropholis_mirabilis*	50
Scincidae	Scincidae	*Lampropholis_robertsi*	49
Scincidae	Scincidae	*Lankascincus_deignani*	58
Scincidae	Scincidae	*Lankascincus_deraniyagalae*	43
Scincidae	Scincidae	*Lankascincus_fallax*	42
Scincidae	Scincidae	*Lankascincus_gansi*	40
Scincidae	Scincidae	*Lankascincus_taprobanensis*	58
Scincidae	Scincidae	*Lankascincus_taylori*	43
Scincidae	Scincidae	*Larutia_larutense*	191
Scincidae	Scincidae	*Larutia_miodactyla*	151
Scincidae	Scincidae	*Larutia_puehensis*	141
Scincidae	Scincidae	*Larutia_seribuatensis*	115
Scincidae	Scincidae	*Larutia_sumatrensis*	176
Scincidae	Scincidae	*Larutia_trifasciata*	250
Scincidae	Scincidae	*Leiolopisma_alazon*	65
Scincidae	Scincidae	*Leiolopisma_mauritiana*	340
Scincidae	Scincidae	*Leiolopisma_telfairii*	171
Scincidae	Scincidae	*Leptoseps_osellai*	41
Scincidae	Scincidae	*Leptoseps_poilani*	43
Scincidae	Scincidae	*Leptoseps_tetradactylus*	35
Scincidae	Scincidae	*Leptosiaphos_aloysiisabaudiae*	45.5
Scincidae	Scincidae	*Leptosiaphos_amieti*	51
Scincidae	Scincidae	*Leptosiaphos_blochmanni*	55
Scincidae	Scincidae	*Leptosiaphos_fuhni*	45
Scincidae	Scincidae	*Leptosiaphos_graueri*	75
Scincidae	Scincidae	*Leptosiaphos_hackarsi*	61
Scincidae	Scincidae	*Leptosiaphos_hylophilus*	37.7
Scincidae	Scincidae	*Leptosiaphos_ianthinoxantha*	63
Scincidae	Scincidae	*Leptosiaphos_kilimensis*	73
Scincidae	Scincidae	*Leptosiaphos_koutoui*	49
Scincidae	Scincidae	*Leptosiaphos_luberoensis*	56
Scincidae	Scincidae	*Leptosiaphos_meleagris*	75
Scincidae	Scincidae	*Leptosiaphos_pauliani*	53
Scincidae	Scincidae	*Leptosiaphos_rhodurus*	84.2
Scincidae	Scincidae	*Leptosiaphos_rhomboidalis*	54
Scincidae	Scincidae	*Leptosiaphos_vigintiserierum*	49
Scincidae	Scincidae	*Lerista_aericeps*	54
Scincidae	Scincidae	*Lerista_allanae*	92
Scincidae	Scincidae	*Lerista_allochira*	37
Scincidae	Scincidae	*Lerista_ameles*	58
Scincidae	Scincidae	*Lerista_apoda*	78
Scincidae	Scincidae	*Lerista_arenicola*	66
Scincidae	Scincidae	*Lerista_axillaris*	87
Scincidae	Scincidae	*Lerista_baynesi*	91
Scincidae	Scincidae	*Lerista_bipes*	67
Scincidae	Scincidae	*Lerista_borealis*	63
Scincidae	Scincidae	*Lerista_bougainvillii*	74
Scincidae	Scincidae	*Lerista_bunglebungle*	59
Scincidae	Scincidae	*Lerista_carpentariae*	70
Scincidae	Scincidae	*Lerista_chalybura*	50
Scincidae	Scincidae	*Lerista_christinae*	39
Scincidae	Scincidae	*Lerista_cinerea*	72
Scincidae	Scincidae	*Lerista_colliveri*	90
Scincidae	Scincidae	*Lerista_connivens*	86

Scincidae	Scincidae	*Lerista_desertorum*	93
Scincidae	Scincidae	*Lerista_distinguenda*	51
Scincidae	Scincidae	*Lerista_dorsalis*	71
Scincidae	Scincidae	*Lerista_edwardsae*	95
Scincidae	Scincidae	*Lerista_elegans*	43
Scincidae	Scincidae	*Lerista_elongata*	60
Scincidae	Scincidae	*Lerista_emmotti*	100
Scincidae	Scincidae	*Lerista_eupoda*	90
Scincidae	Scincidae	*Lerista_flammicauda*	56
Scincidae	Scincidae	*Lerista_fragilis*	60
Scincidae	Scincidae	*Lerista_frosti*	68
Scincidae	Scincidae	*Lerista_gascoynensis*	70
Scincidae	Scincidae	*Lerista_gerrardii*	87
Scincidae	Scincidae	*Lerista_greeri*	65
Scincidae	Scincidae	*Lerista_griffini*	67
Scincidae	Scincidae	*Lerista_haroldi*	40
Scincidae	Scincidae	*Lerista_humphriesi*	64
Scincidae	Scincidae	*Lerista_ingrami*	36
Scincidae	Scincidae	*Lerista_ips*	72
Scincidae	Scincidae	*Lerista_kalumburu*	60
Scincidae	Scincidae	*Lerista_karlschmidti*	70
Scincidae	Scincidae	*Lerista_kendricki*	67
Scincidae	Scincidae	*Lerista_kennedyensis*	58
Scincidae	Scincidae	*Lerista_labialis*	60
Scincidae	Scincidae	*Lerista_lineata*	62
Scincidae	Scincidae	*Lerista_lineopunctulata*	112.7
Scincidae	Scincidae	*Lerista_macropisthopus*	96
Scincidae	Scincidae	*Lerista_maculosa*	40
Scincidae	Scincidae	*Lerista_microtis*	60
Scincidae	Scincidae	*Lerista_muelleri*	50
Scincidae	Scincidae	*Lerista_neander*	88
Scincidae	Scincidae	*Lerista_nichollsi*	68
Scincidae	Scincidae	*Lerista_onsloviana*	70
Scincidae	Scincidae	*Lerista_orientalis*	49
Scincidae	Scincidae	*Lerista_petersoni*	70
Scincidae	Scincidae	*Lerista_picturata*	92
Scincidae	Scincidae	*Lerista_planiventralis*	72
Scincidae	Scincidae	*Lerista_praefrontalis*	70
Scincidae	Scincidae	*Lerista_praepedita*	66
Scincidae	Scincidae	*Lerista_punctatovittata*	103.5
Scincidae	Scincidae	*Lerista_puncticauda*	86
Scincidae	Scincidae	*Lerista_quadrivincula*	52
Scincidae	Scincidae	*Lerista_robusta*	64
Scincidae	Scincidae	*Lerista_separanda*	32
Scincidae	Scincidae	*Lerista_simillima*	55
Scincidae	Scincidae	*Lerista_speciosa*	51
Scincidae	Scincidae	*Lerista_stictopleura*	58
Scincidae	Scincidae	*Lerista_storri*	70
Scincidae	Scincidae	*Lerista_stylis*	75
Scincidae	Scincidae	*Lerista_taeniata*	44
Scincidae	Scincidae	*Lerista_talpina*	36
Scincidae	Scincidae	*Lerista_terdigitata*	70
Scincidae	Scincidae	*Lerista_tridactyla*	56
Scincidae	Scincidae	*Lerista_uniduo*	61
Scincidae	Scincidae	*Lerista_varia*	84
Scincidae	Scincidae	*Lerista_vermicularis*	42
Scincidae	Scincidae	*Lerista_viduata*	45
Scincidae	Scincidae	*Lerista_vittata*	76
Scincidae	Scincidae	*Lerista_walkeri*	63
Scincidae	Scincidae	*Lerista_wilkinsi*	75
Scincidae	Scincidae	*Lerista_xanthura*	53.3

Scincidae	Scincidae	*Lerista_yuna*	66
Scincidae	Scincidae	*Lerista_zonulata*	50
Scincidae	Scincidae	*Lioscincus_greeri*	61
Scincidae	Scincidae	*Lioscincus_maruia*	61
Scincidae	Scincidae	*Lioscincus_nigrofasciolatum*	112
Scincidae	Scincidae	*Lioscincus_novaecaledoniae*	68
Scincidae	Scincidae	*Lioscincus_steindachneri*	113
Scincidae	Scincidae	*Lioscincus_tillieri*	64
Scincidae	Scincidae	*Lipinia_albodorsalis*	54
Scincidae	Scincidae	*Lipinia_auriculata*	51
Scincidae	Scincidae	*Lipinia_cheesmanae*	39
Scincidae	Scincidae	*Lipinia_infralineolata*	49
Scincidae	Scincidae	*Lipinia_leptosoma*	44
Scincidae	Scincidae	*Lipinia_longiceps*	43
Scincidae	Scincidae	*Lipinia_macrotympanum*	45
Scincidae	Scincidae	*Lipinia_miangensis*	39
Scincidae	Scincidae	*Lipinia_nitens*	33.6
Scincidae	Scincidae	*Lipinia_noctua*	54
Scincidae	Scincidae	*Lipinia_nototaenia*	48
Scincidae	Scincidae	*Lipinia_occidentalis*	40
Scincidae	Scincidae	*Lipinia_pulchella*	50
Scincidae	Scincidae	*Lipinia_pulchra*	41
Scincidae	Scincidae	*Lipinia_quadrivittata*	46
Scincidae	Scincidae	*Lipinia_rabori*	54.8
Scincidae	Scincidae	*Lipinia_relicta*	56
Scincidae	Scincidae	*Lipinia_rouxi*	41
Scincidae	Scincidae	*Lipinia_semperi*	49.9
Scincidae	Scincidae	*Lipinia_septentrionalis*	43
Scincidae	Scincidae	*Lipinia_subvittata*	56
Scincidae	Scincidae	*Lipinia_surda*	50
Scincidae	Scincidae	*Lipinia_venemai*	57.5
Scincidae	Scincidae	*Lipinia_vittigera*	45
Scincidae	Scincidae	*Lipinia_zamboangensis*	44.5
Scincidae	Scincidae	*Lobulia_alpina*	70
Scincidae	Scincidae	*Lobulia_brongersmai*	55
Scincidae	Scincidae	*Lobulia_elegans*	66
Scincidae	Scincidae	*Lobulia_glacialis*	58
Scincidae	Scincidae	*Lobulia_stellaris*	64
Scincidae	Scincidae	*Lobulia_subalpina*	76
Scincidae	Scincidae	*Lygisaurus_aeratus*	39
Scincidae	Scincidae	*Lygisaurus_foliorum*	39
Scincidae	Scincidae	*Lygisaurus_laevis*	37
Scincidae	Scincidae	*Lygisaurus_macfarlani*	39.6
Scincidae	Scincidae	*Lygisaurus_rococo*	39
Scincidae	Scincidae	*Lygisaurus_sesbrauna*	34
Scincidae	Scincidae	*Lygisaurus_tanneri*	37
Scincidae	Scincidae	*Lygisaurus_zuma*	34
Scincidae	Scincidae	*Lygosoma_afrum*	140
Scincidae	Scincidae	*Lygosoma_albopunctata*	66
Scincidae	Scincidae	*Lygosoma_angeli*	100
Scincidae	Scincidae	*Lygosoma_anguinum_*	59
Scincidae	Scincidae	*Lygosoma_ashwamedhi*	32
Scincidae	Scincidae	*Lygosoma_bowringii*	58
Scincidae	Scincidae	*Lygosoma_carinatum*	100
Scincidae	Scincidae	*Lygosoma_corpulentum*	165
Scincidae	Scincidae	*Lygosoma_frontoparietale*	41
Scincidae	Scincidae	*Lygosoma_goaensis*	53
Scincidae	Scincidae	*Lygosoma_grandisonianum*	59.5
Scincidae	Scincidae	*Lygosoma_guentheri*	110
Scincidae	Scincidae	*Lygosoma_haroldyoungi*	136
Scincidae	Scincidae	*Lygosoma_isodactylum*	117

Scincidae	Scincidae	*Lygosoma_koratense*	110
Scincidae	Scincidae	*Lygosoma_laeviceps*	85
Scincidae	Scincidae	*Lygosoma_lanceolatum*	100
Scincidae	Scincidae	*Lygosoma_lineata*	57.2
Scincidae	Scincidae	*Lygosoma_lineolatum*	63
Scincidae	Scincidae	*Lygosoma_mabuiiforme*	95
Scincidae	Scincidae	*Lygosoma_mafianum*	86
Scincidae	Scincidae	*Lygosoma_melanopogon*	90
Scincidae	Scincidae	*Lygosoma_mocquardi*	79
Scincidae	Scincidae	*Lygosoma_muelleri*	43
Scincidae	Scincidae	*Lygosoma_paedocarinatum*	84
Scincidae	Scincidae	*Lygosoma_pembanum*	92
Scincidae	Scincidae	*Lygosoma_popae*	61
Scincidae	Scincidae	*Lygosoma_productum*	113.5
Scincidae	Scincidae	*Lygosoma_pruthi*	57
Scincidae	Scincidae	*Lygosoma_punctata*	91
Scincidae	Scincidae	*Lygosoma_quadrupes*	96
Scincidae	Scincidae	*Lygosoma_simonettai*	88
Scincidae	Scincidae	*Lygosoma_singha*	44
Scincidae	Scincidae	*Lygosoma_somalicum*	65
Scincidae	Scincidae	*Lygosoma_tanae*	98
Scincidae	Scincidae	*Lygosoma_tersum*	92
Scincidae	Scincidae	*Lygosoma_vinciguerrae*	64
Scincidae	Scincidae	*Lygosoma_vosmaeri*	59
Scincidae	Scincidae	*Mabuya_agilis*	90
Scincidae	Scincidae	*Mabuya_agmosticha*	72
Scincidae	Scincidae	*Mabuya_altamazonica*	97.2
Scincidae	Scincidae	*Mabuya_arajara*	89.9
Scincidae	Scincidae	*Mabuya_atlantica*	92
Scincidae	Scincidae	*Mabuya_bistriata*	109
Scincidae	Scincidae	*Mabuya_caissara*	90
Scincidae	Scincidae	*Mabuya_carvalhoi*	63
Scincidae	Scincidae	*Mabuya_chapaensis*	72
Scincidae	Scincidae	*Mabuya_cochabambae*	78
Scincidae	Scincidae	*Mabuya_croizati*	52
Scincidae	Scincidae	*Mabuya_dissimilis*	92
Scincidae	Scincidae	*Mabuya_dorsivittata*	75
Scincidae	Scincidae	*Mabuya_falconensis*	89.2
Scincidae	Scincidae	*Mabuya_frenata*	85
Scincidae	Scincidae	*Mabuya_guaporicola*	98
Scincidae	Scincidae	*Mabuya_heathi*	70.3
Scincidae	Scincidae	*Mabuya_infralineata*	108
Scincidae	Scincidae	*Mabuya_lineolata*	59
Scincidae	Scincidae	*Mabuya_mabouya*	116
Scincidae	Scincidae	*Mabuya_macleani*	80.5
Scincidae	Scincidae	*Mabuya_macrophthalma*	108
Scincidae	Scincidae	*Mabuya_macrorhyncha*	85
Scincidae	Scincidae	*Mabuya_maculata*	86
Scincidae	Scincidae	*Mabuya_meridensis*	76.7
Scincidae	Scincidae	*Mabuya_nigropalmata*	76
Scincidae	Scincidae	*Mabuya_nigropunctata*	113
Scincidae	Scincidae	*Mabuya_seychellensis*	99
Scincidae	Scincidae	*Mabuya_tessellata*	60
Scincidae	Scincidae	*Mabuya_trivittata*	120
Scincidae	Scincidae	*Mabuya_tytleri*	203.2
Scincidae	Scincidae	*Mabuya_unimarginata*	91
Scincidae	Scincidae	*Mabuya_wrightii*	152
Scincidae	Scincidae	*Macroscincus_coctei*	350
Scincidae	Scincidae	*Marmorosphax_montana*	53
Scincidae	Scincidae	*Marmorosphax_tricolor*	66
Scincidae	Scincidae	*Melanoseps_ater*	210

Scincidae	Scincidae	*Melanoseps_loveridgei*	119
Scincidae	Scincidae	*Melanoseps_occidentalis*	120.5
Scincidae	Scincidae	*Melanoseps_rondoensis*	93
Scincidae	Scincidae	*Menetia_alanae*	29
Scincidae	Scincidae	*Menetia_amaura*	25
Scincidae	Scincidae	*Menetia_concinna*	31
Scincidae	Scincidae	*Menetia_greyii*	40
Scincidae	Scincidae	*Menetia_koshlandae*	28
Scincidae	Scincidae	*Menetia_maini*	28
Scincidae	Scincidae	*Menetia_sadlieri*	30
Scincidae	Scincidae	*Menetia_surda*	32
Scincidae	Scincidae	*Menetia_timlowi_*	29
Scincidae	Scincidae	*Mesoscincus_altamirani*	53
Scincidae	Scincidae	*Mesoscincus_managuae*	125
Scincidae	Scincidae	*Mesoscincus_schwartzei*	125
Scincidae	Scincidae	*Microacontias_lineatus*	150
Scincidae	Scincidae	*Microacontias_litoralis*	119
Scincidae	Scincidae	*Mochlus_brevicaudis*	78
Scincidae	Scincidae	*Mochlus_fernandi*	180
Scincidae	Scincidae	*Mochlus_guineensis*	80
Scincidae	Scincidae	*Mochlus_sundevalli*	140
Scincidae	Scincidae	*Morethia_adelaidensis*	58
Scincidae	Scincidae	*Morethia_boulengeri*	57
Scincidae	Scincidae	*Morethia_butleri*	57
Scincidae	Scincidae	*Morethia_lineoocellata*	57
Scincidae	Scincidae	*Morethia_obscura*	56
Scincidae	Scincidae	*Morethia_ruficauda*	46
Scincidae	Scincidae	*Morethia_storri*	38
Scincidae	Scincidae	*Morethia_taeniopleura*	44
Scincidae	Scincidae	*Nangura_spinosa*	95
Scincidae	Scincidae	*Nannoscincus_exos*	37
Scincidae	Scincidae	*Nannoscincus_garrulus*	52.3
Scincidae	Scincidae	*Nannoscincus_gracilis*	49
Scincidae	Scincidae	*Nannoscincus_greeri*	34
Scincidae	Scincidae	*Nannoscincus_hanchisteus*	34
Scincidae	Scincidae	*Nannoscincus_humectus*	36
Scincidae	Scincidae	*Nannoscincus_maccoyi*	59
Scincidae	Scincidae	*Nannoscincus_mariei*	46
Scincidae	Scincidae	*Nannoscincus_rankini*	41
Scincidae	Scincidae	*Nannoscincus_slevini*	43
Scincidae	Scincidae	*Nessia_bipes*	80
Scincidae	Scincidae	*Nessia_burtonii*	76
Scincidae	Scincidae	*Nessia_deraniyagalai*	80
Scincidae	Scincidae	*Nessia_didactyla*	86
Scincidae	Scincidae	*Nessia_hickanala*	140
Scincidae	Scincidae	*Nessia_layardi*	94
Scincidae	Scincidae	*Nessia_monodactyla*	90
Scincidae	Scincidae	*Nessia_sarasinorum*	139.7
Scincidae	Scincidae	*Niveoscincus_coventryi*	54
Scincidae	Scincidae	*Niveoscincus_greeni*	75
Scincidae	Scincidae	*Niveoscincus_metallicus*	71
Scincidae	Scincidae	*Niveoscincus_microlepidotus*	70
Scincidae	Scincidae	*Niveoscincus_ocellatus*	85
Scincidae	Scincidae	*Niveoscincus_orocryptus*	65
Scincidae	Scincidae	*Niveoscincus_palfreymani*	95
Scincidae	Scincidae	*Niveoscincus_pretiosus*	70
Scincidae	Scincidae	*Notoscincus_butleri*	42
Scincidae	Scincidae	*Notoscincus_ornatus*	39
Scincidae	Scincidae	*Oligosoma_acrinasum*	85
Scincidae	Scincidae	*Oligosoma_chloronoton*	125
Scincidae	Scincidae	*Oligosoma_fallai*	145

Scincidae	Scincidae	*Oligosoma_gracilicorpus*	97
Scincidae	Scincidae	*Oligosoma_grande*	118
Scincidae	Scincidae	*Oligosoma_homalonotum*	143
Scincidae	Scincidae	*Oligosoma_inconspicuum*	70
Scincidae	Scincidae	*Oligosoma_infrapunctatum*	81
Scincidae	Scincidae	*Oligosoma_lineoocellatum*	92.9
Scincidae	Scincidae	*Oligosoma_longipes*	67
Scincidae	Scincidae	*Oligosoma_maccanni*	73
Scincidae	Scincidae	*Oligosoma_microlepis*	67
Scincidae	Scincidae	*Oligosoma_moco*	74
Scincidae	Scincidae	*Oligosoma_nigriplantare*	77
Scincidae	Scincidae	*Oligosoma_notosaurus*	75.5
Scincidae	Scincidae	*Oligosoma_otagense*	133
Scincidae	Scincidae	*Oligosoma_smithi*	77
Scincidae	Scincidae	*Oligosoma_stenotis*	74.5
Scincidae	Scincidae	*Oligosoma_striatum*	75
Scincidae	Scincidae	*Oligosoma_suteri*	113
Scincidae	Scincidae	*Oligosoma_waimatense*	125
Scincidae	Scincidae	*Oligosoma_zelandicum*	72
Scincidae	Scincidae	*Ophiomorus_blanfordi*	96
Scincidae	Scincidae	*Ophiomorus_brevipes*	100
Scincidae	Scincidae	*Ophiomorus_chernovi*	100
Scincidae	Scincidae	*Ophiomorus_latastii*	100
Scincidae	Scincidae	*Ophiomorus_nuchalis*	98
Scincidae	Scincidae	*Ophiomorus_persicus*	82
Scincidae	Scincidae	*Ophiomorus_punctatissimus*	90.7
Scincidae	Scincidae	*Ophiomorus_raithmai*	99
Scincidae	Scincidae	*Ophiomorus_streeti*	91
Scincidae	Scincidae	*Ophiomorus_tridactylus*	105
Scincidae	Scincidae	*Ophioscincus_cooloolensis*	70
Scincidae	Scincidae	*Ophioscincus_ophioscincus*	97
Scincidae	Scincidae	*Ophioscincus_truncatus*	79
Scincidae	Scincidae	*Pamelaescincus_gardineri*	82
Scincidae	Scincidae	*Panaspis_africana*	47
Scincidae	Scincidae	*Panaspis_annobonensis*	43
Scincidae	Scincidae	*Panaspis_breviceps*	70
Scincidae	Scincidae	*Panaspis_burgeoni*	57
Scincidae	Scincidae	*Panaspis_cabindae*	42
Scincidae	Scincidae	*Panaspis_helleri*	62
Scincidae	Scincidae	*Panaspis_kitsoni*	54
Scincidae	Scincidae	*Panaspis_maculicollis*	45
Scincidae	Scincidae	*Panaspis_megalurus*	42
Scincidae	Scincidae	*Panaspis_nimbaensis*	47
Scincidae	Scincidae	*Panaspis_quattuordigitata*	72
Scincidae	Scincidae	*Panaspis_thomasi*	56
Scincidae	Scincidae	*Panaspis_togoensis*	47
Scincidae	Scincidae	*Panaspis_wahlbergi*	64
Scincidae	Scincidae	*Papuascincus_buergersi*	60
Scincidae	Scincidae	*Papuascincus_morokanus*	52
Scincidae	Scincidae	*Papuascincus_phaeodes*	45
Scincidae	Scincidae	*Papuascincus_stanleyanus*	60
Scincidae	Scincidae	*Paracontias_brocchii*	118.2
Scincidae	Scincidae	*Paracontias_hafa*	69
Scincidae	Scincidae	*Paracontias_hildebrandti*	50
Scincidae	Scincidae	*Paracontias_holomelas*	160
Scincidae	Scincidae	*Paracontias_manify*	67
Scincidae	Scincidae	*Paracontias_milloti*	42
Scincidae	Scincidae	*Paracontias_rothschildi*	52
Scincidae	Scincidae	*Paracontias_tsararano*	66
Scincidae	Scincidae	*Paralipinia_rara*	75
Scincidae	Scincidae	*Parvoscincus_palawanensis*	35

Scincidae	Scincidae	*Parvoscincus_sisoni*	34
Scincidae	Scincidae	*Phoboscincus_bocourti*	283
Scincidae	Scincidae	*Phoboscincus_garnieri*	200
Scincidae	Scincidae	*Plestiodon_anthracinus*	70
Scincidae	Scincidae	*Plestiodon_barbouri*	70
Scincidae	Scincidae	*Plestiodon_brevirostris*	71
Scincidae	Scincidae	*Plestiodon_callicephalus*	71
Scincidae	Scincidae	*Plestiodon_capito*	80
Scincidae	Scincidae	*Plestiodon_chinensis_*	132
Scincidae	Scincidae	*Plestiodon_colimensis*	65
Scincidae	Scincidae	*Plestiodon_copei*	73
Scincidae	Scincidae	*Plestiodon_coreensis*	119
Scincidae	Scincidae	*Plestiodon_dugesii*	69
Scincidae	Scincidae	*Plestiodon_egregius*	62
Scincidae	Scincidae	*Plestiodon_elegans*	96
Scincidae	Scincidae	*Plestiodon_fasciatus*	86
Scincidae	Scincidae	*Plestiodon_gilberti*	114
Scincidae	Scincidae	*Plestiodon_inexpectatus*	89
Scincidae	Scincidae	*Plestiodon_kishinouyei*	172
Scincidae	Scincidae	*Plestiodon_lagunensis*	60
Scincidae	Scincidae	*Plestiodon_laticeps*	143
Scincidae	Scincidae	*Plestiodon_latiscutatus*	96
Scincidae	Scincidae	*Plestiodon_liui*	66.8
Scincidae	Scincidae	*Plestiodon_longirostris*	76
Scincidae	Scincidae	*Plestiodon_lynxe*	72
Scincidae	Scincidae	*Plestiodon_marginatus*	100
Scincidae	Scincidae	*Plestiodon_multilineatus*	70
Scincidae	Scincidae	*Plestiodon_multivirgatus*	76
Scincidae	Scincidae	*Plestiodon_obsoletus*	143
Scincidae	Scincidae	*Plestiodon_obtusirostris*	74.6
Scincidae	Scincidae	*Plestiodon_ochoterenae*	49.4
Scincidae	Scincidae	*Plestiodon_okadae*	86
Scincidae	Scincidae	*Plestiodon_parviauriculatus*	47
Scincidae	Scincidae	*Plestiodon_parvulus*	51
Scincidae	Scincidae	*Plestiodon_quadrilineatus*	80
Scincidae	Scincidae	*Plestiodon_reynoldsi*	65
Scincidae	Scincidae	*Plestiodon_septentrionalis*	90
Scincidae	Scincidae	*Plestiodon_skiltonianus*	86
Scincidae	Scincidae	*Plestiodon_stimpsonii*	80
Scincidae	Scincidae	*Plestiodon_sumichrasti*	100
Scincidae	Scincidae	*Plestiodon_tamdaoensis*	122
Scincidae	Scincidae	*Plestiodon_tetragrammus*	76
Scincidae	Scincidae	*Plestiodon_tunganus*	79
Scincidae	Scincidae	*Prasinohaema_flavipes*	88
Scincidae	Scincidae	*Prasinohaema_parkeri*	53
Scincidae	Scincidae	*Prasinohaema_prehensicauda*	69
Scincidae	Scincidae	*Prasinohaema_semoni*	74
Scincidae	Scincidae	*Prasinohaema_virens*	65
Scincidae	Scincidae	*Proablepharus_kinghorni*	45
Scincidae	Scincidae	*Proablepharus_naranjicaudus*	48.5
Scincidae	Scincidae	*Proablepharus_reginae*	41
Scincidae	Scincidae	*Proablepharus_tenuis*	32
Scincidae	Scincidae	*Proscelotes_aenea*	62.5
Scincidae	Scincidae	*Proscelotes_arnoldi*	95
Scincidae	Scincidae	*Proscelotes_eggeli*	102
Scincidae	Scincidae	*Pseudemoia_baudini*	68
Scincidae	Scincidae	*Pseudemoia_cryodroma*	60
Scincidae	Scincidae	*Pseudemoia_entrecasteauxii*	64
Scincidae	Scincidae	*Pseudemoia_pagenstecheri*	62
Scincidae	Scincidae	*Pseudemoia_rawlinsoni*	62
Scincidae	Scincidae	*Pseudemoia_spenceri*	65

Scincidae	Scincidae	*Pseudoacontias_angelorum*	207
Scincidae	Scincidae	*Pseudoacontias_madagascariensis*	200
Scincidae	Scincidae	*Pseudoacontias_menamainty*	224
Scincidae	Scincidae	*Pseudoacontias_unicolor*	227.8
Scincidae	Scincidae	*Pygomeles_braconnieri*	162
Scincidae	Scincidae	*Pygomeles_petteri*	162
Scincidae	Scincidae	*Riopa_bampfyldei*	131
Scincidae	Scincidae	*Riopa_herberti*	67
Scincidae	Scincidae	*Riopa_opisthorhodum*	93
Scincidae	Scincidae	*Ristella_beddomii*	32
Scincidae	Scincidae	*Ristella_guentheri*	40
Scincidae	Scincidae	*Ristella_rurkii*	47
Scincidae	Scincidae	*Ristella_travancorica*	40
Scincidae	Scincidae	*Saiphos_equalis*	87
Scincidae	Scincidae	*Saproscincus_basiliscus*	49.8
Scincidae	Scincidae	*Saproscincus_challengeri*	57
Scincidae	Scincidae	*Saproscincus_czechurai*	40
Scincidae	Scincidae	*Saproscincus_eungellensis*	67
Scincidae	Scincidae	*Saproscincus_hannahae*	42.3
Scincidae	Scincidae	*Saproscincus_lewisi*	43
Scincidae	Scincidae	*Saproscincus_mustelinus*	64
Scincidae	Scincidae	*Saproscincus_oriarius*	43
Scincidae	Scincidae	*Saproscincus_rosei*	65
Scincidae	Scincidae	*Saproscincus_spectabilis*	60
Scincidae	Scincidae	*Saproscincus_tetradactylus*	33
Scincidae	Scincidae	*Scelotes_anguineus*	83
Scincidae	Scincidae	*Scelotes_arenicolus*	88
Scincidae	Scincidae	*Scelotes_bicolor*	36
Scincidae	Scincidae	*Scelotes_bidigittatus*	83
Scincidae	Scincidae	*Scelotes_bipes*	82
Scincidae	Scincidae	*Scelotes_bourquini*	108
Scincidae	Scincidae	*Scelotes_caffer*	55
Scincidae	Scincidae	*Scelotes_capensis*	57
Scincidae	Scincidae	*Scelotes_duttoni*	64
Scincidae	Scincidae	*Scelotes_fitzsimonsi*	63
Scincidae	Scincidae	*Scelotes_gronovii*	70
Scincidae	Scincidae	*Scelotes_guentheri*	100
Scincidae	Scincidae	*Scelotes_inornatus*	90
Scincidae	Scincidae	*Scelotes_insularis*	64
Scincidae	Scincidae	*Scelotes_kasneri*	129
Scincidae	Scincidae	*Scelotes_limpopoensis*	85
Scincidae	Scincidae	*Scelotes_mirus*	85
Scincidae	Scincidae	*Scelotes_montispectus*	134
Scincidae	Scincidae	*Scelotes_mossambicus*	75
Scincidae	Scincidae	*Scelotes_poensis*	78
Scincidae	Scincidae	*Scelotes_schebeni*	70
Scincidae	Scincidae	*Scelotes_sexlineatus*	98
Scincidae	Scincidae	*Scelotes_uluguruensis*	88
Scincidae	Scincidae	*Scelotes_vestigifer*	76
Scincidae	Scincidae	*Scincella_barbouri*	48
Scincidae	Scincidae	*Scincella_beddomei*	58
Scincidae	Scincidae	*Scincella_bilineata*	65
Scincidae	Scincidae	*Scincella_boettgeri*	56
Scincidae	Scincidae	*Scincella_capitanea*	78.5
Scincidae	Scincidae	*Scincella_caudaequinae*	49
Scincidae	Scincidae	*Scincella_doriae*	58
Scincidae	Scincidae	*Scincella_forbesora*	54.2
Scincidae	Scincidae	*Scincella_formosensis*	45
Scincidae	Scincidae	*Scincella_gemmingeri*	65
Scincidae	Scincidae	*Scincella_huanrenensis*	62.1
Scincidae	Scincidae	*Scincella_inconspicua*	56

Scincidae	Scincidae	*Scincella_ladacensis*	70.5	
Scincidae	Scincidae	*Scincella_lateralis*	57	Smith (1946, p337) writes: "Burt records a maximum svl of 81mm", Zhao et al. (1999 p316) also report 81mm
Scincidae	Scincidae	*Scincella_macrotis*	24	
Scincidae	Scincidae	*Scincella_melanosticta*	65	
Scincidae	Scincidae	*Scincella_modesta*	66.5	
Scincidae	Scincidae	*Scincella_monticola*	59	
Scincidae	Scincidae	*Scincella_ochracea*	47	
Scincidae	Scincidae	*Scincella_palnica*	47.3	
Scincidae	Scincidae	*Scincella_przewalskii*	43	
Scincidae	Scincidae	*Scincella_punctatolineata*	40.2	
Scincidae	Scincidae	*Scincella_reevesii*	60	
Scincidae	Scincidae	*Scincella_silvicola*	58.2	
Scincidae	Scincidae	*Scincella_travancorica*	63	
Scincidae	Scincidae	*Scincella_tsinlingensis*	70	
Scincidae	Scincidae	*Scincella_vandenburghi*	53.6	
Scincidae	Scincidae	*Scincella_victoriana*	76.7	
Scincidae	Scincidae	*Scincopus_fasciatus*	213	
Scincidae	Scincidae	*Scincus_hemprichii*	140	
Scincidae	Scincidae	*Scincus_mitranus*	134	
Scincidae	Scincidae	*Scincus_scincus*	147	
Scincidae	Scincidae	*Scolecoseps_acontias*	120	
Scincidae	Scincidae	*Scolecoseps_boulengeri*	115	
Scincidae	Scincidae	*Scolecoseps_litipoensis*	103	
Scincidae	Scincidae	*Sepsina_alberti*	55	
Scincidae	Scincidae	*Sepsina_angolensis*	91	
Scincidae	Scincidae	*Sepsina_bayoni*	71	
Scincidae	Scincidae	*Sepsina_copei*	80	
Scincidae	Scincidae	*Sepsina_tetradactyla*	92	
Scincidae	Scincidae	*Sepsophis_punctatus*	110	
Scincidae	Scincidae	*Sigaloseps_deplanchei*	46	
Scincidae	Scincidae	*Sigaloseps_ruficauda*	60	
Scincidae	Scincidae	*Simiscincus_aurantiacus*	85	
Scincidae	Scincidae	*Sirenoscincus_yamagishii*	86.9	
Scincidae	Scincidae	*Sphenomorphus_abdictus*	98	
Scincidae	Scincidae	*Sphenomorphus_acutus*	76	
Scincidae	Scincidae	*Sphenomorphus_aesculeticola*	43	
Scincidae	Scincidae	*Sphenomorphus_alfredi*	33	
Scincidae	Scincidae	*Sphenomorphus_amblyplacodes*	96	
Scincidae	Scincidae	*Sphenomorphus_annectens*	48	
Scincidae	Scincidae	*Sphenomorphus_anotus*	33	
Scincidae	Scincidae	*Sphenomorphus_arborens*	66.3	
Scincidae	Scincidae	*Sphenomorphus_assatus*	55	
Scincidae	Scincidae	*Sphenomorphus_atrigularis*	39	
Scincidae	Scincidae	*Sphenomorphus_beauforti*	47	
Scincidae	Scincidae	*Sphenomorphus_beyeri*	58.9	
Scincidae	Scincidae	*Sphenomorphus_bignelli*	35	
Scincidae	Scincidae	*Sphenomorphus_biparietalis*	35.2	
Scincidae	Scincidae	*Sphenomorphus_brunneus*	87	
Scincidae	Scincidae	*Sphenomorphus_buenloicus*	56	
Scincidae	Scincidae	*Sphenomorphus_buettikoferi*	35	
Scincidae	Scincidae	*Sphenomorphus_butleri*	43	
Scincidae	Scincidae	*Sphenomorphus_cameronicus*	70	
Scincidae	Scincidae	*Sphenomorphus_celebense*	58	
Scincidae	Scincidae	*Sphenomorphus_cherriei*	68	
Scincidae	Scincidae	*Sphenomorphus_cinereus*	105	
Scincidae	Scincidae	*Sphenomorphus_concinnatus*	65	
Scincidae	Scincidae	*Sphenomorphus_consobrinus*	38	

Scincidae	Scincidae	*Sphenomorphus_cophias*	36	
Scincidae	Scincidae	*Sphenomorphus_courcyanum*	44	
Scincidae	Scincidae	*Sphenomorphus_coxi*	85	
Scincidae	Scincidae	*Sphenomorphus_cranei*	79	
Scincidae	Scincidae	*Sphenomorphus_crassa*	82	
Scincidae	Scincidae	*Sphenomorphus_cryptotis*	83	
Scincidae	Scincidae	*Sphenomorphus_cumingi*	150	
Scincidae	Scincidae	*Sphenomorphus_cyanolaemus*	60	
Scincidae	Scincidae	*Sphenomorphus_darlingtoni*	64	
Scincidae	Scincidae	*Sphenomorphus_decipiens*	45	Brown and Alcala (1980) write SVL is "45-70 (rarely as low as 42)" on page 144, but "31-45" on page 145, and "30-45" on p 147, maximum 45 mm in the detailed description on p188
Scincidae	Scincidae	*Sphenomorphus_derroyae*	85	
Scincidae	Scincidae	*Sphenomorphus_devorator*	58	
Scincidae	Scincidae	*Sphenomorphus_diwata*	60	
Scincidae	Scincidae	*Sphenomorphus_dorsicatenatus*	46.5	
Scincidae	Scincidae	*Sphenomorphus_dussumieri*	64	
Scincidae	Scincidae	*Sphenomorphus_fasciatus*	121	
Scincidae	Scincidae	*Sphenomorphus_florensis*	71	
Scincidae	Scincidae	*Sphenomorphus_forbesi*	59	
Scincidae	Scincidae	*Sphenomorphus_fragilis*	54	
Scincidae	Scincidae	*Sphenomorphus_fragosus*	72	
Scincidae	Scincidae	*Sphenomorphus_fuscolineatus*	59	
Scincidae	Scincidae	*Sphenomorphus_grandisonae*	30	
Scincidae	Scincidae	*Sphenomorphus_granulatus*	45	
Scincidae	Scincidae	*Sphenomorphus_haasi*	57	
Scincidae	Scincidae	*Sphenomorphus_hallieri*	55	
Scincidae	Scincidae	*Sphenomorphus_incertus*	67	
Scincidae	Scincidae	*Sphenomorphus_incognitus*	109.7	
Scincidae	Scincidae	*Sphenomorphus_indicus*	104.7	
Scincidae	Scincidae	*Sphenomorphus_ishaki*	41	
Scincidae	Scincidae	*Sphenomorphus_jagori*	110	
Scincidae	Scincidae	*Sphenomorphus_jobiensis*	116	
Scincidae	Scincidae	*Sphenomorphus_kinabaluensis*	59	
Scincidae	Scincidae	*Sphenomorphus_kitangladensis*	57	
Scincidae	Scincidae	*Sphenomorphus_knollmanae*	51	
Scincidae	Scincidae	*Sphenomorphus_kuehnei*	70	
Scincidae	Scincidae	*Sphenomorphus_laterimaculatus*	52.5	
Scincidae	Scincidae	*Sphenomorphus_lawtoni*	46.1	
Scincidae	Scincidae	*Sphenomorphus_leptofasciatus*	86	
Scincidae	Scincidae	*Sphenomorphus_leucospilos*	60	
Scincidae	Scincidae	*Sphenomorphus_lineopunctulatus*	84	
Scincidae	Scincidae	*Sphenomorphus_llanosi*	90	
Scincidae	Scincidae	*Sphenomorphus_longicaudatus*	94	
Scincidae	Scincidae	*Sphenomorphus_luzonense*	48.1	
Scincidae	Scincidae	*Sphenomorphus_maculatus*	70	
Scincidae	Scincidae	*Sphenomorphus_maculicollus*	47	
Scincidae	Scincidae	*Sphenomorphus_maindroni*	71	
Scincidae	Scincidae	*Sphenomorphus_malayanum*	65	
Scincidae	Scincidae	*Sphenomorphus_megalops*	50.8	
Scincidae	Scincidae	*Sphenomorphus_microtympanus*	45	
Scincidae	Scincidae	*Sphenomorphus_mimicus*	36	
Scincidae	Scincidae	*Sphenomorphus_mimikanum*	90	
Scincidae	Scincidae	*Sphenomorphus_mindanensis*	56	
Scincidae	Scincidae	*Sphenomorphus_minutus*	37	
Scincidae	Scincidae	*Sphenomorphus_modigliani*	41	

Scincidae	Scincidae	*Sphenomorphus_muelleri*	206
Scincidae	Scincidae	*Sphenomorphus_multisquamatus*	69
Scincidae	Scincidae	*Sphenomorphus_murudensis*	50.4
Scincidae	Scincidae	*Sphenomorphus_necopinatus*	44
Scincidae	Scincidae	*Sphenomorphus_neuhaussi*	89
Scincidae	Scincidae	*Sphenomorphus_nigriventris*	90
Scincidae	Scincidae	*Sphenomorphus_nigrolabris*	95
Scincidae	Scincidae	*Sphenomorphus_nigrolineata*	75
Scincidae	Scincidae	*Sphenomorphus_oligolepis*	55
Scincidae	Scincidae	*Sphenomorphus_praesignis*	110
Scincidae	Scincidae	*Sphenomorphus_pratti*	90
Scincidae	Scincidae	*Sphenomorphus_puncticentralis*	45
Scincidae	Scincidae	*Sphenomorphus_rarus*	52
Scincidae	Scincidae	*Sphenomorphus_rufocaudatus*	51
Scincidae	Scincidae	*Sphenomorphus_sabanus*	58
Scincidae	Scincidae	*Sphenomorphus_sanctus*	55
Scincidae	Scincidae	*Sphenomorphus_sarasinorus*	76
Scincidae	Scincidae	*Sphenomorphus_schultzei*	47
Scincidae	Scincidae	*Sphenomorphus_scotophilus*	70
Scincidae	Scincidae	*Sphenomorphus_scutatus*	41
Scincidae	Scincidae	*Sphenomorphus_shelfordi*	70
Scincidae	Scincidae	*Sphenomorphus_simus*	56
Scincidae	Scincidae	*Sphenomorphus_solomonis*	79
Scincidae	Scincidae	*Sphenomorphus_steerei*	36
Scincidae	Scincidae	*Sphenomorphus_stellatus*	80
Scincidae	Scincidae	*Sphenomorphus_stickeli*	49
Scincidae	Scincidae	*Sphenomorphus_striatopunctatum*	40
Scincidae	Scincidae	*Sphenomorphus_striolatus*	52
Scincidae	Scincidae	*Sphenomorphus_tagapayo*	32
Scincidae	Scincidae	*Sphenomorphus_taiwanensis*	59.6
Scincidae	Scincidae	*Sphenomorphus_tanahtinggi*	64
Scincidae	Scincidae	*Sphenomorphus_tanneri*	52
Scincidae	Scincidae	*Sphenomorphus_taylori*	160
Scincidae	Scincidae	*Sphenomorphus_temmincki*	56
Scincidae	Scincidae	*Sphenomorphus_tenuiculus*	60
Scincidae	Scincidae	*Sphenomorphus_textum*	42
Scincidae	Scincidae	*Sphenomorphus_transversus*	68
Scincidae	Scincidae	*Sphenomorphus_tritaeniatus*	47
Scincidae	Scincidae	*Sphenomorphus_tropidonotus*	61
Scincidae	Scincidae	*Sphenomorphus_undulatus*	68
Scincidae	Scincidae	*Sphenomorphus_vanheurni*	64
Scincidae	Scincidae	*Sphenomorphus_variegatus*	65
Scincidae	Scincidae	*Sphenomorphus_victoria*	45.3
Scincidae	Scincidae	*Sphenomorphus_wolfi*	60
Scincidae	Scincidae	*Sphenomorphus_woodfordi*	120
Scincidae	Scincidae	*Sphenomorphus_wrighti*	69
Scincidae	Scincidae	*Sphenomorphus_zimmeri*	71
Scincidae	Scincidae	*Sphenops_delislei*	94
Scincidae	Scincidae	*Sphenops_sepsoides*	116
Scincidae	Scincidae	*Sphenops_sphenopsiformis*	98.3
Scincidae	Scincidae	*Tachygyia_microlepis*	175
Scincidae	Scincidae	*Tiliqua_adelaidensis*	107
Scincidae	Scincidae	*Tiliqua_gigas*	343
Scincidae	Scincidae	*Tiliqua_multifasciata*	300
Scincidae	Scincidae	*Tiliqua_nigrolutea*	368
Scincidae	Scincidae	*Tiliqua_occipitalis*	320
Scincidae	Scincidae	*Tiliqua_rugosa*	350
Scincidae	Scincidae	*Tiliqua_scincoides*	371
Scincidae	Scincidae	*Trachylepis_acutilabris*	60
Scincidae	Scincidae	*Trachylepis_affinis*	80
Scincidae	Scincidae	*Trachylepis_albilabris*	75

Scincidae	Scincidae	*Trachylepis_angolensis*	79.4
Scincidae	Scincidae	*Trachylepis_aurata*	115
Scincidae	Scincidae	*Trachylepis_aureopunctata*	82
Scincidae	Scincidae	*Trachylepis_bayonii*	80
Scincidae	Scincidae	*Trachylepis_bensonii*	57
Scincidae	Scincidae	*Trachylepis_betsileana*	177
Scincidae	Scincidae	*Trachylepis_binotata*	127
Scincidae	Scincidae	*Trachylepis_bocagii*	73
Scincidae	Scincidae	*Trachylepis_boettgeri*	55
Scincidae	Scincidae	*Trachylepis_boulengeri*	112
Scincidae	Scincidae	*Trachylepis_brauni*	82
Scincidae	Scincidae	*Trachylepis_brevicollis*	158
Scincidae	Scincidae	*Trachylepis_buettneri*	85
Scincidae	Scincidae	*Trachylepis_capensis*	135
Scincidae	Scincidae	*Trachylepis_chimbana*	83.8
Scincidae	Scincidae	*Trachylepis_comorensis*	112
Scincidae	Scincidae	*Trachylepis_depressa*	87
Scincidae	Scincidae	*Trachylepis_dichroma*	116
Scincidae	Scincidae	*Trachylepis_dumasi*	55
Scincidae	Scincidae	*Trachylepis_elegans*	59
Scincidae	Scincidae	*Trachylepis_ferrarai*	75
Scincidae	Scincidae	*Trachylepis_gravenhorstii*	94
Scincidae	Scincidae	*Trachylepis_hemmingi*	81
Scincidae	Scincidae	*Trachylepis_hildae*	87
Scincidae	Scincidae	*Trachylepis_hildebrandtii*	82
Scincidae	Scincidae	*Trachylepis_hoeschi*	100
Scincidae	Scincidae	*Trachylepis_homalocephala*	98
Scincidae	Scincidae	*Trachylepis_irregularis*	75
Scincidae	Scincidae	*Trachylepis_ivensii*	138
Scincidae	Scincidae	*Trachylepis_lacertiformis*	54
Scincidae	Scincidae	*Trachylepis_laevis*	63
Scincidae	Scincidae	*Trachylepis_lavarambo*	61
Scincidae	Scincidae	*Trachylepis_maculilabris*	98
Scincidae	Scincidae	*Trachylepis_madagascariensis*	78
Scincidae	Scincidae	*Trachylepis_margaritifera*	120
Scincidae	Scincidae	*Trachylepis_megalura*	85
Scincidae	Scincidae	*Trachylepis_mekuana*	64
Scincidae	Scincidae	*Trachylepis_mlanjensis*	78
Scincidae	Scincidae	*Trachylepis_nancycoutuae*	45
Scincidae	Scincidae	*Trachylepis_nganghae*	58
Scincidae	Scincidae	*Trachylepis_occidentalis*	115
Scincidae	Scincidae	*Trachylepis_pendeana*	81
Scincidae	Scincidae	*Trachylepis_perrotetii*	180
Scincidae	Scincidae	*Trachylepis_planifrons*	116
Scincidae	Scincidae	*Trachylepis_polytropis*	114
Scincidae	Scincidae	*Trachylepis_punctatissima*	107
Scincidae	Scincidae	*Trachylepis_punctulata*	60
Scincidae	Scincidae	*Trachylepis_quinquetaeniata*	151
Scincidae	Scincidae	*Trachylepis_rodenburgi*	63.5
Scincidae	Scincidae	*Trachylepis_septemtaeniata*	140
Scincidae	Scincidae	*Trachylepis_socotrana*	100
Scincidae	Scincidae	*Trachylepis_sparsa*	108
Scincidae	Scincidae	*Trachylepis_spilogaster*	93
Scincidae	Scincidae	*Trachylepis_striata*	113
Scincidae	Scincidae	*Trachylepis_sulcata*	85
Scincidae	Scincidae	*Trachylepis_tandrefana*	58
Scincidae	Scincidae	*Trachylepis_tavaratra*	62
Scincidae	Scincidae	*Trachylepis_varia*	117
Scincidae	Scincidae	*Trachylepis_variegata*	57
Scincidae	Scincidae	*Trachylepis_vato*	55
Scincidae	Scincidae	*Trachylepis_vezo*	54

Scincidae	Scincidae	*Trachylepis_vittata*	90
Scincidae	Scincidae	*Trachylepis_volamenaloha*	52
Scincidae	Scincidae	*Trachylepis_wingati*	100
Scincidae	Scincidae	*Tribolonotus_annectens*	49
Scincidae	Scincidae	*Tribolonotus_blanchardi*	38
Scincidae	Scincidae	*Tribolonotus_brongersmai*	63.5
Scincidae	Scincidae	*Tribolonotus_gracilis*	97
Scincidae	Scincidae	*Tribolonotus_novaeguineae*	103
Scincidae	Scincidae	*Tribolonotus_ponceleti*	122
Scincidae	Scincidae	*Tribolonotus_pseudoponceleti*	70
Scincidae	Scincidae	*Tribolonotus_schmidti*	41
Scincidae	Scincidae	*Tropidophorus_assamensis*	40
Scincidae	Scincidae	*Tropidophorus_baconi*	120
Scincidae	Scincidae	*Tropidophorus_baviensis*	92
Scincidae	Scincidae	*Tropidophorus_beccarii*	98
Scincidae	Scincidae	*Tropidophorus_berdmorei_*	97
Scincidae	Scincidae	*Tropidophorus_brookei*	101
Scincidae	Scincidae	*Tropidophorus_cocincinensis*	86
Scincidae	Scincidae	*Tropidophorus_davaoensis*	97
Scincidae	Scincidae	*Tropidophorus_grayi*	119.3
Scincidae	Scincidae	*Tropidophorus_guangxiensis*	64
Scincidae	Scincidae	*Tropidophorus_hainanus*	52
Scincidae	Scincidae	*Tropidophorus_iniquus*	96
Scincidae	Scincidae	*Tropidophorus_laotus*	75
Scincidae	Scincidae	*Tropidophorus_latiscutatus*	102
Scincidae	Scincidae	*Tropidophorus_matsuii*	94.1
Scincidae	Scincidae	*Tropidophorus_microlepis*	83
Scincidae	Scincidae	*Tropidophorus_micropus*	40
Scincidae	Scincidae	*Tropidophorus_misaminius*	112.2
Scincidae	Scincidae	*Tropidophorus_mocquardi*	95
Scincidae	Scincidae	*Tropidophorus_murphyi*	96.3
Scincidae	Scincidae	*Tropidophorus_noggei*	101
Scincidae	Scincidae	*Tropidophorus_partelloi*	126.5
Scincidae	Scincidae	*Tropidophorus_perplexus*	73
Scincidae	Scincidae	*Tropidophorus_robinsoni*	75
Scincidae	Scincidae	*Tropidophorus_sinicus*	71
Scincidae	Scincidae	*Tropidophorus_thai*	80
Scincidae	Scincidae	*Tropidoscincus_aubrianus*	120
Scincidae	Scincidae	*Tropidoscincus_boreus*	95
Scincidae	Scincidae	*Tropidoscincus_variabilis*	78
Scincidae	Scincidae	*Typhlacontias_brevipes*	133
Scincidae	Scincidae	*Typhlacontias_gracilis*	84
Scincidae	Scincidae	*Typhlacontias_johnsonii*	117
Scincidae	Scincidae	*Typhlacontias_ngamiensis*	80
Scincidae	Scincidae	*Typhlacontias_punctatissimus*	86
Scincidae	Scincidae	*Typhlacontias_rohani*	90
Scincidae	Scincidae	*Typhlacontias_rudebecki*	82
Scincidae	Scincidae	*Typhlosaurus_aurantiacus*	213
Scincidae	Scincidae	*Typhlosaurus_braini*	200
Scincidae	Scincidae	*Typhlosaurus_caecus*	213
Scincidae	Scincidae	*Typhlosaurus_cregoi*	207
Scincidae	Scincidae	*Typhlosaurus_gariepensis*	123
Scincidae	Scincidae	*Typhlosaurus_lineatus*	185
Scincidae	Scincidae	*Typhlosaurus_lomii*	114
Scincidae	Scincidae	*Typhlosaurus_meyeri*	188
Scincidae	Scincidae	*Typhlosaurus_vermis*	278
Scincidae	Scincidae	*Vietnascincus_rugosus*	82
Scincidae	Scincidae	*Voeltzkowia_fierinensis*	72
Scincidae	Scincidae	*Voeltzkowia_lineata*	79
Scincidae	Scincidae	*Voeltzkowia_mira*	80
Scincidae	Scincidae	*Voeltzkowia_petiti*	56

Scincidae	Scincidae	*Voeltzkowia_rubrocaudata*	89	
Teiidae	Teiidae	*Adercosaurus_vixadnexus*	55	
Teiidae	Teiidae	*Ameiva_ameiva*	210	
Teiidae	Teiidae	*Ameiva_anomala*	110	
Teiidae	Teiidae	*Ameiva_auberi*	136	
Teiidae	Teiidae	*Ameiva_bifrontata*	116	
Teiidae	Teiidae	*Ameiva_bridgesii*	120	
Teiidae	Teiidae	*Ameiva_chaitzami*	85	
Teiidae	Teiidae	*Ameiva_chrysolaema*	160	
Teiidae	Teiidae	*Ameiva_cineracea*	150	
Teiidae	Teiidae	*Ameiva_corax*	132	
Teiidae	Teiidae	*Ameiva_corvina*	133	
Teiidae	Teiidae	*Ameiva_dorsalis*	117	
Teiidae	Teiidae	*Ameiva_edracantha*	54	
Teiidae	Teiidae	*Ameiva_erythrocephala*	135	
Teiidae	Teiidae	*Ameiva_exsul*	201	
Teiidae	Teiidae	*Ameiva_festiva*	144	
Teiidae	Teiidae	*Ameiva_fuscata*	200	Schwartz and Henderson 1991 report maximum SVL of 124mm, Case 1978 reports 112 mm, but Kolbe et al. 2008 show sizes in excess of 200 mm in figure 4
Teiidae	Teiidae	*Ameiva_griswoldi*	200	
Teiidae	Teiidae	*Ameiva_leberi*	111	
Teiidae	Teiidae	*Ameiva_leptophrys*	134	
Teiidae	Teiidae	*Ameiva_lineolata*	59	
Teiidae	Teiidae	*Ameiva_major*	197	
Teiidae	Teiidae	*Ameiva_maynardi*	72	
Teiidae	Teiidae	*Ameiva_niceforoi*	82	
Teiidae	Teiidae	*Ameiva_orcesi*	105.6	
Teiidae	Teiidae	*Ameiva_plei*	181	
Teiidae	Teiidae	*Ameiva_pluvianotata*	169	
Teiidae	Teiidae	*Ameiva_polops*	69	
Teiidae	Teiidae	*Ameiva_quadrilineata*	88	
Teiidae	Teiidae	*Ameiva_septemlineata*	87	
Teiidae	Teiidae	*Ameiva_taeniura*	103	
Teiidae	Teiidae	*Ameiva_undulata*	138	
Teiidae	Teiidae	*Ameiva_wetmorei*	52	
Teiidae	Teiidae	*Callopistes_flavipunctatus*	300	
Teiidae	Teiidae	*Callopistes_maculatus*	173	
Teiidae	Teiidae	*Cnemidophorus_abaetensis*	72	
Teiidae	Teiidae	*Cnemidophorus_angusticeps*	115	
Teiidae	Teiidae	*Cnemidophorus_arenivagus*	71	
Teiidae	Teiidae	*Cnemidophorus_arizonae*	60	
Teiidae	Teiidae	*Cnemidophorus_arubensis*	87.3	
Teiidae	Teiidae	*Cnemidophorus_burti*	140	
Teiidae	Teiidae	*Cnemidophorus_calidipes*	79	
Teiidae	Teiidae	*Cnemidophorus_ceralbensis*	95	
Teiidae	Teiidae	*Cnemidophorus_communis*	135	
Teiidae	Teiidae	*Cnemidophorus_costatus*	90	
Teiidae	Teiidae	*Cnemidophorus_cozumelae*	83	
Teiidae	Teiidae	*Cnemidophorus_cryptus*	72	
Teiidae	Teiidae	*Cnemidophorus_deppei*	93	
Teiidae	Teiidae	*Cnemidophorus_dixoni*	110	
Teiidae	Teiidae	*Cnemidophorus_exsanguis*	101	
Teiidae	Teiidae	*Cnemidophorus_flagellicaudus*	101	
Teiidae	Teiidae	*Cnemidophorus_gramivagus*	116	

Teiidae	Teiidae	*Cnemidophorus_gularis*	106	Van Denburgh (1922 p502) reports a maximum of 125 mm but not clear if this is for the nominal subspecies - he includes several nowadays recognized species in gularis
Teiidae	Teiidae	*Cnemidophorus_guttatus*	145	
Teiidae	Teiidae	*Cnemidophorus_gypsi*	68	
Teiidae	Teiidae	*Cnemidophorus_hyperythrus*	72	
Teiidae	Teiidae	*Cnemidophorus_inornatus*	86	
Teiidae	Teiidae	*Cnemidophorus_labialis*	63	
Teiidae	Teiidae	*Cnemidophorus_lacertoides*	65	
Teiidae	Teiidae	*Cnemidophorus_laredoensis*	90	
Teiidae	Teiidae	*Cnemidophorus_leachei*	60	
Teiidae	Teiidae	*Cnemidophorus_lemniscatus*	113	
Teiidae	Teiidae	*Cnemidophorus_lineattissimus*	105	
Teiidae	Teiidae	*Cnemidophorus_littoralis*	81.8	
Teiidae	Teiidae	*Cnemidophorus_longicaudus*	70	
Teiidae	Teiidae	*Cnemidophorus_marmoratus*	105	
Teiidae	Teiidae	*Cnemidophorus_martyris*	79	
Teiidae	Teiidae	*Cnemidophorus_maximus*	127	
Teiidae	Teiidae	*Cnemidophorus_mexicanus*	93	
Teiidae	Teiidae	*Cnemidophorus_motaguae*	145	
Teiidae	Teiidae	*Cnemidophorus_mumbuca*	59	
Teiidae	Teiidae	*Cnemidophorus_murinus*	151	
Teiidae	Teiidae	*Cnemidophorus_nativo*	69.5	
Teiidae	Teiidae	*Cnemidophorus_neomexicanus*	86	
Teiidae	Teiidae	*Cnemidophorus_neotesselatus*	107	
Teiidae	Teiidae	*Cnemidophorus_nigricolor*	73.3	
Teiidae	Teiidae	*Cnemidophorus_ocellifer*	120	
Teiidae	Teiidae	*Cnemidophorus_opatae*	65	
Teiidae	Teiidae	*Cnemidophorus_pai*	62	
Teiidae	Teiidae	*Cnemidophorus_parecis*	90	
Teiidae	Teiidae	*Cnemidophorus_parvisocius*	79	
Teiidae	Teiidae	*Cnemidophorus_pseudolemniscatus*	70	
Teiidae	Teiidae	*Cnemidophorus_rodecki*	70	
Teiidae	Teiidae	*Cnemidophorus_sackii*	153	
Teiidae	Teiidae	*Cnemidophorus_scalaris*	125	
Teiidae	Teiidae	*Cnemidophorus_septemvittatus*	114	
Teiidae	Teiidae	*Cnemidophorus_serranus*	62	
Teiidae	Teiidae	*Cnemidophorus_sexlineatus*	91	
Teiidae	Teiidae	*Cnemidophorus_sonorae*	93	
Teiidae	Teiidae	*Cnemidophorus_tergolaevigatus*	58	
Teiidae	Teiidae	*Cnemidophorus_tesselatus*	107	
Teiidae	Teiidae	*Cnemidophorus_tigris*	137	
Teiidae	Teiidae	*Cnemidophorus_uniparens*	86	
Teiidae	Teiidae	*Cnemidophorus_vacariensis*	67.5	
Teiidae	Teiidae	*Cnemidophorus_vanzoi*	133	
Teiidae	Teiidae	*Cnemidophorus_velox*	85	
Teiidae	Teiidae	*Crocodilurus_amazonicus*	320	
Teiidae	Teiidae	*Dicrodon_guttulatum*	130	
Teiidae	Teiidae	*Dicrodon_heterolepis*	116	
Teiidae	Teiidae	*Dicrodon_holmbergi*	137	
Teiidae	Teiidae	*Dracaena_guianensis*	412	
Teiidae	Teiidae	*Dracaena_paraguayensis*	450	
Teiidae	Teiidae	*Kentropyx_altamazonica*	114	
Teiidae	Teiidae	*Kentropyx_borckiana*	101	
Teiidae	Teiidae	*Kentropyx_calcarata*	119	
Teiidae	Teiidae	*Kentropyx_intermedius*	99	
Teiidae	Teiidae	*Kentropyx_paulensis*	77	

Teiidae	Teiidae	*Kentropyx_pelviceps*	122
Teiidae	Teiidae	*Kentropyx_striata*	127
Teiidae	Teiidae	*Kentropyx_vanzoi*	85
Teiidae	Teiidae	*Kentropyx_viridistriga*	107
Teiidae	Teiidae	*Teius_oculatus*	120
Teiidae	Teiidae	*Teius_suquiensis*	125
Teiidae	Teiidae	*Teius_teyou*	150
Teiidae	Teiidae	*Tupinambis_duseni*	410
Teiidae	Teiidae	*Tupinambis_longilineus*	226
Teiidae	Teiidae	*Tupinambis_merianae*	500
Teiidae	Teiidae	*Tupinambis_palustris*	324
Teiidae	Teiidae	*Tupinambis_quadrilineatus*	260
Teiidae	Teiidae	*Tupinambis_rufescens*	614
Teiidae	Teiidae	*Tupinambis_teguixin*	500
Tropiduridae	Liolaemidae	*Ctenoblepharys_adspersa*	75
Tropiduridae	Leiocephalinae	*Leiocephalus_anonymous*	135
Tropiduridae	Leiocephalinae	*Leiocephalus_apertosulcus*	200
Tropiduridae	Leiocephalinae	*Leiocephalus_barahonensis*	80
Tropiduridae	Leiocephalinae	*Leiocephalus_carinatus*	133.2
Tropiduridae	Leiocephalinae	*Leiocephalus_cubensis*	121
Tropiduridae	Leiocephalinae	*Leiocephalus_cuneus*	200
Tropiduridae	Leiocephalinae	*Leiocephalus_endomychus*	69
Tropiduridae	Leiocephalinae	*Leiocephalus_eremitus*	64
Tropiduridae	Leiocephalinae	*Leiocephalus_etheridgei*	115
Tropiduridae	Leiocephalinae	*Leiocephalus_greenwayi*	75
Tropiduridae	Leiocephalinae	*Leiocephalus_herminieri*	140
Tropiduridae	Leiocephalinae	*Leiocephalus_inaguae*	90
Tropiduridae	Leiocephalinae	*Leiocephalus_jamaicensis*	170
Tropiduridae	Leiocephalinae	*Leiocephalus_loxogrammus*	92
Tropiduridae	Leiocephalinae	*Leiocephalus_lunatus*	67
Tropiduridae	Leiocephalinae	*Leiocephalus_macropus*	95
Tropiduridae	Leiocephalinae	*Leiocephalus_melanochlorus*	130
Tropiduridae	Leiocephalinae	*Leiocephalus_onaneyi*	73
Tropiduridae	Leiocephalinae	*Leiocephalus_personatus*	108
Tropiduridae	Leiocephalinae	*Leiocephalus_pratensis*	64
Tropiduridae	Leiocephalinae	*Leiocephalus_psammodromus*	110
Tropiduridae	Leiocephalinae	*Leiocephalus_punctatus*	80
Tropiduridae	Leiocephalinae	*Leiocephalus_raviceps*	74.1
Tropiduridae	Leiocephalinae	*Leiocephalus_rhutidira*	66
Tropiduridae	Leiocephalinae	*Leiocephalus_schreibersii*	107
Tropiduridae	Leiocephalinae	*Leiocephalus_semilineatus*	53
Tropiduridae	Leiocephalinae	*Leiocephalus_stictigaster*	100
Tropiduridae	Leiocephalinae	*Leiocephalus_vinculum*	77
Tropiduridae	Liolaemidae	*Liolaemus_abaucan*	65
Tropiduridae	Liolaemidae	*Liolaemus_albiceps*	94
Tropiduridae	Liolaemidae	*Liolaemus_alticolor*	55.1
Tropiduridae	Liolaemidae	*Liolaemus_andinus*	91
Tropiduridae	Liolaemidae	*Liolaemus_anomalus*	95
Tropiduridae	Liolaemidae	*Liolaemus_arambarensis*	60
Tropiduridae	Liolaemidae	*Liolaemus_archeforus*	92
Tropiduridae	Liolaemidae	*Liolaemus_atacamensis*	62
Tropiduridae	Liolaemidae	*Liolaemus_austromendocinus*	104
Tropiduridae	Liolaemidae	*Liolaemus_azarai*	54.3
Tropiduridae	Liolaemidae	*Liolaemus_baguali*	87
Tropiduridae	Liolaemidae	*Liolaemus_barbarae*	56
Tropiduridae	Liolaemidae	*Liolaemus_bellii*	73.5
Tropiduridae	Liolaemidae	*Liolaemus_bibronii*	70
Tropiduridae	Liolaemidae	*Liolaemus_bisignatus*	95
Tropiduridae	Liolaemidae	*Liolaemus_bitaeniatus*	62
Tropiduridae	Liolaemidae	*Liolaemus_boulengeri*	78
Tropiduridae	Liolaemidae	*Liolaemus_buergeri*	111

Tropiduridae	Liolaemidae	*Liolaemus_calchaqui*	57.8
Tropiduridae	Liolaemidae	*Liolaemus_canqueli*	100
Tropiduridae	Liolaemidae	*Liolaemus_capillitas*	93
Tropiduridae	Liolaemidae	*Liolaemus_ceii*	90
Tropiduridae	Liolaemidae	*Liolaemus_chacoensis*	55
Tropiduridae	Liolaemidae	*Liolaemus_chaltin*	58.7
Tropiduridae	Liolaemidae	*Liolaemus_chiliensis*	95
Tropiduridae	Liolaemidae	*Liolaemus_coeruleus*	70
Tropiduridae	Liolaemidae	*Liolaemus_constanzae*	62
Tropiduridae	Liolaemidae	*Liolaemus_copiapensis*	74
Tropiduridae	Liolaemidae	*Liolaemus_cranwelli*	57.5
Tropiduridae	Liolaemidae	*Liolaemus_cristiani*	78.2
Tropiduridae	Liolaemidae	*Liolaemus_curicensis*	56
Tropiduridae	Liolaemidae	*Liolaemus_curis*	87
Tropiduridae	Liolaemidae	*Liolaemus_cuyanus*	102
Tropiduridae	Liolaemidae	*Liolaemus_cyanogaster*	62
Tropiduridae	Liolaemidae	*Liolaemus_darwinii*	69
Tropiduridae	Liolaemidae	*Liolaemus_dicktracy*	92
Tropiduridae	Liolaemidae	*Liolaemus_disjunctus*	73
Tropiduridae	Liolaemidae	*Liolaemus_donosobarrosi*	64.2
Tropiduridae	Liolaemidae	*Liolaemus_dorbignyi*	102
Tropiduridae	Liolaemidae	*Liolaemus_duellmani*	83
Tropiduridae	Liolaemidae	*Liolaemus_eleodori*	76.5
Tropiduridae	Liolaemidae	*Liolaemus_elongatus*	91
Tropiduridae	Liolaemidae	*Liolaemus_erroneus*	66.3
Tropiduridae	Liolaemidae	*Liolaemus_escarchadosi*	91
Tropiduridae	Liolaemidae	*Liolaemus_etheridgei*	64
Tropiduridae	Liolaemidae	*Liolaemus_exploratorum*	55
Tropiduridae	Liolaemidae	*Liolaemus_fabiani*	73.7
Tropiduridae	Liolaemidae	*Liolaemus_famatinae*	58
Tropiduridae	Liolaemidae	*Liolaemus_filiorum*	80
Tropiduridae	Liolaemidae	*Liolaemus_fittkaui*	62
Tropiduridae	Liolaemidae	*Liolaemus_fitzgeraldi*	58
Tropiduridae	Liolaemidae	*Liolaemus_fitzingerii*	108
Tropiduridae	Liolaemidae	*Liolaemus_flavipiceus*	95
Tropiduridae	Liolaemidae	*Liolaemus_forsteri*	103
Tropiduridae	Liolaemidae	*Liolaemus_foxi*	82.9
Tropiduridae	Liolaemidae	*Liolaemus_fuscus*	51
Tropiduridae	Liolaemidae	*Liolaemus_gallardoi*	92
Tropiduridae	Liolaemidae	*Liolaemus_gracilis*	55
Tropiduridae	Liolaemidae	*Liolaemus_gravenhorstii*	69
Tropiduridae	Liolaemidae	*Liolaemus_griseus*	61
Tropiduridae	Liolaemidae	*Liolaemus_grosseorum*	56
Tropiduridae	Liolaemidae	*Liolaemus_gununakuna*	97.5
Tropiduridae	Liolaemidae	*Liolaemus_hajeki*	72
Tropiduridae	Liolaemidae	*Liolaemus_hatcheri*	73
Tropiduridae	Liolaemidae	*Liolaemus_heliodermis*	81.4
Tropiduridae	Liolaemidae	*Liolaemus_hellmichi*	35
Tropiduridae	Liolaemidae	*Liolaemus_hernani*	66.8
Tropiduridae	Liolaemidae	*Liolaemus_huacahuasicus*	76
Tropiduridae	Liolaemidae	*Liolaemus_inacayali*	75.3
Tropiduridae	Liolaemidae	*Liolaemus_insolitus*	65
Tropiduridae	Liolaemidae	*Liolaemus_irregularis*	90
Tropiduridae	Liolaemidae	*Liolaemus_isabelae*	79.4
Tropiduridae	Liolaemidae	*Liolaemus_islugensis*	70.3
Tropiduridae	Liolaemidae	*Liolaemus_jamesi*	94
Tropiduridae	Liolaemidae	*Liolaemus_josei*	73.1
Tropiduridae	Liolaemidae	*Liolaemus_josephorum*	46.4
Tropiduridae	Liolaemidae	*Liolaemus_juanortizi*	94.4
Tropiduridae	Liolaemidae	*Liolaemus_kingii*	100
Tropiduridae	Liolaemidae	*Liolaemus_kolengh*	62.2

Tropiduridae	Liolaemidae	*Liolaemus_koslowskyi*	82
Tropiduridae	Liolaemidae	*Liolaemus_kriegi*	115
Tropiduridae	Liolaemidae	*Liolaemus_kuhlmanni*	84
Tropiduridae	Liolaemidae	*Liolaemus_laurenti*	73
Tropiduridae	Liolaemidae	*Liolaemus_lavillai*	64.5
Tropiduridae	Liolaemidae	*Liolaemus_lemniscatus*	54
Tropiduridae	Liolaemidae	*Liolaemus_leopardinus*	94
Tropiduridae	Liolaemidae	*Liolaemus_lineomaculatus*	68
Tropiduridae	Liolaemidae	*Liolaemus_loboi*	72.7
Tropiduridae	Liolaemidae	*Liolaemus_lorenzmuelleri*	79
Tropiduridae	Liolaemidae	*Liolaemus_lutzae*	84
Tropiduridae	Liolaemidae	*Liolaemus_magellanicus*	65
Tropiduridae	Liolaemidae	*Liolaemus_maldonadae*	83.6
Tropiduridae	Liolaemidae	*Liolaemus_mapuche*	83
Tropiduridae	Liolaemidae	*Liolaemus_martorii*	76.5
Tropiduridae	Liolaemidae	*Liolaemus_melanogaster*	91
Tropiduridae	Liolaemidae	*Liolaemus_melanops*	99
Tropiduridae	Liolaemidae	*Liolaemus_modestus*	72
Tropiduridae	Liolaemidae	*Liolaemus_molinai*	70.7
Tropiduridae	Liolaemidae	*Liolaemus_montanezi*	64
Tropiduridae	Liolaemidae	*Liolaemus_montanus*	75
Tropiduridae	Liolaemidae	*Liolaemus_monticola*	80
Tropiduridae	Liolaemidae	*Liolaemus_morenoi*	87
Tropiduridae	Liolaemidae	*Liolaemus_multicolor*	76
Tropiduridae	Liolaemidae	*Liolaemus_multimaculatus*	72.3
Tropiduridae	Liolaemidae	*Liolaemus_nigriceps*	98
Tropiduridae	Liolaemidae	*Liolaemus_nigromaculatus*	93
Tropiduridae	Liolaemidae	*Liolaemus_nigroventrolateralis*	77.8
Tropiduridae	Liolaemidae	*Liolaemus_nigroviridis*	79
Tropiduridae	Liolaemidae	*Liolaemus_nitidus*	99
Tropiduridae	Liolaemidae	*Liolaemus_occipitalis*	71.5
Tropiduridae	Liolaemidae	*Liolaemus_olongasta*	67
Tropiduridae	Liolaemidae	*Liolaemus_orientalis*	100
Tropiduridae	Liolaemidae	*Liolaemus_ornatus*	71
Tropiduridae	Liolaemidae	*Liolaemus_ortizii*	71
Tropiduridae	Liolaemidae	*Liolaemus_pagaburoi*	57.2
Tropiduridae	Liolaemidae	*Liolaemus_pantherinus*	65
Tropiduridae	Liolaemidae	*Liolaemus_patriciaiturrae*	96.6
Tropiduridae	Liolaemidae	*Liolaemus_paulinae*	55
Tropiduridae	Liolaemidae	*Liolaemus_petrophilus*	100
Tropiduridae	Liolaemidae	*Liolaemus_pictus*	104
Tropiduridae	Liolaemidae	*Liolaemus_platei*	54.4
Tropiduridae	Liolaemidae	*Liolaemus_pleopholis*	77
Tropiduridae	Liolaemidae	*Liolaemus_poconchilensis*	57
Tropiduridae	Liolaemidae	*Liolaemus_polystictus*	86
Tropiduridae	Liolaemidae	*Liolaemus_pseudoanomalus*	68
Tropiduridae	Liolaemidae	*Liolaemus_pseudolemniscatus*	52.7
Tropiduridae	Liolaemidae	*Liolaemus_pulcherrimus*	68
Tropiduridae	Liolaemidae	*Liolaemus_puna*	55.6
Tropiduridae	Liolaemidae	*Liolaemus_punmahuida*	96.5
Tropiduridae	Liolaemidae	*Liolaemus_quilmes*	89
Tropiduridae	Liolaemidae	*Liolaemus_rabinoi*	68
Tropiduridae	Liolaemidae	*Liolaemus_ramirezae*	57.6
Tropiduridae	Liolaemidae	*Liolaemus_ramonensis*	90
Tropiduridae	Liolaemidae	*Liolaemus_reichei*	42
Tropiduridae	Liolaemidae	*Liolaemus_riojanus*	62.3
Tropiduridae	Liolaemidae	*Liolaemus_robertmertensi*	63
Tropiduridae	Liolaemidae	*Liolaemus_robertoi*	70.5
Tropiduridae	Liolaemidae	*Liolaemus_robustus*	85
Tropiduridae	Liolaemidae	*Liolaemus_rosenmanni*	77.9
Tropiduridae	Liolaemidae	*Liolaemus_rothi*	100

Tropiduridae	Liolaemidae	*Liolaemus_ruibali*	65	
Tropiduridae	Liolaemidae	*Liolaemus_sagei*	100	
Tropiduridae	Liolaemidae	*Liolaemus_salinicola*	77	
Tropiduridae	Liolaemidae	*Liolaemus_sanjuanensis*	65	
Tropiduridae	Liolaemidae	*Liolaemus_sarmientoi*	97	
Tropiduridae	Liolaemidae	*Liolaemus_saxatilis*	60	
Tropiduridae	Liolaemidae	*Liolaemus_scapularis*	77	
Tropiduridae	Liolaemidae	*Liolaemus_schmidti*	42	
Tropiduridae	Liolaemidae	*Liolaemus_schroederi*	67.2	
Tropiduridae	Liolaemidae	*Liolaemus_senguer*	57.4	
Tropiduridae	Liolaemidae	*Liolaemus_signifer*	95	
Tropiduridae	Liolaemidae	*Liolaemus_silvai*	68.1	
Tropiduridae	Liolaemidae	*Liolaemus_silvanae*	77	
Tropiduridae	Liolaemidae	*Liolaemus_somuncurae*	87	
Tropiduridae	Liolaemidae	*Liolaemus_tacnae*	48.8	
Tropiduridae	Liolaemidae	*Liolaemus_talampaya*	85.5	
Tropiduridae	Liolaemidae	*Liolaemus_tari*	102	
Tropiduridae	Liolaemidae	*Liolaemus_tehuelche*	74.2	
Tropiduridae	Liolaemidae	*Liolaemus_telsen*	75	
Tropiduridae	Liolaemidae	*Liolaemus_tenuis*	60	
Tropiduridae	Liolaemidae	*Liolaemus_thermarum*	85	
Tropiduridae	Liolaemidae	*Liolaemus_thomasi*	78	
Tropiduridae	Liolaemidae	*Liolaemus_tristis*	85.5	
Tropiduridae	Liolaemidae	*Liolaemus_umbrifer*	89	
Tropiduridae	Liolaemidae	*Liolaemus_uptoni*	87	
Tropiduridae	Liolaemidae	*Liolaemus_uspallatensis*	65	
Tropiduridae	Liolaemidae	*Liolaemus_valdesianus*	88	
Tropiduridae	Liolaemidae	*Liolaemus_vallecurensis*	76.24	
Tropiduridae	Liolaemidae	*Liolaemus_variegatus*	60	
Tropiduridae	Liolaemidae	*Liolaemus_velosoi*	53.3	
Tropiduridae	Liolaemidae	*Liolaemus_walkeri*	63.4	
Tropiduridae	Liolaemidae	*Liolaemus_wiegmannii*	66	Etheridge (2000, p311) reports max svl of 98 mm - probably a typo (cf. p 332-333)
Tropiduridae	Liolaemidae	*Liolaemus_williamsi*	77	
Tropiduridae	Liolaemidae	*Liolaemus_xanthoviridis*	97	
Tropiduridae	Liolaemidae	*Liolaemus_yanalcu*	61.4	
Tropiduridae	Liolaemidae	*Liolaemus_zapallarensis*	95	
Tropiduridae	Liolaemidae	*Liolaemus_zullyi*	77.5	
Tropiduridae	Tropidurinae	*Microlophus_albemarlensis*	125	
Tropiduridae	Tropidurinae	*Microlophus_atacamensis*	124	
Tropiduridae	Tropidurinae	*Microlophus_bivittatus*	105	
Tropiduridae	Tropidurinae	*Microlophus_delanonis*	155	
Tropiduridae	Tropidurinae	*Microlophus_duncanensis*	100	
Tropiduridae	Tropidurinae	*Microlophus_grayii*	110	
Tropiduridae	Tropidurinae	*Microlophus_habelii*	115	
Tropiduridae	Tropidurinae	*Microlophus_heterolepis*	130	
Tropiduridae	Tropidurinae	*Microlophus_koepckeorum*	81	
Tropiduridae	Tropidurinae	*Microlophus_occipitalis*	80	
Tropiduridae	Tropidurinae	*Microlophus_pacificus*	105	
Tropiduridae	Tropidurinae	*Microlophus_peruvianus*	140	
Tropiduridae	Tropidurinae	*Microlophus_quadrivittatus*	124.8	
Tropiduridae	Tropidurinae	*Microlophus_stolzmanni*	123	
Tropiduridae	Tropidurinae	*Microlophus_tarapacensis*	110.4	
Tropiduridae	Tropidurinae	*Microlophus_theresiae*	107	
Tropiduridae	Tropidurinae	*Microlophus_theresioides*	114.7	
Tropiduridae	Tropidurinae	*Microlophus_thoracicus*	94	
Tropiduridae	Tropidurinae	*Microlophus_tigris*	105	
Tropiduridae	Tropidurinae	*Microlophus_yanezi*	73.65	
Tropiduridae	Liolaemidae	*Phrynosaura_audituvelata*	60	

Tropiduridae	Liolaemidae	*Phrynosaura_manueli*	60.7
Tropiduridae	Liolaemidae	*Phrynosaura_torresi*	65
Tropiduridae	Liolaemidae	*Phymaturus_antofagastensis*	100
Tropiduridae	Liolaemidae	*Phymaturus_calcogaster*	92
Tropiduridae	Liolaemidae	*Phymaturus_indistinctus*	100
Tropiduridae	Liolaemidae	*Phymaturus_mallimaccii*	100
Tropiduridae	Liolaemidae	*Phymaturus_nevadoi*	90
Tropiduridae	Liolaemidae	*Phymaturus_palluma*	110
Tropiduridae	Liolaemidae	*Phymaturus_patagonicus*	109
Tropiduridae	Liolaemidae	*Phymaturus_payunae*	90
Tropiduridae	Liolaemidae	*Phymaturus_punae*	109
Tropiduridae	Liolaemidae	*Phymaturus_somuncurensis*	100
Tropiduridae	Liolaemidae	*Phymaturus_spurcus*	92.8
Tropiduridae	Liolaemidae	*Phymaturus_verdugo*	120
Tropiduridae	Liolaemidae	*Phymaturus_vociferator*	97
Tropiduridae	Liolaemidae	*Phymaturus_zapalensis*	90
Tropiduridae	Tropidurinae	*Plica_lumaria*	100
Tropiduridae	Tropidurinae	*Plica_plica*	177
Tropiduridae	Tropidurinae	*Plica_umbra*	100
Tropiduridae	Tropidurinae	*Stenocercus_aculeatus*	108
Tropiduridae	Tropidurinae	*Stenocercus_angel*	87
Tropiduridae	Tropidurinae	*Stenocercus_apurimacus*	84
Tropiduridae	Tropidurinae	*Stenocercus_azureus*	83
Tropiduridae	Tropidurinae	*Stenocercus_boettgeri*	108
Tropiduridae	Tropidurinae	*Stenocercus_bolivarensis*	90
Tropiduridae	Tropidurinae	*Stenocercus_caducus*	93
Tropiduridae	Tropidurinae	*Stenocercus_carrioni*	74
Tropiduridae	Tropidurinae	*Stenocercus_chlorostictus*	75
Tropiduridae	Tropidurinae	*Stenocercus_chota*	97
Tropiduridae	Tropidurinae	*Stenocercus_chrysopygus*	76
Tropiduridae	Tropidurinae	*Stenocercus_crassicaudatus*	95
Tropiduridae	Tropidurinae	*Stenocercus_cupreus*	78
Tropiduridae	Tropidurinae	*Stenocercus_doellojuradoi*	80
Tropiduridae	Tropidurinae	*Stenocercus_dumerilii*	112
Tropiduridae	Tropidurinae	*Stenocercus_empetrus*	103
Tropiduridae	Tropidurinae	*Stenocercus_erythrogaster*	91
Tropiduridae	Tropidurinae	*Stenocercus_eunetopsis*	83
Tropiduridae	Tropidurinae	*Stenocercus_festae*	102
Tropiduridae	Tropidurinae	*Stenocercus_fimbriatus*	91
Tropiduridae	Tropidurinae	*Stenocercus_formosus*	89
Tropiduridae	Tropidurinae	*Stenocercus_frittsi*	79
Tropiduridae	Tropidurinae	*Stenocercus_guentheri*	96
Tropiduridae	Tropidurinae	*Stenocercus_haenschi*	76
Tropiduridae	Tropidurinae	*Stenocercus_huancabambae*	99
Tropiduridae	Tropidurinae	*Stenocercus_humeralis*	112
Tropiduridae	Tropidurinae	*Stenocercus_imitator*	100
Tropiduridae	Tropidurinae	*Stenocercus_iridescens*	99
Tropiduridae	Tropidurinae	*Stenocercus_ivitus*	65
Tropiduridae	Tropidurinae	*Stenocercus_lache*	88
Tropiduridae	Tropidurinae	*Stenocercus_latebrosus*	76
Tropiduridae	Tropidurinae	*Stenocercus_limitaris*	97
Tropiduridae	Tropidurinae	*Stenocercus_marmoratus*	83
Tropiduridae	Tropidurinae	*Stenocercus_melanopygus*	85
Tropiduridae	Tropidurinae	*Stenocercus_nigromaculatus*	78.4
Tropiduridae	Tropidurinae	*Stenocercus_nubicola*	72
Tropiduridae	Tropidurinae	*Stenocercus_ochoai*	95
Tropiduridae	Tropidurinae	*Stenocercus_orientalis*	79
Tropiduridae	Tropidurinae	*Stenocercus_ornatissimus*	75
Tropiduridae	Tropidurinae	*Stenocercus_ornatus*	85
Tropiduridae	Tropidurinae	*Stenocercus_pectinatus*	80
Tropiduridae	Tropidurinae	*Stenocercus_percultus*	107

Tropiduridae	Tropidurinae	*Stenocercus_praeornatus*	100	
Tropiduridae	Tropidurinae	*Stenocercus_prionotus*	93	
Tropiduridae	Tropidurinae	*Stenocercus_puyango*	115	
Tropiduridae	Tropidurinae	*Stenocercus_rhodomelas*	98	
Tropiduridae	Tropidurinae	*Stenocercus_roseiventris*	101	
Tropiduridae	Tropidurinae	*Stenocercus_scapularis*	92	
Tropiduridae	Tropidurinae	*Stenocercus_simonsii*	88	
Tropiduridae	Tropidurinae	*Stenocercus_sinesaccus*	81	
Tropiduridae	Tropidurinae	*Stenocercus_stigmosus*	68	
Tropiduridae	Tropidurinae	*Stenocercus_torquatus*	84	
Tropiduridae	Tropidurinae	*Stenocercus_trachycephalus*	90	
Tropiduridae	Tropidurinae	*Stenocercus_tricristatus*	88	
Tropiduridae	Tropidurinae	*Stenocercus_variabilis*	94	
Tropiduridae	Tropidurinae	*Stenocercus_varius*	85	
Tropiduridae	Tropidurinae	*Tropidurus_amathites*	68	
Tropiduridae	Tropidurinae	*Tropidurus_arenarius*	90	
Tropiduridae	Tropidurinae	*Tropidurus_bogerti*	77.5	
Tropiduridae	Tropidurinae	*Tropidurus_callathelys*	89.8	
Tropiduridae	Tropidurinae	*Tropidurus_catalanensis*	132.4	
Tropiduridae	Tropidurinae	*Tropidurus_chromatops*	109	
Tropiduridae	Tropidurinae	*Tropidurus_cocorobensis*	68.7	
Tropiduridae	Tropidurinae	*Tropidurus_divaricatus*	86.3	
Tropiduridae	Tropidurinae	*Tropidurus_erythrocephalus*	71.7	
Tropiduridae	Tropidurinae	*Tropidurus_etheridgei*	115	
Tropiduridae	Tropidurinae	*Tropidurus_guarani*	112	
Tropiduridae	Tropidurinae	*Tropidurus_helenae*	70	
Tropiduridae	Tropidurinae	*Tropidurus_hispidus*	124	
Tropiduridae	Tropidurinae	*Tropidurus_hygomi*	80	
Tropiduridae	Tropidurinae	*Tropidurus_insulanus*	86	
Tropiduridae	Tropidurinae	*Tropidurus_itambere*	88.8	
Tropiduridae	Tropidurinae	*Tropidurus_melanopleurus*	109	
Tropiduridae	Tropidurinae	*Tropidurus_montanus*	83.6	
Tropiduridae	Tropidurinae	*Tropidurus_mucujensis*	66	
Tropiduridae	Tropidurinae	*Tropidurus_nanuzae*	60	
Tropiduridae	Tropidurinae	*Tropidurus_oreadicus*	104.8	
Tropiduridae	Tropidurinae	*Tropidurus_panstictus*	119	
Tropiduridae	Tropidurinae	*Tropidurus_pinima*	85	
Tropiduridae	Tropidurinae	*Tropidurus_psammonastes*	94.9	
Tropiduridae	Tropidurinae	*Tropidurus_semitaeniatus*	86.2	
Tropiduridae	Tropidurinae	*Tropidurus_spinulosus*	135	
Tropiduridae	Tropidurinae	*Tropidurus_torquatus*	134	
Tropiduridae	Tropidurinae	*Tropidurus_xanthochilus*	125.5	
Tropiduridae	Tropidurinae	*Uracentron_azureum*	88	
Tropiduridae	Tropidurinae	*Uracentron_flaviceps*	130	
Tropiduridae	Tropidurinae	*Uranoscodon_superciliosus*	156	
Varanidae	Varanidae	*Varanus_acanthurus*	250	
Varanidae	Varanidae	*Varanus_albigularis*	850	
Varanidae	Varanidae	*Varanus_auffenbergi*	205	in Sprackland's internet site http://www.curator.org/legacyvmnh/weboflife/kingdom/p_chordata/classreptilia/O_Squamata/InfraAnguimorphan/SupFVaranoidea/FVaranidae/GVaranus/GVaranus/Varanusauffenbergi/varanusauffenbergi.htm he gives an SVL of 216 mm
Varanidae	Varanidae	*Varanus_baritji*	252	
Varanidae	Varanidae	*Varanus_beccarii*	340	
Varanidae	Varanidae	*Varanus_bengalensis*	900	

Varanidae	Varanidae	*Varanus_boehmei*	290	
Varanidae	Varanidae	*Varanus_bogerti*	275	
Varanidae	Varanidae	*Varanus_brevicauda*	126	
Varanidae	Varanidae	*Varanus_bushi*	145	
Varanidae	Varanidae	*Varanus_caerulivirens*	400	
Varanidae	Varanidae	*Varanus_caudolineatus*	133	
Varanidae	Varanidae	*Varanus_cerambonensis*	409	
Varanidae	Varanidae	*Varanus_doreanus*	460	
Varanidae	Varanidae	*Varanus_dumerilii*	565.1	
Varanidae	Varanidae	*Varanus_eremius*	185	
Varanidae	Varanidae	*Varanus_exanthematicus*	750	
Varanidae	Varanidae	*Varanus_finschi*	305	
Varanidae	Varanidae	*Varanus_flavescens*	515	
Varanidae	Varanidae	*Varanus_giganteus*	890	
Varanidae	Varanidae	*Varanus_gilleni*	190	
Varanidae	Varanidae	*Varanus_glauerti*	250	
Varanidae	Varanidae	*Varanus_glebopalma*	397	
Varanidae	Varanidae	*Varanus_gouldii*	670	
Varanidae	Varanidae	*Varanus_griseus*	625	
Varanidae	Varanidae	*Varanus_indicus*	580	
Varanidae	Varanidae	*Varanus_jobiensis*	450	
Varanidae	Varanidae	*Varanus_juxtindicus*	504	
Varanidae	Varanidae	*Varanus_keithhornei*	285	
Varanidae	Varanidae	*Varanus_kingorum*	120	
Varanidae	Varanidae	*Varanus_komodoensis*	1540	
Varanidae	Varanidae	*Varanus_kordensis*	244	
Varanidae	Varanidae	*Varanus_mabitang*	640	
Varanidae	Varanidae	*Varanus_macraei*	360	
Varanidae	Varanidae	*Varanus_melinus*	420	
Varanidae	Varanidae	*Varanus_mertensi*	480	
Varanidae	Varanidae	*Varanus_mitchelli*	346	
Varanidae	Varanidae	*Varanus_nebulosus*	580	
Varanidae	Varanidae	*Varanus_niloticus*	980	
Varanidae	Varanidae	*Varanus_olivaceus*	654.3	
Varanidae	Varanidae	*Varanus_ornatus*	660	
Varanidae	Varanidae	*Varanus_panoptes*	740	
Varanidae	Varanidae	*Varanus_pilbarensis*	180	
Varanidae	Varanidae	*Varanus_prasinus*	310	
Varanidae	Varanidae	*Varanus_primordius*	120	
Varanidae	Varanidae	*Varanus_reisingeri*	280	
Varanidae	Varanidae	*Varanus_rosenbergi*	497.7	
Varanidae	Varanidae	*Varanus_rudicollis*	590	Das 2004 reports "SVL to 1.46m" - probably mean total length
Varanidae	Varanidae	*Varanus_salvadorii*	500	
Varanidae	Varanidae	*Varanus_salvator*	1170	Das 2004 reports "SVL to 3m" - probably mean total length
Varanidae	Varanidae	*Varanus_scalaris*	268	
Varanidae	Varanidae	*Varanus_semiremex*	282	
Varanidae	Varanidae	*Varanus_similis*	220	
Varanidae	Varanidae	*Varanus_spenceri*	550	
Varanidae	Varanidae	*Varanus_spinulosus*	320	
Varanidae	Varanidae	*Varanus_storri*	139	
Varanidae	Varanidae	*Varanus_telenesetes*	217	
Varanidae	Varanidae	*Varanus_timorensis*	285	
Varanidae	Varanidae	*Varanus_tristis*	305	
Varanidae	Varanidae	*Varanus_varius*	765	
Varanidae	Varanidae	*Varanus_yemenensis*	590	
Varanidae	Varanidae	*Varanus_yuwonoi*	532	
Xantusiidae	Xantusiidae	*Cricosaura_typica*	40	

Xantusiidae	Xantusiidae	*Lepidophyma_chicoasensis*	117
Xantusiidae	Xantusiidae	*Lepidophyma_dontomasi*	56
Xantusiidae	Xantusiidae	*Lepidophyma_flavimaculatum*	153
Xantusiidae	Xantusiidae	*Lepidophyma_gaigeae*	66
Xantusiidae	Xantusiidae	*Lepidophyma_lineri*	37
Xantusiidae	Xantusiidae	*Lepidophyma_lipetzi*	55
Xantusiidae	Xantusiidae	*Lepidophyma_lowei*	60
Xantusiidae	Xantusiidae	*Lepidophyma_mayae*	90
Xantusiidae	Xantusiidae	*Lepidophyma_micropholis*	111
Xantusiidae	Xantusiidae	*Lepidophyma_occulor*	105
Xantusiidae	Xantusiidae	*Lepidophyma_pajapanensis*	83
Xantusiidae	Xantusiidae	*Lepidophyma_radula*	52.8
Xantusiidae	Xantusiidae	*Lepidophyma_reticulatum*	103
Xantusiidae	Xantusiidae	*Lepidophyma_smithii*	112
Xantusiidae	Xantusiidae	*Lepidophyma_sylvaticum*	113
Xantusiidae	Xantusiidae	*Lepidophyma_tarascae*	93
Xantusiidae	Xantusiidae	*Lepidophyma_tuxtlae*	97
Xantusiidae	Xantusiidae	*Xantusia_bezyi*	58
Xantusiidae	Xantusiidae	*Xantusia_bolsonae*	57
Xantusiidae	Xantusiidae	*Xantusia_henshawi*	70
Xantusiidae	Xantusiidae	*Xantusia_riversiana*	109
Xantusiidae	Xantusiidae	*Xantusia_sanchezi*	50
Xantusiidae	Xantusiidae	*Xantusia_vigilis*	70
Xenosauridae	Shinisaurinae	*Shinisaurus_crocodilurus*	397
Xenosauridae	Xenosauridae	*Xenosaurus_grandis*	129
Xenosauridae	Xenosauridae	*Xenosaurus_newmanorum*	122
Xenosauridae	Xenosauridae	*Xenosaurus_penai*	112
Xenosauridae	Xenosauridae	*Xenosaurus_phalaroantheron*	113
Xenosauridae	Xenosauridae	*Xenosaurus_platyceps*	114
Xenosauridae	Xenosauridae	*Xenosaurus_rectocollaris*	108

Appendix S3

Lizard species not analysed and reasons for their exclusion

Lizard species for which either no size data were available ("couldn't obtain measurements", or were excluded for other reasons: either they are only known from juveniles, not in the taxonomy of Uetz 2006 (and no synonyms identified in that work for these species either, marked "not in Uetz 2006"), or are clearly invalid species. Other species, marked "newly described" are new to science and were not included in Uetz 2006. These taxa I regard as tentative, and while I provide maximum SVL data for them, they were not included in any analyses.

Finally the reference list for all such excluded species (according to either of the above criteria) is presented

Family	Species	Max SVL (mm)	sources	reason for exclusion	remarks
Agamidae	*Phrynocephalus birulai*	no data	na	couldn't obtain measurements	
Agamidae	*Phrynocephalus geckoides*	no data	na	couldn't obtain measurements	
Agamidae	*Phrynocephalus moltschanowi*	no data	na	couldn't obtain measurements	
Agamidae	*Phrynocephalus pylzowi*	no data	na	couldn't obtain measurements	
Chamaeleonidae	*Chamaeleo schoutedeni*	no data	na	couldn't obtain measurements	
Gekkonidae	*Cyrtodactylus mansarulus*	no data	na	couldn't obtain measurements	
Gekkonidae	*Cyrtopodion narynensis*	no data	na	couldn't obtain measurements	
Scincidae	*Chalcides pentadactylus*	no data	na	couldn't obtain measurements	
Scincidae	*Leiolopisma fasciolare*	no data	na	couldn't obtain measurements	
Scincidae	*Leptosiaphos dewittei*	no data	na	couldn't obtain measurements	
Scincidae	*Chabanaudia boulengeri*	na	na	invalid name	Ivan Ineich, Personal communication to Shai Meiri
Scincidae	*Mabuya stanjorgeri*	na	na	invalid name	Maybe a misspelling of Mabuya stangeri, Uetz 2006
Agamidae	*Draco affinis*	na	na	invalid name	Probably represents a junior synonym of D. cornutus, Uetz 2006
Agamidae	*Oreodeira gracilipes*	na	na	invalid name	the single, subadult specimen is actually a synonym of Agama agama, Moody 1988
Agamidae	*Calotes nigriplicatus*	na	na	known only from juveniles	
Agamidae	*Trapelus microtympanum*	na	na	known only from juveniles	
Anguidae	*Abronia bogerti*	na	na	known only from juveniles	
Gekkonidae	*Cnemaspis indraneildasii*	na	na	known only from juveniles	
Gekkonidae	*Cyrtodactylus buchardi*	na	na	known only from juveniles	
Gekkonidae	*Cyrtopodion chitralensis*	na	na	known only from juveniles	
Gekkonidae	*Lygodactylus praecox*	na	na	known only from juveniles	
Gekkonidae	*Nactus acutus*	na	na	known only from juveniles	
Gekkonidae	*Paragehyra petiti*	na	na	known only from juveniles	
Lacertidae	*Ichnotropis tanganicana*	na	na	known only from juveniles	
Polychrotidae	*Anolis calimae*	na	na	known only from juveniles	
Polychrotidae	*Anolis propinquus*	na	na	known only from juveniles	
Polychrotidae	*Norops forbesi*	na	na	known only from juveniles	
Polychrotidae	*Norops ibague*	na	na	known only from juveniles	
Polychrotidae	*Norops utowanae*	na	na	known only from juveniles	
Scincidae	*Amphiglossus stylus*	na	na	known only from juveniles	
Scincidae	*Asymblepharus mahabharatus*	na	na	known only from juveniles	

Scincidae	*Eutropis quadratilobus*	na	na	known only from juveniles
Scincidae	*Lipinia vulcania*	na	na	known only from juveniles
Scincidae	*Mabuya berengerae*	na	na	known only from juveniles
Scincidae	*Plestiodon popei*	na	na	known only from juveniles
Scincidae	*Sphenomorphus helenae*	na	na	known only from juveniles
Scincidae	*Sphenomorphus sibuensis*	na	na	known only from juveniles
Scincidae	*Trachylepis breviparietalis*	na	na	known only from juveniles
Teiidae	*Ameiva vittata*	na	na	known only from juveniles
Varanidae	*Varanus zugorum*	na	na	known only from juveniles
Agamidae	*Ctenophorus nguyarna*	78.4	Doughty et al. 2007	newly described
Agamidae	*Trapelus schmitzi*	69.1	Wagner and Bohme 2007	newly described
Agamidae	*Uromastyx yemenensis*	177.0	Wilms and Schmitz 2007	newly described
Chamaeleonidae	*Calumma amber*	112.0	Raxworthy and Nussbaum 2006	newly described
Chamaeleonidae	*Calumma crypticum*	115.0	Raxworthy and Nussbaum 2006	newly described
Chamaeleonidae	*Calumma hafahafa*	110.0	Raxworthy and Nussbaum 2006	newly described
Chamaeleonidae	*Calumma jejy*	96.0	Raxworthy and Nussbaum 2006	newly described
Chamaeleonidae	*Calumma peltierorum*	110.0	Raxworthy and Nussbaum 2006	newly described
Chamaeleonidae	*Calumma tsycorne*	124.0	Raxworthy and Nussbaum 2006	newly described
Chamaeleonidae	*Chamaeleo necasi*	120.5	Ullenbruch et al. 2007	newly described
Gekkonidae	*Cnemaspis alantika*	47.5	Bauer et al. 2006	newly described
Gekkonidae	*Cnemaspis alwisi*	39.9	Wickramasinghe and Munindradasa 2007	newly described
Gekkonidae	*Cnemaspis gemunu*	34.0	Bauer et al. 2007	newly described
Gekkonidae	*Cnemaspis kumarasinghei*	31.6	Wickramasinghe and Munindradasa 2007	newly described
Gekkonidae	*Cnemaspis molligodai*	27.8	Wickramasinghe and Munindradasa 2007	newly described
Gekkonidae	*Cnemaspis ranwellai*	37.1	Wickramasinghe 2006	newly described
Gekkonidae	*Cnemaspis retigalensis*	30.9	Wickramasinghe and Munindradasa 2007	newly described
Gekkonidae	*Cnemaspis samanalensis*	36.9	Wickramasinghe and Munindradasa 2007	newly described
Gekkonidae	*Cyrtodactylus huynhi*	79.8	Tri and Bauer 2008	newly described
Gekkonidae	*Cyrtodactylus serratus*	139.0	Kraus 2007	newly described
Gekkonidae	*Cyrtodactylus takouensis*	81.1	Tri and Bauer 2008	newly described
Gekkonidae	*Cyrtopodion brachykolon*	51.2	Krysko et al. 2007	newly described
Gekkonidae	*Gekko shibatai*	74.9	Toda et al. 2008	newly described
Gekkonidae	*Gekko vertebralis*	71.2	Toda et al. 2008	newly described
Gekkonidae	*Hemidactylus sataraensis*	46.4	Giri and Bauer 2008	newly described

Gekkonidae	*Hoplodactylus cryptozoicus*	87.0	Jewell and Leschen 2004	newly described
Gekkonidae	*Lepidodactylus oligoporus*	43.2	Buden 2007	newly described
Gekkonidae	*Luperosaurus corfieldi*	95.0	Gaulke et al. 2007	newly described
Gekkonidae	*Luperosaurus kubli*	105.4	Brown et al. 2007	newly described
Gekkonidae	*Luperosaurus sorok*	34.7	Das et al. 2008	newly described
Gekkonidae	*Pristurus schneideri*	27.4	Rosler et al. 2008	newly described
Gekkonidae	*Thecadactylus solimoensis*	116.0	Bergmann and Russell 2007	newly described
Gerrhosauridae	*Zonosaurus maramaintso*	120.0	Glaw and Vences 2007	newly described
Gymnophthalmidae	*Alexandresaurus camacan*	70.0	Rodriguez et al. 2007	newly described
Gymnophthalmidae	*Bachia micromela*	85.0	Rodriguez et al. 2007b	newly described
Gymnophthalmidae	*Bachia psamophila*	74.0	Rodriguez et al. 2007b	newly described
Gymnophthalmidae	*Dryadosaura nordestina*	57.0	Rodrigues et al. 2005	newly described
Gymnophthalmidae	*Petracola waka*	49.5	Kizirian et al. 2008	newly described
Lacertidae	*Dinarolacerta montenegrina*	63.8	Ljubisavljevic et al. 2007	newly described
Polychrotidae	*Anolis datzorum*	49.0	Kohler et al. 2007	newly described
Polychrotidae	*Anolis gruuo*	47.0	Kohler et al. 2007	newly described
Polychrotidae	*Anolis kunayalae*	109.3	Hulebak et al. 2007	newly described
Polychrotidae	*Anolis pseudokemptoni*	54.5	Kohler et al. 2007	newly described
Polychrotidae	*Anolis pseudopachypus*	48.0	Kohler et al. 2007	newly described
Polychrotidae	*Enyalius erythroceneus*	90.0	Rodrigues et al. 2006	newly described
Polychrotidae	*Leiosaurus jaguaris*	97.5	Laspiur et al. 2007	newly described
Polychrotidae	*Norops magnaphallus*	55.1	Poe and Ibanez 2007	newly described
Scincidae	*Eutropis tammanna*	52.3	Das et al. 2008b	newly described
Scincidae	*Lankascincus munindradasai*	40.2	Wickramasinghe et al. 2007	newly described
Scincidae	*Lankascincus sripadensis*	58.3	Wickramasinghe et al. 2007	newly described
Scincidae	*Lipinia inexpectata*	40.6	Das and Austin 2007	newly described
Scincidae	*Sphenomorphus langkawiensis*	37.0	Grismer 2008	newly described
Tropiduridae	*Liolaemus chehuachekenk*	103.4	Avila et al. 2008	newly described
Tropiduridae	*Liolaemus cinereus*	63.0	Monguillot et al. 2006	newly described
Tropiduridae	*Liolaemus crepuscularis*	64.0	Abdala and Gomez 2006	newly described
Tropiduridae	*Liolaemus puelche*	89.0	Avila et al. 2007	newly described
Tropiduridae	*Liolaemus scolaroi*	81.0	Scolaro 2006	newly described
Tropiduridae	*Liolaemus scrocchii*	94.5	Quinteros et al. 2008	newly described
Tropiduridae	*Liolaemus senguer*	62.3	Abdala 2005	newly described
Tropiduridae	*Liolaemus tregenzai*	90.2	Pincheira-Donoso and Scolaro 2007	newly described
Tropiduridae	*Phymaturus ceii*	95.0	Scolaro and Ibarguengoytia 2007	newly described
Tropiduridae	*Phymaturus dorsimaculatus*	92.6	Lobo and Quinteros 2005	newly described
Tropiduridae	*Phymaturus excelsus*	89.7	Lobo and Quinteros 2005	newly described

Tropiduridae	*Phymaturus spectabilis*	97.5	Lobo and Quinteros 2005	newly described	
Tropiduridae	*Phymaturus tenebrosus*	107.5	Lobo and Quinteros 2005	newly described	
Tropiduridae	*Stenocercus quinarius*	90.0	Nogueira and Rodrigues 2006	newly described	
Tropiduridae	*Stenocercus santander*	96.0	Torres-Carvajal 2007	newly described	
Tropiduridae	*Stenocercus squarrosus*	88.0	Nogueira and Rodrigues 2006	newly described	
Varanidae	*Varanus rainerguentheri*	291.0	Ziegler et al. 2007	newly described	
Agamidae	*Agama vaillanti*	40.3	Lonnberg 1911	not in Uetz 2006	
Agamidae	*Gonocephalus harveyi*	145.0	Boulenger 1912	not in Uetz 2006	
Agamidae	*Phrynocephalus immaculatus*	55.0	Zhao et al. 1999	not in Uetz 2006	
Anguidae	*Diploglossus nuchalis*	150.0	Werner 1910	not in Uetz 2006	
Cordylidae	*Cordylus caeruleopunctatus*	72.0	Loveridge 1944	not in Uetz 2006	
Gekkonidae	*Cnemaspis elgonensis*	61.0	Perret 1986	not in Uetz 2006	
Gekkonidae	*Hemidactylus mindiae*	55.0	El Din 2006	not in Uetz 2006	
Gekkonidae	*Lygodactylus succinarius*	28.0	Pasteur 1995	not in Uetz 2006	
Gekkonidae	*Phyllodactylus mentalis*	50.0	Werner 1910, Dixon 1964	not in Uetz 2006	
Gekkonidae	*Pristurus mazbah*	39.0	Rosler et al. 2008	not in Uetz 2006	
Gymnophthalmidae	*Pantodactylus nicefori*	71.0	Burt and Burt 1931	not in Uetz 2006	
Lacertidae	*Eremias aspera*	51.0	Boulenger 1921	not in Uetz 2006	
Lacertidae	*Ichnotropis longipes*	60.0	De Witte 1933, Boulenger 1921	not in Uetz 2006	
Lacertidae	*Nucras emini*	68.0	Boulenger 1920	not in Uetz 2006	
Phrynosomatidae	*Sceloporus lunaei*	95.0	Kohler 2003, Smith 1939, Martins 1993	not in Uetz 2006	
Phrynosomatidae	*Uta mannophorus*	56.0	Mertens 1934	not in Uetz 2006	
Phrynosomatidae	*Uta martinensis*	64.0	Mertens 1934	not in Uetz 2006	
Polychrotidae	*Anolis anchicayae*	56.0	Castro-Herrera 1988	not in Uetz 2006	
Polychrotidae	*Anolis guentheri*	50.0	Boulenger 1885	not in Uetz 2006	
Polychrotidae	*Anolis lyra*	70.0	Castro-Herrera 1988	not in Uetz 2006	
Polychrotidae	*Anolis stigmosus*	60.0	Boulenger 1885	not in Uetz 2006	
Polychrotidae	*Norops guntheri*	50.0	Fitch and Henderson 1973	not in Uetz 2006	
Polychrotidae	*Norops marmorata*	50.0	Amaral 1933	not in Uetz 2006	
Scincidae	*Ablepharus aeneus*	33.0	Boulenger 1887	not in Uetz 2006	
Scincidae	*Ablepharus carsoni*	34.0	Boulenger 1894	not in Uetz 2006	
Scincidae	*Ablepharus smithii*	42.0	Fitch 1981	not in Uetz 2006	
Scincidae	*Carlia curta*	43.2	Kraus 2007b	not in Uetz 2006	
Scincidae	*Carlia novaeguineae*	34.9	Kraus 2007b	not in Uetz 2006	
Scincidae	*Chalcides humilis*	96.0	Anderson 1898	not in Uetz 2006	
Scincidae	*Egernia obiri*	208.0	Greer 2001, Wilson and Swan 2003, Greer 2005	not in Uetz 2006	
Scincidae	*Eugongylus microlepus*	175.0	Case et al. 1998	not in Uetz 2006	extinct (Case et al. 1998)

Scincidae	*Eumeces humilis*	73.0	Boulenger 1887	not in Uetz 2006
Scincidae	*Eutropis floweri*	56.0	Das et al. 2008b	not in Uetz 2006
Scincidae	*Homolepida schiegeli*	32.0	Dunn 1927	not in Uetz 2006
Scincidae	*Lygosoma curtum*	37.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Lygosoma gromieri*	78.0	Perret 1975	not in Uetz 2006
Scincidae	*Lygosoma jeudei*	61.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Lygosoma keiensis*	79.0	Kopstein 1926	not in Uetz 2006
Scincidae	*Lygosoma louisiadense*	44.0	de Rooij 1915, Boulenger 1903	not in Uetz 2006
Scincidae	*Lygosoma mentovarium*	117.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Lygosoma monneti*	57.0	Chabanaud 1917	not in Uetz 2006
Scincidae	*Lygosoma moszkowskii*	31.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Lygosoma orientale*	54.0	Shreve 1940	not in Uetz 2006
Scincidae	*Lygosoma parvum*	36.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Lygosoma perspicillatum*	41.0	Werner 1895	not in Uetz 2006
Scincidae	*Lygosoma pullum*	51.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Lygosoma tornieri*	71.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Lygosoma wollastoni*	90.0	de Rooij 1915	not in Uetz 2006
Scincidae	*Mabuya guineensis*	70.0	Monard 1940	not in Uetz 2006
Scincidae	*Mabuya intermedia*	81.0	Chabanaud 1917	not in Uetz 2006
Scincidae	*Mabuya mongallensis*	50.0	Werner 1908	not in Uetz 2006
Scincidae	*Mabuya pulchra*	61.0	Matschie 1893	not in Uetz 2006
Scincidae	*Riopa tristaoi*	40.0	Monard 1940	not in Uetz 2006
Scincidae	*Scelotes tridactylus*	32.0	Boulenger 1887	not in Uetz 2006
Scincidae	*Sphenomorphus aignanus*	80.0	Greer and Wadsworth 2003, de Rooij 1915	not in Uetz 2006
Scincidae	*Sphenomorphus albodorsale*	45.0	Greer and Parker 1967	not in Uetz 2006
Scincidae	*Sphenomorphus amboinense*	45.0	Greer and Parker 1967, Kopstein 1926	not in Uetz 2006
Scincidae	*Sphenomorphus anomalopus*	70.0	Manthey and Grossmann 1997, de Rooij 1915, Werner 1910, Grismer 2006	not in Uetz 2006
Scincidae	*Sphenomorphus bukitensis*	44.0	Grismer 2008	not in Uetz 2006
Scincidae	*Sphenomorphus butleri*	44.0	Manthey and Grossmann 1997, Grismer 2006	not in Uetz 2006

Lygosoma gromieri Angel 1925 (Bul. MNHN 31: 419, MNHN #28115, Perret 1975 p186), Leptosiaphos kilimensis? (Ineich et al. 2004)

Scincidae	*Sphenomorphus cophias*	37.0	Manthey and Grossmann 1997, Grismer 2006	not in Uetz 2006	
Scincidae	*Sphenomorphus dammermani*	61.0	Greer and Parker 1967, Kopstein 1927	not in Uetz 2006	
Scincidae	*Sphenomorphus jeudei*	61.0	Greer and Parker 1967, Greer and Parker 1974	not in Uetz 2006	
Scincidae	*Sphenomorphus latifasciatus*	196.0	Greer 2001	not in Uetz 2006	
Scincidae	*Sphenomorphus lednickyi*	50.0	Taylor 1922	not in Uetz 2006	
Scincidae	*Sphenomorphus loriae*	80.0	Greer and Shea 2004, de Rooij 1915, Greer and Parker 1967	not in Uetz 2006	under S. pratti Uetz 2006 says "Status unclear. Closely related to S. loriae and S. wollastoni"
Scincidae	*Sphenomorphus louisiadensis*	44.0	Greer 1977	not in Uetz 2006	
Scincidae	*Sphenomorphus megaspila*	96.0	Fitch 1981	not in Uetz 2006	
Scincidae	*Sphenomorphus moszkowskii*	31.0	Greer and Parker 1967	not in Uetz 2006	
Scincidae	*Sphenomorphus papuae*	80.0	Greer and Shea 2004	not in Uetz 2006	
Scincidae	*Sphenomorphus sanana*	32.0	Greer 2001, Kopstein 1926, Kopstein 1927	not in Uetz 2006	
Scincidae	*Sphenomorphus schlegeli*	33.0	Greer 2001	not in Uetz 2006	
Scincidae	*Sphenomorphus schoedei*	60.0	Greer and Parker 1967	not in Uetz 2006	
Scincidae	*Sphenomorphus tornieri*	71.0	Greer and Parker 1967	not in Uetz 2006	
Scincidae	*Sphenomorphus tridigitatus*	36.5	Greer et al. 2005	not in Uetz 2006	
Teiidae	*Ameiva vittipunctata*	88.0	Boulenger 1885	not in Uetz 2006	
Teiidae	*Cnemidophorus espeuti*	100.0	Boulenger 1885	not in Uetz 2006	
Tropiduridae	*Leiocephalus partitus*	135.0	Pregill 1986, Pregill 1992	not in Uetz 2006	
Tropiduridae	*Phrynosaura erronea*	66.3	Ramirez Leyton and Pincheira Donoso 2005	not in Uetz 2006	
Tropiduridae	*Tropidurus jcae*	94.0	Fitch 1981	not in Uetz 2006	
Tropiduridae	*Tropidurus strobilurus*	89.8	Kohlsdorf et al. 2001	not in Uetz 2006	

paper

Abdala, C. S. 2005. Dos nuevas especies del genero Liolaemus (Iguania: Liolaemidae) y redescripción de Liolaemus boulengeri (Koslowsky, 1898). Cuadernos de Herpetologia 19: 3-33.
Abdala, C. S. and Gomez, J. M. D. 2006. A new species of the Liolaemus darwinii group (Iguania: Liolaemidae) from Catamarca Province, Argentina. Zootaxa 1317: 21–33.

Amaral, A. D. 1933. Estudos sobre Lacertilios neotropicos. I. novos generos e especies de largartos do Brasil. Memorias do Instituto de Butantan 7: 51-75.
Anderson, J. 1898. Zoology of Egypt. Vol. l. Reptilia and Batrachia. Bernard Quaritch, London.
Avila, L. J., Morando, M., Perez, C. H. F. and Sites, J. W. 2007. A new species of Liolaemus (Reptilia: Squamata: Liolaemini) from southern Mendoza province, Argentina. Zootaxa 1452: 43-54.
Avila, L. J., Morando, M. and Sites, J. W. 2008. New species of the iguanian lizard genus Liolaemus (Squamata, Iguania, Liolaemini) from central Patagonia, Argentina. Journal of Herpetology, 42: 186-196.
Bauer, A. M., Chirio, L. Ineich, I. and LeBreton, M. 2006. New species of Cnemaspis (Squamata: Gekkonidae) from northern Cameroon, a neglected biodiversity hotspot. Journal of Herpetology 40: 510-519.

Bauer, A. M., de Silva, A., Greenbaum, E. and Jackman, T. 2007. A new species of day gecko from high elevation in Sri Lanka, with a preliminary phylogeny of Sri Lankan Cnemaspis (Reptilia, Squamata, Gekkonidae). Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe 83 (Supplement): 22–32.
Bergmann, P. J. and Russell, A. P. 2007. Systematics and biogeography of the widespread Neotropical gekkonid genus Thecadactylus (Squamata), with the description of a new cryptic species. Zoological Journal of the Linnean Society 149: 339-370.
Boulenger, G. A. 1885. Catalogue of the Lizards in the British Museum (Nat. Hist.) II. Iguanidae, Xenosauridae, Zonuridae, Anguidae, Anniellidae, Helodermatidae, Varanidae, Xantusiidae, Teiidae, Amphiesbaenidae. Trustees of the British Museum, London.
Boulenger, G. A. 1887. Catalogue of the Lizards in the British Museum (Nat. Hist.) III. Lacertidae, Gerrhosauridae, Scincidae, Anelytropidae, Dibamidae. Trustees of the British Museum, London.
Boulenger, G. A. 1894. Second report on additions to the lizard collection in the Natural History Museum. Proceedings of the Zoological Society of London 1894: 722-736.
Boulenger, G. A. 1903. Descriptions of new lizards in the collection of the British Museum. Annals and Magazine of Natural History 7: 429-435.
Boulenger, G. A. 1912. A vertebrate fauna of the Malay Peninsula from the Isthmus of Kra to Singapore including the adjacent islands. Reptilia and batrachia. Taylor and Francis, London.
Boulenger, G. A. 1920. Monograph of the Lacertidae. Vol. 1. London, Trustees of the British Museum (Natural. History).
Boulenger, G. A. 1921. Monograph of the Lacertidae. Vol. 2. London, Trustees of the British Museum (Natural. History).
Brown, R. M., Diesmos, A. C. and Duya, M. V. 2007. A new Luperosaurus (Squamata: Gekkonidae) from the Sierra Madre of Luzon Island, Philippines. Raffles Bulletin of Zoology 55: 167-174.
Buden, D. W. 2007. A new species of the genus Lepidodactylus Fitzinger (Squamata: Gekkonidae) from the Mortlock Islands, Chuuk State, Federated States of Micronesia. Pacific Science 61(3): 407-414.
Burt, C. E. and Burt, M. D. 1931. South American lizards in the collection of the American Museum of Natural History. Bulletin of the American Museum of Natural History 61: 227-395.
Case, T. J., Bolger, A. D. and Richman, A. D. 1998. Reptilian extinctions over the last ten thousand years. Pages 157-186 In: Fielder, P. L. and, Kareiva, P. M. (eds.), Conservation biology for the coming decade, 2nd edition, Chapman & Hall, New York.

Castro-Herrera, F. 1988. Niche structure on an anole community in a tropical rain forest within the Chocoì Region of Colombia. DPhil Thesis, North Texas State University.
Chabanaud, P. 1917. Enumération des reptiles non encore étudiés de l'Afrique occidentale, appartenant aux collections du Muséum, avec la description des espèces nouvelles. Bulletin du Museum National d'Histoire Naturelle, Paris 23: 83-105.
Das, I. and Austin, C. C. 2007. New species of Lipinia (Squamata: Scincidae) from Borneo, revealed by molecular and morphological data. Journal of Herpetology, 41: 61-71.
Das, I., Lakim, M. and Kandaung, P. 2008. New species of Luperosaurus (Squamata: Gekkonidae) from the Crocker Range Park, Sabah, Malaysia (Borneo). Zootaxa 1719: 53-60.
Das, I., Se Silva, A. and Austin, C. C. 2008. A new species of Eutropis (Squamata: Scincidae) from Sri Lanka. Zootaxa 1700: 35-52.
De Rooij, N. 1915. The reptiles of the Indo-Australian archipelago. Vol. 1. Lacertilia, Chelonia, Emydosauria. E.J. Brill, Leiden.
de Witte, G. F. 1933. Reptiles recoltes au Conge Belge par le Dr. H. Schouteden et par M. G.-F. Witte. Annales du Musee du Congo Belge Tervuren (Belgique) Sciences Zoologiques 1 Tome III: 53-100.
Dixon, J. R. 1964. The systematics and distribution of lizards of the genus Phyllodactylus in North and Central America. New Mexico State University Scientific Bulletin 64: 1-139.
Doughty, P., Maryan, B., Melville, J. and Austin, J. 2007. A new species of Ctenophorus (Lacertilia: Agamidae) from Lake Disappointment, Western Australia. Herpetologica, 63: 72–86.

Dunn, E. R. 1927. Results of the Douglas Burden Expedition to the Island of Komodo. 3, Lizards from the East Indies. American Museum novitates 288: 1-13.
El Din, S. B. 2006. A Guide to the Reptiles and Amphibians of Egypt. American University in Cairo Press
Fitch, H. S. 1981. Sexual size differences in reptiles. University of Kansas Museum of Natural History Miscellaneous Publications 70: 1–72.
Fitch, H. S. and Henderson, R. W. 1973. A new Anole (Reptilia: Iguanidae) from southern Veracruz, Mexico. Journal of Herpetology, 7: 125-128.
Gaulke, M., Roesler, H. and Brown, R. M. 2007. A new species of Luperosaurus (Squamata: Gekkonidae) from Panay Island, Philippines, with comments on the taxonomic status of Luperosaurus cumingii (Gray, 1845). Copeia 2007: 413-425.
Giri, V. B. and Bauer, A. M. 2008. A new ground-dwelling Hemidactylus (Squamata: Gekkonidae) from Maharashtra, with a key to the Hemidactylus of India. Zootaxa 1700: 21-34.
Glaw, F., and M. Vences. 2007. A field guide to the amphibians and reptiles of Madagascar. Third edition, Vences and Glaw Verlags, Cologne.

Greer, A. E. 1977. On the adaptive significance of the loss of an oviduct in reptiles. Proceedings of the Linnean Society of New South Wales 101: 242-249.
Greer, A. E. 2001. Distribution of maximum snout-vent length among species of scincid lizards. Journal of Herpetology 35: 383-395.
Greer, A. E. 2005. Encyclopedia of Australian Reptiles. Australian Museum Online http://www.amonline.net.au/herpetology/research/encyclopedia.pdf Version date: 5 August 2005.
Greer, A. E. and Parker, F. A. 1967. New scincid lizard from the northern Solomon Islands. Breviora 275: 1–20.
Greer, A. E. and Parker, F. A. 1974. The fasciatus species group of Sphenomorphus (Lacertilia: Scincidae): notes on eight previously described species and descriptions of three new species. Papua New Guinea Scientific Society Proceedings 25: 31–61.
Greer, A. E. and Shea, G. 2004. A new character within the taxonomically difficult Sphenomorphus group of lygosomine skinks, with a description of a new species from New Guinea. Journal of Herpetology 38: 79–87.
Greer, A. E. and Wadsworth, L. 2003. Body Shape in Skinks: The Relationship between Relative Hind Limb Length and Relative Snout-Vent Length. Journal of Herpetology 37: 554-559.
Greer, A. E., Allison, A. and Cogger, H. G. 2005. Four new species of Lobulia (Lacertilia: Scincidae) from high altitude in New Guinea. Herpetological Monographs 19: 153-179.

Grismer, L. L. 2006. Two new species of skinks (Genus Sphenomorphus Fitzinger 1843) from the Seribuat Archipelago. Herpetological Natural History 9: 151-162.
Grismer, L. L. 2008. A new species of insular skink (Genus Sphenomorphus Fitzinger 1843) from the Langkawi Archipelago, Kedah, West Malaysia with the first report of the herpetofauna of Pulau Singa Besar and an updated checklist of the herpetofauna of Pulau Langkawi. Zootaxa

Hulebak, E., Poe, S., Ibanez, R. and Williams, E. E. 2007. A striking new species of Anolis lizard (Squamata, Iguania) from Panama. Phyllomedusa 6: 5-10.
Jewell, T. R. and Leschen, R. A. B. 2004. A new species of Hoplodactylus (Reptilia: Pygopodidae) from the Takitimu Mountains, South Island, New Zealand. Zootaxa 792: 1-11.
Kizirian, D., Bayefsky-Anand, S., Eriksson, A., Le, M. and Donnelly, M. A. 2008. A new Petracola and re-description of P. ventrimaculatus (Squamata: Gymnophthalmidae). Zootaxa 1700: 53-62.
Kohler, G. 2003. Reptiles of Central America. Herpeton Verlag, Offenbach.
Kohler, G., Ponce, M., Sunyer, J. and Batista, A. 2007. Four new species of anoles (genus Anolis) from the Serrania de Tabasara , West-Central Panama (Squamata: Polychrotidae). Herpetologica, 63: 375-391.

Kohlsdorf, T., Garland, T. and Navas, C. A. 2001. Limb and tail lengths in relation to substrate usage in Tropidurus lizards. Journal of Morphology, 248: 151-164.
Kopstein, P. F. 1926. Reptilien von den Molukken und den benachbarten Inseln. Zoologische Mededelingen 1: 71-112.
Kopstein, P. F. 1927. Die reptilienfauna der Sula-Inseln. Treubia, 9: 437-446.
Kraus, F. 2007. A new species of Cyrtodactylus (Squamata: Gekkonidae) from western Papua New Guinea. Zootaxa 1425: 63-68.

Kraus, F. 2007. Taxonomic Partitioning within Papuan Members of the Carlia novaeguineae Complex (Squamata: Scincidae). Journal of Herpetology, 41: 410-423.

Krysko , K. L., Rehman, H. and Auffenberg, K. 2007. A new species of Cyrtopodion (Gekkonidae: Gekkoninae) from Pakistan. Herpetologica, 63: 100–113.

Laspiur, A., Acosta, J. C. and Abdala, C. S. 2007. A new species of Leiosaurus (Iguania: Leiosauridae) from central-western Argentina. Zootaxa 1470: 47–57.

Ljubisavljevic, K., Arribas, O., Dzukic, G. and Carranza, S. 2007. Genetic and morphological differentiation of Mosor rock lizards, Dinarolacerta mosorensis (Kolombatović, 1886), with the description of a new species from the Prokletije Mountain Massif (Montenegro) (Squamata: Lacertidae). Zootaxa 1613: 1-22.
Lobo, F. and Quinteros, S. 2005. A morphology-based phylogeny of Phymaturus (Iguania: Liolaemidae) with the description of four new species from Argentina. Papeis Avulsos de Zoologia 45: 143-177.
Lonnberg, E. 1911. Reptiles, Batrachians and Fishes collected by the swedish Zoological Expedition to British East Africa 1911. Kungliga Svenska Vetenskaps-Akademiens Handlingar 47(6): 1-24.
Loveridge, A. 1944. Revision of the African lizards of the family Cordylidae. Bulletin of the Museum of Comparative Zoology 95: 1-118.
Manthey, U. and Grossmann, W. 1997. Amphibien & Reptilien Sudostasiens. Munster: Natur und Tier–Verlag.
Martins, E. P. 1993. A comparative study of the evolution of Sceloporus push-up displays. American Natualist 142: 994-1018.
Matschie, P. 1893. Uber einige von Herrn Oscar Neumann bei Aden gesammelte u. beobachtete Säugethiere, Reptilien und Amphibien. Sber. Berlinische Gesellschaft Naturforschender Freunde, Berlin 1893: 24-31.
Mertens, R. 1934. Die Inseln-Reptilien, ihre ausbreitung variation und arthildung. Zoologica (Stuttgart) 32, 1-209.
Monard, A. 1940. Resultats de la mission du Dr. Monard en Guinee Portugaise 1937–1938. Arquivos do Museu Bocage, Lisbon 11: 147-182.
Monguillot, J. C., Cabrera, M. R., Acosta, J. C. and Villavicencio, J. 2006. A new species of Liolaemus (Reptilia: Iguanidae) from San Guillermo National Park, western Argentina. Zootaxa 1361: 33-43.

Moody, S. M. 1988. Rediscovery and taxonomic identity of Oreoderia gracilipes Girard 1857 (Lacertilia, Agamidae). Herpetologica 44: 108-113.
Nogueira, C. and Rodrigues, M. T. 2006. The genus Stenocercus (Squamata: Tropiduridae) in extra-Amazonian Brazil, with the description of two new species. South American Journal of Herpetology 1: 149-165.
Pasteur, G. 1995. Biodiversite et reptiles: diagnoses de sept nouvelles especes fossiles et actuelles du genre de lezards Lygodactylus (Sauria, Gekkonidae). Dumerilia 2: 1-21.
Perret, J. L. 1975. Revision critique de quelques types de reptiles et batraciens africains. Revue suisse de Zoologie 82: 185-192.
Perret, J. L. 1986. Revision des especes africaines du genre Cnemaspis Strauch, sous-genre Ancylodactylus Muller (Lacertilia, Gekkonidae), avec la description de quatre especes nouvelles. Revue Suisse de Zoologie 93: 457-505.
Pincheira-Donoso, D. and Scolaro, A. 2007. Iguanian species-richness in the Andes of boreal Patagonia: Evidence for an additional new Liolaemus lizard from Argentina lacking precloacal glands (Iguania, Liolaeminae). Zootaxa 1452: 55-68.
Poe, S. and Ibanez, R. 2007. A new species of Anolis lizard from the Cordillera de Talamanca of Western Panama. Journal of Herpetology, 41: 263-270.
Pregill, G. K. 1986. Body size of insular lizards: a pattern of Holocene dwarfism. Evolution 40: 997-1008.
Pregill, G. K. 1992. Systematics of the West Indian lizard genus Leiocephalus (Squamata: Iguania: Tropiduridae). University of Kansas Museum of Natural History Miscellaneous Publications 84: 1-69
Quinteros, A. S., Abdala, C. S. and Lobo, F. J. 2008. Redescription of Liolaemus dorbignyi Koslowsky, 1898 and description of a new species of Liolaemus (Iguania: Liolaemidae). Zootaxa 1717: 51-67.
Ramírez Leyton, G. M. and Pincheira Donoso, D. 2005. Fauna del Altiplano y Desierto de Atacama. Phrynosaura Ediciones, Chile.
Raxworthy, C. J. and Nussbaum, R. A. 2006. Six new species of occipital-lobed Calumma chameleons (Squamata: Chamaeleonidae) from montane regions of Madagascar, with a new description and revision of Calumma brevicorne. Copeia 2006: 711–734.
Rodrigues, M. T., Freire, E. M. X., Pellegrino, K. C. M. and Sites, J. W. 2005. Phylogenetic relationships of a new genus and species of microteiid lizard from the Atlantic forest of north-eastern Brazil (Squamata, Gymnophthalmidae). Zoological Journal of the Linnean Society 144: 543–557.
Rodrigues, M. T., Freitas, M. A., Silva, T. F. S. and Bertolotto, C. E. V. 2006. A new species of lizard genus Enyalius (Squamata, Leiosauridae) from the highlands of Chapada Diamantina, state of Bahia, Brazil, with a key to species. Phyllomedusa 5: 11-24.
Rodrigues, M. T., Pellegrino, K. C. M., Dixo, M., Verdade, V. K., Pavan, D. Argolo, A. J. S. and Sites, J. W. 2007. A new genus of microteiid lizard from the Atlantic forests of state of Bahia, Brazil, with a new generic name for Colobosaura mentalis, and a discussion of relationships among the heterodactylini (Squamata, Gymnophthalmidae). American Museum Novitates 3565: 1-27.
Rodrigues, M. T., Pavan, D. and Curcio, F. F. 2007. Two new species of lizards of the genus Bachia (Squamata, Gymnophthalmidae) from central Brazil. Journal of Herpetology, 41: 545-553.
Rosler, H., Kohler, J. and Bohme, W. 2008. A new species of the diurnal gekkonid genus Pristurus Rüppell, 1835 from the Red Sea island Hanish al-Kabir, Yemen. Amphibia-Reptilia 29: 217-227.
Scolaro, J. A. 2006. Reptiles Patagonicos Norte. Una Guia de Campo. Ediciones Universidad Nacional de la Patagonia, Trelew.
Scolaro, J. A. and Ibarguengoytia, N. R. 2007. A new species of Phymaturus from rocky outcrops in the central steppe of Rio Negro province, Patagonia Argentina (Reptilia: Iguania: Liolaemidae). Zootaxa 1524: 47-55.

Shreve, B. 1940. Reptiles and amphibians from Burma with descriptions of three new skinks. Proceedings of the New England Zoological Club 18: 17-26.
Smith, H. M. 1939. The Mexican and Central American lizards of the genus Sceloporus. Field Museum of Natural History, Chicago.
Taylor, E. H. 1922. The lizards of the Philippine Islands. Manila Bureau of Printing, Manila.
Toda, M., Sengoku, S., Hikida, T. and Ota, H. 2008. Description of two new species of the genus Gekko (Squamata: Gekkonidae) from the Tokara and Amami Island groups in the Ryukyu Archipelago, Japan. Copeia 2008: 452-466.
Torres-Carvajal, O. 2007. New Andean species of Stenocercus (Squamata: Iguania) from the eastern Cordillera in Colombia. Copeia, 2007: 56–61.

Tri, N. V. and Bauer, A. M. 2008. Descriptions of two new species of Cyrtodactylus Gray 1827 (Squamata : Gekkonidae) endemic to southern Vietnam. Zootaxa 1715: 27-42.

Ullenbruch, K., Krause, P. and Bohme, W. 2007. A new species of the Chamaeleo dilepis group (Sauria Chamaeleonidae) from West Africa. Tropical Zoology 20: 1-17.
Werner, F. 1895. Uber eine sammlung von reptilien aus Persien, Mesopotamien und Arabien. Verhandllungen der Kaiserlich-kongiglichen Zoologish-Botanischen Gesellschaft in Wien 45: 13-22.
Werner, F. 1908. Ergebnisse der mit subvention aus der erbschaft treitl unternommenen zoologischen Forschungsreise Dr. Franz Werner's nach nach dem Ägyptischen Sudan und Norduganda. XII. die reptilien und amphibien. Sitzungsber Akademie der Wissenschaften Wien 116: 1823-1926.

Werner, F. 1910. Uber neue oder seltene reptilien des Naturhistorischen Museums in Hamburg. ii. Eidechsen. Hamburg Jahrbucher Wiss. Anst. 27, suppl. no. 2, pp. 1-46.
Wickramasinghe, L. J. M. 2006. A new species of Cnemaspis (Sauria: Gekkonidae) from Sri Lanka. Zootaxa 1369: 19-33.
Wickramasinghe, L. J. and Munindradasa, D. A. I. 2007. Review of the genus Cnemaspis Strauch, 1887 (Sauria: Gekkonidae) in Sri Lanka with the description of five new species. Zootaxa 1490: 1-63.
Wilms, T. M. and Schmitz, A. 2007. A new polytypic species of the genus Uromastyx Merrem 1820 (Reptilia: Squamata: Agamidae: Leiolepidinae) from southwestern Arabia. Zootaxa 1394: 1-23.
Wilson, S. and Swan, G. 2003. A complete field guide to reptiles of Australia. Reed New Holland, Sydney.
Zhao, E. M., Zha, K. T. and Zhou, K. Y. (Editors). 1999. Fauna Sinica. Reptilia Vol. 2. Squamata. Lacertilia. Science Press, Beijing.
Ziegler, T., Bohme, W. and Schmitz, A. 2007. A new species of the Varanus indicus group (Squamata, Varanidae) from Halmahera Island, Moluccas: morphological and molecular evidence. Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe 83 (Supplement): 109-119.

Appendix S4 - Taxon ages, richness and SVL, and lizard phylogeny

Taxon	Age (million years)	number of species	Diversification rate	median log SVL (mm)	mean log SVL (mm)
Agaminae	77.8	378	0.033	1.96	1.98
Anguidae	46.1	114	0.045	2.06	2.11
Anniellidae	46.1	2	0.007	2.20	2.20
Chamaeleonidae	77.8	162	0.028	1.90	1.93
Cordylidae	47.2	55	0.037	1.95	1.97
Corytophanidae	59.7	9	0.016	2.28	2.24
Crotaphytidae	67.1	10	0.015	2.10	2.09
Dibamidae	160.2	21	0.008	2.11	2.12
Diplodactylinae	50.0	121	0.042	1.89	1.90
Gekkoninae	80.1	994	0.037	1.74	1.74
Gerrhosauridae	47.2	33	0.032	1.99	2.05
Gymnophthalmidae	73.5	206	0.031	1.77	1.77
Helodermatidae	63.6	2	0.005	2.61	2.61
Hoplocercidae	60.9	11	0.017	2.13	2.11
Iguanidae	62.1	36	0.025	2.52	2.51
Lacertidae	142.5	285	0.017	1.83	1.86
Lanthanotidae	36.3	1	0.000	2.60	2.60
Leiocephalinae	72.5	28	0.020	1.97	1.99
Liolaemidae	62.1	195	0.037	1.88	1.88
Opluridae	62.1	7	0.014	2.07	2.09
Phrynosomatidae	59.7	128	0.035	1.91	1.91
Polychrotidae	60.9	394	0.043	1.80	1.83
Pygopodidae	50.0	37	0.031	2.08	2.11
Scincidae	134.8	1345	0.023	1.85	1.87
Shinisaurinae	72.0	1	0.000	2.60	2.60
Teiidae	73.5	122	0.028	2.03	2.05
Tropidurinae	67.1	110	0.030	1.97	1.98
Uromastycidae	80.9	16	0.015	2.35	2.34
Varanidae	36.3	63	0.050	2.60	2.58
Xantusiidae	118.7	24	0.012	1.88	1.88
Xenosaurinae	67.2	6	0.012	2.05	2.06

Species richness and body sizes of different lizard clades used to infer the relationship between species richness and body sizes. SVL = snout vent length. Diversification rates are in log(number of species) * age^{-1}.


Chamaeleonidae
Agaminae
Uromastycidae
Polychrotidae
Hoplocercidae
Iguanidae
Phrynosomatidae
Corytophanidae
Liolaemidae
Opluridae
Tropidurinae
Crotaphytidae
Leiocephalinae
Anguidae
Anniellidae
Helodermatidae
Xenosaurinae
Varanidae
Lanthanotidae
Shinisaurinae
Lacertidae
Teiidae
Gymnophthalmidae
Scincidae
Xantusiidae
Gerrhosauridae
Cordylidae
Dibamidae
Gekkoninae
Diplodactylinae
Pygopodidae

Table S1 Realm-specific moments of central tendency for size frequency distributions

Family	Sampled species	Mean log SVL	SE	g_1	p (g_1)	g_2	p (g_2)	CV
All lizards	4875	1.89	0.003	0.88	<0.0001	2.08	<0.0001	12.14
Australia	631	1.90	0.01	1.14	<0.0001	2.23	<0.0001	2.80
Ethiopian	743	1.88	0.01	0.89	<0.0001	2.24	<0.0001	2.87
Madagascar	245	1.86	0.02	0.29	0.068	-0.49	0.117	2.39
Nearctic	154	2.00	0.02	0.95	<0.0001	0.87	0.029	2.19
Neotropic	1520	1.86	0.01	0.66	<0.0001	1.96	<0.0001	3.18
Oceania	411	1.90	0.01	1.30	<0.0001	2.13	<0.0001	2.61
Oriental	710	1.90	0.01	0.95	<0.0001	2.91	<0.0001	2.85
Palearctic	462	1.90	0.01	1.09	<0.0001	2.26	<0.0001	2.66

Supplementary figure S1
Body size frequency distribution of island-endemic lizards
Body size is snout vent length (SVL) in (log 10) mm.

a. body size frequency distribution on islands lacking mammalian Carnivora (or islands that lacked such species until these were introduced in historical times)
b. body size frequency distribution on islands with native mammalian Carnivora

Data for lizard insularity are from an unpublished manuscript. Data for presence or absence of mammalian carnivores on islands are from :

Meiri, S. 2004. Carnivore body size: Aspects of geographic variation. PhD dissertation, Tel Aviv University.
Meiri, S. 2005. Small carnivores on small islands. New data based on old skulls. Small Carnivore Conservation 33: 21-23.
Meiri, S., Simberloff, D. and Dayan, T. 2005. Insular carnivore biogeography: Island area and mammalian optimal body size. American Naturalist 165: 505-514.


no carnivores
Frequency
0
20
40
60
1.0
1.5
2.0
2.5
3.0
3.5
log (SVL)

carnivores present
Frequency
0
20
40
60
1.0
1.5
2.0
2.5
3.0
3.5
log (SVL)

Supplementary figure S2
Numbers of lizard species recognised as a function of their year of description

The numbers of species of lizards recognised by Uetz (The reptile database CD-ROM edition, October 2006. Heidelberg, Germany), as a function of the year in which these species were first described.

a. The number of recognised species described each year, 1758-2005. The line is a least-square regression line (slope = 2.00±0.24, $R^2 = 0.25$, $p < 0.0001$).
b. The number of recognised species described each year since the end of world war II, 1946-2005. The line is a least-square regression line (slope = 0.74±0.07, $R^2 = 0.67$, $p < 0.0001$).
c. The cumulative number of lizard species in the Uetz 2006 taxonomy, by year.


a
lizard species described
0
20
40
60
80
1750
1800
1850
1900
1950
2000
year of description


b
lizard species described
10
20
30
40
50
60
70
1950
1960
1970
1980
1990
2000
year of description