CREATE TABLE SECTION\_63 (SECTION\_ID CHAR(7), TIME\_OFFERED CHAR(10), DAY\_OFFERED CHAR(10), SECTION\_ROOM CHAR(8), CLASS\_SIZE NUMBER(3,0) CHECK(CLASS\_SIZE >=0), NUMBER\_ENROLLED NUMBER(3,0) CHECK(NUMBER\_ENROLLED >=0), INSTRUCTOR\_ID CHAR (5) REFERENCES INSTRUCTOR\_63(INSTRUCTOR\_ID), COURSE\_CODE CHAR(7) REFERENCES COURSE\_63(COURSE\_CODE), PRIMARY KEY(SECTION\_ID, TIME\_OFFERED));

# SQL> DESC SECTION\_63;

Name	Null?	Туре
SECTION_ID	NOT NULL	CHAR(7)
TIME_OFFERED	NOT NULL	CHAR(10)
DAY_OFFERED		CHAR(10)
SECTION_ROOM		CHAR(8)
CLASS_SIZE		NUMBER(3)
NUMBER_ENROLLE	D	NUMBER(3)
INSTRUCTOR_ID		CHAR(5)
COURSE_CODE		CHAR(7)

### INSERT INTO SECTION\_63

VALUES('&SECTION\_ID','&TIME\_OFFERED','&DAYS\_OFFERED','&SECTION\_ROOM',&CLA SS\_SIZE,&NUMBER\_ENROLLED,'&INSTRUCTOR\_ID','&COURSE\_CODE')

## SQL>/

Enter value for section\_id: 3011236 Enter value for time\_offered: 10-12 Enter value for day\_offered: MW Enter value for section\_room: A101 Enter value for class\_size: 50

Enter value for number\_enrolled: 45 Enter value for instructor\_id: 11111 Enter value for course\_code: CS101

#### SQL> SELECT \* FROM SECTION 63;

SECTION TIME\_OFFER DAY\_OFFERE SECTION\_ CLASS\_SIZE NUMBER\_ENROLLED INSTR COURSE

3011236	10-12	MW	A101	50	45	11111 C	S101
3012237	2-4	TTH	B202	40	38	22222 (	CS202

3013	3238	8-10	MW	C303	35	33	33333	CS303
3014	1239	12-2	MW	D404	60	55	44444	CS404
3015	5240	4-6	TTH	E505	55	50	55555	CS505
3016	3241	6-8	TTH	F606	30	28	66666	MATH101
3017	7242	8-10	MW	G707	40	37	77777	MATH202
3018	3243	10-12	TTH	H808	45	42	88888	ENG101
3019	9244	2-4	MW	1909	35	31	99999	PHY101
3020	245	12-2	TTH	J1010	30	29	12345	PHY202

CREATE TABLE ENROLLMENT\_63(STUD\_NO CHAR(9) REFERENCES
STUDENT\_63(STUD\_NO), SECTION\_ID CHAR(7), GRADE CHAR(2), TIME\_OFFERED
CHAR(10), PRIMARY KEY (STUD\_NO, SECTION\_ID), FOREIGN
KEY(SECTION\_ID,TIME\_OFFERED)REFERENCES
SECTION\_63(SECTION\_ID,TIME\_OFFERED))

# SQL> DESC ENROLLMENT\_63;

Name	Null?	Туре
OTUD NO	NOTABLE	OLIA D (0)
STUD_NO	NOT NULL	CHAR(9)
SECTION_ID	NOT NULL	CHAR(7)
GRADE		CHAR(2)
TIME OFFERED		CHAR(10)

SQL> SELECT \* FROM ENROLLMENT\_63;

# STUD\_NO SECTION GR TIME\_OFFER

-----

111111111 3011236 A 10-12

22222222 3012237 B+ 2-4

333333333 3013238 B- 8-10

44444444 3014239 A- 12-2

55555555 3015240 C 4-6

666666666 3016241 B 6-8

777777777 3017242 C+ 8-10

99999999 3019244 D 2-4

123456789 3020245 B- 12-2

9 rows selected.

#### Queries

2:

SQL> ALTER TABLE ENROLLMENT\_63 MODIFY GRADE VARCHAR(4);

Table altered.

SQL> DESC ENROLLMENT\_63;

Name	Null?	Туре
STUD_NO	NOT NULL	CHAR(9)
SECTION_ID	NOT NULL	CHAR(7)
GRADE		VARCHAR2(4)
TIME OFFERED		CHAR(10)

3:

SQL>ALTER TABLE INSTRUCTOR\_63 ADD INSTRUCTOR\_MAILID CHAR(15);

Table altered.

SQL> DESC INSTRUCTOR\_63;

Name	Null?	Type	
INSTRUCTOR_ID	NOT NULL		CHAR(5)
INSTRUCTOR_LNAME			CHAR(15)
INSTRUCTOR_FNAME			CHAR(15)
INSTRUCTOR_PHONE			CHAR(10)
INSTRUCTOR_MAILID			CHAR(15)

4

SQL> CREATE VIEW INSTRUCTOR\_SECTIONS\_VIEW AS SELECT I.INSTRUCTOR\_FNAME,I.INSTRUCTOR\_LNAME,S.TIME\_OFFERED,S.DAY\_OFFERED,S.SE CTION\_ROOM,C.COURSE\_CODE,C.COURSE\_TITLE FROM INSTRUCTOR\_63 I,SECTION\_63 S,COURSE\_63 C WHERE I.INSTRUCTOR\_ID=S.INSTRUCTOR\_ID AND C.COURSE\_CODE=S.COURSE\_CODE;

View created.

SQL> SELECT \* FROM INSTRUCTOR\_SECTIONS\_VIEW;

# INSTRUCTOR\_FNAM INSTRUCTOR\_LNAM TIME\_OFFER DAY\_OFFERE SECTION\_ COURSE\_COURSE\_TITLE

KRISHNA	RAJ	6-8	TTH	G999	CS101	INTRODUCTION TO CS
KRISHNA	RAJ	2-4	MW	D888	CS101	INTRODUCTION TO CS
KRISHNA	RAJ	10-12	MW	A101	CS101	INTRODUCTION TO CS
SUMAN	Τ	2-4	TTH	B202	CS202	DATA STRUCTURES
STUTHY	KRISHNA	8-10	MW	C303	CS303	ALGORITHMS
MATHEW	JONES	12-2	MW	D404	CS404	DATABASE SYSTEMS
EMILY	WILLIAMS	4-6	TTH	E505	CS505	SOFTWARE ENGINEERING
DAVID	JOHNSON	6-8	TTH	F606	MATH101	MATHEMATICS I
MUHAMMED	NOUFAL	8-10	MW	G707	MATH202	MATHEMATICS II
MANOJ	EBRAHAM	10-12	TTH	H808	ENG101	ENGLISH COMPOSITION
SUTHARSHAN	K	2-4	MW	1909	PHY101	PHYSICS I

# INSTRUCTOR\_FNAM INSTRUCTOR\_LNAM TIME\_OFFER DAY\_OFFERE SECTION\_COURSE\_COURSE\_TITLE

------

BENSON K 12-2 TTH J1010 PHY202 PHYSICS II
RAVI KUMAR 2-4 MW BLGNG102 CS240 WEB TECHNOLOGIES

5:

SQL> INSERT INTO STUDENT\_63 VALUES('1111111111','ABEY','TIMOTHI','123 FISAT','ANGAMALY','KL','60606'); INSERT INTO STUDENT\_63 VALUES('111111111','ABEY','TIMOTHI','123 FISAT','ANGAMALY','KL','60606')

ERROR at line 1:

ORA-00001: unique constraint (CS27021.SYS\_C0015233) violated

6:

SQL> INSERT INTO COURSE\_63 VALUES('CS240','WEB DESIGN',4);

1 row created.

Commit complete.

SQL> SELECT \* FROM COURSE\_63;

COURSE\_COURSE\_TITLE COURSE\_HOURS
-----CS101 INTRODUCTION TO CS 3

<sup>13</sup> rows selected.

CS202	DATA STRUCTURES	4
CS303	ALGORITHMS	3
CS404	DATABASE SYSTEMS	3
CS505	SOFTWARE ENGINEERING	4
MATH10	1 MATHEMATICS I	3
MATH20	2 MATHEMATICS II	3
ENG101	ENGLISH COMPOSITION	3
PHY101	PHYSICS I	4
PHY202	PHYSICS II	4
CS240	WEB DESIGN	4

#### 7:

SQL> INSERT INTO SECTION\_63 VALUES ('3011255','2-4','MW','BLGNG102',35,0,'11113','CS240'); INSERT INTO SECTION\_63 VALUES ('3011255','2-4','MW','BLGNG102',35,0,'11113','CS240') \*

ERROR at line 1:

ORA-02291: integrity constraint (CS27021.SYS\_C0017339) violated - parent key not found

SQL> INSERT INTO INSTRUCTOR\_63 VALUES('11113','KUMAR','RAVI','234567234',");

1 row created.

Commit complete.

SQL> SELECT \* FROM INSTRUCTOR\_63;

# INSTR INSTRUCTOR\_LNAM INSTRUCTOR\_FNAM INSTRUCTOR INSTRUCTOR\_MAIL

11111 RAJ KRISHNA 1234567890 Т 22222 SUMAN 2345678901 KRISHNA 33333 STUTHY 3456789012 44444 **JONES** MATHEW 4567890123 **EMILY** 55555 WILLIAMS 5678901234 JOHNSON DAVID 66666 6789012345 77777 NOUFAL MUHAMMED 7890123456 88888 EBRAHAM MANOJ 8901234567 99999 Κ SUTHARSHAN 9012345678 12345 K BENSON 9876543210 11113 KUMAR RAVI 234567234

SQL> INSERT INTO SECTION\_63 VALUES ('3011255','2-4','MW','BLGNG102',35,0,'11113','CS240');

1 row created.

Commit complete.

SQL> SELECT \* FROM SECTION\_63;

SECTION TIME\_OFFER DAY\_OFFERE SECTION\_ CLASS\_SIZE NUMBER\_ENROLLED INSTR COURSE\_

3011236 10-12	2 MW	A101	55	45	11111	CS101
3012237 2-4	TTH	B202	44	38	22222	CS202
3011255 2-4	MW	BLGNG102	35	0	11113	CS240
3013238 8-10	MW	C303	39	33	33333	CS303
3014239 12-2	MW	D404	66	55	44444	CS404
3015240 4-6	TTH	E505	61	50	55555	CS505
3016241 6-8	TTH	F606	33	28	66666	MATH101
3017242 8-10	MW	G707	44	37	77777	MATH202
3018243 10-12	2 TTH	H808	50	42	88888	ENG101
3019244 2-4	MW	1909	39	31	99999	PHY101
3020245 12-2	TTH	J1010	33	29	12345	PHY202

<sup>11</sup> rows selected.

SQL> INSERT INTO ENROLLMENT\_63 VALUES('987654321','3011255',NULL,'2-4');

1 row created.

Commit complete.

SQL> SELECT \* FROM ENROLLMENT\_63;

STUD_NO	SECTION	GRAD	TIME_OFFER
111111111	3011236	Α	10-12
22222222	3012237	B+	2-4
33333333	3013238	B-	8-10
44444444	3014239	A-	12-2
55555555	3015240	С	4-6
66666666	3016241	В	6-8

77777777	3017242	C+	8-10
99999999	3019244	D	2-4
123456789	3020245	B-	12-2
987654321	3011255		2-4

8:

SQL> INSERT INTO ENROLLMENT\_63 VALUES('987654321','3011255',NULL,'2-4'); INSERT INTO ENROLLMENT\_63 VALUES('987654321','3011255',NULL,'2-4')

\*

ERROR at line 1:

ORA-02291: integrity constraint (CS27021.SYS\_C0017366) violated - parent key not found

SQL> INSERT INTO STUDENT\_63 VALUES('987654321','ABEY','TIMOTHI','333 AK ST','ANGAMALY','KL','179345');

1 row created.

Commit complete.

SQL> SELECT \* FROM STUDENT\_63;

STUD_NO	STUD_LNAME	STUD_FNAM	ΛE Λ	ADDRESS (	CITY	ST	POST	AL	
111111111	SMITH	JOHN	123	MAIN ST	C	CHIN		KL	10001
2222222	2 JOHNSON	MARY	456	ELM ST	AL	.UVA		KL	90001
33333333	3 WILLIAMS	DAVID	789	OAK ST	A١	IGAMAI	LY	KL	60007
4444444	4 JONES	EMMA	101	PINE ST	AF	ROOR		KL	77001
5555555	5 T	RAJEEV	555	MAPLE ST	CC	OCHIN		KL	33101
6666666	6 KRISHNA	PRASAD	222	WILLOW ST	A١	IGAMAI	LY	KL	92101
7777777	7 DAVIS	EMILY	333	OAKWOOD RE	) EF	ROOR		KL	85001
12345678	9 ANDERSON	AMEYA	888	ELMWOOD DR	R AN	IGAMAI	LY	KL	75201
8888888	RAJ	KEVIN	444	CEDAR LN	AL	.UVA		KL	19019
99999999	9 T	ANJALI	777	BRICH AVE	M	OKKANI	NOOR	KL	78201
98765432	1 ABEY	TIMOTHI	333	AK ST	A١	IGAMAI	LY I	KL	179345

11 rows selected.

# SQL> INSERT INTO ENROLLMENT\_63 VALUES('987654321','3011255',NULL,'2-4');

1 row created.

Commit complete.

SQL> SELECT \* FROM ENROLLMENT\_63;

STUD_NO	SECTION	GRAD	TIME_OFFER
111111111	3011236	Α	10-12
22222222	3012237	B+	2-4
333333333	3013238	B-	8-10
44444444	3014239	A-	12-2
55555555	3015240	С	4-6
66666666	3016241	В	6-8
77777777	3017242	C+	8-10
99999999	3019244	D	2-4
123456789	3020245	B-	12-2
987654321	3011255		2-4
987654321	3182673	F	2-4

<sup>11</sup> rows selected.

9: SQL> SELECT \* FROM SECTION\_63;

SECTION TIME\_OFFER DAY\_OFFERE SECTION\_ CLASS\_SIZE NUMBER\_ENROLLED INSTR COURSE\_

3011236	10-12	MW	A101	50	45	11111	CS101
3012237	2-4	TTH	B202	40	38	22222	CS202
3013238	8-10	MW	C303	35	33	33333	CS303
3014239	12-2	MW	D404	60	55	44444	CS404
3015240	4-6	TTH	E505	55	50	55555	CS505
3016241	6-8	TTH	F606	30	28	66666	MATH101
3017242	8-10	MW	G707	40	37	77777	MATH202
3018243	10-12	TTH	H808	45	42	88888	ENG101
3019244	2-4	MW	1909	35	31	99999	PHY101
3020245	12-2	TTH	J1010	30	29	12345	PHY202

10 rows selected.

SQL> ed

Wrote file afiedt.buf

1\* UPDATE SECTION\_63 SET CLASS\_SIZE = (10/100 \* CLASS\_SIZE)+CLASS\_SIZE SQL> /

10 rows updated.

Commit complete.

SQL> SELECT \* FROM SECTION\_63;

SECTION TIME\_OFFER DAY\_OFFERE SECTION\_ CLASS\_SIZE NUMBER\_ENROLLED INSTR COURSE

3011236	10-12	MW	A101	55	45	11111	CS101
3012237	2-4	TTH	B202	44	38	22222	CS202
3013238	8-10	MW	C303	39	33	33333	CS303
3014239	12-2	MW	D404	66	55	44444	CS404
3015240	4-6	TTH	E505	61	50	55555	CS505
3016241	6-8	TTH	F606	33	28	66666	MATH101
3017242	8-10	MW	G707	44	37	77777	MATH202
3018243	10-12	TTH	H808	50	42	88888	ENG101
3019244	2-4	MW	1909	39	31	99999	PHY101
3020245	12-2	TTH	J1010	33	29	12345	PHY202

10 rows selected.

#### 10:

SQL> UPDATE SECTION\_63 SET TIME\_OFFERED='2-4' WHERE SECTION\_ID='3011236'; UPDATE SECTION\_63 SET TIME\_OFFERED='2-4' WHERE SECTION\_ID='3011236'

ERROR at line 1:

ORA-02292: integrity constraint (CS27021.SYS\_C0017366) violated - child record found

#### 11:

SQL> DELETE FROM SECTION\_63 WHERE SECTION\_ID='3011255'; DELETE FROM SECTION\_63 WHERE SECTION\_ID='3011255'

ERROR at line 1:

ORA-02292: integrity constraint (CS27021.SYS\_C0017366) violated - child record found

SQL> DELETE FROM ENROLLMENT\_63 WHERE SECTION\_ID='3011255';

1 row deleted.

Commit complete.

SQL> DELETE FROM SECTION\_63 WHERE SECTION\_ID='3011255';

1 row deleted.

Commit complete.

SQL> SELECT \* FROM SECTION\_63;

SECTION TIME\_OFFER DAY\_OFFERE SECTION\_ CLASS\_SIZE NUMBER\_ENROLLED INSTR COURSE\_

3011236	10-12	MW	A101	55	45	11111	CS101
3012237	2-4	TTH	B202	44	38	22222	CS202
3013238	8-10	MW	C303	39	33	33333	CS303
3014239	12-2	MW	D404	66	55	44444	CS404
3015240	4-6	TTH	E505	61	50	55555	CS505
3016241	6-8	TTH	F606	33	28	66666	MATH101
3017242	8-10	MW	G707	44	37	77777	MATH202
3018243	10-12	TTH	H808	50	42	88888	ENG101
3019244	2-4	MW	1909	39	31	99999	PHY101
3020245	12-2	TTH	J1010	33	29	12345	PHY202

10 rows selected.

12:

SQL> DELETE FROM COURSE\_63 WHERE COURSE\_CODE='PHY101'; DELETE FROM COURSE\_63 WHERE COURSE\_CODE='PHY101'

ERROR at line 1:

ORA-02292: integrity constraint (CS27021.SYS\_C0017340) violated - child record found

13:

SQL> SELECT SECTION\_ID,TIME\_OFFERED,DAY\_OFFERED,COURSE\_CODE FROM SECTION\_63 WHERE CLASS\_SIZE BETWEEN 40 AND 50 AND DAY\_OFFERED LIKE 'M%';

SECTION TIME\_OFFER DAY\_OFFERE COURSE\_

3017242 8-10 MW MATH202

14: SQL> SELECT COURSE\_CODE,COURSE\_TITLE,COURSE\_HOURS FROM COURSE\_63 WHERE COURSE\_HOURS=4 ORDER BY COURSE\_CODE DESC;

COURSE_COURSE_TITLE	COURSE_HOURS
PHY202 PHYSICS II	4
PHY101 PHYSICS I	4
CS505 SOFTWARE ENGINEERIN	IG 4
CS202 DATA STRUCTURES	4

15:

SQL> INSERT INTO SECTION\_63 VALUES('3025486','2-4','MW','D888',88,25,'11111','CS101');

1 row created.

SQL>INSERT INTO SECTION\_63 VALUES('3030596','6-8','TTH','G999',55,66,'11111','CS101');

1 row created.

SQL> SELECT \* FROM SECTION\_63;

SECTION TIME\_OFFER DAY\_OFFERE SECTION\_ CLASS\_SIZE NUMBER\_ENROLLED INSTR COURSE\_

3011236 10-12	MW	A101	55	45	11111	CS101
3012237 2-4	TTH	B202	44	38	22222	CS202
3013238 8-10	MW	C303	39	33	33333	CS303
3014239 12-2	MW	D404	66	55	44444	CS404
3015240 4-6	TTH	E505	61	50	55555	CS505
3016241 6-8	TTH	F606	33	28	66666	MATH101
3017242 8-10	MW	G707	44	37	77777	MATH202
3018243 10-12	TTH	H808	50	42	88888	ENG101
3019244 2-4	MW	1909	39	31	99999	PHY101
3020245 12-2	TTH	J1010	33	29	12345	PHY202
3025486 2-4	MW	D888	88	25	11111	CS101

SECTION TIME\_OFFER DAY\_OFFERE SECTION\_ CLASS\_SIZE NUMBER\_ENROLLED INSTR COURSE\_

3030596 6-8	TTH	G999	55	66	11111	CS101

SQL> SELECT INSTRUCTOR\_ID, SUM(CLASS\_SIZE) FROM SECTION\_63 GROUP BY INSTRUCTOR\_ID;

INSTR	SUM(CLASS_SIZE)
22222	44
11111	198
55555	61
66666	33
33333	39
88888	50
12345	33
77777	44
44444	66
99999	39

10 rows selected.

## 16:

SQL> SELECT STUD\_NO, SECTION\_ID,GRADE FROM ENROLLMENT\_63 WHERE GRADE IN ('B+','B','B-');

STUD_NO :	SECTION	GRAD
22222222	3012237	— В+
333333333	3013238	B-
123456789	3020245	B-

# 17:

SQL> SELECT COURSE\_CODE,AVG(CLASS\_SIZE) FROM SECTION\_63 GROUP BY COURSE\_CODE;

# COURSE\_AVG(CLASS\_SIZE)

	-
CS303	39
ENG101	50
CS404	66

CS505	61
MATH101	33
PHY101	39
CS101	66
CS202	44
MATH202	44
PHY202	33

#### 18:

# SQL> SELECT

INSTRUCTOR\_FNAME,INSTRUCTOR\_LNAME,TIME\_OFFERED,DAY\_OFFERED,SECTION\_ROOM,COURSE\_CODE,COURSE\_TITLE FROM (INSTRUCTOR\_63 NATURAL JOIN COURSE\_63 NATURAL JOIN SECTION\_63) ORDER BY INSTRUCTOR\_ID;

INSTRUCTOR\_FNAM INSTRUCTOR\_LNAM TIME\_OFFER DAY\_OFFERED SECTION\_ COURSE\_COURSE\_TITLE

KRISHNA	RAJ	6-8	TTH	G999	CS101	INTRODUCTION TO CS
KRISHNA	RAJ	2-4	MW	D888	CS101	INTRODUCTION TO CS
KRISHNA	RAJ	10-12	MW	A101	CS101	INTRODUCTION TO CS
BENSON	K	12-2	TTH	J1010	PHY202	PHYSICS II
SUMAN	T	2-4	TTH	B202	CS202	DATA STRUCTURES
STUTHY	KRISHNA	8-10	MW	C303	CS303	ALGORITHMS
MATHEW	JONES	12-2	MW	D404	CS404	DATABASE SYSTEMS
EMILY	WILLIAMS	4-6	TTH	E505	CS505	SOFTWARE ENGINEERING
DAVID	JOHNSON	6-8	TTH	F606	MATH101	MATHEMATICS I
MUHAMMED	NOUFAI	_ 8-10	MW	G707	MATH202	MATHEMATICS II
MANOJ	EBRAHAM	10-12	TTH	H808	ENG101	ENGLISH COMPOSITION
SUTHARSHA	N K	2-4	MW	1909	PHY101	PHYSICS I

12 rows selected.

# 19: SQL> SELECT STUD\_FNAME,STUD\_LNAME,SECTION\_ID,GRADE FROM STUDENT\_63 NATURAL JOIN ENROLLMENT\_63;

STUD_FNAME	STUD_LNAME	SECTION GRAD
JOHN		3011236 A
MARY	JOHNSON	3012237 B+

WILLIAMS	3013238 B-
JONES	3014239 A-
Т	3015240 C
KRISHNA	3016241 B
DAVIS	3017242 C+
ANDERSON	3020245 B-
Т	3019244 D
	JONES T KRISHNA DAVIS

20:

SQL> INSERT INTO STUDENT\_63 VALUES('198673549','RAJ','DEVA','176 GAL ST','COCHIN','KL','683576');

1 row created.

 ${\tt SQL> SELECT*FROM\ STUDENT\_63};$ 

STUD_NO STUD_LNAM	E STUD_FN	NAME	ADDRESS	CITY	ST I	POSTAL
				-		
11111111 SMITH	JOHN	123 I	MAIN ST	COCHIN	KL	10001
22222222 JOHNSON	MARY	456 I	ELM ST	ALUVA	KL	90001
33333333 WILLIAMS	DAVID	789 (	OAK ST	ANGAMALY	KL	60007
44444444 JONES	EMMA	101 F	PINE ST	AROOR	KL	77001
55555555 T	RAJEEV	555 N	MAPLE ST	COCHIN	KL	33101
666666666 KRISHNA	PRASAD	222 \	WILLOW ST	ANGAMALY	KL	92101
77777777 DAVIS	EMILY	333 (	OAKWOOD I	RD EROOR	KL	85001
123456789 ANDERSON	AMEYA	888 I	ELMWOOD [	OR ANGAMALY	KL	75201
88888888 RAJ	KEVIN	444 (	CEDAR LN	ALUVA	KL	19019
99999999 T	ANJALI	777 E	BRICH AVE	MOKKANNOOR	KL	78201
987654321 ABEY	TIMOTHI	333 A	AK ST	ANGAMALY	K	L 179345

STUD_NO S	STUD_LNAME	STUD_FNAME	ADDRESS	CITY	ST	POSTAL
198673549	RAJ	DEVA	176 GAL ST COC	HIN	KL	683576

12 rows selected.

SQL> ED

Wrote file afiedt.buf

1\* SELECT STUD\_FNAME,STUD\_LNAME FROM STUDENT\_63 WHERE STUD\_NO NOT IN (SELECT STUD\_NO FROM ENROLLMENT\_63) SQL> /

STUD_FNAME	STUD_LNAME
TIMOTHI	ABEY
DEVA	RAJ
KEVIN	RAJ

21:

SQL> INSERT INTO COURSE\_63 VALUES('CS240','WEB TECHNOLOGIES','4');

1 row created.

Commit complete.

SQL> INSERT INTO SECTION\_63 VALUES('3182673','2-4','MW','BLGNG102','35','0','11113','CS240');

1 row created.

Commit complete.

SQL> INSERT INTO ENROLLMENT\_63 VALUES('987654321','3182673','F','2-4');

1 row created.

SQL> SELECT ST.\* FROM STUDENT\_63 ST JOIN ENROLLMENT\_63 E ON ST.STUD\_NO = E.STUD\_NO JOIN SECTION\_63 SE ON SE.SECTION\_ID = E.SECTION\_ID JOIN COURSE\_63 C ON SE.COURSE\_CODE = C.COURSE\_CODE WHERE C.COURSE\_TITLE = 'WEB TECHNOLOGIES' AND E.GRADE = 'F';

STUD_NO	STUD_LNAME	STUD_FNAME	ADDRESS	CITY	ST	POSTAL
987654321	ABEY	 TIMOTHI	333 AK ST	ANGAMALY	KL	179345