SQL> CREATE TABLE EMP_23 (EMP_NO VARCHAR(5), ENAME VARCHAR(10), SALARY NUMBER(6), DEPT_NO VARCHAR(4), PRIMARY KEY (EMP_NO));

Table created.

SQL> DESC EMP_23;

Name	Null? Type	
EMP_NO	NOT NULL	VARCHAR2(5)
ENAME		VARCHAR2(10)
SALARY		NUMBER(6)
DEPT_NO		VARCHAR2(4)

SQL> INSERT INTO EMP_23 VALUES('&EMP_NO', '&ENAME', &SALARY, '&DEPT_NO');

Enter value for emp_no: E201
Enter value for ename: SABU
Enter value for salary: 7000
Enter value for dept_no: 15

old 1: INSERT INTO EMP_23 VALUES('&EMP_NO', '&ENAME', &SALARY, '&DEPT_NO')

new 1: INSERT INTO EMP_23 VALUES('E201', 'SABU', 7000, '15')

1 row created.

EMP_NO	ENAME	SALARY	DEPT
E201	SABU	7000	15
E202	SASI 15000	20	
E203	RAVI	20000	22
E204	MITHUN	24000	20
E205	CRISTIANO	19000	20
E206	SURESH	30000	22
E207	SAM	27000	20
E208	LEO	25000	16

8 rows selected.

SQL> CREATE TABLE EMP_RAISE_23(EMP_NO VARCHAR(5), RAISE_DATE DATE, AMT NUMBER(5), PRIMARY KEY (EMP_NO, RAISE_DATE));

Table created.

SQL> DESC EMP_RAISE_23;

Name Null? Type

EMP_NO NOT NULL VARCHAR2(5)

RAISE_DATE NOT NULL DATE

AMT NUMBER(5)

SQL> SELECT * FROM EMP_RAISE_23;

no rows selected

incsal.sql

DECLARE

NEW_AMT NUMBER;

SAL NUMBER;

ENO EMP_23.EMP_NO%TYPE;

CURSOR C1 IS SELECT EMP_NO FROM EMP_23 WHERE DEPT_NO=20;

M1 EMP_23.EMP_NO%TYPE;

C NUMBER;

BEGIN

OPEN C1;

LOOP

FETCH C1 INTO M1;

EXIT WHEN C1%NOTFOUND;

SELECT EMP_NO,SALARY INTO ENO,SAL FROM EMP_23 WHERE EMP_NO = M1;

SELECT COUNT(EMP_NO) INTO C FROM EMP_RAISE_23 WHERE EMP_NO=M1;

NEW_AMT := SAL + (SAL * 0.05); UPDATE EMP_23 SET SALARY = NEW_AMT WHERE EMP_NO = M1;

IF C=0 THEN

INSERT INTO EMP_RAISE_23 VALUES (ENO,SYSDATE,NEW_AMT);

ELSE

UPDATE EMP_RAISE_23 SET EMP_NO=ENO, RAISE_DATE=SYSDATE, AMT=NEW_AMT; END IF;

END LOOP; CLOSE C1;

END;

OUTPUT

SQL> @incsal

34 /

PL/SQL procedure successfully completed.

Commit complete.

SQL> SELECT * FROM EMP_23;

EMP_N	ENAME	SALARY			DEPT	
			—			
E201	SABU		7000		15	
E202	SASI	15750		20		
E203	RAVI		20000		22	
E204	MITHUN		25200		20	
E205	CRISTIANO			19950		20
E206	SURESH		30000		22	
E207	SAM	28350		20		
E208	LEO		25000		16	

8 rows selected.

SQL> SELECT * FROM EMP_RAISE_23;

EMP_N	RAISE_DAT	AMT
E202	07-NOV-23	15750
E204	07-NOV-23	25200

SQL> SELECT * FROM STUD_7;

NAME	ROLL	PHYSICS	S CHE	MISTRY	BIOLOGY
DAVID	1	75	64	88	
EMMY	2	78	66	54	
FARDEEN	3	98	92	94	
GANESH	4	74	87	61	
JACOB	5	65	63	72	
MOHIT	6	88	84	78	

6 rows selected.

toppers.sql

END LOOP;

```
DECLARE
 CURSOR STUD IS SELECT NAME, ROLL, PHYSICS, CHEMISTRY, BIOLOGY FROM STUD_7
ORDER BY PHYSICS DESC;
 RNO STUD_7.ROLL%TYPE;
 N STUD_7.NAME%TYPE;
 P STUD_7.PHYSICS%TYPE;
 CH STUD_7.CHEMISTRY%TYPE;
 B STUD_7.BIOLOGY%TYPE;
 TM NUMBER(8):=0;
 CNT NUMBER(3):=0;
BEGIN
 OPEN STUD;
 IF STUD %ISOPEN THEN
 LOOP
      FETCH STUD INTO N,RNO,P,CH,B;
      CNT:=CNT+1;
      EXIT WHEN CNT=4;
      TM:=P+CH+B;
      DBMS_OUTPUT,PUT_LINE('ROLL NO:'||RNO||' NAME:'||N||' TOTAL MARK:'||TM);
```

SQL> SELECT * FROM STUD_7;

NAME	ROLL	PHYSICS	CHE	MISTRY	BIOLOGY
DAVID	1	75	64	88	
EMMY	2	78	66	54	
FARDEEN	3	98	92	94	
GANESH	4	74	87	61	
JACOB	5	65	63	72	
MOHIT	6	88	84	78	

6 rows selected.

TM:=P+CH+B;

END LOOP;

toppers.sql

```
DECLARE
 CURSOR STUD IS SELECT NAME, ROLL, PHYSICS, CHEMISTRY, BIOLOGY FROM STUD_7
ORDER BY PHYSICS DESC;
 RNO STUD_7,ROLL%TYPE;
 N STUD_7.NAME%TYPE;
 P STUD_7.PHYSICS%TYPE;
 CH STUD_7.CHEMISTRY%TYPE;
 B STUD_7.BIOLOGY%TYPE;
 TM NUMBER(8):=0;
 CNT NUMBER(3):=0;
BEGIN
 OPEN STUD;
 IF STUD %ISOPEN THEN
 LOOP
      FETCH STUD INTO N,RNO,P,CH,B;
      CNT:=CNT+1;
      EXIT WHEN CNT=4;
```

DBMS_OUTPUT_LINE('ROLL NO: '||RNO||' NAME: '||N||' TOTAL MARK: '||TM);