



Experiment -2Explore Git & GithubTask-1 ReadMe TasksT-1:- Professional Student Portfolio README

- ① Create a Github repository named 'Student-Portfolio'.
- ② Create a README.md file.
- ③ Add your intro, education etc.
- ④ Upload your pfp and add Githubs & LinkedIn links.
- ⑤ Use MD Syntax:- Headings, Bold & Italic, Lists, Tables, Images.

T-2: Programming Snippet Library

- ① Create a repo named "Prog-Snippets".
- ② Create folders - Python, Java, & JS.
- ③ Add at least 2 programs in each folder.
- ④ Create a README.md linking to every program.
- ⑤ Use the following MD syntax: Headings, Lists, Tables and etc.



Task-3 Mini Project Documentation

- ① Choose any s/w project (Here "WeddingZone")
- ② Create README.md.
- ③ Include project overview, objectives, features, technologies used, future scope etc.
- ④ Use the following MD Syntax: Headings, Images, Tables, Code Blocks, Badges etc.

Task-4 DevOps Tools README

- ① Create a repo. documenting Git, Docker, Jenkins, Kubernetes & AWS.
- ② For each tool include its purpose, official website, one commonly used command & badge.
- ③ Present the content neatly.

Create a new repository

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Repository is a place to store and manage your code. You can create a new repository or clone an existing one.

Task-5 Github Profile README

- ① Create a repo with the same github username.
- ② Create a professional README.md.
- ③ Include intro, skills, github stats, visitor counter, top languages etc.
- ④ Use the following MD syntax/features: Headings, Badges, Images, GIF, github stats, Streak, Top languages, Emojis etc.
- ⑤ Collaboration: Inviting others as collaborator. Settings > Collaborators tab.
- Use pull requests to review & merge collaborator's changes.



Task - 2

Git Branching Story Project

Step 1:- Create Repo on Github

- Sign in → Click + (New Repo) → Name: Stories
- Public → Don't Initialize README → Create

Create a new repository

Repositories contain a project's files and version history. Have a project somewhere? [Create a repository](#)
Required fields are marked with an asterisk (*)

General

Owner *

24261A05R0 Srinivas

Repository name *

Stories

Stories is available

Good repository names are short and memorable. How about [github/this-repo-name](#)?

Description

0 / 100 characters

Step 2:- Create Local Project

- mkdir stories → cd stories → git init → git branch -M main

```
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Stories
$ git init
[2021/10/10 10:00] git repository in C:/Users/2911/Documents/CSE/Semester-5/3_Devops/Storyes/.git
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Storyes
$ git branch -M main
```

Step 3:- Create index.html

- name index.html → Add a simple HTML page

```
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Stories (main)
$ git add index.html
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Stories (main)
$ git commit -m "Initial commit"
[main (root-commit) 871ab60] Initial commit
1 file changed, 17 insertions(+)
create mode 100644 index.html
```

Step 4:- First Commit

- git add index.html → git commit -m "Initial Commit"

Step 5:- Connect to github


- git remote add origin https://github.com/geekified05/stories.git
- git push -u origin main

```
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Stories (main)
$ git remote add origin https://github.com/geekified05/stories.git
```

Step 6:- Create Branch chapter1

```
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Stories (main)
$ git switch -c chapter1
Switched to a new branch 'chapter1'
```

```
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Stories (chapter1)
$ git add index.html
konalasrinivas2911@sril-surface-pro-7 MINGW64 ~\Documents\CSE\Semester-5\3_Devops\Stories (chapter1)
$ git commit -m "Add Chapter 1"
[chapter1 1add833] Add Chapter 1
1 file changed, 5 insertions(+)
```



Step 7:- Merge Chapter-1:-

```

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (chapter1)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (main)
$ git merge chapter1
Updating 871ab60..1add835
Fast-forward
 index.html | 6 +++++
 1 file changed, 6 insertions(+)

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (main)
$ git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote: https://github.com/geekified05/stories.git
to https://github.com/geekified05/stories.git
871ab60..1add835 main -> main

```

Chapter 1: The First Commit

The developer created a new branch called chapter1. Here, the first chapter of the story was written without changing main.

Step 8:- Create Branch 'chapter2':-

- ↳ git switch -c chapter2 -
- # edit index.html
- ↳ git ~~switch~~ git add index.html

MGIT

↳ git commit -m "Add Chapter-2"
 ↳ git push -u origin chapter2

```

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (chapter2)
$ git push -u origin chapter2
Enumerating objects: 5, done.

```

Step-9 Merge Chapter2

```

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (chapter2)
$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

```

```

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (main)
$ git merge chapter2
Updating 1add835..372e6cc
Fast-forward
 index.html | 4 +-
 1 file changed, 2 insertions(+), 2 deletions(-)

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (main)
$ git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote: https://github.com/geekified05/stories.git
to https://github.com/geekified05/stories.git
1add835..372e6cc main -> main

```

Step-10 - Verify Log

↳ git branch -a ↳ git log --online ↳ git status

```

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (main)
$ git branch -a
chapter1
chapter2
* main
remotes/origin/chapter1
remotes/origin/chapter2
remotes/origin/main

```

```

konalasrinivas2911@kali:~/Documents/CSE/Semester-5/3_DevOps/stories (main)
$ git log --online
871ab60 (HEAD -> main) Initial commit

```

Branches

Branches	Push	Active	State	Alt
chapter1				
chapter2				
* main				
remotes/origin/chapter1				
remotes/origin/chapter2				
remotes/origin/main				

Search repository

Branches

chapter1

chapter2

* main

remotes/origin/chapter1

remotes/origin/chapter2

remotes/origin/main

MGIT

Experiment : _____

Roll No. : _____

Page No. : _____

Step - 11 : View files locally

- ↳ Open C:\Users\24261A05R0 - Srinivas\Stories
- ↳ Double click & run. ↳ Start index: html

Step - 12 : Publish Using Github Pages

- ↳ Open repo & goto settings → Pages.
- ↳ Source : Deploy from branch : (Main).
- ↳ Folder : /root ↳ some
- ↳ After deployment .open :- <https://24261A05R0.srinivas.github.io/Stories/>

Github Pages

[Github Pages](#) is designed to host your personal, organizational, or project pages from a GitHub repository.

Build and deployment

Source

Deploy from a branch

Branch

GitHub Pages is currently disabled. Select a source below to enable GitHub Pages for this repository. [Learn more about configuring the publishing source for your site.](#)

main / main Save

Visibility [Github Enterprise](#)

With a GitHub Enterprise account, you can restrict access to your GitHub Pages site by publishing it privately. You can use privately published sites to share your internal documentation or knowledge base with members of your enterprise. You can try GitHub Enterprise risk-free for 30 days. [Learn more about the features of your GitHub Pages site.](#)

Start free for 30 days

https://24261A05R0.srinivas.github.io/Stories/

A Tale in Branches

Beginning

Once upon a time there was a young programmer who started learning Git.

Chapter 2

The programmer successfully merged all branches and completed the Git project.

Experiment : _____

Roll No. : _____

Page No. : _____

MGIT