

```
➔ ~ brew install jenkins-lts
```

```
➔ ~ brew services list
Name      Status User      File
jenkins-lts started timothysaxena ~/Library/LaunchAgents/homebrew.mxcl.jenkins-lts.plist
mysql     started timothysaxena ~/Library/LaunchAgents/homebrew.mxcl.mysql.plist
➔ ~ cat ~/.jenkins/secrets/initialAdminPassword
c0a81129977e4196872fd5de0ccb1f3c
```

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:

`/Users/timothysaxena/.jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password

Skip to content

New Item

Build History

Build Queue

No builds in the queue.

Build Executor Status

0/2

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job

Set up a distributed build

Set up an agent

Configure a cloud

Learn more about distributed builds

Add description

Jenkins / HelloWorldJob / #1

Status

Changes

Console Output

Delete build #1

Edit build information

Console

Started by user Timothy

Running as SYSTEM

Building in workspace /Users/timothysaxena/.jenkins/workspace/HelloWorldJob

[HelloWorldJob] \$ /bin/sh -xe /var/folders/2l/79yb686j6z2lpm888bg/cw000qg/T/jenkins47129239806559232.sh

+ echo 'Hello, Jenkins!'

Hello, Jenkins!

Finished: SUCCESS

Download

Copy

View as plain text

Jenkins / All / New Item

New Item

Enter an item name

HelloWorldJob

Select an item type

Pipeline

Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

Folder




Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

Multibranch Pipeline


Creates a set of Pipeline projects according to detected branches in one SCM repository.

Organization Folder






OK



```
→ ~ mkdir -p ~/jenkins-devops-copy
```



```
→ ~ cat ~/jenkins-devops-copy/test.txt
Hello_from Jenkins
```








The screenshot shows a web browser window with the Jenkins interface. The address bar shows the URL `http://localhost:8080/job/GitJob/T/console`. The Jenkins logo and navigation tabs are visible at the top. The left sidebar contains links for 'Changes', 'Console Output', 'Delete build #1', 'Git Build Data', and 'Edit build information'. The main area displays the console output for a build, which includes the following text:

```

Started by user Timothy
Running as SYSTEM
Building in workspace /Users/timothysaxena/.jenkins/workspace/GitJob
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/timothy-saxena/jenkins-git-demo
> git init /Users/timothysaxena/.jenkins/workspace/GitJob # timeout=10
Fetching upstream changes from https://github.com/timothy-saxena/jenkins-git-demo
> git --version # timeout=10
> git --version # 'git version 2.50.1 (Apple Git-155)'
> git fetch --tags --force --progress -- https://github.com/timothy-saxena/jenkins-git-demo
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/timothy-saxena/jenkins-git-demo # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision d4c1ab7be0bb3b89ae4c63ac66a04d098f8451de (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f d4c1ab7be0bb3b89ae4c63ac66a04d098f8451de # timeout=10
Commit message: "added html file"
First time build. Skipping changelog.
[GitJob] $ /bin/sh -xe /var/folders/2f/79yb686j6zz1pmp888bg17cw000gn/T/jenkins375471909569282556.sh
+ git log -1 --pretty=%B
added html file

Finished: SUCCESS
  
```



 Jenkins

Jenkins-Webhook-Demo

Configure

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)

☐ Add timestamps to the Console Output

☐ Inspect build log for published build scans

☐ Terminate a build if it's stuck

☐ With Ant

Build Steps

Automate your build process with ordered tasks like code checkout

Execute shell

Command

See the list of available environment variables

```
echo "Jenkins Automatic Build"
echo "Jenkins Automatic Build"
echo "Build Number: $BUILD_NUMBER"
echo "Build completed successfully."
```

Advanced

+ Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications

+ Add post-build action

```
+ echo 'Jenkins Automatic Build'
Jenkins Automatic Build
+ echo =====
=====
+ echo 'Build Number: 1'
Build Number: 1
+ echo 'Build completed successfully.'
Build completed successfully.
Finished: SUCCESS
```

ngrok

One gateway for every AI model. <https://app.ngrok.ai>

Session Status

Account

Version

Region

Latency

Web Interface

Forwarding

Connections

HTTP Requests

online

Timothy Saxena (Plan: Free)

3.39.11

India (in)

24ms

http://127.0.0.1:4040

https://sinuous-zestfully-unvented.ngrok-free.dev -> http://localhost:8080

ttl

8

opn

0

rt1

0.02

rt5

0.01

p50

30.07

p90

30.42

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

200 OK

Webhooks / Manage webhook

Settings

Recent Deliveries

We'll send a POST request to the URL below with details of any subscribed events (JSON, x-www-form-urlencoded, etc). More information can be found [here](#).

Payload URL *

https://sinuous-zestfully-unvented.ngrok-free.dev/github-webhook/

Content type *

application/json

Secret

SSL verification

☒ By default, we verify SSL certificates when delivering payloads.

☒ Enable SSL verification ☐ Disable (not recommended)

Which events would you like to trigger this webhook?

☒ Just the push event.

☐ Send me everything.

☐ Let me select individual events.




☒ Active

We will deliver event details when this hook is triggered.

Update webhook

Delete webhook

```
[Jenkins-Webhook-Demo] $ /bin/sh -xe /v
+ echo =====
=====
+ echo 'Jenkins Automatic Build'
Jenkins Automatic Build
+ echo =====
=====
+ echo 'Build Number: 3'
Build Number: 3
+ echo 'Build completed successfully.'
Build completed successfully.
Finished: SUCCESS
```



```
+ echo 'Build Number: 2'
Build Number: 2
+ echo 'Job Name: Jenkins-Version-Demo'
Job Name: Jenkins-Version-Demo
+ echo 'Build ID: 2'
Build ID: 2
+ echo =====
=====
Finished: SUCCESS
```

```
BUILD SUCCESSFUL
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

The screenshot shows the GitHub repository settings for 'timothy-saxena / jenkins-pipeline-demo'. The 'Webhooks' tab is active. The 'Payload URL' is set to 'https://sinuous-zestfully-unvented.ngrok-free.dev/github-webhook/'. The 'Content type' is set to 'application/json'. The 'Secret' field is partially visible at the bottom.

⏪

⏩

🔄

🔖

🌐 http://localhost:8080/job/Jenkins-Version-Demo/configure

 **Jenkins**

Jenkins-Version-Demo

Configure

Configure

⚙️ General

🔑 Source Code Management

🕒 Triggers

🌐 Environment

📋 Build Steps

📦 Post-build Actions

☐ Trigger builds remotely (e.g., from scripts) ?

☐ Build after other projects are built ?

☐ Build periodically ?

☒ GitHub hook trigger for GITScm polling ?

☐ Poll SCM ?

Environment

Configure settings and variables that define the context in which the build runs.

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s) ?

☐ Add timestamps to the Console Output

☐ Inspect build log for published build scans

☐ Terminate a build if it's stuck

☐ With Ant ?

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

⋮ Execute shell ?

Command

See [the list of available environment variables](#)

```
echo "===== "  
echo "Jenkins Application Build"  
echo "===== "  
echo "Build Number: $BUILD_NUMBER"  
echo "Job Name: $JOB_NAME"  
echo "===== "
```

Advanced

Save

Apply

Jenkins

Jenkins-Pipeline-Demo

#2

Status

Changes

Console Output

Delete build '#2'

Polling Log

Git Build Data

Pipeline Overview

Edit build information

Restart from Stage

Replay

Pipeline Steps

Download

Copy

Started by GitHub push by timothy-saxena

Obtained Jenkinsfile from git <https://github.com/timothy-saxena/jenkins-pipeline-demo>

[Pipeline] Start of Pipeline

[Pipeline] node

Running on Jenkins in /Users/timothysaxena/.jenkins/workspace/Jenkins-Pipeline-Demo

[Pipeline] {

[Pipeline] stage (hide)

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

Selected Git installation does not exist. Using Default

No recommended git tool is: NONE

No credentials specified

> git rev-parse --resolve-git-dir /Users/timothysaxena/.jenkins/workspace/Jenkins-Pipeline-Demo/.git

Fetching changes from the remote Git repository

> git config remote.origin.url https://github.com/timothy-saxena/jenkins-pipeline-demo # timeout=10

Fetching upstream changes from <https://github.com/timothy-saxena/jenkins-pipeline-demo>



```
+ echo 'Jenkins Application Build'
Jenkins Application Build
+ echo =====
=====
+ echo 'Build Number: 1'
Build Number: 1
+ echo 'Job Name: Jenkins-Version-Demo'
Job Name: Jenkins-Version-Demo
+ echo 'Build ID: 1'
Build ID: 1
+ echo =====
=====
Finished: SUCCESS
```

```
+ echo 'Build Number: 2'
Build Number: 2
+ echo 'Job Name: Jenkins-Version-Demo'
Job Name: Jenkins-Version-Demo
+ echo 'Build ID: 2'
Build ID: 2
+ echo =====
=====
Finished: SUCCESS
```

```

• → stories git:(main) x git add .
• → stories git:(main) x git commit -m "Added index HTML file"
[main (root-commit) b721733] Added index HTML file
 2 files changed, 19 insertions(+)
 create mode 100644 .DS_Store
 create mode 100644 index.html
• → stories git:(main) x git remote add origin https://github.com/timothy-saxena/stories.git
• → stories git:(main) x git remote -v
origin https://github.com/timothy-saxena/stories.git (fetch)
origin https://github.com/timothy-saxena/stories.git (push)
• → stories git:(main) x git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 10 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 763 bytes | 763.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/timothy-saxena/stories.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
• → stories git:(main) x git branch
• → stories git:(chapter1) x git branch
• → stories git:(chapter1) x nano index.html
• → stories git:(chapter1) x git add index.html
• → stories git:(chapter1) x git commit -m "Add Chapter 1"
[chapter1 64db4f5] Add Chapter 1
 1 file changed, 7 insertions(+), 1 deletion(-)

```



https://timothy-saxena.github.io/stories/

A Tale in Branches

The Beginning

Once upon a time, a young developer discovered a mysterious repository called Stories.

Chapter 1 — The Mysterious Repository

The developer opened the repository and discovered that every branch contained a different part of the story.

Chapter 2 — The First Commit

The developer made a commit and realized that Git could preserve every important moment in the story.