

```
1  #event.js
2  /* import EventEmitter from "events";
3  const myEmitter = new EventEmitter();
4
5  myEmitter.on("greet", (name) => {
6      console.log(`Hello ${name}`);
7  });
8
9  myEmitter.emit("greet", "Tim");
10 */
11
12 import EventEmitter from "events";
13
14 const myEE = new EventEmitter();
15
16 myEE.on("add", (a, b) => {
17     console.log(`a + b = ${a + b}`);
18 });
19
20 myEE.emit("add", 10, 20);
21
22 #os.js
23 import os from "os";
24 let currentOS = {
25     name: os.type(),
26     architecture: os.arch(),
27     platform: os.platform(),
28     release: os.release(),
29     version: os.version(),
30     freemem: (os.freemem() / 1024 ** 3).toFixed(2) + ` GB`,
31 };
32 console.log("Details of OS");
33 console.log(currentOS);
34
35 #path.js
36 /* import path from "path";
37 import { fileURLToPath } from "url";
38
39 const __filename = fileURLToPath(import.meta.url);
40 const __dirname = path.dirname(__filename);
41
42 console.log("File Name:", path.basename(__filename));
43 console.log("Full Path:", __filename);
44 console.log("Location:", __dirname);
45
46
47 */
48 import path from "path";
49
50 const myFILEpath = "C:\\Users\\Anurodh Saxena\\Documents\\MGIT\\atten.html";
51 console.log("file name: " + path.basename(myFILEpath));
52 console.log("ext name: " + path.extname(myFILEpath));
53
54 #server.js
55 /*
56
57 import http from "http";
58
59 http.createServer((req, res) => {
60     res.end("Hello World");
61 }).listen(3000);
62
63 console.log("Server running on port 3000");
64
65 */
66
67 import http from "http";
68
69 const port = 3000;
70
71 const server = http.createServer((req, res) => {
72     res.end("Hi praise the lord jesus");
73 });
74
75 server.listen(port, () => {
76     console.log(`server running on port ${port}`);
77 });
```