

```
1  const e = require("express");
2  const m = require("mysql2");
3
4  const a = e();
5  a.use(e.json());
6
7  const p = m
8    .createPool({
9      host: "127.0.0.1",
10     user: "root",
11     password: "password",
12     database: "college_db_5R4",
13     port: 3306,
14   })
15   .promise();
16
17  // READ
18  a.get("/studentdetails_5R4", async (q, s) => {
19    try {
20      const [r] = await p.query("SELECT * FROM studentdetails_5R4");
21      s.json(r);
22    } catch (er) {
23      s.status(500).json({ message: er.message });
24    }
25  });
26
27  // CREATE
28  a.post("/studentdetails_5R4", async (q, s) => {
29    const { name, course } = q.body;
30    try {
31      const [r] = await p.execute(
32        "INSERT INTO studentdetails_5R4 (name,course) VALUES (?,?)",
33        [name, course],
34      );
35      s.status(201).json({ id: r.insertId, name, course });
36    } catch (er) {
37      s.status(500).json({ error: er.message });
38    }
39  });
40
41  // UPDATE
42  a.put("/studentdetails_5R4/:id", async (q, s) => {
43    const { id } = q.params;
44    const { name, course } = q.body;
45    try {
46      const [r] = await p.execute(
47        "UPDATE studentdetails_5R4 SET name=?,course=? WHERE id=?",
48        [name, course, id],
49      );
50      if (r.affectedRows === 0)
51        return s.status(404).json({ message: "Student not found" });
52
53      s.json({ message: "Student updated successfully", id, name, course });
54    } catch (er) {
55      s.status(500).json({ error: er.message });
56    }
57  });
58
59  // DELETE
60  a.delete("/studentdetails_5R4/:id", async (q, s) => {
61    const { id } = q.params;
62    try {
63      const [r] = await p.execute(
64        "DELETE FROM studentdetails_5R4 WHERE id=?",
65        [id],
66      );
67      if (r.affectedRows === 0)
68        return s.status(404).json({ message: "Student not found" });
69
70      s.json({ message: `Student with ID ${id} deleted successfully` });
71    } catch (er) {
72      s.status(500).json({ error: er.message });
73    }
74  });
75
76  a.listen(3000, () => console.log("Server running on port 3000"));
77
```