

Untitled

Here is a simple table (Table 1).

Table 1

mpg	cyl	disp	hp	drat
21.0	6	160	110	3.90
21.0	6	160	110	3.90
22.8	4	108	93	3.85
21.4	6	258	110	3.08

Table 2 sets decimal places. Seems to be working...

Table 2

mpg	cyl	disp	hp	drat
21	6	160	110	3.90
21	6	160	110	3.90
22.8	4	108	93	3.85
21.4	6	258	110	3.08

What if I include a % symbol in Table 1:

What if I include a % symbol in the body of Table 1:

Let's try some cross-tabs (Table 5).

Now a cross-tab with percents.

```
ds <- datasummary_crosstab(Sex ~ `Stage of disease`, data=pbic,  
  statistic = 1 ~ N + Percent("col"),  
  output = "data.frame")
```

Table 3

mpg %	cyl	disp	hp	drat
21.0	6	160	110	3.90
21.0	6	160	110	3.90
22.8	4	108	93	3.85
21.4	6	258	110	3.08

Table 4

mpg	cyl	disp	hp	drat
21 %	6	160	110	3.90
21 %	6	160	110	3.90
22.8 %	4	108	93	3.85
21.4 %	6	258	110	3.08

```
colnames(ds)[2] <- "Stat"

ds <- ds |>
  mutate(Stat = replace_when(Stat,
                             Stat == "N" ~ "Count",
                             Stat == "% col" ~ "Column percent"))
str(ds)
```

```
'data.frame':  6 obs. of  6 variables:
 $ Sex      : chr  "Male" "" "Female" "" ...
 $ Stat     : chr  "Count" "Column percent" "Count" "Column percent" ...
 $ Stage 1: chr  "3" "14.3" "18" "85.7" ...
 $ Stage 2: chr  "8" "8.7" "84" "91.3" ...
 $ Stage 3: chr  "16" "10.3" "139" "89.7" ...
 $ Stage 4: chr  "17" "11.8" "127" "88.2" ...
- attr(*, "stub_width")= int 2
- attr(*, "align")= chr [1:6] "l" "l" "r" "r" ...
- attr(*, "output_format")= chr "dataframe"
```

```
ft <- tt(ds, notes = c('* Stage of disease was missing for 6 participants'))
```

Table 5

Sex		Stage 1	Stage 2	Stage 3	Stage 4	All
Male	N	3	8	16	17	44
	% row	6.8	18.2	36.4	38.6	100.0
Female	N	18	84	139	127	374
	% row	4.8	22.5	37.2	34.0	100.0
All	N	21	92	155	144	418
	% row	5.0	22.0	37.1	34.4	100.0

Sex		Stage 1	Stage 2	Stage 3	Stage 4
Male	Count	3	8	16	17
	Column percent	14.3	8.7	10.3	11.8
Female	Count	18	84	139	127
	Column percent	85.7	91.3	89.7	88.2
All	Count	21	92	155	144
	Column percent	100.0	100.0	100.0	100.0

* Stage of disease was missing for 6 participants

```
names(ft)[2] <- " "
ft
```