Virtual Memory:
Address translation 3: Multilevel Page Tables

Multi-Level Page Tables

- **Suppose:**
  - 4KB (2^{12}) page size, 48-bit address space, 8-byte PTE
- **Problem:**
  - Would need a 512 GB page table!
    - $2^{48} * 2^{-12} * 2^{3} = 2^{39}$ bytes

Multi-Level Page Tables

- **Suppose:**
  - 4KB (2^{12}) page size, 48-bit address space, 8-byte PTE
- **Problem:**
  - Would need a 512 GB page table!
    - $2^{48} * 2^{-12} * 2^{3} = 2^{39}$ bytes
- **Common solution: Multi-level page table**
- **Example: 2-level page table**
  - Level 1 table: each PTE points to a page table (always memory resident)
  - Level 2 table: each PTE points to a page (paged in and out like any other data)

Multi-Level Page Tables

- **Suppose:**
  - 4KB (2^{12}) page size, 48-bit address space, 8-byte PTE
- **Problem:**
  - Would need a 512 GB page table!
    - $2^{48} * 2^{-12} * 2^{3} = 2^{39}$ bytes
- **Common solution: Multi-level page table**
- **Example: 2-level page table**
  - Level 1 table: each PTE points to a page table (always memory resident)
  - Level 2 table: each PTE points to a page (paged in and out like any other data)



A Two-Level Page Table Hierarchy



32 bit addresses, 4KB pages, 4-byte PTEs

Translating with a k-level Page Table