



nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.2792







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=0.49807







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=1.3177







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.0431







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.2895







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.8567







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.7467







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.8262







e y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=0.013849







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=1.3864







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-6.3234







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.016







onse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.98







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.1407







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.8595







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.7127







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.5203







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.8509







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.8841




Posterior expectation of x 3
μ_3
5
0
-5
0
20
40
60
80
100
120
140
160
Posterior expectation of x 2
μ_2
1
0.5
0
-0.5
0
20
40
60
80
100
120
140
160
se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.7654
y, u, s(μ_2)
1
0.8
0.6
0.4
0.2
0
0
20
40
60
80
100
120
140
160
Trial number





e y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.26357







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.1305







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.4739







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.2041







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.0011







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.6074







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.2884







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.85884







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.4729







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.7353







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.7192







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.5609







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.7095







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.0867







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=0.32563







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.26332







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.6794







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.3042







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.1379







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=0.16635







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.9585




Posterior expectation of x 3
μ_3
Posterior expectation of x 2
μ_2
se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.5041
y, u, s(μ_2)
Trial number





se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.2073







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.0256







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.4397







e y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.66023







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.3469







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.5968







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.4952







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.9893







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.782







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.4961




Posterior expectation of x 3
μ_3
4
2
0
-2
-4
-6
0
20
40
60
80
100
120
140
160


Posterior expectation of x 2
μ_2
2
1
0
-1
-2
0
20
40
60
80
100
120
140
160


e y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.92265
y, u, s(μ_2)
1
0.8
0.6
0.4
0.2
0
0
20
40
60
80
100
120
140
160
Trial number





se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.5146







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.98856




Posterior expectation of x 3
μ_3
2
0
-2
-4
0
20
40
60
80
100
120
140
160
Posterior expectation of x 2
μ_2
4
2
0
-2
-4
0
20
40
60
80
100
120
140
160
e y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.95589
y, u, s(μ_2)
1
0.8
0.6
0.4
0.2
0
0
20
40
60
80
100
120
140
160
Trial number





nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.351







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.1753







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.71549







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-8.1447







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.1109







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.2383







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.1194







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.79604







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.12216







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.0873







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.492







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-6.2914







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.6784







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.8551







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.3209







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.8606







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.2037







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.2715







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.5882







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.4992







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.8103




Posterior expectation of x 3
μ3
Posterior expectation of x 2
μ2
nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ2) (red) for ρ=0 0, κ=1, ω=-5.067
y, u, s(μ2)
Trial number





se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.5522







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.21698







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-6.7161







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.0522







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.1419







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.3196




Posterior expectation of x 3
μ_3
Posterior expectation of x 2
μ_2
se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.7555
y, u, s(μ_2)
Trial number





se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.7038







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.6533







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.5439







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.4125







e y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=0.069028







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.4417







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-5.42







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-1.6736







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.43576







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.9679







nse y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-3.36 -







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=0.26055




Posterior expectation of x 3
μ_3
2
0
-2
-4
0
20
40
60
80
100
120
140
160
Posterior expectation of x 2
μ_2
5
0
-5
0
20
40
60
80
100
120
140
160
e y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-0.99701
y, u, s(μ_2)
1
0.8
0.6
0.4
0.2
0
0
20
40
60
80
100
120
140
160
Trial number





se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-4.7668







se y (orange), input u (green), learning rate (fine black), and posterior expectation of input s(μ_2) (red) for ρ=0 0, κ=1, ω=-2.0916