Logical View : Class Diagram




Projects
+Team : StringArray
+Owner : String
+Repository: Link
-createProject()
-addDeveloper()
-displayProjects()
-setUpInvites()
-acceptInvites()
-declineInvites()
1
1
Backlog tracks projects
Project split into sprints
1
*
Scrum Backlog
+UserStories : UserStory
+Tasks : Task
Sprint
+SprintName : String
-StartDate : Date
-EndDate: Date
-startSprint()
1
Backlog consists of user stories
*
UserStory
+Name : String
+Description : String
+Acceptance : String
+Points: Int
-addStory()
1
User stories consist of tasks
*
Tasks
+Description : String
-createTask()

Logical View : State Diagram




frame
Projects
Create Project
Join Project
Github
Set Project Name
Set Project Description
Set Github Link
Scrum Manager


frame
Scrum Manager
Backlog
Sprints
User Stories
Create Sprint
Set Sprint name
Set Start date
Set End date


frame
User Stories
View User Story Details
Sprints
Create User Story
Tasks
Set Title
Set Description
Set Acceptance Criteria
Set Points


frame
Tasks
User Stories
View Tasks
Create Task
Set Description

Use-Case Diagrams



Physical View : Deployment Diagram



Development View : Component Diagram