Evaluate network security and Security Service Edge



Tim Warner

Principal Author | IT Ops | Pluralsight

TechTrainerTim.com





Checking in with Globomantics



Vendor VPN access still reaches whole plant subnets

Each maintenance job needs only specific equipment


Remote staff need consistent web protection

Tie the allowed path to a named identity

Evaluate a network design against Zero Trust

The VPN protects a tunnel with excessive reach

Globomantics design example



Encryption protects the tunnel

Replacement requirement Named identity + MFA + exact destination

Judge the permitted destination set, not the presence of tunnel encryption.


Rank a network gap by what the path can reach

Finding A: vendor route	vs.	Finding B: public test VM
Reaches the maintenance application		**Exposed to the internet**
That app can change plant operations		**No production data or shared privilege**
Compromise can interrupt production		**Recheck its identity and network links**
Fix first: it ends at a critical operation		**Fix next, unless a dependency changes that**

Evaluate segmentation and traffic filtering

A hub firewall needs an enforced traffic path

Globomantics design example



Effective routes + symmetric return path

Security admin rule

Deny → STOP

Always Allow → bypass NSG

Allow continues




ASGs identify VM workload roles

Routing chooses the inspection path; rule action and scope decide what is permitted.

Evaluate network posture and monitoring

Flow logs and audit events: do and don't



Do

DO Collect virtual network flow logs at the workload's scope

DO Correlate the flow with the application audit event



Don’t


DON'T Build new designs on retiring NSG flow logs

DON'T Read an empty query as proof of no traffic

Evaluate Microsoft Entra Internet Access as a secure web gateway

Take the web policy to the user’s traffic path

Globomantics design example



Supported client or remote network

Supplier exception

Narrow destination • assigned engineers • observed result

Identity-scoped policy works only for traffic that reaches its enforcement path.

Web filtering policy and inspection scope

Assign filtering policies through a security profile and Conditional Access

Without TLS inspection, HTTPS rules see only the SNI hostname

TLS inspection decrypts at the edge and needs exceptions

Evaluate Internet Access for Microsoft services and tenant restrictions


Network trust and external tenant restrictions




Microsoft traffic profile: forward the defined Microsoft services



Compliant network: require the covered Global Secure Access path



Continuous access evaluation: session changes only where supported



Tenant restrictions v2: approved external tenants and identities


Evaluate Microsoft Entra Private Access to replace the VPN

Vendor access to one maintenance application

Globomantics design example

Named vendor

App assignment +
Conditional Access



maintenance-line-a.globomantics.example

Scope: one host + required port

Test unrelated host and old VPN path

Per-app assignment and an exact segment need positive and negative access evidence.

Demo: Scope vendor access with Private Access

Read who may connect and where the connection lands, then find the vendor path that still reaches the plant

Practice question and key points

Theme: Vendor access to plant systems

Question

Globomantics maintenance vendors need named accounts, MFA and access to assigned plant hosts only. What should you recommend?

A. Restrict NSGs to the vendors' source IP ranges

B. Publish per-app Private Access with Conditional Access

C. Apply Internet Access web content filtering

D. Use a point-to-site VPN with MFA

Theme: Vendor access to plant systems

Answer: B

Globomantics maintenance vendors need named accounts, MFA and access to assigned plant hosts only. What should you recommend?

A. Restrict NSGs to the vendors' source IP ranges

B. Publish per-app Private Access with Conditional Access

C. Apply Internet Access web content filtering

D. Use a point-to-site VPN with MFA

Checking out with Globomantics



Evaluate reachability and identity together

Verify the routes that make filtering effective

Use Internet Access for outbound web and Microsoft traffic

Use Private Access for scoped private applications

Thank you for your time!



Tim Warner | TechTrainerTim.com