
Mean number of modes per drug: remode vs hand ratings

remode (bootstrap test, 10,000 draws, alpha = .05, shape-based) on the raw counts of the 13 party groups.
Agreement with the hand ratings 51%; Cohen's kappa 0.16 (linear weighted 0.17).
remode with the binomial test agrees with the bootstrap in 69%, with weighted counts in 78%.




Confusion table: remode (rows) vs hand ratings (columns)


remode modes	rated 1	rated 2	rated 3
1	22	15	7
2	19	30	6
3	0	3	1
4	0	0	1


Group-level tests with the remode mode counts

Fisher's exact test (simulated p, 1e5) and stratified permutation tests (G statistic, 1e5 permutations)

test	p
Party vs modality (Fisher)	0.0094
Drug vs modality (Fisher)	4e-05
Party given drug (permutation within drug)	0.00014
Drug given party (permutation within party)	1e-05



Cases where remode and the hand rating disagree (remode modes in blue)
other
remode mode
D66 — alcohol (n = 233)
remode 2, rated 1
D66 — cocaine (n = 232)
remode 2, rated 1
D66 — heroin (n = 232)
remode 2, rated 1
D66 — MDMA (n = 233)
remode 3, rated 2
D66 — psychedelics (n = 233)
remode 4, rated 3
D66 — speed (n = 231)
remode 2, rated 1
GroenLinks-PvdA — alcohol (n = 240)
remode 2, rated 1
GroenLinks-PvdA — cannabis (n = 239)
remode 2, rated 1
GroenLinks-PvdA — cocaine (n = 239)
remode 1, rated 2
GroenLinks-PvdA — MDMA (n = 239)
remode 3, rated 2
GroenLinks-PvdA — psychedelics (n = 240)
remode 3, rated 2
Other party — MDMA (n = 72)
remode 1, rated 2
Other party — psychedelics (n = 73)
remode 1, rated 3
PVV — alcohol (n = 123)
remode 2, rated 1
PVV — cocaine (n = 124)
remode 2, rated 1
PVV — heroin (n = 125)
remode 2, rated 1
PVV — MDMA (n = 123)
remode 2, rated 1
PVV — psychedelics (n = 124)
remode 2, rated 1
PVV — speed (n = 125)
remode 2, rated 1
VVD — alcohol (n = 132)
remode 2, rated 1
Respondents (unweighted %)
0%
20%
40%
60%
80%
1 2 3 4 5 6 7 8 9
Preferred policy (1 = ban … 9 = free sale)


Cases where remode and the hand rating disagree (remode modes in blue)
other
remode mode
BBB — cocaine (n = 33)
remode 1, rated 3
BBB — MDMA (n = 32)
remode 1, rated 3
BBB — psychedelics (n = 33)
remode 2, rated 3
BBB — speed (n = 33)
remode 1, rated 2
BBB — tobacco and vapes (n = 33)
remode 2, rated 3
CDA — alcohol (n = 114)
remode 2, rated 1
CDA — cocaine (n = 114)
remode 2, rated 1
CDA — heroin (n = 114)
remode 1, rated 2
CDA — MDMA (n = 114)
remode 2, rated 1
CDA — psychedelics (n = 114)
remode 2, rated 1
Did not vote / blank — alcohol (n = 63)
remode 2, rated 1
Did not vote / blank — psychedelics (n = 64)
remode 1, rated 2
FvD — alcohol (n = 37)
remode 1, rated 2
FvD — speed (n = 37)
remode 2, rated 3
JA21 — cannabis (n = 79)
remode 2, rated 3
SP — alcohol (n = 42)
remode 1, rated 2
SP — cocaine (n = 42)
remode 1, rated 3
SP — heroin (n = 42)
remode 1, rated 2
SP — MDMA (n = 42)
remode 1, rated 3
SP — psychedelics (n = 42)
remode 1, rated 2
Respondents (unweighted %)
0%
20%
40%
60%
1 2 3 4 5 6 7 8 9
Preferred policy (1 = ban … 9 = free sale)


Cases where remode and the hand rating disagree (remode modes in blue)
other
remode mode
FvD — cocaine (n = 35)
remode 2, rated 3
JA21 — psychedelics (n = 78)
remode 1, rated 2
JA21 — speed (n = 77)
remode 1, rated 2
PvdD — cocaine (n = 36)
remode 1, rated 3
PvdD — psychedelics (n = 36)
remode 2, rated 1
PvdD — speed (n = 35)
remode 1, rated 3
Volt — cocaine (n = 28)
remode 1, rated 2
Volt — heroin (n = 28)
remode 1, rated 2
Volt — MDMA (n = 27)
remode 2, rated 3
Volt — psychedelics (n = 28)
remode 1, rated 2
Volt — speed (n = 28)
remode 1, rated 2
Respondents (unweighted %)
0%
20%
40%
60%
1 2 3 4 5 6 7 8 9
Preferred policy (1 = ban … 9 = free sale)


Modes of the party distributions on the map axis: Illicit drugs (x)

Mean score per respondent binned to whole units (1–2, 2–3, …, 8–9); remode (bootstrap test) on the raw counts.
Dashed line = sample mean.



Modes of the party distributions on the map axis: Alcohol and tobacco (y)

Mean score per respondent binned to whole units (1–2, 2–3, …, 8–9); remode (bootstrap test) on the raw counts.
Dashed line = sample mean.



Averaging check: modality per drug vs on the aggregate axis

remode (bootstrap) on the separate drugs and on the mean score over the drugs of an axis

party group	axis	multimodal drugs	mean modes per drug	modes on axis	axis, weighted	pattern
D66	illicit (x)	6 of 6	2.50	2	1	consistent
PVV	illicit (x)	6 of 6	2.17	2	2	consistent
GroenLinks-PvdA	illicit (x)	5 of 6	2.17	1	1	drugs multimodal, axis not
FvD	illicit (x)	5 of 6	1.83	1	1	drugs multimodal, axis not
CDA	illicit (x)	4 of 6	1.67	1	1	drugs multimodal, axis not
VVD	illicit (x)	3 of 6	1.50	1	1	drugs multimodal, axis not
BBB	illicit (x)	2 of 6	1.33	1	1	consistent
JA21	illicit (x)	2 of 6	1.33	1	1	consistent
PvdD	illicit (x)	2 of 6	1.33	2	1	axis multimodal, drugs mostly not
Volt	illicit (x)	2 of 6	1.33	1	1	consistent
Other party	illicit (x)	1 of 6	1.17	1	1	consistent
Did not vote / blank	illicit (x)	1 of 6	1.17	1	1	consistent
SP	illicit (x)	1 of 6	1.17	1	1	consistent
D66	legal (y)	2 of 2	2.00	1	1	drugs multimodal, axis not
PVV	legal (y)	2 of 2	2.00	2	2	consistent
VVD	legal (y)	2 of 2	2.00	3	3	consistent
GroenLinks-PvdA	legal (y)	2 of 2	2.00	2	2	consistent
Other party	legal (y)	2 of 2	2.00	2	2	consistent
Did not vote / blank	legal (y)	2 of 2	2.00	2	2	consistent
CDA	legal (y)	2 of 2	2.00	1	2	drugs multimodal, axis not
BBB	legal (y)	1 of 2	1.50	1	1	drugs multimodal, axis not
FvD	legal (y)	1 of 2	1.50	1	1	drugs multimodal, axis not
SP	legal (y)	1 of 2	1.50	1	1	drugs multimodal, axis not
JA21	legal (y)	1 of 2	1.50	2	2	consistent
PvdD	legal (y)	1 of 2	1.50	2	1	consistent
Volt	legal (y)	1 of 2	1.50	1	2	drugs multimodal, axis not