

A unified model of demographic time

Tim Riffe^{*1}, Jonas Schöley², and Francisco Villavicencio²

¹Max Planck Institute for Demographic Research

²University of Southern Denmark

July 31, 2015

Abstract

We describe a three-dimensional model that relates six different aspects of lifespans and time. The six aspects of demographic time considered are chronological age, thanatological age, lifespan, year of birth, year of death, and period. Two versions of the model are described: a relatively intuitive extension of the right-angled Lexis diagram, and an isotropic extension based on the regular tetrahedron.

The so-called Lexis diagram relates the chronological age (A), period (P), and birth cohort (C) indices of demographic time, APC, but it does not account for remaining years of life (thanatological age), and other related time indices. The thanatological counterpart to APC is an identity between thanatological age (T), period (P), and death cohort (D), TPD. A third identity exists between chronological age (A), thanatological age (T), and lifespan (L), ATL, and a fourth between year of birth (C), year of death (D) and lifespan (L), CDL. Each of these four tripartite identities may be sufficiently described by any two of its constituent indices, making the third index redundant. Each of these four identities also lacks a major dimension of time. The ATL identity lacks calendar time, the CDL identity is ageless, APC lacks years left, and TPD lacks years lived.

^{*}triffe@demog.berkeley.edu

The work reported in this manuscript was begun by the first author while at the Department of Demography at the University of California, Berkeley, and was supported by the U.S. National Institute On Aging of the National Institutes of Health under award numbers R01-AG011552 and R01-AG040245. The content is solely the responsibility of the authors and does not necessarily represent the official views of the funding agencies.

To my knowledge, the only tripartite identity that has received serious treatment at this point in time is the APC identity. Different aspects of the APC identity have been discussed since at least 1868 (Knapp 1868), and discussion remains lively at the time of this writing. Here it is our objective to relate the six major indices of time to a geometric identity, in much the same spirit as the work on APC done between the late 1860s and mid 1880s.¹

Each of the four tripartite identities may be thought of as a two-dimensional plane fully defined by any two of its three constituent time indices. In this case, we may imagine the third “lacking” dimension as spatial for the sake of conceptualization. Having a third dimension implies a multitude of parallel planes for the given identity, each plane belonging to a unique value of the third time dimension. Any of the identities can be extended in this way to fill a space. A space derived by extending any of the tripartite identities into its lacking dimension implies each of the other tripartite identities, making a total of six time indices. In essence, the four tripartite identities may be thought of as parallel to the four faces of a tetrahedron. In this case, the four “lacking” dimensions may be assigned to the four vertices of the tetrahedron, and the six demographic time indices match to the six edges of the tetrahedron. It is this three-dimensional construct that unifies the six indices of demographic time, and which I describe in this paper.

we have mentioned six different aspects of demographic time. Other combinations of three of these are possible, but they automatically imply the above-mentioned three-dimensionalization. In imagining this three-dimensional relationship, it may help to first consider its extension. Some indices are limited by our maximum length of life, ω , while others are boundless. A, T, and L are clearly in the range $[0, \omega]$. P, C, and D are bounded only by the inception and extinction of our species, but may be thought of as boundless for practicality, or by our earliest and most recent observations for even more practicality. As an abstraction, however, the dimension of calendar time in this model is infinite. Of the four identities, only one lacks an unbounded dimension, the ATL. Adding the absent dimension to ATL therefore makes it boundless. In this way, we may imagine a prism-like construct, where A, T, and L, compose the faces of a triangular cross-section of said prism, which extends infinitely “through” the triangle. We can think of the ATL triangle passing through time, extending the population forward to infinity. In this case, the ATL triangle may take either the period or cohort perspectives, and this will be explained later.

There are also numerous ways that this three dimensional construct can

¹See e.g., Keiding (2011) for an overview of that literature.

be proportioned, of which I present two in this paper. The first stems from the respect given to right angles in the most common representation of the Lexis diagram. For this reason, it will likely be the most intuitive rendition of the model, and it will be presented first. The second version presented is isotropic with respect to time units in each of the six temporal indices. In this case, the four tripartite identities are based on equilateral triangles between their three constituent indices, and the four planes are joined together such that each is parallel to a face from the regular tetrahedron, a construct known in geometry as an octahedral-tetrahedral honeycomb.

In this paper we first state the relationships between all six dimensions of demographic time. The APC, TDL, and ATL planes are introduced as degenerate cases of the unified model. The case of the ATLC cross-sectional plane is introduced, followed by the full three-dimensional unified model, the APCTDL model. Finally, we demonstrate the use of this coordinate system for the case of end-of-life trajectories of some characteristics of morbidity. I explain the utility of this model by demonstrating a case where heterogeneity with respect to unaccounted-for time dimensions has caused serious misunderstandings in the scientific literature and in public policy.

Intersecting planes

The model can be introduced in terms of four planes intersecting in Euclidean 3d space. Two of the planes motivate the model, and the other two are in this case artifactual, although they may have demographic meaning. The first plane is the widely used APC plane. This plane omits remaining years of life (T).

APC

The Lexis diagram has long been used in demography to relate chronological age (A) with birth cohorts (C) and calendar years (P). Since the so-called Lexis diagram could have been named for others (Vandeschrick 2001, Keiding 2011), and since we compare with other temporal configurations, let us refer to it as the APC diagram, as seen in Figure 1. When a value (data) is structured by APC coordinates, we refer to it as an APC surface.

The APC diagram in Figure 1 represents years lived on the y axis, calendar years on the x axis, and birth cohorts as the right-ascending diagonals. This is the most common of several possible configurations of the APC dimensions. Individual lifelines are aligned in the cohort direction, starting with birth (filled circle) at chronological age zero, and death ()

Any APC surface can be interpreted along each of these three dimensions of temporal structure. Such interpretation is a descriptive task, and it does not succumb to problems of overidentification. Variation along these three dimensions can not be parsimoniously separated into the three effects of A, P, and C. This is the so-called APC problem, and it is not the concern of the present work.

It has long been noted (Zeuner 1869, Perozzo 1880) that the birth cohort dimension, as represented in Figure 1, is relatively longer than either the age or years axes. If a right angle and unity aspect ratio is forced between any two of the APC dimensions, the third dimension is always be stretched by $\sqrt{2}$. Another long-standing, but less common variant, is to represent




Figure 1: Lifelines in the APC diagram

TPD

Thanatological age (T), period (P) and death cohort (D) form a coordinate system best imagined as the opposite of APC. One may take the same lifelines from Figure 1 and realign them in descending fashion to create the diagram in Figure 2

ATL

The second plane is ATL, a valid coordinate system for processes that vary over the lifecourse, but not over time (P). Since the lifecourse belongs to the cohort perspective, it is best to think of the ATL plane as belonging to some particular birth cohort. Alternatively, an ATL triangle may be taken as a cross-section along through the period dimension, a sort of synthetic ATL plane.




Figure 2: Lifelines in the TPD diagram

APCT

I propose a geometric identity that unifies all such temporal notions into a single (simple) spatial relationship that serves as an omnibus conceptual aid to demographers, much as the Lexis diagram does for APC relationships. The full result is a three dimensional space that can be dissected by any of four different planes, each of which is parallel to the faces of a regular tetrahedron (see Figure 3 for a first mock-up of the model). Each dissecting plane relates three indices of demographic time in proportion to one another (1:1:1 ternary aspect ratio). The complete space can be described in geometry nomenclature as the tetrahedral-octahedral honeycomb, which is a kind of space-filling tessellation.² One of these planes is the familiar Lexis plane (horizontal planes in Figure 3, and the other three will be new surprises for demographers. This three dimensional space is not only useful for the sake of formalizing observed temporal relationships, but also for enclosing demographic time in the past and future (e.g., before the first census and after the most recent census).

A property of the geometry that I propose is that the time units in every direction (with respect to each index) are proportional. The Lexis diagram based on right angles and 45° birth cohort lines does not have this property, whereas Lexis diagrams and surfaces based on equilateral triangles, such as some early proposals (inter alia, Lexis 1875, Lewin 1876), the masterful stereogram of Perozzo (1880), or the more recent APC diagram of Ryder (1980), do have this property. The dissecting planes of the model I propose are likewise composed of equilateral triangles. In Lexis nomenclature, the 3d projections of an AP square, and AC or PC parallelograms are all congruent shapes known as regular trigonal trapezohedra (RTT). The orientation of a given RTT uniquely defines the Lexis shape in question. Similar constructs exist in the other time dimensions, and these will also be described.


References

N. Keiding. Age-period-cohort analysis in the 1870s: Diagrams, stereograms, and the basic differential equation. *Canadian Journal of Statistics*, 39(3):405–420, 2011.

²Constructs following this geometry exist both in nature and in man-made structures.

³This and other figures to be replaced with vector graphics, although I may bring this model to the presentation, since it helps explain concepts.

Figure 3: A mock-up example of the unified model of demographic time.³



Georg Friedrich Knapp. *Über die Ermittlung der Sterblichkeit aus den Aufzeichnungen der Bevölkerungs-Statistik*. JC Hinrich, 1868.

J. Lewin. Rapport sur la détermination et le recueil des données relatives aux tables de mortalité. *Programme de la neuvième session du Congrès International de statistique à Budapest I*, pages 295–361, 1876.

W.H.R.A. Lexis. *Einleitung in die Theorie der Bevölkerungsstatistik*. KJ Trübner, 1875.

L. Perozzo. Della rappresentazione grafica di una collettività di individui nella successione del tempo. *Annali di Statistica*, 12:1–16, 1880.

Norman B Ryder. *The cohort approach: Essays in the measurement of temporal variations in demographic behavior*. PhD thesis, Princeton University, 1980.

C. Vandeschrick. The lexis diagram, a misnomer. *Demographic Research*, 4 (3):97–124, 2001.

Gustav Zeuner. *Abhandlungen aus der mathematischen statistik*. Verlag von
Arthur Felix, 1869.