

Klin AI Oncology Demo - Source Document Package

What this package is

These are synthetic, real-world-style source documents generated from the oncology demo workbook. They are designed to be uploaded into the EDC demo so the system can extract values, map them to eCRF fields, standardize to SDTM, and run layered checks. No real patient information is included.

Document types included

Type	Count	Primary domains
Radiology reports with synthetic CT/MRI key image panels	35	TU, TR, RS
Pathology reports	5	DM / eligibility evidence
Investigator screening notes	5	DM / eligibility evidence
Central lab reports	35	LB / ADLB derivation evidence

Key error demonstration files

File/document	Expected issue shown later	Why it matters
RAD-SUBJ001-Week16	Critical PR threshold not supported	RS says PR, but TR target sum decrease is only 10.3% from baseline.
RAD-SUBJ002-Week24	Critical new lesion conflicts with response	Radiology shows NEW01 while RS says no new lesions and PR.
RAD-SUBJ004-Week32	Critical CR conflicts with non-target disease	Targets are 0 mm, but non-target disease is still present.
LAB-SUBJ003-Week16	Critical direct bilirubin greater than total bilirubin	DBILI 1.8 mg/dL and total BILI 0.8 mg/dL on same collection date.
RAD-SUBJ005-BL	Warning duplicate lesion identity	T01 appears with conflicting baseline lesion identity.

How to use in the demo

Upload a source document PDF. The extraction layer should identify the subject, visit, dates, measurements, lab values, diagnosis, and response fields. The eCRF filling layer should populate the corresponding domain forms. After SDTM standardization, the check engine should flag only the deeper cross-domain or medical-analysis critical issues as critical.