

## # 🌐 Synthetic Network Monitoring

> **\*\*Series:\*\*** SYNTH | **\*\*Notebook:\*\*** 5 of 6 | **\*\*Created:\*\*** December 2025

### ## Network Availability, DNS, and ICMP Monitoring

This notebook covers Dynatrace Synthetic Network Availability Monitors, including ICMP (ping), DNS, and TCP port monitoring capabilities introduced in recent Dynatrace releases.

---

### ## Table of Contents

1. Network Monitoring Overview
2. ICMP (Ping) Monitors
3. DNS Monitors
4. TCP Port Monitors
5. Multi-Protocol Monitors
6. Use Cases and Patterns
7. Analyzing Network Results

### ## Prerequisites

- ✅ Access to a Dynatrace environment with Synthetic Monitoring
- ✅ Completed SYNTH-01 through SYNTH-04
- ✅ Private synthetic locations (for internal network monitoring)

### ## 1. Network Monitoring Overview

#### ### Synthetic Network Availability Monitors

Dynatrace provides network-level synthetic monitoring to verify:

Protocol	Purpose	Use Case
-----	-----	-----
<b>**ICMP**</b>	Host reachability	Server availability
<b>**DNS**</b>	Name resolution	DNS infrastructure health
<b>**TCP**</b>	Port connectivity	Service port availability

#### ### Why Network Monitoring?

Network monitors complement application-level monitoring by testing at different layers of the stack:

! [Network Layers]

(

pZiIgZm9udC1zaXplPSIXMCIGzmlsbD0icmdiYSgyNTUsMjU1LDI1NSwwLjkPij5UcmFuc3BvcnQ0  
L3RleHQ+CiaGPHRleHQgeD0imJAwIiB5PSIXNTUiIGZvbnQtZmFtaWx5PSJBcmlhbCwgc2Fucy1zZ  
XJpZiIgZm9udC1zaXplPSIXMiIgZm9udC13ZWlnaHQ9ImJvbGQiIGZpbGw9IndoaXRlIj5UQ1AgUG  
9ydCBNb25pdG9yczwvdGV4dD4KICA8cmVjdCB4PSIznJAIiHk9IjE0MyIgd2lkdgG9IjQWIiBoZWl  
naHQ9IjE4IiByeD0iNCIGzmlsbD0iI2ZiYmYyNCIvPgogIDx0ZXh0IHg9IjM4MCIgeT0iMTU2IiBm  
b250LWZhbwLseT0iQXJpYWwsIHNhbnMtc2VyaWYiIGZvbnQt c2l6ZT0iMTAiIGZvbnQtd2VpZ2h0P  
Slib2xkiBmaWxsPSIJmzMziIB0ZXh0LWFuY2hvcj0ibWlkZGxlIj50RVc8L3RleHQ+CiaGPHRleH  
QgeD0iNDUwIiB5PSIXNTAiIGZvbnQtZmFtaWx5PSJBcmlhbCwgc2Fucy1zZXJpZiIgZm9udC1zaXp  
lPSIXMCIGzmlsbD0icmdiYSgyNTUsMjU1LDI1NSwwLjkPij5Qb3J0IGF2YWlsYWJpbGl0eSwgY29u  
bmVjdGlvbiB0aw1lPC90ZXh0PgogIDx0ZXh0IHg9IjQ1MCIgeT0iMTY3IiBmb250LWZhbwLseT0iQ  
XJpYWwsIHNhbnMtc2VyaWYiIGZvbnQt c2l6ZT0iMTAiIGZpbGw9InJnYmEoMjU1LDI1NSwyNTUsMC  
45KSI+U1NML1RMUYBoYW5kc2ha2UgmFsaWRhdGlvbjwvdGV4dD4KCiaGPCEtLSBMXYllciAzIC0  
tPgogIDxyZWNoIHg9IjMwIiB5PSIXODAiIHdpZHRoPSI3NDAAiGHlaWdodD0iNTAiIHJ4PSI4IiBm  
aWxsPSJ1cmwoI2xheWVyM0dyYWQPIiBmaWx0ZXI9InVybgcjBGf5ZXJTaGFkb3cpIi8+CiaGPHRle  
HQgeD0iODAAiIHk9IjIwNSIGZm9udC1mYW1pbHk9IkFyaWFsLCBzYW5zLXNlcmlmIiBmb250LXNpem  
U9IjExIiBmb250LXdlaWdodD0iYm9sZCIgZmlsbD0id2hpdGUlPkxheWVyIDM8L3RleHQ+CiaGPHR  
leHQgeD0iODAAiIHk9IjIyMiIgZm9udC1mYW1pbHk9IkFyaWFsLCBzYW5zLXNlcmlmIiBmb250LXNp  
emU9IjEwIiBmaWxsPSJyZ2JhKDI1NSwyNTUsMjU1LDAuOSkiPK5ldHdvcm8L3RleHQ+CiaGPHRle  
HQgeD0imJAwIiB5PSIyMTAiIGZvbnQtZmFtaWx5PSJBcmlhbCwgc2Fucy1zZXJpZiIgZm9udC1zaX  
plPSIXMiIgZm9udC13ZWlnaHQ9ImJvbGQiIGZpbGw9IndoaXRlIj5JQ010IE1vbml0b3JzPC90ZXh  
0PgogIDxyZWNoIHg9IjM0MCIgeT0iMTk4IiB3aWR0aD0iNDAAiGHlaWdodD0iMTgiIHJ4PSI0IiBm  
aWxsPSIjZmJiZjI0Ii8+CiaGPHRleHQgeD0imZYwiB5PSIyMTEiIGZvbnQtZmFtaWx5PSJBcmlhb  
Cwgc2Fucy1zZXJpZiIgZm9udC1zaXplPSIXMCIGZm9udC13ZWlnaHQ9ImJvbGQiIGZpbGw9IiMzMz  
MiIHRleHQtYW5jaG9yPSJtaWRkbGUlPk5FVzwvdGV4dD4KICA8dGV4dCB4PSI0NTAiIHk9IjIwNSI  
gZm9udC1mYW1pbHk9IkFyaWFsLCBzYW5zLXNlcmlmIiBmb250LXNpemU9IjEwIiBmaWxsPSJyZ2Jh  
KDI1NSwyNTUsMjU1LDAuOSkiPKhvc3QgYXZhaWxhYmlsaXR5LCBsYXRlbmN5LCBwYWNrZXQgbG9zc  
zwvdGV4dD4KICA8dGV4dCB4PSI0NTAiIHk9IjIyMiIgZm9udC1mYW1pbHk9IkFyaWFsLCBzYW5zLX  
NlcmlmIiBmb250LXNpemU9IjEwIiBmaWxsPSJyZ2JhKDI1NSwyNTUsMjU1LDAuOSkiPK5ldHdvcm  
sgGF0aCB0ZFsdGsIGppdHRlcjwvdGV4dD4KCiaGPCEtLSBETLMgTGf5ZXIglS0+CiaGPHJLY3Qg  
eD0imZAiIHk9IjIzNSIGd2lkdgG9Ijc0MCIgaGvpZ2h0PSI1MCIgcng9IjgiIGZpbGw9InVybgcjZ  
G5zTGf5ZXJHcmFkKSIGzmlsdGVyPSJ1cmwoI2xheWVyU2hhZG93KSIvPgogIDx0ZXh0IHg9IjgwIi  
B5PSIYNjAiiIGZvbnQtZmFtaWx5PSJBcmlhbCwgc2Fucy1zZXJpZiIgZm9udC1zaXplPSIXMSIGZm9  
udC13ZWlnaHQ9ImJvbGQiIGZpbGw9IndoaXRlIj5ETLM8L3RleHQ+CiaGPHRleHQgeD0iODAAiIHk9  
IjI3NyIgZm9udC1mYW1pbHk9IkFyaWFsLCBzYW5zLXNlcmlmIiBmb250LXNpemU9IjEwIiBmaWxsP  
SJyZ2JhKDI1NSwyNTUsMjU1LDAuOSkiPLJlc29sdXRpb248L3RleHQ+CiaGPHRleHQgeD0imJAwIi  
B5PSIYNjUiIGZvbnQtZmFtaWx5PSJBcmlhbCwgc2Fucy1zZXJpZiIgZm9udC1zaXplPSIXMiIgZm9  
udC13ZWlnaHQ9ImJvbGQiIGZpbGw9IndoaXRlIj5ETLMgTW9uaXRvcnM8L3RleHQ+CiaGPHJLY3Qg  
eD0imZIiIiB5PSIyNTMiIHdpZHRoPSI0MCIgaGvpZ2h0PSIXOCiGcng9IjqiIGZpbGw9IinNmYmJmM  
jQiLz4KICA8dGV4dCB4PSIZNDUIiIHk9IjI2NiIgZm9udC1mYW1pbHk9IkFyaWFsLCBzYW5zLXNlcml  
mIiBmb250LXNpemU9IjEwIiBmb250LXdlaWdodD0iYm9sZCIgZmlsbD0iIzMzMzYiIgdGV4dC1hbmN  
ob3I9Im1pZGRsZSI+TkVXPc90ZXh0PgogIDx0ZXh0IHg9IjQ1MCIgeT0imJYWiBmb250LWZhbwLs  
eT0iQXJpYWwsIHNhbnMtc2VyaWYiIGZvbnQt c2l6ZT0iMTAiIGZpbGw9InJnYmEoMjU1LDI1NSwyN  
TUsMC45KSI+RE5TIHJlc29sdXRpb24gdGltZSwgcmlvbjB3JkIHZhbkGkYXRpb248L3RleHQ+CiaGPH  
RleHQgeD0iNDUwIiB5PSIYNzciIGZvbnQtZmFtaWx5PSJBcmlhbCwgc2Fucy1zZXJpZiIgZm9udC1  
zaXplPSIXMCIGzmlsbD0icmdiYSgyNTUsMjU1LDI1NSwwLjkPij5NdWx0aXBsZSBETLMgc2VydmVy  
IHRlc3Rpbmc8L3RleHQ+Cjwvc3ZnPgo=)

### ### Benefits

- **Root Cause Isolation**: Distinguish network vs application issues
- **Infrastructure Validation**: Verify network paths are operational
- **DNS Health**: Monitor critical DNS infrastructure
- **Low Overhead**: Minimal resource consumption
- **High Frequency**: Run every minute if needed

## ## 2. ICMP (Ping) Monitors

### ### What ICMP Monitors Test

Metric	Description
Reachability	Host responds to ping
Latency	Round-trip time (RTT)
Packet Loss	Percentage of lost packets
Jitter	Latency variation

### ### Configuration Options

Setting	Description	Typical Value
Target	IP address or hostname	`192.168.1.1` or `server.example.com`
Packet Count	Pings per execution	3-10
Timeout	Wait time per packet	5 seconds
Frequency	Execution interval	1-60 minutes

### ### Creating an ICMP Monitor

**Dynatrace menu** → Synthetic → Create synthetic monitor → Create network availability monitor → ICMP

### ### Metrics Captured

![[ICMP Monitor Results]

(

2ZJhIiByeD0i0CIvPgoKICA8IS0tIEhLYWRlciAtLT4KICA8cmVjdCB4PSIwIiB5PSIwIiB3aWR0aD0iNTAwIiBoZWlnaHQ9IjQ1IiBmaWxsPSJ1cmwoI2hLYWRlckJnKSIgcng9IjgiLz4KICA8cmVjdCB4PSIwIiB5PSIzNyIgd2lkdGg9IjUwMCIgaGVpZ2h0PSI4IiBmaWxsPSJ1cmwoI2hLYWRlckJnKSIvPgoIDx0ZXh0IHg9IjIwIiB5PSIy0CIgZmlsbD0iI2YxZjVm0SIgZm9udC1mYW1pbHk9InN5c3RlbS1aSwgWLFwcGxLXN5c3RlbSwgc2Fucy1zZXJpZiIgZm9udC1zaXplPSIxNCIgZm9udC13ZWlnaHQ9IjYwMCI+SUNNUCBN25pdG9yIEV4ZWN1dGlvbjwvdGV4dD4KCIaGPEtLSBQaW5nIFJlc3VsdHMgU2VjdGlvbiAtLT4KICA8dGV4dCB4PSIyMCIgeT0iNzAiIGZpbGw9IiM5NGEzYjgiIGZvbnQtZmFtaWx5PSJzeXN0ZW0tdWksIC1hcHBsZS1zeXN0ZW0sIHNhbnMtc2VyaWYiIGZvbnQt c2l6ZT0iMTEiIGZvbnQt d2VpZ2h0PSI1MDAiPlBJTkcgUkVTVUxUUzwwdGV4dD4KCIaGPEtLSBQaW5nIDEgLS0+CiAgPHRleHQgeD0iMjAiIHk9IjEwMCIgZmlsbD0iI2UyZThmMCIgZm9udC1mYW1pbHk9Im1vbm9zcG FjZSIgZm9udC1zaXplPSIxMiI+UGluZyAx0jwvdGV4dD4KICA8cmVjdCB4PSI3NSIgeT0iODgiIHdpZHRoPSIxNDAiIGhlaWdodD0iMTYiIGZpbGw9IiMxZTI5M2IiIHJ4PSIzIi8+CiAgPHJlY3QgeD0iNzUiIHk9Ijg4IiB3aWR0aD0iMTA1IiBoZWlnaHQ9IjE2IiBmaWxsPSJ1cmwoI3Byb2dyZXNzR3JlZW4pIiByeD0iMyIvPgoIDx0ZXh0IHg9IjIzMCIGeT0iMTAwIiBmaWxsPSIj0TRhM2I4IiBmb250LWZhbWlseT0ibW9ub3NwYWNlIiBmb250LXNpemU9IjEyIj40NW1zPC90ZXh0PgoIDxjaXJjbGUgY3g9IjI4MCIgY3k9Ijk0IiByPSI4IiBmaWxsPSIjMTBi0TgxIi8+CiAgPHRleHQgeD0iMjEiB5PSI50CIgZmlsbD0id2hpdGUIGZvbnQtZmFtaWx5PSJzeXN0ZW0tdWksIHNhbnMtc2VyaWYiIGZvbnQt c2l6ZT0iMTA1IGZvbnQt d2VpZ2h0PSJib2xkiIj7inJM8L3RleHQ+ CgogIDwhLS0gUGluZyAyIC0tPgogIDx0ZXh0IHg9IjIwIiB5PSIxMzAiIGZpbGw9IiNlMmU4ZjAiIGZvbnQtZmFtaWx5PSJtb25vc3BhY2UiIGZvbnQt c2l6ZT0iMTIiPlBpbmcgMj08L3RleHQ+CiAgPHJlY3QgeD0iNzUiIHk9IjEx0CIgd2lkdGg9IjE0MCIgaGVpZ2h0PSIxNiIgZmlsbD0iIzFLmjkzYiIgcng9IjMiLz4KICA8cmVjdCB4PSI3NSIgeT0iMTE4IiB3aWR0aD0iMTE1IiBoZWlnaHQ9IjE2IiBmaWxsPSJ1cmwoI3Byb2dyZXNzR3JlZW4pIiByeD0iMyIvPgoIDx0ZXh0IHg9IjIzMCIGeT0iMTMwIiBmaWxsPSIj0TRhM2I4IiBmb250LWZhbWlseT0ibW9ub3NwYWNlIiBmb250LXNpemU9IjEyIj41Mm1zPC90ZXh0PgoIDxjaXJjbGUgY3g9IjI4MCIgY3k9IjEyNyCIgcj0i0CIgZmlsbD0iIzEwYj04M5IvPgoIDx0ZXh0IHg9IjI3NiIgeT0iMTI4IiBmaWxsPSJ3aGl0ZSIgZm9udC1mYW1pbHk9InN5c3RlbS1aSwgc2Fucy1zZXJpZiIgZm9udC1zaXplPSIxMCIgZm9udC13ZWlnaHQ9ImJvbG0iPuKckzwvdGV4dD4KCIaGPEtLSBQaW5nIDMgLS0+CiAgPHRleHQgeD0iMjAiIHk9IjE2MCIgZmlsbD0iI2UyZThmMCIgZm9udC1mYW1pbHk9Im1vbm9zcG FjZSIgZm9udC1zaXplPSIxMiI+UGluZyAz0jwvdGV4dD4KICA8cmVjdCB4PSI3NSIgeT0iMTQ4IiB3aWR0aD0iMTQwIiBoZWlnaHQ9IjE2IiBmaWxsPSIjMWUy0TNiIiByeD0iMyIvPgoIDx0ZXh0IHg9IjciIiB5PSIxNDgiIHdpZHRoPSIxMDgiIGhlaWdodD0iMTYiIGZpbGw9InVybGcgjChJvZ3Jlc3NhcmVlbikiIHJ4PSIzIi8+CiAgPHRleHQgeD0iMjMwIiB5PSIxNjAiIGZpbGw9IiM5NGEzYjgiIGZvbnQtZmFtaWx5PSJtb25vc3BhY2UiIGZvbnQt c2l6ZT0iMTIiPjQ4bXM8L3RleHQ+CiAgPGNpc mNsZSBjeD0iMjEwIiBjeT0iMTU0IiByPSI4IiBmaWxsPSIjMTBi0TgxIi8+CiAgPHRleHQgeD0iMjc2IiB5PSIxNTgiIGZpbGw9IndoaXRlIiBmb250LWZhbWlseT0ic3lzdGVtLXVpLCBzYW5zLXNlcmIiBmb250LXNpemU9IjEwIiBmb250LXdlaWdodD0iYm9sZCI+4pyTPC90ZXh0PgoKICA8IS0tIERpdmkZXIgL S0+CiAgPGxpbmUgeDE9IjIwIiB5MT0iMTg1IiB4Mj0iNDgwIiB5Mj0iMTg1IiBzdHJva2U9IiMzMzQxNTUiIHN0cm9rZS13aWR0aD0iMSIvPgoKICA8IS0tIFJlc3VsdHMgU2VjdGlvbiAtLT4KICA8dGV4dCB4PSIyMCIgeT0iMjEwIiBmaWxsPSIj0TRhM2I4IiBmb250LWZhbWlseT0ic3lzdGVtLXVpLCA tYXBwbGUt c3lzdGVtLCBzYW5zLXNlcmIiBmb250LXNpemU9IjExIiBmb250LXdlaWdodD0iNTAwIj5SRVNVTFRTIFNV TU1BUlk8L3RleHQ+ CgogIDwhLS0gUmVzdWx0cyBUcmVlIC0tPgogIDxnIGZvbnQtZmFtaWx5PSJtb25vc3BhY2UiIGZvbnQt c2l6ZT0iMTIiPgoGICAgPCEtLSBBdmFpbG FiaWxp dHkgLS0+CiAgICA8dGV4dCB4PSIzMCIGeT0iMjM1IiBmaWxsPSIjNjQ3NDhiIj7iLJz iLiD iLiA8L3RleHQ+CiAgICA8dGV4dCB4PSI2NSIgeT0iMjM1IiBmaWxsPSIj0TRhM2I4Ij5BdmFpbGFi aWxp dHk6PC90ZXh0PgoGICAgPHRleHQgeD0iMTY1IiB5PSIyMzUiIGZpbGw9IiMxMGI50DEiIGZvbnQt d2VpZ2h0PSI2MDAiPjEwMCU8L3RleHQ+ CgogICAgPCEtLSBBdmcgTGF0ZW5jeSa tLT4KICAgIDx0ZXh0IHg9IjIwIiB5PSIyNTUiIGZpbGw9IiM2NDc00GIiPuKUn0KUg0KUgDwvdGV4dD4KICAgIDx0ZXh0IHg9IjY1IiB5PSIyNTUiIGZpbGw9IiM5NGEzYjgiPkF2ZyBMXYRlbnN50jwvdGV4dD4KICAg





```

        min_latency_ms = min(toDouble(synthetic.response_time)),
        max_latency_ms = max(toDouble(synthetic.response_time)),
        p95_latency_ms = percentile(toDouble(synthetic.response_time), 95),
        executions = count()
    }, by: {dt.entity.synthetic_test}
| sort avg_latency_ms desc
| limit 20
```

```

### ## 3. DNS Monitors

#### ### What DNS Monitors Test

| Check                    | Description                 |
|--------------------------|-----------------------------|
| <b>**Resolution**</b>    | Hostname resolves to IP     |
| <b>**Response Time**</b> | DNS query duration          |
| <b>**Expected IP**</b>   | Resolves to correct address |
| <b>**Record Type**</b>   | A, AAAA, CNAME, MX, etc.    |

#### ### Configuration Options

| Setting                | Description                  | Example           |
|------------------------|------------------------------|-------------------|
| <b>**Hostname**</b>    | Domain to resolve            | `api.example.com` |
| <b>**DNS Server**</b>  | Specific resolver (optional) | `8.8.8.8`         |
| <b>**Record Type**</b> | DNS record type              | A, AAAA, CNAME    |
| <b>**Expected IP**</b> | Validation (optional)        | `10.0.0.50`       |
| <b>**Timeout**</b>     | Query timeout                | 10 seconds        |

#### ### DNS Record Types

| Type    | Purpose        | Example               |
|---------|----------------|-----------------------|
| `A`     | IPv4 address   | 192.168.1.1           |
| `AAAA`  | IPv6 address   | 2001:db8::1           |
| `CNAME` | Canonical name | www → app.example.com |
| `MX`    | Mail exchanger | mail.example.com      |
| `TXT`   | Text records   | SPF, DKIM             |
| `NS`    | Name servers   | ns1.example.com       |

```

```dql
// DNS monitor results (last 24h)
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*dns*")
| fields timestamp,
        monitor = dt.entity.synthetic_test,

```

```

        location = dt.entity.synthetic_location,
        availability = synthetic.availability,
        response_time_ms = toDouble(synthetic.response_time),
        resolved_ip = synthetic.dns_resolved_ip
| sort timestamp desc
| limit 100
```

```dql
// DNS resolution time by location
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*dns*")
| filter synthetic.availability == true
| summarize {
    avg_resolution_ms = avg(toDouble(synthetic.response_time)),
    p95_resolution_ms = percentile(toDouble(synthetic.response_time), 95),
    executions = count()
}, by: {dt.entity.synthetic_test, dt.entity.synthetic_location}
| sort avg_resolution_ms desc
| limit 30
```

```

## ## 4. TCP Port Monitors

### ### What TCP Monitors Test

| Check             | Description                     |
|-------------------|---------------------------------|
| **Port Open**     | TCP connection succeeds         |
| **Connect Time**  | Time to establish connection    |
| **SSL Handshake** | TLS negotiation (if applicable) |

### ### Common Ports to Monitor

| Port  | Service       | Use Case                 |
|-------|---------------|--------------------------|
| 22    | SSH           | Server management access |
| 80    | HTTP          | Web server (plain)       |
| 443   | HTTPS         | Web server (secure)      |
| 3306  | MySQL         | Database connectivity    |
| 5432  | PostgreSQL    | Database connectivity    |
| 6379  | Redis         | Cache connectivity       |
| 9200  | Elasticsearch | Search connectivity      |
| 27017 | MongoDB       | Database connectivity    |

### ### Configuration



| Setting     | Description        | Example          |
|-------------|--------------------|------------------|
| **Host**    | Target server      | `db.example.com` |
| **Port**    | TCP port number    | `5432`           |
| **Timeout** | Connection timeout | 10 seconds       |
| **TLS**     | Enable TLS check   | true/false       |

```

```dql
// TCP port monitor results (last 24h)
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*tcp*") OR matchesValue(event.type,
"*port*")
| fields timestamp,
      monitor = dt.entity.synthetic_test,
      location = dt.entity.synthetic_location,
      availability = synthetic.availability,
      connect_time_ms = toDouble(synthetic.response_time)
| sort timestamp desc
| limit 100
```

```

```

```dql
// TCP connection time statistics
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*tcp*") OR matchesValue(event.type,
"*port*")
| filter synthetic.availability == true
| summarize {
      avg_connect_ms = avg(toDouble(synthetic.response_time)),
      min_connect_ms = min(toDouble(synthetic.response_time)),
      max_connect_ms = max(toDouble(synthetic.response_time)),
      executions = count()
    }, by: {dt.entity.synthetic_test}
| sort avg_connect_ms desc
| limit 20
```

```

## ## 5. Multi-Protocol Monitors

### ### Combining Network Checks

Create comprehensive monitoring by combining multiple protocol checks:

```

```

```

Multi-Protocol Monitor Example:

Target: db.example.com

Step 1: DNS Resolution

- └─ Query: db.example.com
- └─ Expected: 10.0.1.50

Step 2: ICMP Ping

- └─ Target: 10.0.1.50
- └─ Check: Host reachable

Step 3: TCP Port Check

- └─ Target: 10.0.1.50:5432
- └─ Check: PostgreSQL port open

...

### Monitoring Strategy by Layer

Layer	Monitor Type	Purpose
DNS	DNS Monitor	Name resolution works
Network	ICMP Monitor	Host reachable
Transport	TCP Monitor	Service port open
Application	HTTP Monitor	Service responding

## 6. Use Cases and Patterns

### Infrastructure Monitoring

Component	Monitor Type	Target
Load Balancer	TCP/443	VIP address
Database Cluster	TCP/5432	Each node
Cache Layer	TCP/6379	Redis instances
Message Queue	TCP/5672	RabbitMQ nodes

### DNS Infrastructure

Scenario	Configuration
Primary DNS	Query internal DNS server
Secondary DNS	Query backup DNS server
External DNS	Query public resolvers
Record validation	Verify expected IP

### Multi-Region Connectivity

![Cross-Region Monitoring]  
(

c1IHZpZXdcB3g9IjAgMCA2MDAgMjgwIj4KICA8ZGVmcz4KICAgIDxsaW5lYXJHcmFkaWVudCBpZD0  
icmVnaW9uR3JhZGllbnQiIHgxPSIwJSIgeTE9IjAlIiB4Mj0iMTAwJSIgeTI9IjEwMCU iPgogICAg  
ICA8c3RvcCBvZmZzZXQ9IjAlIiBzdHlsZT0ic3RvcC1jb2xvcjojM2I4MmY203N0b3Atb3BhY2l0e  
ToxIiAvPgogICAgICA8c3RvcCBvZmZzZXQ9IjEwMCU iIHN0eWx lPSJzdG9wLWNVbG9y0iMxZDRlZD  
g7c3RvcC1vcGFjaXR50jEiIC8+C iAgICA8L2xpbmVhckdyYW RpZW50PgogICAgPGxpbmVhckdyYWR  
pZW50IGlkPSJpY2l1wTGl uZSIgeDE9IjAlIiB5MT0iMCU iIHgyPSI xMDAlIiB5Mj0iMCU iPgogICAg  
ICA8c3RvcCBvZmZzZXQ9IjAlIiBzdHlsZT0ic3RvcC1jb2xvcjojMTBi0TgxIiAvPgogICAgICA8c  
3RvcCBvZmZzZXQ9IjEwMCU iIHN0eWx lPSJzdG9wLWNVbG9y0iMxNGI4YTY iIC8+C iAgICA8L2xpbm  
VhckdyYW RpZW50PgogICAgPGxpbmVhckdyYW RpZW50IGlkPSJkbnNMaw5lIiB4MT0iMCU iIHkxPSI  
wJSIgeDI9IjEwMCU iIHkyPSIwJSI+C iAgICAgIDxzdG9wIG9mZnNldD0iMCU iIHN0eWx lPSJzdG9w  
LWNVbG9y0iNmNTlLMGI iIC8+C iAgICAgIDxzdG9wIG9mZnNldD0iMTAwJSIgc3R5bGU9InN0b3AtY  
29sb3I6I2VhYjMw0CIgZ4KICAgIDwvbgGluZW FyR3JhZGllbnQ+C iAgICA8bGluZW FyR3JhZGllbn  
QgaWQ9InRjcExpbmU iIHgxPSIwJSIgeTE9IjAlIiB4Mj0iMTAwJSIgeTI9IjAlIj4KICAgICAgPHN  
0b3Agb2Zmc2V0PSIwJSIgc3R5bGU9InN0b3AtY29sb3I6Izh iNWNmNiIgZ4KICAgICAgPHN0b3Ag  
b2Zmc2V0PSI xMDAlIiBzdHlsZT0ic3RvcC1jb2xvcjojYTg1NWY3IiAvPgogICAgPC9saW5lYXJHc  
mFkaWVudD4KICAgIDxYXJrZXIgaWQ9ImFycm93R3JlZW4iIG1hcm tlc ldpZHRoPSI xMCIgbW Fya2  
VySGVpZ2h0PSI xMCIgcmVmWD0i0SIgcmVmWT0iMiYIgb3JpZW50PSJhdXRvIiBtYXJrZXJvbm l0cz0  
ic3Ryb2t lV2lkdGgiPgogICAgICA8cGF0aCBkPSJNM CwwIEwwLDYgTDksMyB6IiBmaWxsPSIjMTBi  
0TgxIi8+C iAgICA8L2lhcmtlcj4KICAgIDxYXJrZXIgaWQ9ImFycm93WWVsbG93IiBtYXJrZXJXa  
WR0aD0iMTAiIG1hcm tlc khlawdodD0iMTAiIHJlZlg9IjkiIHJlZl k9IjMiIG9yaWVudD0iYXV0by  
IgbW Fya2VyVW5pdHM9InN0cm9rZVdpZHRoIj4KICAgICAgPHBhdGggZD0iTTAsMCBMM Cw2IEw5LDM  
geiIgZmlsbD0iI2Y10WUyIiVpPgogICAgPC9tYXJrZXI+C iAgICA8bW Fya2VyIGlkPSJhcnJvd1B1  
cnBsZSIgbW Fya2VyV2lkdGgiPgogICAgICA8cGF0aCBkPSJNM CwwIEwwLDYgTDksMyB6IiBmaWxsPSIjMTBi  
0TgxIi8+C iAgICA8L2lhcmtlc lVuaXRzPSJzdHJva2VXawR0aCI+C iAgICAgIDxwYXRoIGQ9Ik  
0wLDAgTDAsNiBM0SwzIHoiIGZpbGw9IiM4YjVjZjYiLz4KICAgIDwvbgW Fya2VyPgogIDwvZGVmcz4  
KCIgAgPCEtLSBCYWNrZ3JvdW5kIC0tPgogIDxyZW N0IHdpZHRoPSI2MDAiIGh lawdodD0iMjgwIiBm  
aWxsPSIjMGYxNzJhIiByeD0i0CIvPgoKICA8IS0tIFRpdGx lIC0tPgogIDx0ZXh0IHg9IjMwMCIGe  
T0iMzAiIGZpbGw9IiNmMWY1ZjkiIGZvbnQtZm FtaWxs5PSJzeXN0ZW0tdWksIC1hcHBsZS1zeXN0ZW  
0sIHhbnMtc2VyaWY iIGZvbnQt c2l6ZT0iMTY iIGZvbnQt d2VpZ2h0PSI2MDAiIHR leHQ tYW5jaG9  
yPSJtaWRkbGU iPkNy b3NzLVJlZ2l vbiBNb25pdG9yaW5nPC90ZXh0PgoKICA8IS0tIFJlZ2l vbiBB  
IC0tPgogIDxnIHRyYW5zZm9ybT0idHJhbnNsYXRlKDQyLCA4MCKiPgogICAgPHJlY3Qgd2lkdGgiPgog  
IjEwMCU iIHg9PSIwJSIgeTE9IjAlIiB4Mj0iMTAwJSIgeTI9IjAlIj4KICAgICAgPHN0b3Agb2Zmc2V0PSI  
wJSIgc3R5bGU9InN0b3AtY29sb3I6I2VhYjMw0CIgZ4KICAgIDwvbgGluZW FyR3JhZGllbnQ+C iAgICA8bGluZW  
FyR3JhZGllbnQgaWQ9InRjcExpbmU iIHgxPSIwJSIgeTE9IjAlIiB4Mj0iMTAwJSIgeTI9IjAlIj4KICAgICAgPHN  
0b3Agb2Zmc2V0PSI wJSIgc3R5bGU9InN0b3AtY29sb3I6Izh iNWNmNiIgZ4KICAgICAgPHN0b3Agb2Zmc2V0PSI  
xMDAlIiBzdHlsZT0ic3RvcC1jb2xvcjojYTg1NWY3IiAvPgogICAgPC9saW5lYXJHcmFkaWVudD4KICAgIDxYXJrZXIgaWQ9ImFycm93R3JlZW4iIG1hcm tlc ldpZHRoPSI xMCIgbW Fya2VySGVpZ2h0PSI xMCIgcmVmWD0i0SIgcmVmWT0iMiYIgb3JpZW50PSJhdXRvIiBtYXJrZXJvbm l0cz0ic3Ryb2t lV2lkdGgiPgogICAgICA8cGF0aCBkPSJNM CwwIEwwLDYgTDksMyB6IiBmaWxsPSIjMTBi0TgxIi8+C iAgICA8L2lhcmtlcj4KICAgIDxYXJrZXIgaWQ9ImFycm93WWVsbG93IiBtYXJrZXJXaWR0aD0iMTAiIG1hcm tlc khlawdodD0iMTAiIHJlZlg9IjkiIHJlZl k9IjMiIG9yaWVudD0iYXV0byIgbW Fya2VyVW5pdHM9InN0cm9rZVdpZHRoIj4KICAgICAgPHBhdGggZD0iTTAsMCBMM Cw2IEw5LDMgeiIgZmlsbD0iI2Y10WUyIiVpPgogICAgPC9tYXJrZXI+C iAgICA8bW Fya2VyIGlkPSJhcnJvd1B1cnBsZSIgbW Fya2VyV2lkdGgiPgogICAgICA8cGF0aCBkPSJNM CwwIEwwLDYgTDksMyB6IiBmaWxsPSIjMTBi0TgxIi8+C iAgICA8L2lhcmtlc lVuaXRzPSJzdHJva2VXawR0aCI+C iAgICAgIDxwYXRoIGQ9Ik0wLDAgTDAsNiBM0SwzIHoiIGZpbGw9IiM4YjVjZjYiLz4KICAgIDwvbgW Fya2VyPgogIDwvZGVmcz4KCIgAgPCEtLSBCYWNrZ3JvdW5kIC0tPgogIDxyZW N0IHdpZHRoPSI2MDAiIGh lawdodD0iMjgwIiBmaWxsPSIjMGYxNzJhIiByeD0i0CIvPgoKICA8IS0tIFRpdGx lIC0tPgogIDx0ZXh0IHg9IjMwMCIGeT0iMzAiIGZpbGw9IiNmMWY1ZjkiIGZvbnQtZm FtaWxs5PSJzeXN0ZW0tdWksIC1hcHBsZS1zeXN0ZW0sIHhbnMtc2VyaWY iIGZvbnQt c2l6ZT0iMTY iIGZvbnQt d2VpZ2h0PSI2MDAiIHR leHQ tYW5jaG9yPSJtaWRkbGU iPkNy b3NzLVJlZ2l vbiBNb25pdG9yaW5nPC90ZXh0PgoKICA8IS0tIFJlZ2l vbiBBIC0tPgogIDxnIHRyYW5zZm9ybT0idHJhbnNsYXRlKDQyLCA4MCKiPgogICAgPHJlY3Qgd2lkdGgiPgogIjEwMCU iIHg9PSIwJSIgeTE9IjAlIiB4Mj0iMTAwJSIgeTI9IjAlIj4KICAgICAgPHN0b3Agb2Zmc2V0PSIwJSIgc3R5bGU9InN0b3AtY29sb3I6I2VhYjMw0CIgZ4KICAgIDwvbgGluZW FyR3JhZGllbnQ+C iAgICA8bGluZW FyR3JhZGllbnQgaWQ9InRjcExpbmU iIHgxPSIwJSIgeTE9IjAlIiB4Mj0iMTAwJSIgeTI9IjAlIj4KICAgICAgPHN0b3Agb2Zmc2V0PSI xMDAlIiBzdHlsZT0ic3RvcC1jb2xvcjojYTg1NWY3IiAvPgogICAgPC9saW5lYXJHcmFkaWVudD4KICAgIDxYXJrZXIgaWQ9ImFycm93R3JlZW4iIG1hcm tlc ldpZHRoPSI xMCIgbW Fya2VySGVpZ2h0PSI xMCIgcmVmWD0i0SIgcmVmWT0iMiYIgb3JpZW50PSJhdXRvIiBtYXJrZXJvbm l0cz0ic3Ryb2t lV2lkdGgiPgogICAgICA8cGF0aCBkPSJNM CwwIEwwLDYgTDksMyB6IiBmaWxsPSIjMTBi0TgxIi8+C iAgICA8L2lhcmtlcj4KICAgIDxYXJrZXIgaWQ9ImFycm93WWVsbG93IiBtYXJrZXJXaWR0aD0iMTAiIG1hcm tlc khlawdodD0iMTAiIHJlZlg9IjkiIHJlZl k9IjMiIG9yaWVudD0iYXV0byIgbW Fya2VyVW5pdHM9InN0cm9rZVdpZHRoIj4KICAgICAgPHBhdGggZD0iTTAsMCBMM Cw2IEw5LDMgeiIgZmlsbD0iI2Y10WUyIiVpPgogICAgPC9tYXJrZXI+C iAgICA8bW Fya2VyIGlkPSJhcnJvd1B1cnBsZSIgbW Fya2VyV2lkdGgiPgogICAgICA8cGF0aCBkPSJNM CwwIEwwLDYgTDksMyB6IiBmaWxsPSIjMTBi0TgxIi8+C iAgICA8L2lhcmtlc lVuaXRzPSJzdHJva2VXawR0aCI+C iAgICAgIDxwYXRoIGQ9Ik0wLDAgTDAsNiBM0SwzIHoiIGZpbGw9IiM4YjVjZjYiLz4KICAgIDwvbgW Fya2VyPgogIDwvZGVmcz4KCIgAgPCEtLSBCYWNrZ3JvdW5kIC0tPgogIDxyZW N0IHdpZHRoPSI2MDAiIGh lawdodD0iMjgwIiBmaWxsPSIjMGYxNzJhIiByeD0i0CIvPgoKICA8IS0tIFRpdGx lIC0tPgogIDx0ZXh0IHg9IjMwMCIGeT0iMzAiIGZpbGw9IiNmMWY1ZjkiIGZvbnQtZm FtaWxs5PSJzeXN0ZW0tdWksIC1hcHBsZS1zeXN0ZW0sIHhbnMtc2VyaWY iIGZvbnQt c2l6ZT0iMTY iIGZvbnQt d2VpZ2h0PSI2MDAiIHR leHQ tYW5jaG9yPSJtaWRkbGU iPkNy b3NzLVJlZ2l vbiBNb25pdG9yaW5nPC90ZXh0PgoKICA8IS0tIFJlZ2l vbiBBIC0tPgog

[illegible]

```
I+SFRUUUFMgSGVhbHROPC90ZXh0PgogIDwvZz4KPC9zdmc+Cg==)
```

```
```dql
// All network monitor types summary
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*")
      OR matchesValue(event.type, "*dns*")
      OR matchesValue(event.type, "*tcp*")
      OR matchesValue(event.type, "*ping*")
      OR matchesValue(event.type, "*port*")
| summarize {
    total_executions = count(),
    successful = countIf(synthetic.availability == true),
    failed = countIf(synthetic.availability == false)
}, by: {event.type}
| fieldsAdd availability_pct = round((successful * 100.0) / total_executions,
decimals: 2)
| sort total_executions desc
```
```

## ## 7. Analyzing Network Results

```
```dql
// Network monitor availability dashboard
fetch bizevents, from: now() - 7d
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*")
      OR matchesValue(event.type, "*dns*")
      OR matchesValue(event.type, "*tcp*")
      OR matchesValue(event.type, "*ping*")
      OR matchesValue(event.type, "*port*")
| fieldsAdd hour_bucket = bin(timestamp, 1h)
| summarize {
    success_count = countIf(synthetic.availability == true),
    total_count = count()
}, by: {event.type, hour_bucket}
| fieldsAdd availability_pct = round((success_count * 100.0) / total_count,
decimals: 2)
| sort hour_bucket desc
```
```

```
```dql
// Latency trends for network monitors
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter synthetic.availability == true
```

```

| filter matchesValue(event.type, "*icmp*")
    OR matchesValue(event.type, "*dns*")
    OR matchesValue(event.type, "*tcp*")
    OR matchesValue(event.type, "*ping*")
    OR matchesValue(event.type, "*port*")
| makeTimeseries {
    avg_latency_ms = avg(toDouble(synthetic.response_time)),
    p95_latency_ms = percentile(toDouble(synthetic.response_time), 95)
}, interval: 15m
```

```dql
// Failed network checks with details
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter synthetic.availability == false
| filter matchesValue(event.type, "*icmp*")
    OR matchesValue(event.type, "*dns*")
    OR matchesValue(event.type, "*tcp*")
    OR matchesValue(event.type, "*ping*")
    OR matchesValue(event.type, "*port*")
| fields timestamp,
    event.type,
    monitor = dt.entity.synthetic_test,
    location = dt.entity.synthetic_location,
    error = synthetic.error_message
| sort timestamp desc
| limit 50
```

```dql
// Network health score by monitor
fetch bizevents, from: now() - 24h
| filter event.provider == "dynatrace.synthetic"
| filter matchesValue(event.type, "*icmp*")
    OR matchesValue(event.type, "*dns*")
    OR matchesValue(event.type, "*tcp*")
    OR matchesValue(event.type, "*ping*")
    OR matchesValue(event.type, "*port*")
| summarize {
    total = count(),
    successful = countIf(synthetic.availability == true),
    avg_latency_ms = avg(toDouble(synthetic.response_time))
}, by: {dt.entity.synthetic_test, event.type}
| fieldsAdd availability_pct = round((successful * 100.0) / total, decimals:
2)
| fieldsAdd health_status = if(availability_pct >= 99.9, "HEALTHY",
    else: if(availability_pct >= 99.0, "DEGRADED",

```



```
        else: "CRITICAL"))
| sort availability_pct asc
| limit 30
```
```

---

## ## Summary

In this notebook, you learned:

- ✅ **Network monitoring types** – ICMP, DNS, TCP
- ✅ **ICMP monitors** – Ping, latency, packet loss
- ✅ **DNS monitors** – Resolution time, record validation
- ✅ **TCP monitors** – Port connectivity checks
- ✅ **Multi-protocol patterns** – Comprehensive infrastructure monitoring
- ✅ **Use cases** – Infrastructure, DNS, cross-region
- ✅ **Analysis queries** – Availability, latency, failures

---

## ## Next Steps

Continue to **SYNTH-06: Analytics & Alerting** to learn about dashboards, SL0s, and alerting strategies.

---

## ## References

- [Network Availability Monitors](<https://docs.dynatrace.com/docs/platform-modules/digital-experience/synthetic-monitoring/network-availability-monitors>)
- [ICMP Monitors](<https://docs.dynatrace.com/docs/platform-modules/digital-experience/synthetic-monitoring/network-availability-monitors/icmp-monitors>)
- [DNS Monitors](<https://docs.dynatrace.com/docs/platform-modules/digital-experience/synthetic-monitoring/network-availability-monitors/dns-monitors>)
- [TCP Port Monitors](<https://docs.dynatrace.com/docs/platform-modules/digital-experience/synthetic-monitoring/network-availability-monitors/tcp-monitors>)