FAQ-18: How Do I Monitor Adobe Experience Manager as a Cloud Service?

Series: FAQ — Frequently Asked Questions | **Reference:** 18 — Monitoring AEM as a Cloud Service | **Created:** July 2026 | **Last Updated:** 07/27/2026

Overview

Adobe Experience Manager as a Cloud Service (AEMaaCS) is a managed platform: Adobe runs the Kubernetes containers, controls the release cadence, and holds the keys to the runtime. That single fact is what makes monitoring it different from every other OneAgent deployment described in this corpus — and it is the part most teams discover only after their first support ticket.

There *is* a first-class integration. It is published and supported by **Dynatrace**, it is genuine **OneAgent full-stack monitoring** on the containers running your author and publish services, and it produces the topology, service detection, and Davis analysis you would expect. What it does not give you is the deployment control you are used to. You do not install the agent. You cannot pin its version. There is no host to configure and no `oneagentctl` to run.

This entry covers **what the integration is, how to get it turned on, exactly what you hand to Adobe, where the control boundary sits, how it is licensed, and the one behavior that will surprise a team mid-migration** — that enabling Dynatrace stops data flowing to any other APM tool already connected to the same environments.

A note on sourcing. The enablement procedure is documented by **Adobe**, not Dynatrace, because Adobe owns the action. The commercial and capability framing is documented by Dynatrace. Where a claim rests on only one of the two, it is cited to that source. Several questions readers reasonably ask — whether the Preview service is included, whether Dispatcher and CDN tiers are covered, whether AEM logs flow into Grail — are **not** settled by either vendor's public documentation, and this entry says so rather than guessing. Those are marked as open questions to confirm with Adobe in your own request.

Table of Contents

Prerequisites

Requirement	Details
AEM deployment model	**AEM as a Cloud Service.** This entry does not cover AEM Managed Services or on-premises AEM, where you control the hosts and standard OneAgent deployment applies
Adobe relationship	The ability to raise a customer-care ticket with Adobe — enablement is an Adobe-side action, not a Dynatrace-side one
Dynatrace environment	SaaS or Managed. Managed additionally requires a reachable ActiveGate and its port

Requirement	Details
Permissions	Enough access in Dynatrace to mint an API token with the **PaaS integration - Installer download** scope
Licensing headroom	Full-stack capacity for the containers Adobe runs — see § 7 before you request enablement, not after
Related series	**ONBRD** (tenant and access design), **K8S** (the container model underneath), **FAQ-03** (OneAgent vs OpenTelemetry), **FAQ-04** (OneAgent update management — mostly *not* applicable here, see § 9), **NR2DT** / **NRLC** (if you are migrating off New Relic — read § 8 first)

---

1. Short Answer

Raise a customer-care ticket with Adobe requesting the Dynatrace integration for the AEM environments you want monitored, and supply your Dynatrace environment URL plus a `PaaS integration - Installer download` token. Adobe deploys OneAgent into the containers running your author and publish services; the services, their endpoints, and their container memory are detected automatically.

Three things to internalise before you start:

You cannot self-serve	There is no toggle in Cloud Manager and no action available from the Dynatrace side. Every enablement, and every subsequent environment you add, is an Adobe ticket
It replaces your other APM	Adobe states that once Dynatrace is integrated, data stops flowing to other APM tools on those environments. This is a cutover, not a parallel run — see § 8
Adobe owns the agent	Version, upgrade timing, injection, and host-level configuration are Adobe's. Plan around that rather than against it — see § 5

> **Sources:** Adobe Experience Manager Cloud Service monitoring (Dynatrace Hub), Dynatrace OneAgent for AEM as a Cloud Service (Adobe Experience League).

---

2. What the Integration Actually Is

It is worth being precise, because "plug-in" undersells it and invites the wrong mental model. This is not a community extension, not a log-shipping recipe, and not an OpenTelemetry exporter.

Attribute	Value
Listing name	Adobe Experience Manager Cloud Service monitoring
Published by	**Dynatrace**
Support route	Dynatrace support — the Dynatrace support center
Technology	**OneAgent, full-stack**, on the Kubernetes containers Adobe operates
Enablement owner	**Adobe** (customer-care ticket)
Detected automatically	AEM **author** and **publish** services, their endpoints, and container memory sizes

Because it is real full-stack OneAgent monitoring rather than an API-polling integration, you get the things that follow from having an agent in the process: automatic service detection, distributed tracing through the AEM tiers, code-level visibility, dependency topology, and Davis root-cause analysis — the same machinery documented throughout the rest of this corpus, on infrastructure you do not own.

The unusual part is purely operational: **the deployment step belongs to someone else.** Everything downstream of "the agent is running" behaves normally.

> **Sources:** Adobe Experience Manager Cloud Service monitoring (Dynatrace Hub), Dynatrace OneAgent for AEM as a Cloud Service (Adobe Experience League). **Derived:** the "behaves normally downstream" conclusion combines the Hub's full-stack OneAgent statement with standard OneAgent behavior documented elsewhere in this corpus.

3. Turning It On — The Adobe Request Path

Adobe's documented path is a support request, not a self-service configuration:

1. **Raise a service request** with Adobe customer care.
2. **Name the AEM environments** you want monitored — enablement is per environment, so list every one you intend to cover.
3. **Supply your Dynatrace environment details** (§ 4) so Adobe can configure the agent to report into your tenant.

Two planning consequences follow, and both are easy to miss:

- **Lead time is Adobe's, not yours.** Enablement moves at support-ticket pace. If monitoring coverage is a gate in a migration or go-live plan, the request belongs early in the schedule, with a named owner — not in the cutover week.
- **Adding environments later is another ticket.** If you enable production first and add staging afterwards, that is a second request. Where practical, list every environment in the initial request rather than discovering the per-environment cost later.

> **Sources:** Dynatrace OneAgent for AEM as a Cloud Service (Adobe Experience League), Adobe Experience Manager Cloud Service monitoring (Dynatrace Hub). **Derived:** the two planning consequences follow from the per-environment, ticket-based enablement both sources describe.

---

4. What You Hand Over

Adobe's documentation enumerates what the ticket must contain. Assemble it before opening the request — an incomplete ticket costs another support round-trip.

Item	Detail	Required
Dynatrace environment URL	SaaS: `https://<your-environment-id>.live.dynatrace.com` · Managed: `https://<your-managed-url>/e/<environmentId>`	Always
Environment ID and token	`tenantUUID` and `tenantToken` from the connection-info API (command below)	Always

Item	Detail	Required
API access token	Scope: **`PaaS integration - Installer download`**	Always
ActiveGate port	The port your ActiveGate listens on	**Managed only**
ActiveGate network zone	Routes monitoring data across regions	Optional
AEM environment IDs	Which environment(s) to monitor	Always

Getting the environment ID and token

Both values come from one call against your own environment — Adobe does not retrieve them for you:

```
curl -X GET
"&lt;environmentUrl&gt;/api/v1/deployment/installer/agent/connectioninfo" \
  -H "accept: application/json" \
  -H "Authorization: Api-Token &lt;accessToken&gt;"
```

Take **`tenantUUID`** (the environment ID) and **`tenantToken`** from the response. Note that the
`<accessToken>` used here is the same `PaaS integration - Installer download` token you will send on:
mint it first (**Access tokens** → **Generate new token** → scope `PaaS integration - Installer download`),
then use it to obtain the two values.

Adobe classifies **both the environment token and the API access token** as secrets.

Handling the token

The token is a credential that permits downloading the OneAgent installer for your tenant, and it is being transmitted through a support ticket. Adobe's own guidance is to **password-protect it on a secure paste service and share the password separately from the ticket** — treat that as the floor, not a suggestion.

Two practices worth adding on your side:

- **Mint a token dedicated to this integration**, rather than reusing an existing PaaS token, so it can be revoked without collateral damage.
- **Grant only the `PaaS integration - Installer download` scope.** It is the documented requirement, and a broader token in a support-ticket attachment is a materially worse exposure.

> **Sources:** Dynatrace OneAgent for AEM as a Cloud Service (Adobe Experience League), Access tokens (DT docs). **Derived:** the dedicated-token and least-scope practices apply standard Dynatrace token hygiene to Adobe's stated transmission method; neither vendor states them for this integration specifically.

---

5. The Control Boundary

This is the section to read if you read only one. Most Dynatrace guidance — in this corpus and in the product documentation — assumes you control the host and the agent. On AEMaaCS you control neither, and knowing where the line falls prevents a lot of wasted effort.



Layer	Who controls it	What that means for you
Container platform, scaling, release cadence	**Adobe**	No node access; no scheduling or resource control
OneAgent presence, version, upgrade timing	**Adobe**	You cannot pin a version or stage an agent rollout
Which environments report	**Adobe**, on your request	Adding or removing coverage is a support ticket
Your Dynatrace tenant, buckets, retention, permissions	**You**	Unchanged — normal **ORGNZ** and **IAM** practice
Alerting, SLOs, dashboards, workflows	**You**	Unchanged — normal **ALERT**, **SLO**, **DASH**, **WFLOW** practice
Interpretation, Davis tuning, business context	**You**	Unchanged — normal **AIOPS** and **BIZEV** practice

The useful reframing: **everything to the left of the agent is Adobe's, everything to the right of the data is yours.** Your investment goes into what you do with the telemetry, not into how it gets there.

> **Derived:** the boundary table combines Adobe's documented ownership of enablement and the container platform with the Dynatrace-side capabilities that remain wholly tenant-side. Neither vendor publishes this split as a single statement; it is inferred and should be confirmed against your own contract.

---

6. What You Get — Topology and Services

Once the agent is reporting, detection is automatic:

- **A unified service per detected AEM author and publish instance**, including their endpoints.
- **Container memory sizes detected automatically** — which is also the basis of licensing (§ 7).

- **Standard full-stack telemetry** on those containers: traces, service metrics, process and container resource data, and the dependency topology that follows from them.

Practically, that means an AEM estate appears in Smartscape as ordinary services with ordinary relationships, and every downstream Dynatrace capability treats them as such. There is no AEM-specific query surface to learn: the services behave like any other in `fetch spans`, `timeseries`, and Davis problem analysis.

In community practice, the first thing worth doing after enablement is confirming that the author and publish services appear as **separate** services with sensible names, and tagging them to your own convention while the estate is small — service-level tagging is tenant-side and fully yours, so this is one of the few places where the usual **ORGNZ** guidance applies without modification.

> **Sources:** Adobe Experience Manager Cloud Service monitoring (Dynatrace Hub), Dynatrace OneAgent for AEM as a Cloud Service (Adobe Experience League).

---

7. Licensing and Capacity Forecasting

Licensing follows **full-stack monitoring of the containers**, so it scales with the memory Adobe allocates rather than with anything you configure. Both vendors publish figures, which makes this forecastable before you raise the ticket.

Adobe's typical deployment specification, per AEM environment

Environment	Containers (average)	Memory each
Production	4	16 GB
Non-production	4	8 GB

Published licensing figures, per AEM environment

Model	Production	Non-production
Dynatrace Platform Subscription	max **64 GiB-hours**	max **32 GiB-hours**

Model	Production	Non-production
Classic licensing	**4 host units**, or 96 host-unit-hours/day	**2 host units**, or 48 host-unit-hours/day

Two forecasting notes:

- **Multiply by environments, not by applications.** The figures above are *per AEM environment*. A team running production, stage, and a development environment is forecasting three of these, and the non-production ones are not free.
- **The numbers are Adobe's stated averages, not a contractual cap.** They are the right basis for a first estimate and the wrong basis for a commitment — confirm actual allocation for your environments before finalising licensing.

> **Sources:** Adobe Experience Manager Cloud Service monitoring (Dynatrace Hub). **Derived:** the per-environment multiplication note follows from the Hub's figures being stated per environment.

---

8. It Displaces Your Other APM Tool

This is the single behavior most likely to disrupt a plan, and it is easy to miss because it appears as one line in Adobe's documentation:

> Once Dynatrace integrates, "data no longer flows to other APM tools such as New Relic, if it was previously enabled."

Enabling Dynatrace on an AEM environment is a cutover for that environment, not a parallel run.

Almost every migration playbook in this corpus — **NR2DT**, **NRLC**, **S2D**, **SL2DT** — is built on a parallel-run period during which both tools observe the same traffic and you compare output before committing. On AEMaaCS environments, that period is not available in the usual form. The comparison has to be restructured:

Instead of	Do this
Running both tools on the same environment and comparing	Cut a **non-production** environment first and validate there against known behavior
Comparing dashboards side by side during the window	Capture the **outgoing** tool's baselines *before* the switch — you cannot re-derive them afterwards
Rolling back by disabling the new tool	Treat rollback as **another Adobe ticket** with its own lead time, and decide the trigger in advance

FAQ-17 (*Planning a Migration Cutover*) covers the general invariants; this is the case where its "parallel-run window with an end date" invariant has to be replaced rather than merely shortened, because the platform does not permit the overlap.

> **Sources:** Dynatrace OneAgent for AEM as a Cloud Service (Adobe Experience League) — the quoted displacement statement. **Derived:** the restructured comparison table applies FAQ-17's cutover invariants to a platform where parallel running is unavailable.

---

9. What This Changes About Standard Practice

Several pieces of guidance elsewhere in this corpus assume host and agent control. On AEMaaCS they need adjusting — not discarding, but knowing which half still applies.

Guidance	Status on AEMaaCS
FAQ-04 — managing OneAgent updates	**Mostly not applicable.** Update rings, version pinning, and staged agent rollout are Adobe's. The reasoning about *why* agent version matters still helps you ask Adobe the right question
FAQ-01 — host group naming	**Not applicable as written.** There is no host you name. Organise at the service and tag layer instead
FAQ-03 — OneAgent vs OpenTelemetry	**Decided for you** on these containers: it is OneAgent. Still relevant for anything you build *around* AEM
ORGNZ — buckets, segments, security	**Fully applies.** All tenant-side

Guidance	Status on AEMaaCS
IAM — access model	**Fully applies.** All tenant-side
ALERT / SLO / DASH / WFLOW / AIOPS	**Fully applies.** These consume the data; they do not care how the agent arrived
K8S series	**Background reading, not a runbook.** It explains the container model underneath, but you have no cluster access and cannot apply its operator or DynaKube guidance

The pattern is consistent: **anything about getting the agent in place is Adobe's; anything about what you do with the resulting data is yours and unchanged.**

> **Derived:** this table maps the documented Adobe/customer control split onto the guidance in the referenced series. It is an editorial mapping, not a vendor statement.

---

10. Scope Boundaries and Open Questions

What is confirmed: **author and publish services** are detected and monitored.

Beyond that, several reasonable questions are **not settled by either vendor's public documentation** as of 07/27/2026. They are listed here as questions to put in your Adobe request rather than assumptions to build a plan on:

Question	Status
Is the **Preview** service monitored alongside author and publish?	Not stated publicly — confirm with Adobe
Are **Dispatcher** and the **CDN tier** in scope?	Not stated publicly. Dynatrace's own AEM material describes end-to-end coverage without naming these tiers
Do **AEM logs** flow into Grail through this integration?	Not stated publicly. Adobe provides its own log-access mechanisms; whether they connect here is unconfirmed

Question	Status
Is **RUM** included, or configured separately?	Dynatrace describes RUM, Session Replay, and synthetic monitoring as part of the broader AEM story, but these are tenant-side capabilities you configure — treat them as **separate from** the container agent enablement
Can you influence **OneAgent version**?	Not stated publicly; § 5 assumes not

Being explicit about this beats a confident guess: an AEM estate has real tiers in front of the author and publish services, and a monitoring plan that silently assumes they are covered will have a gap exactly where customer-facing latency lives.

> **Sources:** Dynatrace and Adobe Experience Manager (Dynatrace blog) — the RUM / Session Replay / synthetic framing. The remaining rows record the *absence* of a public statement and are therefore uncited by construction.

---

11. Recommended Approach

1. **Forecast licensing first.** Use § 7 against your actual environment count. Do this before the ticket, not after enablement surprises the bill.
2. **Decide the environment order.** Non-production first, always — it is the only safe place to learn what the integration does and does not cover, given that § 8 removes the parallel run.
3. **If another APM tool is live, capture its baselines now.** Response-time distributions, error rates, throughput. Post-cutover you cannot go back for them.
4. **Assemble the full ticket payload** (§ 4) before opening the request, and mint a **dedicated, minimally-scoped token**.
5. **List every environment you intend to monitor** in the first request.
6. **Ask the § 10 open questions explicitly** in the ticket — Preview, Dispatcher, CDN, logs. Get the answer in writing for your own architecture record.
7. **After enablement, verify detection**: author and publish appear as separate services with sensible names and endpoints.

8. **Tag to your convention immediately**, while the estate is small. This is tenant-side and fully yours.
9. **Build alerting and SLOs normally.** From here the standard **ALERT**, **SLO**, and **WFLOW** guidance applies without modification.

---

12. Common Gotchas

Gotcha	Why it bites
Treating enablement as a self-service task	There is no toggle anywhere. Plans that schedule "enable monitoring" as an afternoon's work miss the support-ticket lead time entirely
Assuming a parallel run with the outgoing APM tool	Adobe states the integration displaces other APM tools on those environments. Discovering this at cutover means losing comparison baselines you can no longer recreate
Forecasting licensing per application instead of per environment	The published figures are per AEM environment; three environments is three times the forecast, and non-production is not free
Reusing a broad existing token	The documented requirement is a single narrow scope, and the token travels through a support ticket. A broad token there is a materially worse exposure
Enabling production first	Removes the safe place to learn what is and is not covered, on the environment where being wrong costs the most
Assuming Dispatcher and CDN are covered	Neither vendor states it publicly (§ 10). A plan that assumes it has a gap precisely at the customer-facing edge
Applying FAQ-04 update-management guidance	Agent version and upgrade timing are Adobe's. The effort belongs in asking Adobe, not in building a rollout ring you cannot control
Requesting one environment at a time	Each addition is a separate ticket with its own lead time

---

13. References

- Adobe Experience Manager Cloud Service monitoring (Dynatrace Hub) — the listing: publisher, support route, technology, and the licensing figures in § 7
- Dynatrace OneAgent for AEM as a Cloud Service (Adobe Experience League) — Adobe's enablement procedure, the required ticket payload, token handling, and the APM-displacement statement quoted in § 8
- Dynatrace and Adobe Experience Manager: seamless end-to-end observability (Dynatrace blog) — capability framing including RUM, Session Replay, and synthetic monitoring
- Access tokens (DT docs) — token scopes and lifecycle, for the `PaaS integration - Installer download` scope in § 4

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.