

# WFLOW-99: Best Practice Summary

---

**Series:** WFLOW — Workflows and Alert Notifications | **Notebook:** 99 | **Created:** March 2026 | **Last Updated:** 07/21/2026

## Overview

---

This notebook consolidates every actionable best practice from the WFLOW series (notebooks 01-09) into definitive tables organized by category. Each best practice includes the exact setting or value to use, a priority rating, and the source notebook.

---

## Table of Contents

---

1. [Workflow Design & Architecture](#)
  2. [Triggers](#)
  3. [Connections & Credentials](#)
  4. [Notification Channels](#)
  5. [Message Formatting & Templates](#)
  6. [Routing & Escalation](#)
  7. [Incident Management Integration](#)
  8. [Auto-Remediation](#)
  9. [JavaScript & HTTP Actions](#)
  10. [Security](#)
  11. [Access Control](#)
  12. [Observability & Monitoring](#)
  13. [Operations & Change Management](#)
-

# 1. Workflow Design & Architecture

| # | Best Practice                                        | Recommended Setting/Value                                                                                                                                                                    | Priority    | Source             |
|---|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------|
| 1 | Use Workflows for all new automation                 | Workflows (not legacy alerting profiles)                                                                                                                                                     | Critical    | WFLOW-01           |
| 2 | Keep workflows small and focused                     | One trigger → one outcome; avoid sprawling multi-stage workflows (community practice — explicit max-execution-time is not published in current docs; verify against your tenant under load)  | Recommended | WFLOW-01           |
| 3 | Keep task count modest                               | ~20 tasks per workflow as a soft ceiling (community practice — split larger flows into sub-workflows). Hard max not published in current docs.                                               | Recommended | WFLOW-01           |
| 4 | Set explicit task timeouts                           | Default is 60 minutes; max 7 days. Configure <code>timeout: &lt;seconds&gt;</code> per task. Distinct from the 120s Dynatrace runtime budget that caps each action (DQL/JS) inside the task. | Critical    | WFLOW-01, WFLOW-08 |
| 5 | Avoid uncontrolled fan-out                           | Throttle high-cardinality triggers (community practice — explicit concurrent-execution cap is not published in current docs; verify against your tenant).                                    | Recommended | WFLOW-01           |
| 6 | Start with simple notifications                      | Basic notifications first, then layer in complexity                                                                                                                                          | Recommended | WFLOW-09           |
| 7 | Run notification tasks in parallel                   | Default parallel execution for independent tasks (Slack + Teams + Email simultaneously)                                                                                                      | Recommended | WFLOW-03           |
| 8 | Use sequential execution with <code>dependsOn</code> | Chain tasks that require previous task output                                                                                                                                                | Recommended | WFLOW-04           |

## 2. Triggers

| #  | Best Practice                                              | Recommended Setting/Value                                                                             | Priority    | Source   |
|----|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------|----------|
| 1  | Use Detected Problem trigger for incident alerts           | <code>type: davis-problem</code>                                                                      | Critical    | WFLOW-02 |
| 2  | Use Detected Event trigger for proactive metric thresholds | <code>type: davis-event</code> with DQL query and <code>evaluationFrequency: "5m"</code>              | Critical    | WFLOW-02 |
| 3  | Use Schedule trigger for reports and health checks         | <code>type: schedule</code> with cron expression and explicit <code>timezone</code>                   | Critical    | WFLOW-02 |
| 4  | Use On-Demand trigger for testing                          | <code>type: on-demand</code> before deploying any production workflow                                 | Critical    | WFLOW-02 |
| 5  | Scope Detected Problem triggers with entity tags           | <code>entityTagsMatch: all</code> with <code>entityTags: [{key: env, value: prod}]</code>             | Critical    | WFLOW-02 |
| 6  | Filter by problem categories                               | Set <code>categories: [AVAILABILITY, PERFORMANCE]</code> to reduce noise                              | Recommended | WFLOW-02 |
| 7  | Handle all problem lifecycle events                        | Trigger on OPEN, UPDATED, and CLOSED statuses in a single workflow                                    | Recommended | WFLOW-05 |
| 8  | Offset scheduled workflows from minute :00                 | Use <code>:05</code> , <code>:15</code> , <code>:30</code> instead of <code>:00</code> to spread load | Recommended | WFLOW-02 |
| 9  | Always set timezone on schedule triggers                   | <code>timezone: "America/New_York"</code> (explicit, never rely on default)                           | Recommended | WFLOW-02 |
| 10 | Use Event trigger for business process automation          | <code>type: event</code> with <code>filterQuery</code> for bizevent-driven workflows                  | Optional    | WFLOW-02 |

### 3. Connections & Credentials

| # | Best Practice                                             | Recommended Setting/Value                                                                                         | Priority    | Source   |
|---|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Use descriptive connection names                          | Pattern: <code>&lt;service&gt;-&lt;environment&gt;-&lt;purpose&gt;</code> (e.g., <code>slack-prod-oncall</code> ) | Critical    | WFLOW-03 |
| 2 | Separate connections per environment                      | Distinct connections for prod vs staging vs dev                                                                   | Critical    | WFLOW-03 |
| 3 | Apply least-privilege scopes                              | Minimum OAuth scopes required (e.g., Slack: <code>chat:write</code> , <code>chat:write.public</code> only)        | Critical    | WFLOW-03 |
| 4 | Rotate tokens on a schedule                               | Monthly rotation of API tokens and passwords                                                                      | Recommended | WFLOW-09 |
| 5 | Use OAuth 2.0 over Basic Auth for ServiceNow              | <code>OAuth 2.0</code> for production; Basic Auth only for dev/testing                                            | Recommended | WFLOW-05 |
| 6 | Create separate PagerDuty connections per service routing | <code>pagerduty-prod-critical</code> , <code>pagerduty-prod-standard</code> , <code>pagerduty-platform</code>     | Recommended | WFLOW-05 |
| 7 | Prefer Slack OAuth App over Incoming Webhook              | OAuth App provides channels, DMs, reactions, threads                                                              | Recommended | WFLOW-03 |

### 4. Notification Channels

| # | Best Practice                                  | Recommended Setting/Value                        | Priority    | Source             |
|---|------------------------------------------------|--------------------------------------------------|-------------|--------------------|
| 1 | Multi-channel for Critical production problems | PagerDuty + Slack #urgent + Email simultaneously | Critical    | WFLOW-03, WFLOW-04 |
| 2 | Slack for High production problems             | Slack #alerts + Email                            | Recommended | WFLOW-04           |

| # | Best Practice                               | Recommended Setting/Value                                                     | Priority    | Source   |
|---|---------------------------------------------|-------------------------------------------------------------------------------|-------------|----------|
| 3 | Slack-only for Medium problems              | Slack #alerts (business hours only for Low)                                   | Recommended | WFLOW-04 |
| 4 | Use Power Automate connector for Teams      | Microsoft is deprecating Office 365 Connectors; use newer Workflows connector | Recommended | WFLOW-03 |
| 5 | Use built-in email for simple notifications | No SMTP setup required; use custom SMTP or SendGrid for high volume           | Optional    | WFLOW-03 |
| 6 | Include severity in email subject line      | <code>{{ event()['severity'] }}</code> <code>{{ event()['title'] }}</code>    | Recommended | WFLOW-03 |

## 5. Message Formatting & Templates

| # | Best Practice                                             | Recommended Setting/Value                                                                                                                                                | Priority    | Source   |
|---|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Structure messages: Severity + Title + Key metrics + Link | Line 1: severity indicator + title; Line 2: impact; Line 3: affected entities; Line 4: action link                                                                       | Critical    | WFLOW-06 |
| 2 | Use severity-coded visual indicators                      | Slack: <code>:red_circle:</code> CRITICAL, <code>:large_orange_circle:</code> HIGH, <code>:large_yellow_circle:</code> MEDIUM, <code>:large_blue_circle:</code> LOW      | Critical    | WFLOW-06 |
| 3 | Use Slack Block Kit for rich messages                     | <code>blocks:</code> with <code>header</code> , <code>section</code> , <code>actions</code> , <code>context</code> types                                                 | Recommended | WFLOW-06 |
| 4 | Use Teams Adaptive Cards v1.4                             | <code>type:</code> <code>AdaptiveCard</code> , <code>version:</code> <code>"1.4"</code> with <code>FactSet</code> , <code>TextBlock</code> , <code>Action.OpenUrl</code> | Recommended | WFLOW-06 |

| #  | Best Practice                                             | Recommended Setting/Value                                                                                                    | Priority    | Source   |
|----|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 5  | Always include a link to the Dynatrace problem            | <code>&lt;{{ event()['problem_url'] }} View in Dynatrace&gt;</code> (Slack) or <code>Action.OpenUrl</code> (Teams)           | Critical    | WFLOW-03 |
| 6  | Use dictionary mapping for severity-to-emoji              | <code>{{ {"CRITICAL": ":red_circle:", ...}.get(event()["severity"], ":white_circle:") }}</code>                              | Recommended | WFLOW-06 |
| 7  | Limit affected entities shown to 3-5                      | <code>event()["affected_entity_ids"][:3]</code> with overflow indicator                                                      | Recommended | WFLOW-06 |
| 8  | Use <code>.get()</code> with defaults for optional fields | <code>event().get("root_cause_entity_id", "Pending analysis")</code>                                                         | Critical    | WFLOW-06 |
| 9  | Truncate long strings                                     | <code>{{ event()["title"] \   truncate(50) }}</code>                                                                         | Recommended | WFLOW-06 |
| 10 | Enrich notifications with DQL data                        | Add recent error logs via <code>queryExecutionClient.queryExecute()</code> in a JavaScript task before the notification task | Optional    | WFLOW-06 |
| 11 | Test templates with mock data first                       | On-Demand trigger + JavaScript mock event task before production deployment                                                  | Critical    | WFLOW-06 |
| 12 | Preview Slack templates in Block Kit Builder              | <a href="https://app.slack.com/block-kit-builder">https://app.slack.com/block-kit-builder</a> before deploying               | Recommended | WFLOW-06 |

| #  | Best Practice                      | Recommended Setting/Value                                                          | Priority    | Source   |
|----|------------------------------------|------------------------------------------------------------------------------------|-------------|----------|
| 13 | Create a resolved-problem template | <code>:white_check_mark:</code> Problem Resolved with duration and resolution time | Recommended | WFLOW-06 |

## 6. Routing & Escalation

| # | Best Practice                           | Recommended Setting/Value                                                                                                                                                                                                                                             | Priority    | Source   |
|---|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Route by severity                       | CRITICAL: PagerDuty + Slack + Email; HIGH: Slack + Email; MEDIUM: Slack; LOW: Slack business hours only                                                                                                                                                               | Critical    | WFLOW-04 |
| 2 | Route by team ownership via entity tags | Condition: <code>"team:checkout" in event().get("tags", [])</code> maps to <code>#checkout-alerts</code>                                                                                                                                                              | Critical    | WFLOW-04 |
| 3 | Do <b>not</b> route by management zone  | <code>"Production" in event()["management_zones"]</code> is legacy. It fails silently once MZs are retired — the array empties, conditions go false, notifications stop with no error. Route on entity tags ( <code>env:prod</code> ) or Smartscape ownership instead | Critical    | WFLOW-04 |
| 4 | Implement time-based routing            | Business hours (Mon-Fri 9-17): Slack channel; Off-hours Critical: PagerDuty; Off-hours non-critical: queue for morning                                                                                                                                                | Critical    | WFLOW-04 |
| 5 | Auto-escalate unacknowledged alerts     | Wait 15 min, check if still OPEN, escalate to PagerDuty if unacknowledged                                                                                                                                                                                             | Recommended | WFLOW-04 |
| 6 | Multi-tier escalation                   | 0 min: Slack; 15 min: Email team lead; 30 min: PagerDuty on-call; 60 min: PagerDuty manager                                                                                                                                                                           | Recommended | WFLOW-04 |

| # | Best Practice                                | Recommended Setting/Value                                                         | Priority    | Source   |
|---|----------------------------------------------|-----------------------------------------------------------------------------------|-------------|----------|
| 7 | Use AND logic for multi-condition tasks      | <code>conditions: [is_critical, is_production]</code> requires both true          | Recommended | WFLOW-04 |
| 8 | Use JavaScript for dynamic channel selection | Parse <code>team: tag</code> to construct <code>#{team}-alerts</code> dynamically | Optional    | WFLOW-04 |
| 9 | Separate environment routing                 | Production: immediate notification;<br>Staging: Slack only; Dev: daily digest     | Recommended | WFLOW-04 |

## 7. Incident Management Integration

| # | Best Practice                                       | Recommended Setting/Value                                                                                                                                                       | Priority | Source   |
|---|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| 1 | Deduplicate PagerDuty incidents                     | <code>dedupKey: "dynatrace-{{ event()['display_id'] }}"</code>                                                                                                                  | Critical | WFLOW-05 |
| 2 | Deduplicate ServiceNow incidents                    | <code>correlation_id: "DT-{{ event()['display_id'] }}"</code>                                                                                                                   | Critical | WFLOW-05 |
| 3 | Map Dynatrace severity to PagerDuty severity        | CRITICAL: <code>critical</code> ; HIGH: <code>error</code> ; MEDIUM: <code>warning</code> ; LOW: <code>info</code>                                                              | Critical | WFLOW-05 |
| 4 | Map Dynatrace severity to ServiceNow impact/urgency | CRITICAL: <code>impact=1, urgency=1</code> ;<br>HIGH: <code>impact=2, urgency=2</code> ;<br>MEDIUM: <code>impact=2, urgency=2</code> ;<br>LOW: <code>impact=3, urgency=3</code> | Critical | WFLOW-05 |
| 5 | Auto-resolve incidents when problem closes          | Trigger on <code>event()["status"] == "CLOSED"</code> , resolve PagerDuty via <code>dedupKey</code> or set ServiceNow <code>state: 6</code>                                     | Critical | WFLOW-05 |
| 6 | Include Dynatrace problem URL in incident details   | <code>customDetails.problem_url</code> (PagerDuty) or <code>description</code> body (ServiceNow)                                                                                | Critical | WFLOW-05 |



| #  | Best Practice                                                              | Recommended Setting/Value                                                                                        | Priority    | Source   |
|----|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 7  | Store incident ID for subsequent updates                                   | Capture <code>sys_id</code> from create response in a JavaScript task for update/resolve operations              | Recommended | WFLOW-05 |
| 8  | Use PagerDuty Events API v2                                                | Integration type: Events API v2 (not v1)                                                                         | Critical    | WFLOW-05 |
| 9  | Set <code>assignment_group</code> and <code>caller_id</code> in ServiceNow | <code>assignment_group: "Platform Engineering"</code> , <code>caller_id: "dynatrace.integration"</code>          | Recommended | WFLOW-05 |
| 10 | Implement bi-directional sync                                              | Scheduled workflow queries ServiceNow for open DT-correlated incidents and updates<br>Dynatrace problem comments | Optional    | WFLOW-05 |

## 8. Auto-Remediation

| # | Best Practice                                     | Recommended Setting/Value                                                           | Priority | Source   |
|---|---------------------------------------------------|-------------------------------------------------------------------------------------|----------|----------|
| 1 | Rate-limit remediation attempts                   | Max 3 remediations per hour per entity                                              | Critical | WFLOW-07 |
| 2 | Enforce time-window guardrails                    | Remediation only during safe hours: weekdays 06:00-22:00                            | Critical | WFLOW-07 |
| 3 | Implement cooldown periods                        | 30 minutes minimum between remediation actions on the same entity                   | Critical | WFLOW-07 |
| 4 | Capture pre-remediation state for rollback        | Record current state before executing any change                                    | Critical | WFLOW-07 |
| 5 | Require human approval for production remediation | Slack approval buttons with 30-minute timeout; auto-approve for non-production only | Critical | WFLOW-07 |

| #  | Best Practice                              | Recommended Setting/Value                                                                                                                    | Priority    | Source   |
|----|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 6  | Auto-remediate only well-defined scenarios | Pod crash loops: yes (restart); Disk space 90%: yes (cleanup); Database deadlocks: no (investigate); Security incidents: no (human judgment) | Critical    | WFLOW-07 |
| 7  | Follow remediation maturity model          | Level 0: manual; Level 1: notification + runbook link; Level 2: semi-automated (approval); Level 3: fully automated with guardrails          | Recommended | WFLOW-07 |
| 8  | Map problem types to runbooks              | JavaScript <code>runbookMap</code> object mapping problem title patterns to runbook IDs                                                      | Recommended | WFLOW-07 |
| 9  | Include runbook links in notifications     | Jinja conditional: <code>{% if "CPU" in event()["title"] %}</code> links to CPU runbook                                                      | Recommended | WFLOW-07 |
| 10 | Validate after remediation                 | Query metrics/logs post-action to confirm resolution                                                                                         | Recommended | WFLOW-07 |
| 11 | Start non-prod, promote to prod            | Test all remediation workflows in staging before enabling in production                                                                      | Critical    | WFLOW-07 |

## 9. JavaScript & HTTP Actions

| # | Best Practice                                         | Recommended Setting/Value                                                                 | Priority    | Source   |
|---|-------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Always use <code>export default async function</code> | Required function signature for every JavaScript action                                   | Critical    | WFLOW-08 |
| 2 | Wrap all external calls in try-catch                  | Return <code>{success: false, error: error.message}</code> on failure instead of throwing | Critical    | WFLOW-08 |
| 3 | Implement retry with exponential backoff              | Max 3 retries, delay = <code>1000 * attempt</code> ms, retry only on 5xx errors           | Recommended | WFLOW-08 |

| #  | Best Practice                                              | Recommended Setting/Value                                                                                                                                                                                | Priority    | Source             |
|----|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------|
| 4  | Set request timeouts on external HTTP                      | <code>AbortController</code> with 10-second timeout on outbound <code>fetch()</code> calls. Distinct from task timeout (whole-task budget) and 120s runtime budget (per-action). See WFLOW-08 §8.        | Critical    | WFLOW-08           |
| 5  | Set DQL query timeouts                                     | <code>requestTimeoutMilliseconds: 30000</code> on all <code>queryExecute()</code> calls. This caps the SDK → engine HTTP call only; the engine's own 120s runtime budget still applies. See WFLOW-08 §8. | Critical    | WFLOW-08           |
| 6  | Limit DQL query scope                                      | <code>from: now() - 1h</code> , select only needed <code>fields</code> , <code>limit 100</code>                                                                                                          | Critical    | WFLOW-08           |
| 7  | Use <code>Promise.all()</code> for parallel entity lookups | Execute all independent API calls concurrently                                                                                                                                                           | Recommended | WFLOW-08           |
| 8  | Always use HTTPS for external calls                        | Never use <code>http://</code> in HTTP request URLs                                                                                                                                                      | Critical    | WFLOW-09           |
| 9  | Access secrets via <code>env</code> object only            | <code>env.API_TOKEN</code> (never hardcode, never log secrets via <code>console.log</code> )                                                                                                             | Critical    | WFLOW-08, WFLOW-09 |
| 10 | Add problem comments after remediation                     | Use <code>problemsClient.createComment()</code> to record automated actions                                                                                                                              | Recommended | WFLOW-08           |
| 11 | Validate secret existence before use                       | <code>if (!apiToken) throw new Error('Missing required secret: ...')</code>                                                                                                                              | Recommended | WFLOW-09           |

## 10. Security

| # | Best Practice                       | Recommended Setting/Value                                                                                                                  | Priority    | Source   |
|---|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Never hardcode secrets in workflows | Use <code>{{ env.SECRET_NAME }}</code> in YAML or <code>env.SECRET_NAME</code> in JavaScript                                               | Critical    | WFLOW-09 |
| 2 | Sanitize all dynamic inputs         | Remove <code>"'\\" characters, limit string length to 200 chars before using in queries</code>                                             | Critical    | WFLOW-09 |
| 3 | Never log secrets                   | Do not use <code>console.log(env.API_TOKEN)</code> or return secrets in task output                                                        | Critical    | WFLOW-09 |
| 4 | Use secret naming convention        | Pattern: <code>&lt;SERVICE&gt;_API_TOKEN</code> , <code>&lt;SERVICE&gt;_WEBHOOK_URL</code> , <code>&lt;SERVICE&gt;_&lt;ENV&gt;_CRED</code> | Recommended | WFLOW-09 |
| 5 | Rotate secrets monthly              | Create new secret, update workflow, test, remove old secret                                                                                | Recommended | WFLOW-09 |
| 6 | Fail secure on errors               | Default to safe state (no action) when errors occur, never expose error details externally                                                 | Critical    | WFLOW-09 |

## 11. Access Control

| # | Best Practice                      | Recommended Setting/Value                                                                                                                                                            | Priority    | Source   |
|---|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Grant minimum permissions per role | Viewers: <code>automation:workflows:read</code> ; App teams: <code>read + write + run</code> (own workflows); SRE: <code>read + write + run</code> (all); Admins: <code>admin</code> | Critical    | WFLOW-09 |
| 2 | Restrict workflow write to owners  | IAM policy: <code>ALLOW automation:workflows:write WHERE workflow.owner == "\${user.email}"</code>                                                                                   | Recommended | WFLOW-09 |

| # | Best Practice                         | Recommended Setting/Value                                                                                                                   | Priority    | Source   |
|---|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 3 | Separate connection write access      | <code>automation:connections:write</code> only for workflow admins and SRE                                                                  | Critical    | WFLOW-09 |
| 4 | Tag workflows with ownership metadata | <code>metadata.owner: sre-team@company.com</code> , <code>metadata.team: platform</code> , <code>metadata.classification: production</code> | Recommended | WFLOW-09 |

## 12. Observability & Monitoring

| # | Best Practice                           | Recommended Setting/Value                                                                                                                                   | Priority    | Source   |
|---|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Alert on workflow success rate          | Threshold: < 95% success rate over 7 days                                                                                                                   | Critical    | WFLOW-09 |
| 2 | Alert on average execution duration     | Threshold: > 5 minutes average                                                                                                                              | Recommended | WFLOW-09 |
| 3 | Alert on failure spike                  | Threshold: > 5 failures per hour                                                                                                                            | Critical    | WFLOW-09 |
| 4 | Build a workflow health dashboard       | Queries: overall health, per-workflow success rates, execution trend, recent failures, task-level performance                                               | Critical    | WFLOW-09 |
| 5 | Create a workflow-monitoring workflow   | Scheduled every 15-60 min; query for workflows with 3+ failures/hour; alert to <code>#workflow-alerts</code>                                                | Recommended | WFLOW-09 |
| 6 | Monitor notification task success rates | Query <code>automation.task.execution</code> filtered by <code>slack</code> , <code>msteams</code> , <code>email</code> , <code>pagerduty</code> task types | Recommended | WFLOW-03 |

| # | Best Practice                   | Recommended Setting/Value                                                                        | Priority    | Source   |
|---|---------------------------------|--------------------------------------------------------------------------------------------------|-------------|----------|
| 7 | Track remediation success rates | Query<br>automation.workflow.execution<br>filtered by remediation or auto-heal<br>workflow names | Recommended | WFLOW-07 |
| 8 | Monitor skipped tasks           | Query task.status == "SKIPPED" to<br>validate routing conditions are working as<br>designed      | Optional    | WFLOW-04 |

## 13. Operations & Change Management

| # | Best Practice                                | Recommended Setting/Value                                                                    | Priority    | Source   |
|---|----------------------------------------------|----------------------------------------------------------------------------------------------|-------------|----------|
| 1 | Name workflows consistently                  | Pattern: <team>-<function>-<environment> (e.g., sre-problem-notifications-prod )             | Critical    | WFLOW-09 |
| 2 | Export workflows as JSON for version control | GET<br>/platform/automation/v1/workflows/<id><br>saved to Git                                | Recommended | WFLOW-09 |
| 3 | Test changes on cloned workflow first        | Clone, modify, test with On-Demand trigger, review results, promote                          | Critical    | WFLOW-09 |
| 4 | Rollback procedure                           | Disable failing workflow (toggle off), import previous JSON, enable restored version, verify | Critical    | WFLOW-09 |
| 5 | Daily: check execution dashboard             | Review success rates and investigate failures                                                | Recommended | WFLOW-09 |

| # | Best Practice                                | Recommended Setting/Value                                                                         | Priority    | Source   |
|---|----------------------------------------------|---------------------------------------------------------------------------------------------------|-------------|----------|
| 6 | Weekly:<br>verify<br>external<br>connections | Test all Slack, Teams, PagerDuty, ServiceNow connections                                          | Recommended | WFLOW-09 |
| 7 | Monthly:<br>rotate<br>secrets                | Update API tokens, passwords, webhook URLs                                                        | Recommended | WFLOW-09 |
| 8 | Query<br>execution<br>history with<br>DQL    | <pre>fetch events, from: now() - 24h \ filter event.type == "automation.workflow.execution"</pre> | Recommended | WFLOW-01 |

## Summary

This notebook contains **91 best practices** across 13 categories extracted from the complete WFLOW series.

### Priority distribution:

| Priority           | Count | Meaning                                   |
|--------------------|-------|-------------------------------------------|
| <b>Critical</b>    | 47    | Must implement for production readiness   |
| <b>Recommended</b> | 38    | Strongly advised for operational maturity |
| <b>Optional</b>    | 6     | Beneficial for advanced use cases         |

### Implementation order:

1. Connections and credentials (WFLOW-03)
2. Basic problem notification workflow with severity routing (WFLOW-03, WFLOW-04)
3. Incident management integration with deduplication (WFLOW-05)
4. Custom templates with severity indicators and links (WFLOW-06)
5. Workflow health monitoring dashboard (WFLOW-09)
6. Auto-remediation with guardrails (WFLOW-07)

# References

---

- [Workflows umbrella \(DT docs\)](#)
  - [Workflow triggers \(DT docs\)](#)
  - [Workflow actions \(DT docs\)](#)
  - [Notification actions umbrella \(DT docs\)](#)
  - [HTTP request action \(DT docs\)](#)
  - [Run JavaScript action \(DT docs\)](#)
  - [Workflow reference / Jinja expressions \(DT docs\)](#)
  - [Davis Problems app \(DT docs\)](#)
  - [Alerting and notifications umbrella \(DT docs\)](#)
  - [Upgrade guide — Alert notification \(DT docs\)](#)
  - [Dynatrace Developer Portal \(Dynatrace\)](#)
- 

*This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.*