SL2DT-99: Summary & Runbook Index

> **Series:** SL2DT — Sumo Logic to Dynatrace | **Notebook:** 11 of 11 | **Created:** April 2026 | **Last Updated:** 11/04/2026

Overview

Goal of this notebook: single-page index for the entire SL2DT series. Use as a reference card during migration work, a hand-off document for incoming teams, and a quick-start for future Sumo-to-Dynatrace engagements.

This notebook is intentionally terse. Each section points to the authoritative detail in SL2DT-01 through SL2DT-10.

Table of Contents

1. Migration Framework Summary
2. Series Index — Which Notebook Does What
3. Critical Decisions Checklist
4. Artifacts Produced Across All Steps
5. Failure-Mode Reference
6. Quick Reference — Common DQL Patterns
7. Engagement Timeline Template
8. Companion Assets
9. References

Prerequisites

Requirement	Details
Audience	Anyone onboarding to a Sumo-to-Dynatrace engagement
Prior reading	None required — this notebook is the entry point

1. Migration Framework Summary

Sumo-to-Dynatrace in 9 steps + a parallel metrics track + summary:

```
01 Overview         → strategy, mental model, anti-patterns
02 Inventory        → audit-log-driven cut scope
03 Ingest           → OneAgent + OTel + OpenPipeline + buckets
04 Translate        → SumoQL → DQL, confidence-scored
05 Monitors         → custom alert / Workflow / Metric Event decisions
06 Dashboards       → Notebooks (analytical) + Dashboards (operational)
07 Governance       → Platform IAM, bucket-scoped policies
08 Automation       → Terraform + Monaco + CI/CD
09 Cutover          → 3-tier validation, decommission
10 Metrics          → Telegraf / metric sources (parallel track with 02–06)
99 Summary          → this notebook
```

Typical duration: **3–6 months** for a mid-size deployment (100–500 active users, 2k–8k dashboards/monitors). Large enterprises (10k+ assets, multi-tenant) may need 9–12 months.

Target outcomes:

- Sumo contract terminated by deadline
- ≥ 95% monitor + dashboard fidelity
- ≥ 40% new monitors using anomaly detection (not static thresholds)
- Alert noise ≤ Sumo baseline

2. Series Index — Which Notebook Does What

#	Notebook	When to read	Primary artifacts
01	Overview & Migration Strategy	First, always	Strategy doc, risk register
02	Assessment & Inventory	Before any hands-on work	`inventory/*.json`, `cut-scope.md`, `taxonomy-map.md`
03	Log Ingest Architecture	Wave 1	Bucket configs, OpenPipeline pipelines, FER conversions
04	SumoQL → DQL Translation	Wave 1 / 2	`translations/all-queries.csv`
05	Monitor/Alert Conversion	Wave 2	Custom alerts (anomaly detectors), Workflows, Metric Events
06	Dashboard Conversion	Wave 3 / 4	Notebook + Dashboard JSON
07	User Governance & Access	Wave 1 (do early!)	IAM groups/policies/bindings
08	Automation & GitOps	Wave 1 ongoing	Terraform + Monaco configs, CI pipelines
09	Cutover, Validation & Decommission	Wave 5	Cutover runbook, validation report, retro
10	Telegraf Metric Migration	Parallel track — run alongside 02-06	`inventory/metrics.json`, `metric-key-map.md`, `parity-report.md`
99	Summary (this notebook)	Any time — reference card	—

3. Critical Decisions Checklist

Six decisions shape the entire migration. Make them early, document them in `DECISIONS.md`:

Decision	Default	When to deviate
`_sourceCategory` strategy	Mixed: bucket for coarse isolation + attribute for query grouping	Bucket-only if retention tiers dominate; attribute-only if uniform retention
Ingest path per source	OneAgent for hosts, OTel Collector for cloud/HTTP	Sumo Forwarding if OneAgent can't be deployed
Monitor conversion	anomaly detection for metric-backed alerts	Static threshold only when truly static
Dashboard target	Notebooks for analytical, Dashboards for operational	Hybrid for SRE pages
Automation tool split	Terraform for IAM/buckets/pipelines, Monaco for dashboards/monitors	Single-tool if team mandates
Parallel-run duration	2–4 weeks	Longer only with documented cause (rarely a good sign)

4. Artifacts Produced Across All Steps

Cumulative list. All committed to the migration repo.

Artifact	Step	Purpose
`inventory/*.json`	SL2DT-02	Asset inventory
`inventory/audit-usage.csv`	SL2DT-02	Usage data for cut scope
`taxonomy-map.md`	SL2DT-02	`_sourceCategory` → bucket/attribute
`cut-scope.md`	SL2DT-02	Per-asset decision + owner signoff
`terraform/buckets.tf`	SL2DT-03	Bucket configs

Artifact	Step	Purpose
`openpipeline/*.json`	SL2DT-03	Pipeline + processor configs
`translations/all-queries.csv`	SL2DT-04	Per-query DQL + confidence
`monitors/decision-matrix.csv`	SL2DT-05	Dynatrace Intelligence/Workflow/Metric-event decision
`dashboards/*`	SL2DT-06	Notebook/Dashboard JSON
`iam/groups.tf`, `policies.tf`	SL2DT-07	IAM as code
`.github/workflows/*.yml`	SL2DT-08	CI pipelines
`cutover/runbook.md`	SL2DT-09	Cutover step-by-step
`cutover/validation-report.md`	SL2DT-09	3-tier validation results
`cutover/post-cutover-retro.md`	SL2DT-09	Retro after 30-day stable window

5. Failure-Mode Reference

When things go wrong, consult this table first:

Symptom	Root cause category	Fix (notebook)
App teams recreating static thresholds in DT	Dynatrace Intelligence not explained	SL2DT-05 §3
Bucket writes to wrong bucket	OpenPipeline matcher wrong	SL2DT-03 §4
Queries time out	No `from:` or too wide range	SL2DT-04 §3 Rule 1

Symptom	Root cause category	Fix (notebook)
Sort/filter on timeseries fails	Array not reduced	SL2DT-04 §3 Rule 3
Parse returns null	DPL syntax wrong	SL2DT-03 §8, sumoql-to-dql skill
Users can't see their data	Bucket policy wrong	SL2DT-07 §3
ServiceNow incidents not created	Webhook payload not rebuilt	SL2DT-05 §6
Alert volume exploded	baselines still learning	SL2DT-05 §8
Dashboard blank after migration	Time range or bucket mismatch	SL2DT-06 §3
SSO assigns no permissions	Claim → group mapping wrong	SL2DT-07 §4

6. Quick Reference — Common DQL Patterns

Count logs per scope

```
// 6. Quick Reference — Common DQL Patterns
fetch logs, from:-1h
| summarize c = count(), by:{sumo.source_category}
| sort c desc
```

Top errors by host

```
// Top errors by host
// status == "ERROR" covers ERROR, SEVERE, CRITICAL, ALERT, FATAL and
EMERGENCY; loglevel == "ERROR" misses SEVERE.
fetch logs, from:-1h
| filter sumo.source_category == "prod/api"
| filter status == "ERROR"
| summarize c = count(), by:{host.name}
| sort c desc
| limit 10
```

Error rate timeseries

```
// Error rate timeseries
fetch logs, from:-1h
| filter sumo.source_category == "prod/api"
| fieldsAdd is_error = if(status == "ERROR", 1, else:0)
| makeTimeseries {total = count(), errors = sum(is_error)}, interval:1m
| fieldsAdd error_pct = 100.0 * errors[] / total[]
```

Latency percentiles

```
// Latency percentiles
fetch logs, from:-1h
| filter sumo.source_category == "prod/api"
| parse content, "LD? 'latency=' INT:latency"
| summarize {
    p50 = percentile(latency, 50),
    p95 = percentile(latency, 95),
    p99 = percentile(latency, 99)
  }, by:{http.path}
```

Recent detected problems

```
// Recent detected problems (dt.davis.problems: one record per problem)
fetch dt.davis.problems, from:-24h
| fields event.start, display_id, event.name, event.category, event.status
| sort event.start desc
| limit 20
```

Timeseries with array reduction


```
// Pattern when you need to filter/sort after makeTimeseries
timeseries avg_cpu = avg(dt.host.cpu.usage), from:-1h, by:{dt.entity.host}
| fieldsAdd max_cpu = arrayMax(avg_cpu)
| filter max_cpu &gt; 80
| sort max_cpu desc
```

Lookup for enrichment

```
// Lookup for enrichment
//
// Corrected 08/12/2026: `dt.tags.&lt;name&gt;` is not a field. Entity tags
are a single `tags` field
// holding an ARRAY of "key:value" strings, so a tag is matched with an
iterative expression —
// iAny(startsWith(tags[], "team:")) — not addressed as a nested field. The
old cell failed with
// FIELD_DOES_NOT_EXIST. Pass the whole `tags` array through the lookup and
read it downstream.
// Join on the host entity ID. `host.name` is not the host entity's name, so a
// host.name → entity.name join matches no host and leaves `tags` empty.
fetch logs, from:-1h
| filter sumo.source_category == "prod/api"
| summarize c = count(), by:{dt.entity.host}
| lookup [fetch dt.entity.host, from:-7d
         | fields id, entity.name, tags],
    sourceField:dt.entity.host, lookupField:id,
    fields:{entity.name, tags}
```

7. Engagement Timeline Template

Scaled to a 6-month mid-size migration. Adjust for your scope.



Parallel tracks that can overlap

- IAM (SL2DT-07) runs in parallel with ingest (SL2DT-03)
- Translation (SL2DT-04) can start once taxonomy is mapped, before ingest is complete
- Automation (SL2DT-08) runs continuously from Month 2 onward

8. Companion Assets

Skill

- `sumoql-to-dql` skill — translation tables, confidence scoring (internal authoring aid, not a published asset)
- `references/mapping-tables.md` — complete operator/function/field maps
- `references/examples.md` — 15 worked translations
- `references/out-of-scope.md` — features not covered in v1

Parallel series

- **NR2DT** — New Relic → Dynatrace procedural
- **NRLC** — New Relic component deep dives
- **S2D** — Splunk → Dynatrace
- **M2S** — Managed → SaaS
- **S2S** — SaaS → SaaS

Official documentation

- Sumo Logic Docs
- Dynatrace Docs

---

9. References

Dynatrace — by topic

Platform / DQL / Grail
- DQL Reference (DT docs)
- DPL Pattern Reference (DT docs)
- Grail (DT docs)
- OpenPipeline (DT docs)

Ingest
- Ingest from (DT docs)
- Dynatrace OneAgent (DT docs)
- OpenTelemetry ingest (DT docs)
- Logs (DT docs)
- Dynatrace API (DT docs)

Intelligence and workflows
- Anomaly detection (DT docs)
- Problems app (DT docs)
- Workflows (DT docs)
- Notifications and alerting (DT docs)
- Maintenance windows (DT docs)

Visualization
- Dashboards and notebooks (DT docs)
- Notebooks (DT docs)

Access and tokens
- Identity and access management (DT docs)
- Manage user permissions and policies (DT docs)
- Access tokens (DT docs)
- Platform tokens (DT docs)
- API authentication (DT docs)

Automation
- Configuration as code (DT docs)
- Terraform configuration (DT docs)
- Monaco configuration (DT docs)
- Dynatrace Terraform provider (Terraform Registry)
- Monaco (Dynatrace GitHub)

Sumo Logic — by topic

- Sumo Logic search operators (Sumo Logic docs)
- Sumo Logic parse operators (Sumo Logic docs)
- Sumo Logic monitors (Sumo Logic docs)
- Sumo Logic dashboards (Sumo Logic docs)
- Sumo Logic users and roles (Sumo Logic docs)
- Sumo Logic API (Sumo Logic docs)
- Sumo Logic Terraform provider (Terraform Registry)

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace or Sumo Logic. Always verify information against the official Dynatrace documentation and Sumo Logic documentation.