DTM-00: The Dynatrace Managed Journey

> **Series:** DTM — Dynatrace Managed | **Reference:** 00 — The Dynatrace Managed Journey | **Created:** October 2026 | **Last Updated:** 10/29/2026
>
> **Dynatrace Classic only.** This series applies to **Dynatrace Managed**, the self-hosted, on-premises deployment. None of it applies to Dynatrace SaaS.

Overview

This series covers what is specific to running **Dynatrace Managed**, the self-hosted deployment, as opposed to Dynatrace SaaS. This notebook is its map: what the series covers, which notebook to open for a given question, how the notebooks are numbered, and where to go when the question is about leaving Managed for SaaS.

What you'll find here:

- What this series does and does not apply to
- A reading order by situation
- The numbering bands and what each holds
- Where the notebooks of the former MCH series went

Table of Contents

1. Scope
2. Where to Start
3. How the Series Is Numbered
4. Formerly the MCH Series
5. Summary and Next Steps

Prerequisites

Requirement	Details
Dynatrace deployment	A self-hosted **Dynatrace Managed** cluster, or one being planned. Nothing in this series applies to Dynatrace SaaS.
Query language	None. Managed has no Grail, so this series has **no DQL cells**

1. Scope

Every notebook in this series applies to **Dynatrace Managed only**. Managed has no Grail: Dynatrace describes Grail as *"available only in Dynatrace deployed as SaaS."* So the series contains no DQL and no importable notebook JSON. Every check is a Cluster Management Console (CMC) view, a cluster event, or a Cluster API call, and the series is published as markdown and PDF.

Advice written for SaaS elsewhere in this collection (Grail buckets, OpenPipeline, Workflows, segments) does not carry over to a Managed cluster.

> **Sources:** Unavailable in Dynatrace Managed (DT docs) — *"Some innovations leverage the power of Grail, which is available only in Dynatrace deployed as SaaS."*

2. Where to Start

Your situation	Start with	Then
You run a Managed cluster and want to know what to check, and how often	DTM-99: Best Practice Summary and Health-Check Checklist	The notebook for whichever layer a check fails
You are designing a new cluster, or reviewing an existing one's layout	DTM-01: Cluster Design Best Practices	DTM-15 for sizing
You want to check the cluster's settings against best practice	DTM-02: Cluster Configuration Best Practices	DTM-10 §7 for notifications

Your situation	Start with	Then
You are deciding how to split the cluster into environments, or who can sign in	DTM-03: Environment Best Practices	DTM-15 §6 for quotas
You are placing or updating ActiveGates	DTM-04: ActiveGate Deployment on Managed	DTM-14 for the traffic path and certificates
You are rolling out OneAgents or setting their update policy	DTM-05: OneAgent Deployment on Managed	DTM-04 first
You are reviewing a cluster once — before a purchase, a renewal, a migration or after a run of incidents — and need a rated result	DTM-17: Running a Cluster Health Assessment	The notebook each failing check points to
You are new to how a Managed cluster works	DTM-10: Managed Cluster Architecture and Health Model	DTM-11 to DTM-16, one per health layer
A node, service or restart question	DTM-11: Server Nodes and Processes	—
A data store question (metrics, user sessions, logs)	DTM-12: Cassandra Metrics Store Health, DTM-13: Elasticsearch Store Health	DTM-15 for sizing
Agents or Mission Control cannot reach the cluster	DTM-14: Cluster ActiveGates and Mission Control Connectivity	—
The cluster is running out of headroom	DTM-15: Capacity and Scaling	—
Backups, upgrades, version support or disaster recovery	DTM-16: Backup, Upgrade, and Disaster Recovery	—
You need business analytics on Managed, which has no business events	BIZEV-07: Gen2 vs Gen3 — Business Events Without (or Before) the Full Move (Path B, the classic toolchain)	—

Your situation	Start with	Then
You are planning to move from Managed to SaaS	DTM-99's checklist, to confirm the source cluster is healthy	The M2S series (Managed to SaaS Migration)

3. How the Series Is Numbered

Numbers	Band	Holds
00	Map	This notebook
01–09	Design and configure	Best practices for designing and configuring a cluster, its environments, ActiveGates and OneAgents (DTM-01 to DTM-05)
10–19	Operate	Keeping a running cluster healthy: the health model, one notebook per layer (DTM-10 to DTM-16), and a one-off assessment method (DTM-17)
99	Summary	The health checklist, the design and configuration review, and the review cadence for the whole series

Each band has room for more notebooks, so a new topic goes into its band instead of shifting the numbers after it.

4. Formerly the MCH Series

The operate band was published as its own series, **MCH — Managed Cluster Health**, until October 2026. Its notebooks moved here with new numbers and image names. If you followed an old link or citation:

Was	Now	Title
MCH-01	DTM-10	Managed Cluster Architecture and Health Model
MCH-02	DTM-11	Server Nodes and Processes
MCH-03	DTM-12	Cassandra Metrics Store Health
MCH-04	DTM-13	Elasticsearch Store Health

Was	Now	Title
MCH-05	DTM-14	Cluster ActiveGates and Mission Control Connectivity
MCH-06	DTM-15	Capacity and Scaling
MCH-07	DTM-16	Backup, Upgrade, and Disaster Recovery
MCH-99	DTM-99	Best Practice Summary and Health-Check Checklist

5. Summary and Next Steps

This series is the home for what is specific to Dynatrace Managed. For a running cluster, start with the DTM-99 checklist and follow its pointers into DTM-10 to DTM-16. For a move to SaaS, check the source cluster with DTM-99 first, then follow the M2S series.

Related series: M2S (Managed to SaaS Migration) covers moving a Managed cluster to SaaS.

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.