BIZEV-06: Executive Reporting

> **Series:** BIZEV — Business Events & Funnel Analysis | **Notebook:** 6 of 7 | **Created:** March 2026 | **Last Updated:** 10/14/2026

Overview

Executive stakeholders need a clear, business-focused view of platform health — not infrastructure metrics and log counts. This notebook demonstrates how to build executive-ready queries that combine technical and business signals, create SLA/SLO tracking from a business perspective, design queries suitable for scheduled report workflows, and present data in formats that non-technical audiences can immediately understand. The queries here are designed to populate dashboards and automated reports.

Table of Contents

1. Executive Dashboard Queries
2. Combined Technical and Business View
3. SLA and SLO Tracking
4. Scheduled Reporting Patterns
5. Business Value Dashboards
6. Weekly Business Review Queries
7. Summary

Prerequisites

Requirement	Details
Dynatrace Environment	SaaS with Grail enabled
Permissions	`storage:bizevents:read`, `storage:events:read`, `storage:metrics:read`
Data	Business events with transaction and revenue data; detected problems
Knowledge	BIZEV-01 through BIZEV-05

1. Executive Dashboard Queries

An executive dashboard answers three questions at a glance:

1. **Is the business running?** — Transaction volume is normal
2. **Are there problems?** — Error rates are within tolerance
3. **What is the trend?** — KPIs are stable or improving

The Executive Summary Query

This single query provides a high-level business snapshot.

```
// Executive snapshot: business health in the last 24 hours
fetch bizevents, from:-24h
| summarize {total_transactions = count(),
           distinct_event_types = countDistinct(event.type),
           distinct_providers = countDistinct(event.provider),
           earliest_event = min(timestamp),
           latest_event = max(timestamp)}
| fieldsAdd reporting_period = "Last 24 Hours",
           data_freshness = if(latest_event &gt; now() - 5m, then: "CURRENT",
else: "STALE")
```

```
// Top business event types by volume — the key business processes
fetch bizevents, from:-24h
| summarize volume = count(), by:{event.type}
| sort volume desc
| limit 10
```

2. Combined Technical and Business View

Executives want to understand the business impact of technical issues. These queries combine detected problem data with business event metrics.

```
// Active detected problems — what technical issues are happening right now?
fetch dt.davis.problems, from:-24h
| filter event.status == "ACTIVE"
| fieldsKeep display_id, event.name, event.category, event.start
| sort event.start desc
```

```
// Problem summary with MTTR — executive-friendly problem overview
fetch dt.davis.problems, from:-7d
| filter event.status == "CLOSED"
| filter dt.davis.is_duplicate == false
// Exclude problems raised during maintenance windows (planned work); drop
this line
// if your SLA counts maintenance time
| filter maintenance.is_under_maintenance == false
| fieldsAdd duration_hours = resolved_problem_duration / 1h
// total_entity_impact_hours counts overlapping problems separately — it is
entity-hours
// of impact, NOT wall-clock downtime, and can exceed the 168 hours in the
week (see BIZEV-04 §6)
| summarize {problem_count = count(),
           avg_resolution_hours = avg(duration_hours),
           max_resolution_hours = max(duration_hours),
           total_entity_impact_hours = sum(duration_hours)}, by:
{event.category}
| sort problem_count desc
```

```
// Side-by-side: business events and problems over the past week
// Business event volume
fetch bizevents, from:-7d
| fieldsAdd day = bin(timestamp, 24h)
| summarize daily_transactions = count(), by:{day}
| sort day asc
```

```
// Problem count per day — overlay with business event volume
fetch dt.davis.problems, from:-7d
| filter dt.davis.is_duplicate == false
| fieldsAdd day = bin(event.start, 24h)   // the day the problem opened;
timestamp is its last update
| summarize daily_problems = count(), by:{day}
| sort day asc
```

3. SLA and SLO Tracking

SLA (Service Level Agreement) and SLO (Service Level Objective) tracking from a business perspective focuses on transaction success rates rather than infrastructure uptime.

Business SLO Definitions

SLO	Target	Measurement
Transaction Success Rate	> 99.5%	Successful / Total transactions
Event ingestion continuity	No empty hour while the business transacts	Hours with ≥1 business event — a signal-health check, **not** availability
Mean Time to Resolve	< 2 hours	Avg problem resolution time, excluding maintenance-window problems
Revenue Impact per Incident	< $5,000	Revenue delta during incidents

> **Availability comes from the success-rate SLO, not from event counts.** An hour with no business events can be a quiet overnight hour or broken capture — it says nothing about whether customers could transact. Report availability as the

> Transaction Success Rate (good ÷ total transactions, query below); the SLO series (SLO-02) covers defining it as a managed SLO. The continuity check further down only tells you the signal is flowing.

```
// Transaction success rate SLO — last 7 days
fetch bizevents, from:-7d
| filter in(event.type, {"com.myapp.payment.processed",
"com.myapp.payment.failed"})
| summarize {total = count(),
           successful = countIf(event.type == "com.myapp.payment.processed"),
           failed = countIf(event.type == "com.myapp.payment.failed")}
| fieldsAdd success_rate = round(toDouble(successful) / toDouble(total) * 100,
decimals: 3),
           slo_target = 99.5,
           slo_met = if(toDouble(successful) / toDouble(total) * 100 &gt;=
99.5, then: "YES", else: "NO")
```

```
// Event ingestion continuity — NOT availability. Counts the hours in the last
7 days
// with and without at least one business event. An empty hour is a quiet
period or broken
// capture; check it against the hours the business actually transacts.
// Add | filter event.type == "&lt;critical event type&gt;" after fetch to
watch one stream.
fetch bizevents, from:-7d
| makeTimeseries events = count(default: 0), interval: 1h
| fieldsAdd total_hours = arraySize(events),
            hours_with_events =
arraySize(arrayRemoveNulls(iCollectArray(if(events[] &gt; 0, events[]))))
| fieldsAdd empty_hours = total_hours - hours_with_events
| fieldsRemove events
```

```
// MTTR SLO — mean time to resolve over the last 30 days
fetch dt.davis.problems, from:-30d
| filter event.status == "CLOSED"
| filter dt.davis.is_duplicate == false
// Exclude problems raised during maintenance windows (planned work); drop
this line
// if your SLA counts maintenance time
| filter maintenance.is_under_maintenance == false
| fieldsAdd duration_hours = resolved_problem_duration / 1h
| summarize {avg_mttr = avg(duration_hours),
           median_mttr = median(duration_hours),
           p95_mttr = percentile(duration_hours, 95),
           problem_count = count()}
| fieldsAdd mttr_target_hours = 2.0,
           slo_met = if(avg_mttr &lt;= 2.0, then: "YES", else: "NO")
```

4. Scheduled Reporting Patterns

These queries are designed for use in Dynatrace Workflows to generate scheduled reports. They produce clean, self-contained result sets suitable for email or Slack notifications.

Daily Business Report Query

Send this as a daily morning report to stakeholders.

```
// Daily report: yesterday's business summary
fetch bizevents, from:bin(now(), 24h) - 24h, to:bin(now(), 24h)
| summarize {total_events = count(),
           distinct_types = countDistinct(event.type),
           distinct_providers = countDistinct(event.provider)}
| fieldsAdd report_date = bin(now(), 24h) - 24h,
           report_type = "Daily Business Summary"
```

```
// Daily report: top event types by volume (yesterday)
fetch bizevents, from:bin(now(), 24h) - 24h, to:bin(now(), 24h)
| summarize volume = count(), by:{event.type}
| sort volume desc
| limit 10
```

Workflow Integration

To schedule these reports in Dynatrace:

1. Navigate to **Workflows** in the Dynatrace UI
2. Create a new workflow with a **Schedule** trigger — for example, weekdays at 8:00 AM (cron `0 8 * * 1-5`)
3. Add an **Execute DQL Query** action (`dynatrace.automations:execute-dql-query`) with the report query above
4. Add a notification action for the channel you want — each channel is its own action: the Slack Connector **Send message** action (`dynatrace.slack:slack-send-message`), Email **Send email** (`dynatrace.email:send-email`), or Microsoft Teams **Send message** (`dynatrace.msteams:send-message`) — and reference the query result in the message, for example `{{ result("execute_dql_query_1").records }}` (use the task name of your DQL action)

There is no single "Send notification" action. For complete scheduled-report workflow definitions, including connection setup and message formatting, see the **WFLOW** series.

> **Sources:** Workflow triggers (DT docs) — *"Runs on a fixed interval or at a set time, for example for a nightly report or weekly cleanup."*; Workflow actions (DT docs) — *"Use the Execute DQL Query action for executing DQL queries."*; Slack Connector (DT docs), Email (DT docs); threat-detection-notification-sender.yaml (Dynatrace GitHub) — *"action: dynatrace.slack:slack-send-message"*, *"action: dynatrace.msteams:send-message"*.

5. Business Value Dashboards

Dashboard tiles should each answer one specific question. Here are the essential tiles for a business value dashboard.

Tile 1: Current Transaction Rate

```
// Dashboard tile: current transactions per minute (last 15 min)
fetch bizevents, from:-15m
| summarize tx_count = count()
| fieldsAdd tx_per_minute = round(toDouble(tx_count) / 15.0, decimals: 1)
```

Tile 2: Transaction Trend

```
// Dashboard tile: transaction trend (last 6 hours, 15-min intervals)
fetch bizevents, from:-6h
| makeTimeseries tx_count = count(), interval:15m
```

Tile 3: Event Distribution by Provider

```
// Dashboard tile: event distribution by provider (pie chart)
fetch bizevents, from:-24h
| summarize volume = count(), by:{event.provider}
| sort volume desc
| limit 8
```

Tile 4: Problem Impact Summary

```
// Dashboard tile: problem impact summary (last 7 days)
fetch dt.davis.problems, from:-7d
| filter dt.davis.is_duplicate == false
| summarize {active = countIf(event.status == "ACTIVE"),
           closed_today = countIf(event.status == "CLOSED" and event.end &gt;
bin(now(), 24h)),
           total_week = count()}
```

6. Weekly Business Review Queries

These queries produce the data needed for a weekly business review meeting.

```
// Weekly review: daily business event summary for the past week
fetch bizevents, from:-7d
| fieldsAdd day = bin(timestamp, 24h)
| summarize {daily_volume = count(),
           event_types = countDistinct(event.type)}, by:{day}
| sort day asc
```

```
// Weekly review: problems resolved this week with resolution time
fetch dt.davis.problems, from:-7d
| filter event.status == "CLOSED"
| filter dt.davis.is_duplicate == false
| fieldsAdd resolution_hours = round(resolved_problem_duration / 1h, decimals:
1)
| fieldsKeep display_id, event.name, event.category, event.start, event.end,
resolution_hours
| sort event.start desc
```

```
// Weekly review: business event volume comparison — this week vs last week
fetch bizevents, from:-7d
| summarize this_week = count()
| append [
    fetch bizevents, from:-14d, to:-7d
    | summarize last_week = count()
  ]
```

```
// Weekly review: busiest hours of the week (for capacity planning)
fetch bizevents, from:-7d
| fieldsAdd dow = getDayOfWeek(timestamp, timezone: "America/New_York"),
           hour = getHour(timestamp, timezone: "America/New_York")
| summarize volume = count(), by:{dow, hour}
| sort volume desc
| limit 20
```

7. Summary

This is the last of the core analysis notebooks in the BIZEV series. Across the series, you have learned:

Notebook	Key Capability
BIZEV-01	Business events data model and exploration
BIZEV-02	Instrumentation methods (OneAgent capture rules, API, RUM/mobile APIs, OpenPipeline)
BIZEV-03	Conversion funnel analysis and drop-off detection
BIZEV-04	Revenue impact analysis and incident correlation

Notebook	Key Capability
BIZEV-05	Business KPI definition, metric extraction, health scoring
BIZEV-06	Executive reporting, SLA tracking, scheduled reports
BIZEV-07	Gen2 vs Gen3 adoption paths — business events without (or before) the full move

Key Takeaways for Executive Reporting

1. **Lead with business outcomes** — Transactions, revenue, conversion rates — not CPU or memory
2. **Provide context** — Always compare against baselines (yesterday, last week, last month)
3. **Quantify impact** — Translate technical incidents into business metrics (lost revenue, failed transactions)
4. **Automate delivery** — Use Workflows to schedule reports so stakeholders receive them proactively
5. **Keep it simple** — One KPI per dashboard tile, clear labels, consistent time periods

References

- Dynatrace Business Analytics
- Dashboards (DT docs)
- Workflows (DT docs)
- Service-level objectives (DT docs)

This notebook was AI-generated from community-submitted and publicly available sources. This notebook series is not officially supported by Dynatrace. Always verify information against official Dynatrace documentation.