NR2DT-07: Step 7 — Migrate Logs, Tags & Drop Rules

> **Series:** NR2DT — New Relic to Dynatrace Migration Steps | **Notebook:** 7 of 10 | **Created:** April 2026 | **Last Updated:** 10/14/2026

Overview

Goal of this step: complete Wave 5 — reconfigure log forwarders to ship to Dynatrace, apply OpenPipeline parsing/drop/enrichment rules, and confirm cost-optimization patterns are working.

Procedural — see **NRLC-07** (Logs, Tags & Drop Rules) for component depth.

Table of Contents

1. Apply OpenPipeline Configuration
2. Reconfigure Log Forwarders
3. Validate Volumes and Drops
4. Verify Tag Enrichment
5. Step Exit Criteria

Prerequisites

Requirement	Details
Audience	Migration lead + assigned engineer for this step

Requirement	Details
Completed	NR2DT-06 — Migrate Synthetics, SLOs, Workloads
Format	Procedural step — use as a runbook; defer to NRLC for depth
NRLC deep dives	NRLC-07 (Logs, Tags & Drops)

1. Apply OpenPipeline Configuration

```
# The component names this tool version accepts
python3 migrate.py migrate --list-components
```

The log components are named `log_parsing`, `drop_rules` and `tags`. `logs`, `drops` and `parsing` are not component names, and the tool skips an unknown name without an error — so the command this step used to show applied nothing.

At tool v3.0.0 (commit `78cbfce`) the `migrate` command does not migrate the log components either. Its export and transform phases have branches only for dashboards, alerts, synthetics, SLOs, workloads and notification channels, so `--components log_parsing,drop_rules,tags` completes without exporting, transforming or importing a single log rule. (The tool's README lists log rules as fully supported; the CLI path at this commit does not reach those transformers.) Re-check `--list-components` and the changelog in your checkout. Until it changes, build the OpenPipeline configuration from the NR2DT-03 §5 design yourself, with Terraform or the OpenPipeline UI.

> **Sources:** migrate.py @ 78cbfce (tool repo, GitHub), config/settings.py @ 78cbfce (tool repo, GitHub), read 10/05/2026.

This step applies:
- Drop rules (NRQL filters → OpenPipeline `filterOut` processors)
- Parsing rules (Grok → DPL parsers)
- Tag rules (NR entity tags → OpenPipeline enrichment rules emitting attributes on ingested data)

2. Reconfigure Log Forwarders

Reconfigure each log shipper to point at DT instead of (or in addition to) NR:

Source	Reconfigure
Filebeat / Fluent Bit	DT log ingest endpoint or OneAgent
Lambda log forwarder	DT Lambda extension or CloudWatch → Firehose → OpenPipeline
K8s log integration	DynaKube + log monitoring
Syslog	Environment ActiveGate syslog receiver (UDP 514 / TCP 601 by default) → OpenPipeline processing
HTTP/JSON	DT Generic Log Ingest API

Syslog is not received by OpenPipeline directly: *"Syslog ingestion is performed by an ActiveGate"*, and *"Multi-environment ActiveGates do not support syslog ingestion"* — plan an Environment ActiveGate with syslog enabled for each receiving environment.

> **Sources:** Syslog ingestion with ActiveGate (DT docs), read 10/05/2026.

Run dual-shipping (both NR and DT receive) for 1–2 weeks. NR is silenced after volume validation.

3. Validate Volumes and Drops

Volume parity

```
fetch logs, from:-1d
| summarize records = count(), by:{dt.system.bucket}
| sort records desc
```

Compare against NR's `SELECT count(*) FROM Log SINCE 1 day ago`. Volumes should match within ±5%.

Drop rule effectiveness

Confirm dropped patterns are being filtered. Use the **same matcher as the drop rule** (NR2DT-03 §5 drops `contains(content, "GET /health")`):

```
// Same matcher as the drop rule: n should be 0 once the rule is active
fetch logs, from:-1h
| filter contains(content, "GET /health")
| summarize n = count()
```

`n` should be 0 once the drop rule is working. A broader `contains(content, "health")` also counts lines the rule never drops — on the validation tenant (10/05/2026) it matched 1,891 lines in an hour while `"GET /health"` matched none — so it reads as a failure even where the rule has nothing left to drop.

Cost-optimization spot-check

```
// One hour is enough for a ratio: on the validation tenant (10/14/2026) this
scanned ~2 GB,
// against ~61 GB for the same query over 24 h. Scope with fetch logs, bucket:
{"&lt;bucket&gt;"} to cut it further.
fetch logs, from:-1h
| summarize total = count(),
    droppable = countIf(loglevel == "DEBUG" OR contains(content, "GET
/health"))
| fieldsAdd dropPercent = round((toDouble(droppable) / toDouble(total)) * 100,
decimals: 2)
```

Confirms how much volume is left to drop (target: 0% droppable after Wave 5).

4. Verify Tag Enrichment

Tags become OpenPipeline enrichment attributes attached to ingested data. Verify:

```
fetch logs, from:-1h
| filter environment == "prod"
| summarize count(), by:{environment}
```

Should return enriched data with the expected environment value.

Workload identifiers should similarly be queryable:

```
fetch logs, from:-1h
| filter workload.name == "checkout"
| summarize count()
```

5. Step Exit Criteria

S7 — Logs / Tags / Drops Migrated

- [ ] All log forwarders reconfigured to DT
- [ ] OpenPipeline parsing, drop, and enrichment rules applied
- [ ] W5 volume parity validated (±5% vs NR)
- [ ] Drop rules confirmed working (target patterns absent)
- [ ] Tag enrichment producing expected attributes on ingested data

Next step: NR2DT-08 — Validate.

This notebook was AI-generated from community-submitted and publicly available sources, including the open-source NewRelic-to-Dynatrace-Migration-Utilities, nrql-engine, and nrql-translator projects. This notebook series is not officially supported by Dynatrace or New Relic. Always verify information against the official Dynatrace documentation and New Relic documentation.