

Report dated April 15, 2026, 3:55:57 PM

<https://drsumitaesthetics.com/>

Analyze



Discover your users' experience

 No data



Analyze the performance issues



Performance



Accessibility



Best practices



SEO



Performances

The values are estimates and may vary. The [performance score calculation](#) is based directly on these statistics. [Display the calculator.](#)




0-49



50-89



90-100



STATISTICS

[Reduce view](#) First Contentful Paint**3.9 s**

The "First Contentful Paint" metric indicates when the first text or image is displayed. [Learn more about this metric.](#)

 Largest Contentful Paint**5.4 s**

The "Largest Contentful Paint" metric indicates when the longest text or largest image is displayed. [Learn more about this metric.](#)

 Total Blocking Time**20 ms**

Sum in milliseconds of all periods between the FCP and the time to interaction, when the task duration exceeded 50 ms. [Learn more about the "Total Blocking Time" metric.](#)

 Cumulative Layout Shift**0**

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about this metric.](#)


 Speed Index**5.2 s**

The "Speed Index" metric indicates how quickly a page's content is available. [Learn more about this metric.](#)

 Captured at Apr 15, 2026, 3:56 p.m. UTC+5:30

 Emulation of Moto G Power with Lighthouse 13.0.1

 Session with consultation of a single page



Display relevant audits for: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Use efficient caching durations. — Estimated savings: 396 KB ⌵

A long caching time can speed up repeat visits to your page. [Learn more](#) [LCP](#) [FCP](#) [Not rated](#)

drsumitaesthetics.com	Owner	432 KiB
/assets/index-jP6wIDRP.js	(drsumitaesthetics.com)	10 min 205 KiB
/surgical-excellence.webp	(drsumitaesthetics.com)	10 min 144 KiB
/dr-sumit-transparent.webp	(drsumitaesthetics.com)	10 min 38 KiB
Request		TTL value cache Transfer size

▲ Display blocking requests — . Estimated savings: 870 ms ⌵

The requests block the initial page rendering, which can cause LCP delay. [Deferring or integrating](#) these network requests can move them off the critical path. [LCP](#) [FCP](#) [Not rated](#)

☒ Display third-party resources (1)

drsumitaesthetics.com	Owner	9.1 KiB	200 ms
/assets/index-Csfh-SQW.css	(drsumitaesthetics.com)	9.1 KiB	200 ms
URL		Transfer size	Duration

▲ Improve image display — . Estimated savings: 25 KB ⌵

Reducing image download time can improve perceived page load time and LCP. [Learn more about](#)

drsumitaesthetics.com Owner		72.7 KiB	24.6 KiB
Dr. Sumit Singh Gautam - Board Certified Plastic Surgeon Chandigarh Given its displayed dimensions (637x752), this image file is larger than necessary (867x1024). Use responsive images to reduce the image download size.		37.1 KiB	17.1 KiB
		Resource size	Estimated savings
object-cover transition-all duration-700 grayscale group-hov..." loading="lazy" width="800" height="1000" src="/artistic-anatomy.webp"> Given its displayed dimensions (634x868), this image file is larger than necessary (747x933). Use responsive images to reduce the image download size.		35.6 KiB	7.5 KiB

 Forced layout adjustment

A forced layout adjustment occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change in the DOM state. This can lead to poor performance. Learn more about [forced layout adjustments](#) and possible mitigation strategies .

Not rated

Most frequent function call	Total time to adjust the layout
-----------------------------	---------------------------------

▲ Network tree ^

Avoid [critical query chains](#) by reducing the length of the chains or the download size of resources, or by deferring the download of unnecessary resources, in order to improve page loading. LCP

Not rated

Maximum critical path latency: **643 ms**

Initial navigation



Pre-connected origins

[Preconnect](#) hints help the browser establish a connection earlier in page load, saving time on the first request for that origin. Here are the origins the page has preconnected to.

No origin has been pre-connected

Candidates for pre-connection

[Add pre-connection](#) hints to your most important origins, but try not to use more than four.


No other origin is a good candidate for preconnection

○ LCP Distribution ^

Each [sub-section includes specific improvement strategies](#) . Ideally, most LCP time should be spent on resource loading and not on delays. LCP Not rated

Time to First Byte 0 ms

Subsection **Duration**



BOARD CERTIFIED PLASTIC SURGEON IN CHANDIGARH Surgical Mastery
<h1 class="text-7xl md:text-[10rem] font-serif leading-none tracking-tighter text-whi...">

Third-party code can significantly impact page load performance. [Minimize and defer the loading of third-party code](#) to prioritize your page content. Not rated

Google Tag Manager	Tag-Manager	154 KiB	184 ms
/gtag/js?id=G-NQ6ENX37P8 (www.googletagmanager.com)		154 KiB	184 ms
Google Fonts	Cdn	63 KiB	0 ms
...v31/JTUSJlg1_...woff2 (fonts.gstatic.com)		35 KiB	0 ms
...v26/8vIJ7ww63....woff2 (fonts.gstatic.com)		26 KiB	0 ms
/css2?family=... (fonts.googleapis.com)		1 KiB	0 ms
Google Analytics	Analytics	2 KiB	0 ms
/g/collect?v=... (www.google-analytics.com)		1 KiB	0 ms
Third party		Transfer size	Execution time on the main thread

These insights are also available in the "Performance" panel of Chrome Developer Tools. [Record a trace](#) to view more detailed information.

DIAGNOSIS

 Reduce unused JavaScript resources. — Estimated savings: 148 KB 

Reduce unused JavaScript resources and defer script loading until they are needed to decrease the amount of bytes consumed by network activity. [Learn how to reduce unused JavaScript resources.](#)

LCP FCP Not rated

☒ Display third-party resources (1)

drsumitaesthetics.com	Owner	204.3 KiB	85.6 KiB
/assets/index-jP6wIDRP.js (drsumitaesthetics.com)		204.3 KiB	85.6 KiB
URL		Transfer size	Estimated savings

 The image elements do not have any explicit `width` tags or attributes. `height` 

drsumitaesthetics.com [Owner](#)

Dr. Sumit Singh Gautam - Board Certified Plastic Surgeon
Chandigarh



URL

```
full n-auto object-contain drop-shadow-2x1  
relative z-10" src="/dr-sumit-transparent.webp"  
style="transform: none;">
```

☐ User time markers and metrics — 5 user time

Consider equipping your app with the User Timing API to measure its real-world performance during key user experiences. [Learn more about User Timing brands](#) Not rated

GTM-G-NQ6ENX37P8:15:17	Measure	0.00 ms	137.30 ms
GTM-G-NQ6ENX37P8:9:17:14	Measure	137.30 ms	202.11 ms
GTM-G-NQ6ENX37P8:15	Mark	0.00 ms	
GTM-G-NQ6ENX37P8:17	Mark	137.30 ms	
Name	Kind	Start time	Duration

☐ Avoid long tasks in the main thread. — 3 long tasks found.

This indicates the longest tasks in the main thread, which is useful for identifying those causing the most delay. [Learn how to avoid long-running tasks in the main thread.](#) TBT Not rated

☒ Display third-party resources (2)

Google Tag Manager Tag-Manager			216 ms
/gtag/js?id=G-NQ6ENX37P8 (www.googletagmanager.com)		3636 ms	111 ms
/gtag/js?id=G-NQ6ENX37P8 (www.googletagmanager.com)		3,747 ms	105 ms
drsumitaesthetics.com Owner			65 ms
URL		Start time	Duration



More information about your application's performance. These figures do not [directly affect](#) the performance score.

URL	Start time	Duration	Code
☒ Causes of layout misalignments			▼
☒ Document request latency			▼
☒ Optimize the DOM size			▼
☒ Duplicate JavaScript			▼
☒ Display of font			▼
☐ INP distribution			▲
Start by studying the longest sub-part. Delays can be minimized . To reduce processing time, optimize the costs of the main thread , often JavaScript. Not rated			
☐ LCP request detection			▲
Optimize LCP by making the LCP image immediately visible from the HTML code and avoiding deferred loading Not rated			
☒ Old JavaScript			▼
☒ Optimize the display window for mobile devices			▼
☒ Reduce the size of CSS resources			▼
☒ Reduce the size of JavaScript resources			▼
☒ Reduce unused CSS resources			▼
☒ Avoiding huge network payloads. — The total size was 658 KiB			▼
☒ JavaScript execution time — : 0.4 s			▼
☒ Reduce main thread workload — by 0.7 s			▼
☐ Avoid uncompiled animations			▼



Mobile



Desk

These checks help identify opportunities to [improve the accessibility of your web application](#) . Automatic detection can only identify some problems and does not guarantee the accessibility of your web application. Therefore, it is also advisable to perform [manual testing](#) .

BEST PRACTICES

▲ The size and spacing of the tactile target areas are insufficient. ^

Touch target zones with sufficient size and spacing help users who may have difficulty using small controls to activate the target areas. [Learn more about touch target zones](#)

OFFICIAL HEALING HOSPITAL PAGE

```
<a href="https://www.instagram.com/plasticandaestheticcenter/?hl=en" target="_blank"
rel="noopener noreferrer" class="flex items-center space-x-2 text-gray-300 hover:text-
[#E1306C] transition-...">
```

DR. SUMIT'S SURGICAL PORTFOLIO

```
<a href="https://www.instagram.com/dr.sumitsgautam/" target="_blank" rel="noopener
noreferrer" class="flex items-center space-x-2 text-gray-300 hover:text-[#E1306C]
transition-...">
```

DR. SUMIT'S SURGICAL PORTFOLIO

```
<a href="https://www.instagram.com/dr.sumitsgautam/" target="_blank" rel="noopener
noreferrer" class="flex items-center space-x-2 text-gray-300 hover:text-[#E1306C]
```

Non-compliant elements

OFFICIAL HEALING HOSPITAL PAGE

```
<a href="https://www.instagram.com/plasticandaestheticcenter/?hl=en" target="_blank"
rel="noopener noreferrer" class="flex items-center space-x-2 text-gray-300 hover:text-
[#E1306C] transition-...">
```

These guidelines present current best practices in accessibility.

NAVIGATION



Properly structured headings that respect heading levels convey the page's semantic structure, ensuring easier navigation and making it simpler to identify when to use assistive technologies.

[Learn more about heading order](#)

MICROSUBSECTAL TECHNIQUE

Non-compliant elements

Use these guidelines to improve keyboard navigation in your application.

OTHER ITEMS TO CHECK MANUALLY (10)

[Display](#)

These elements relate to areas that an automated testing tool cannot cover. Consult our guide on conducting [an accessibility review](#).

SUCCESSFUL AUDITS (18)

[Display](#)

NOT APPLICABLE (40)

[Display](#)



Best practices

RELIABILITY AND SAFETY

☐ Ensuring the effectiveness of the CSP against XSS attacks



☐ Use an effective HSTS rule



Limit checking with X-Content-Type-Options

Mitigating DOM-based XSS attacks with Trusted Types

GENERAL

Missing source mappings for large proprietary JavaScript files

Source mappings translate minified code back to the original source code. This process helps developers debug in production environments. Lighthouse can also provide additional insights. Consider deploying source mappings to take advantage of these benefits. [Learn more about source mappings](#) Not rated

URL	source code mapping URL
drsumitaesthetics.com Owner	
/assets/index-jP6wIDRP.js (drsumitaesthetics.com)	
A source mapping is missing in a large JavaScript file.	

SUCCESSFUL AUDITS (12)

Hide

HTTPS requests

The page does not use any outdated APIs.

Avoid third-party cookies

Allow users to paste text into input fields

No geolocation permission is requested when loading the page

No permission to send notifications is requested when the page loads.

Images displayed in the correct format

Images displayed in the appropriate resolution

The page does not have an HTML doctype attribute

● No browser errors logged in the console

● No problems in the [Issues](#) Chrome developer tools panel



NOT APPLICABLE (2)

[Hide](#)

☐ HTTP traffic redirected to HTTPS



☐ JavaScript libraries detected



SEO

These checks ensure your page follows basic SEO guidelines. Many additional factors not evaluated by Lighthouse here can affect your search engine rankings, including your performance on [Core Web Vitals](#) . [Learn more about Google Search Essentials](#)

OTHER ELEMENTS TO CHECK MANUALLY (1)

[Hide](#)

☐ Structured data is valid



Run the [structured data testing tool](#) to validate the structured data. [Learn more about structured data.](#) Not rated

Run these additional validation tools on your site to verify additional SEO best practices.

SUCCESSFUL AUDITS (10)

[Display](#)



More information on PageSpeed Insights	Related content	Communicate
--	-----------------	-------------

New products

Notifications

Twitter

Documentation

Basic concepts about the Web	YouTube
------------------------------	---------

Learn more about web performance

Case studies

Ask questions on Stack Overflow

Podcasts

mailing list

[Google](#) for Developers[Chromium](#)[Firebase](#)[All products](#)

[Terms of Use and Privacy Policy](#)

For more information, see the [Google Developers Site Rules](#) .