

# CLOUD COMPUTING CONCEPTS with Indranil Gupta (Indy)

# MEMBERSHIP

Lecture A

WHAT IS GROUP MEMBERSHIP LIST?

#### **A CHALLENGE**

- You've been put in charge of a datacenter, and your manager has told you, "Oh no! We don't have any failures in our datacenter!"
- Do you believe him/her?
- What would be your first responsibility?
- Build a failure detector
- What are some things that could go wrong if you didn't do this?

#### **FAILURES ARE THE NORM**

... not the exception, in datacenters.

- Say, the rate of failure of one machine (OS/disk/motherboard/network, etc.) is once every 10 years (120 months) on average.
- When you have 120 servers in the DC, the mean time to failure (MTTF) of the next machine is 1 month.
- When you have 12,000 servers in the DC, the MTTF is about once every 7.2 hours!

#### **A CHALLENGE**

- You've been put in charge of a datacenter, and your manager has told you, "Oh no! We don't have any failures in our datacenter!"
- Do you believe him/her?
- What would be your first responsibility?
- Build a failure detector
- What are some things that could go wrong if you didn't do this?

#### TO BUILD A FAILURE DETECTOR

- You have a few options:
- 1. Hire 1000 people, each to monitor one machine in the datacenter and report to you when it fails.
- 2. Write a failure detector program (distributed) that automatically detects failures and reports to your workstation.


Which is more preferable, and why?

#### TARGET SETTINGS


- Process 'group'-based systems
  - Clouds/Datacenters
  - Replicated servers
  - Distributed databases

• Crash-stop/Fail-stop process failures


# **GROUP MEMBERSHIP SERVICE**




#### **TWO SUB-PROTOCOLS**




#### LARGE GROUP: SCALABILITY A GOAL






Crash-stop Failures only








Crash-stop Failures only





# **NEXT**

• How do you design a group membership protocol?