Prison Boundaries

Type Shapefile

Tags emergency response, detention, police, status, facility, juveniles, facility characteristics, prisons, correctional, prison boundaries, address, homeland defense, name, government, facilities, delinquents, homeland security, population, institutions, type, centers, boundaries

Summary

This shapefile contains secure detention facilities for the Homeland Infrastructure Foundation-Level Data (HIFLD) database (https://gii.dhs.gov/HIFLD). This shapefile was manually converted from its original feature class format by the National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team to mitigate automated conversion errors.

Description

The prison boundaries shapefile contains secure detention facilities. These facilities range in jurisdiction from federal(excluding military) to local governments. Polygon geometry is used to describe the extent of where the incarcerated population is located (fence lines or building footprints). This shapefile's attribution describes many physical and social characteristics of detention facilities in the United States and some of its territories. The attribution for this shapefile was populated by open source search methodologies of authoritative sources.

Credits

Oak Ridge National Laboratory (ORNL) Geographic Information Science and Technology (GIST) Group, National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team

Use limitations

None (Public Use). Users are advised to read the data set's metadata thoroughly to understand appropriate use and data limitations.

Extent

West -165.413344 East 145.707962

North 71.292441 South 13.448329

Scale Range

There is no scale range for this item.

Topics and Keywords ►

Content type ⇔ Downloadable Data

Citation ►

Title Prison Boundaries

Presentation formats digital map

Resource Details ►

Dataset languages English (UNITED STATES)

Spatial representation type vector

Processing environment Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.3.1.4959

Credits

Oak Ridge National Laboratory (ORNL) Geographic Information Science and Technology (GIST) Group, National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team

ArcGIS item properties

Name ⇔ PrisonBndrys_1

Location ⇔ file://\\L7480-JRAYER\E$\HIFLD\Open\HIFLD Open.gdb

Access protocol ⇔ Local Area Network

Extents ►

Extent

Geographic extent

Bounding rectangle

Extent type

Extent used for searching

West longitude -165.413344

East longitude 145.707962

North latitude 71.292441

South latitude 13.448329

Extent contains the resource Yes

Resource Constraints ►

Constraints

Limitations of use

None (Public Use). Users are advised to read the data set's metadata thoroughly to understand appropriate use and data limitations.

Spatial Reference ►

ArcGIS coordinate system

Type ⇔ Geographic

Geographic coordinate reference ⇔ GCS_WGS_1984

Coordinate reference details ⇔

GeographicCoordinateSystem

WKID 4326

XOrigin -400

YOrigin -400

XYScale 999999999.99999988

ZOrigin -100000

ZScale 10000

MOrigin -100000

MScale 10000

XYTolerance 8.983152841195215e-009

ZTolerance 0.001

MTolerance 0.001

HighPrecision true

LeftLongitude -180

LatestWKID 4326

WKT
GEOGCS["GCS_WGS_1984",DATUM["D_WGS_1984",SPHEROID["WGS_1984",6378137.0,298.257223563]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433],AUTHORITY["EPSG",4326]]

Reference system identifier

Value 4326

Codespace EPSG

Version 8.6.2

Spatial Data Properties ►

Vector ►

Level of topology for this dataset ⇔ geometry only

Geometric objects

Feature class name PrisonBndrys_1

Object type ⇔ composite

Object count ⇔ 0

ArcGIS Feature Class Properties ►

Feature class name PrisonBndrys_1

Feature type ⇔ Simple

Geometry type ⇔ Polygon

Has topology ⇔ FALSE

Feature count ⇔ 0

Spatial index ⇔ TRUE

Linear referencing ⇔ FALSE

Distribution ▶

Distribution format

Name Shapefile

Transfer options

Transfer size 10.642

Fields ▶

Details for object PrisonBndrys_1 ▶

Type ⇔ Feature Class

Row count ⇔ 0

Definition

Attribute fields were populated using sources identified in the SOURCE field for the period covered in the Time Period metadata and other open source data. NOT AVAILABLE values (for string and date data types) and -999 values (for numeric data types) denote missing data that was not present in the source data. However, the missing data may be present in other sources not yet discovered and used in the creation and/or maintenance of this dataset. These records may be populated with valid information in future update cycles.

Definition source

Oak Ridge National Laboratory, National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team

Field OBJECTID ▶

Alias ⇔ FID

Data type ⇔ OID

Width ⇔ 4

Precision ⇔ 0

Scale ⇔ 0

Field description ⇔

Internal feature number.

Description source ⇔

Esri

Description of values ⇔

Sequential unique whole numbers that are automatically generated.

Field SHAPE ▶

Alias ⇔ Shape

Data type ⇔ Geometry

Width ⇔ 0

Precision ⇔ 0

Scale ⇔ 0

Field description

Feature geometry.

Description source

Esri

Description of values

Coordinates defining the features.

Field FACILITYID ▶

Alias ⇔ FACILITYID

Data type ⇔ String

Width ⇔ 10

Precision ⇔ 0

Scale ⇔ 0

Field description

Unique ID for each feature.

Description source

Oak Ridge National Laboratory

Field NAME ►

Alias ⇔ NAME

Data type ⇔ String

Width ⇔ 200

Precision ⇔ 0

Scale ⇔ 0

Field description

Feature name.

Description source

The responsible organization as identified in the SOURCE field.

Field ADDRESS ►

Alias ⇔ ADDRESS

Data type ⇔ String

Width ⇔ 200

Precision ⇔ 0

Scale ⇔ 0

Field description

Primary street address or PO Box.

Description source

The responsible organization as identified in the SOURCE field.

Field ADDRESS2 ▶

Alias ⇔ ADDRESS2

Data type ⇔ String

Width ⇔ 50

Precision ⇔ 0

Scale ⇔ 0

Field description

Supplemental street address (e.g., Apt, Suite, Floor).

Description source

The responsible organization as identified in the SOURCE field.

Field CITY ▶

Alias ⇔ CITY

Data type ⇔ String

Width ⇔ 50

Precision ⇔ 0

Scale ⇔ 0

Field description

City name.

Description source

The responsible organization as identified in the SOURCE field.

Field STATE ▶

Alias ⇔ STATE

Data type ⇔ String

Width ⇔ 20

Precision ⇔ 0

Scale ⇔ 0

Field description

State abbreviation.

Description source

The responsible organization as identified in the SOURCE field.

Coded values

Name of codelist Two–Letter State and Possession Abbreviations

Source United States Postal Service (https://www.usps.com)

Field ZIP ▶

Alias ⇔ ZIP

Data type ⇔ String

Width ⇔ 15

Precision ⇔ 0

Scale ⇔ 0

Field description

Zip Code (5 digit).

Description source

The responsible organization as identified in the SOURCE field.

Coded values

Name of codelist US Postal Zip Codes

Source United States Postal Service (https://www.usps.com)

Field ZIP4 ►

Alias ⇔ ZIP4

Data type ⇔ String

Width ⇔ 15

Precision ⇔ 0

Scale ⇔ 0

Field description

Extended Zip Code (4 digit).

Description source

The responsible organization as identified in the SOURCE field.

Coded values

Name of codelist US Postal Extended Zip Codes (4 digit).

Source United States Postal Service (https://www.usps.com)

Field TELEPHONE ►

Alias ⇔ TELEPHONE

Data type ⇔ String

Width ⇔ 50

Precision ⇔ 0

Scale ⇔ 0

Field description

General telephone number in the following format or reformatted to from the SOURCE to: (xxx) xxx-xxxx ext xxx.

Description source

The responsible organization as identified in the SOURCE field.

Field TYPE ▶

Alias ⇔ TYPE

Data type ⇔ String

Width ⇔ 25

Precision ⇔ 0

Scale ⇔ 0

Field description

Specific categorical breakdown for the feature (jurisdiction).

Description source

Oak Ridge National Laboratory

List of values

Value COUNTY

Description A facility that is owned, operated, or contracted by a county government.

Enumerated domain value definition source Oak Ridge National Laboratory

Value LOCAL

Description A facility that is owned, operated, or contracted by a local government.

Enumerated domain value definition source Oak Ridge National Laboratory

Value STATE

Description A facility that is owned, operated, or contracted by a state government.

Enumerated domain value definition source Oak Ridge National Laboratory

Value FEDERAL

Description A facility that is owned, operated, or contracted by the federal government.

Enumerated domain value definition source Oak Ridge National Laboratory

Value MULTI

Description A private facility with contracts to hold prisoners from more than one type of jurisdiction.

Enumerated domain value definition source Oak Ridge National Laboratory

Value NOT AVAILABLE

Description NOT AVAILABLE values (for string and date type fields) and -999 values (for numeric fields) fields denote missing data based strictly on the fact the information was not present in the source data (referenced in the source field) . However the missing information may be present in other sources which have not been used for creating this dataset.

Enumerated domain value definition source Oak Ridge National Laboratory

Field STATUS ▶

Alias ⇔ STATUS

Data type ⇔ String

Width ⇔ 15

Precision ⇔ 0

Scale ⇔ 0

Field description

Operational status of the feature.

Description source

Oak Ridge National Laboratory

List of values

Value OPEN

Description Currently housing inmates and/or actively contracted to house inmates.

Enumerated domain value definition source Oak Ridge National Laboratory

Value CLOSED

Description No current inmate population and no active contract to house inmates.

Enumerated domain value definition source Oak Ridge National Laboratory

Value NOT AVAILABLE

Description NOT AVAILABLE values (for string and date type fields) and -999 values (for numeric fields) fields denote missing data based strictly on the fact the information was not present in the source data (referenced in the source field) . However the missing information may be present in other sources which have not been used for creating this dataset.

Enumerated domain value definition source Oak Ridge National Laboratory

Field POPULATION ▶

Alias ⇔ POPULATION

Data type ⇔ Integer

Width ⇔ 4

Precision ⇔ 0

Scale ⇔ 0

Field description

"Current" incarcerated population at the feature. (-999 values denote missing data that was not present in the source data.)

Description source

The responsible organization as identified in the SOURCE field.

Range of values

Minimum value 0

Maximum value 9000

Units of measure person

Field COUNTY ▶

Alias ⇔ COUNTY

Data type ⇔ String

Width ⇔ 50

Precision ⇔ 0

Scale ⇔ 0

Field description

United States and its Territories county name and legal/statistical area description (county, borough, parish, municipality, census area).

Description source

The responsible organization as identified in the SOURCE field.

Field COUNTYFIPS ▶

Alias ⇔ COUNTYFIPS

Data type ⇔ String

Width ⇔ 15

Precision ⇔ 0

Scale ⇔ 0

Field description

US County FIPS Code (5 digit).

Description source

Oak Ridge National Laboratory

Coded values

Name of codelist FIPS Code (5-Digit State and County ID)

Source FIPS/Census (http://www.census.gov/geo/reference/codes/cou.html)

Field COUNTRY ▶

Alias ⇔ COUNTRY

Data type ⇔ String

Width ⇔ 8

Precision ⇔ 0

Scale ⇔ 0

Field description

Country Code (3 character).

Description source

Oak Ridge National Laboratory

Coded values

Name of codelist Geopolitical Entities, Names, and Codes (GENC) Standard

Source National System for Geospatial Intelligence (NSG) Standards Registry (https://nsgreg.nga.mil/genc/discovery)

Field NAICS_CODE ►

Alias ⇔ NAICS_CODE

Data type ⇔ String

Width ⇔ 6

Precision ⇔ 0

Scale ⇔ 0

Field description

The North American Industry Classification System (NAICS) code is the standard used by Federal statistical agencies in classifying business establishments for the purpose of collecting, analyzing, and publishing statistical data related to the U.S. business economy.

Description source

Oak Ridge National Laboratory

Coded values

Name of codelist North American Industry Classification System, 2012

Source US Census (http://www.census.gov/eos/www/naics/index.html)

Field NAICS_DESC ►

Alias ⇔ NAICS_DESC

Data type ⇔ String

Width ⇔ 120

Precision ⇔ 0

Scale ⇔ 0

Field description

The North American Industry Classification System (NAICS) definition is the standard used by Federal statistical agencies in classifying business establishments for the purpose of collecting, analyzing, and publishing statistical data related to the U.S. business economy.

Description source

Oak Ridge National Laboratory

Coded values

Name of codelist North American Industry Classification System, 2012

Source US Census (http://www.census.gov/eos/www/naics/index.html)

Field SOURCE ►

Alias ⇔ SOURCE

Data type ⇔ String

Width ⇔ 254

Precision ⇔ 0

Scale ⇔ 0

Field description

Original source used to identify geospatial location and/or attribution for the feature.

Description source

Oak Ridge National Laboratory

Field SOURCEDATE ►

Alias ⇔ SOURCEDATE

Data type ⇔ String

Width ⇔ 15

Precision ⇔ 0

Scale ⇔ 0

Field description

Date of the source, or, if not available, the date ORNL accessed the source.

Description source

Oak Ridge National Laboratory

Range of values

Minimum value 12/01/2008

Maximum value 03/07/2016

Units of measure Date

Field VAL_METHOD ►

Alias ⇔ VAL_METHOD

Data type ⇔ String

Width ⇔ 30

Precision ⇔ 0

Scale ⇔ 0

Field description

Methodology used to validate geospatial location and/or attribution for the feature.

Description source

Oak Ridge National Laboratory

List of values

Value BOTH INTERNET OR MAP ONLY

Description Both Imagery and Internet.

Enumerated domain value definition source Oak Ridge National Laboratory

Value IMAGERY OR MAP ONLY

Description The best available imagery or map used to determine the location.

Enumerated domain value definition source Oak Ridge National Laboratory

Value INTERNET SOURCE ONLY

Description Internet Only.

Enumerated domain value definition source Oak Ridge National Laboratory

Value UNVERIFIED

Description Feature could not be located or the feature has not yet been validated.

Enumerated domain value definition source Oak Ridge National Laboratory

Field VAL_DATE ►

Alias ⇔ VAL_DATE

Data type ⇔ String

Width ⇔ 15

Precision ⇔ 0

Scale ⇔ 0

Field description

Date when geospatial location and/or attribution were last validated for the feature.

Description source

Oak Ridge National Laboratory

Range of values

Minimum value 08/05/2010

Maximum value 03/07/2016

Units of measure Date

Field WEBSITE ▶

Alias ⇔ WEBSITE

Data type ⇔ String

Width ⇔ 254

Precision ⇔ 0

Scale ⇔ 0

Field description

The feature specific website.

Description source

Oak Ridge National Laboratory

Field SECURELVL ▶

Alias ⇔ SECURELVL

Data type ⇔ String

Width ⇔ 20

Precision ⇔ 0

Scale ⇔ 0

Field description

Security level of feature. Features with multiple levels of security are classified at the highest level of security the facility can maintain.

Description source

The responsible organization as identified in the SOURCE field.

List of values

Value MAXIMUM

Description Maximum security institutions have highly secured perimeters (featuring walls or reinforced fences), multiple and single occupant cell housing, the highest staff-to-inmate ratio, and close control of inmate movement.

Enumerated domain value definition source The responsible organization as identified in the SOURCE field

Value CLOSE

Description The close security classification is a unique class of facilities used, and defined, by state and private organizations. This level of security can sometimes be higher than maximum depending on the organization, but these facilities are almost always higher security than medium.

Enumerated domain value definition source The responsible organization as identified in the SOURCE field

Value MEDIUM

Description Medium security facilities have strengthened perimeters (often double fences with electronic detection systems), mostly cell-type housing, a wide variety of work and treatment programs, an even higher staff-to-inmate ratio than minimum security facilities, and even greater internal controls.

Enumerated domain value definition source The responsible organization as identified in the SOURCE field

Value MINIMUM

Description Minimum security facilities have double-fenced perimeters, mostly dormitory or cubicle housing, and strong work and program components. Minimum security facilities also include work camps, work release, etc. These types of facilities often feature dormitory housing, a relatively low staff-to-inmate ratio, limited or no perimeter fencing, and are work and program oriented.

Enumerated domain value definition source Oak Ridge National Laboratory using a combined definition of Low and Minimum security facilities from BOP.(https://www.bop.gov/about/facilities/federal_prisons.jsp)

Value JUVENILE

Description Facilities that are in charge of housing and rehabilitation of inmates tried by a juvenile justice court.

Enumerated domain value definition source The responsible organization as identified in the SOURCE field

Value NOT AVAILABLE

Description NOT AVAILABLE values (for string and date type fields) and -999 values (for numeric fields) fields denote missing data based strictly on the fact the information was not present in the source data (referenced in the source field) . However the missing information may be present in other sources which have not been used for creating this dataset.

Enumerated domain value definition source Oak Ridge National Laboratory

Field CAPACITY ▶

Alias ⇔ CAPACITY

Data type ⇔ Integer

Width ⇔ 4

Precision ⇔ 0

Scale ⇔ 0

Field description

Maximum number of inmates that can be housed at the feature. (-999 values denote missing data that was not present in the source data.)

Description source

The responsible organization as identified in the SOURCE field.

Range of values

Minimum value 0

Maximum value 10000

Units of measure bed

Field Shape_Length ▶

Alias ⇔ Shape_Length

Data type ⇔ Double

Width ⇔ 8

Precision ⇔ 0

Scale ⇔ 0

Field description ⇔

Length of feature in internal units.

Description source ⇔

Esri

Description of values ⇔

Positive real numbers that are automatically generated.

Field Shape_Area ▶

Alias ⇔ Shape_Area

Data type ⇔ Double

Width ⇔ 8

Precision ⇔ 0

Scale ⇔ 0

Field description ⇔

Area of feature in internal units squared.

Description source ⇔

Esri

Description of values ⇔

Positive real numbers that are automatically generated.

Overview Description

Entity and Attribute Overview

The entity and attribute information provided here describes the tabular data associated with the data set. Please review the detailed descriptions that are provided (the individual attribute descriptions) for information on the values that appear as fields/table entries of the data set. Please see the “Processing Steps” section for further methodology. Some features within this dataset were collected using image processing. NOT AVAILABLE values (for string and date data types) and -999 values (for numeric data types) denote missing data that was not present in the source data. However, the missing data may be present in other sources not yet discovered and used in the creation and/or maintenance of this dataset. These records may be populated with valid information in future update cycles.

Entity and Attribute Detail Citation

Oak Ridge National Laboratory, National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team

Metadata Details ►

Metadata language English (UNITED STATES)

Scope of the data described by the metadata dataset

Scope name dataset

Last update 2016-11-23

ArcGIS metadata properties

Metadata format ArcGIS 1.0

Metadata style FGDC CSDGM Metadata

Created in ArcGIS for the item 2018-11-16 08:09:26

Last modified in ArcGIS for the item 2017-10-27 11:05:26

Automatic updates

Have been performed No

Last update 2017-10-27 11:05:26