

Reference

- Framework to compute representation matrix

Kaufman, M. T., Benna, M. K., Rigotti, M., Stefanini, F., Fusi, S., & Churchland, A. K. The implications of categorical and category-free mixed selectivity on representational geometries. *Current opinion in neurobiology*, (2022).

- Planotic representation hypothesis

Huh, M., Cheung, B., Wang, T., & Isola, P. Position: The Platonic Representation Hypothesis. *ICLR* (2024)

- Tunneling effects and comparisons to primate visual hierarchy

Masarczyk, W., Ostaszewski, M., Imani, E., Pascanu, R., Miłoś, P., & Trzcinski, T. The tunnel effect: Building data representations in deep neural networks. *NeurIPS* (2024).

Sorscher, B., Ganguli, S., & Sompolinsky, H. Neural representational geometry underlies few-shot concept learning. *PNAS* (2022).

- Neural collapse and abstract representation

Papayan, Han, & Donoho. "Prevalence of neural collapse during the terminal phase of deep learning training." *PNAS* (2020).

Bernardi, S., Benna, M. K., Rigotti, M., Munuera, J., Fusi, S., & Salzman, C. D. The geometry of abstraction in the hippocampus and prefrontal cortex. *Cell* (2020)

- Deep linear network

Kawaguchi, Kenji. "On the theory of implicit deep learning: Global convergence with implicit layers." *arXiv* (2021).

Laurent, Thomas, and James Brecht. "Deep linear networks with arbitrary loss: All local minima are global." International conference on machine learning. *PMLR* (2018).

- Hidden convexity in two-layer ReLU network

Ergen, T., & Pilanci, M. Revealing the structure of deep neural networks via convex duality. *ICML* (2021).

Sahiner, A., Ergen, T., Pauly, J., & Pilanci, M. Vector-output relu neural network problems are copositive programs: Convex analysis of two-layer networks and polynomial-time algorithms. *ICLR* (2021).