



Copilot is just a fancy Autocomplete...



Tine Starič


Software Architect @ Companial




April 7-9, 2025

Virgin Hotels Las Vegas, NV

How it all started



how ai works



0 references

0 references

```

procedure PutFile(BlobName: Text; SourceInStream: InStream; ContentType: Text;
var
    HttpClient: HttpClient;
    HttpContent: HttpContent;
    HttpResponseMessage: HttpResponseMessage;
    HttpHeaders: HttpHeaders;
    Uri: Text;
    AuthHeader: Text;
begin
    // Ensure we have a valid token
    if not EnsureAccessToken() then
        exit(false);

    // Build the URL to the blob
    Uri := StrSubstNo('https://%1.blob.core.windows.net/%2/%3', StorageAccountName, BlobName, ContentType);

    // Set the content from InStream
    HttpContent.WriteFrom(SourceInStream);

    // Set the content type
    if HttpHeaders.GetHeaders(HttpHeaders) then begin
        HttpHeaders.Remove('Content-Type');
        HttpHeaders.Add('Content-Type', ContentType);
    end;

    // Set authorization header
    AuthHeader := 'Bearer ' + AccessToken;
    HttpClient.DefaultRequestHeaders.Add('Authorization', AuthHeader);

    // Make the PUT request to upload the blob
    if not HttpClient.Put(Uri, HttpContent, HttpResponseMessage) then
        exit(false);
end;

```

Project background

```
! reference
local procedure GetFileFromABS()
var
    ABSBlobClient: Codeunit "ABS Blob Client";
    InStr: InStream;
begin
    ABSBlobClient.Initialize('SimpleBlob', 'Documents', CreateAuth());
    ABSBlobClient.GetBlobAsStream('Demo.txt', InStr);
end;
```

Project background

```
1 {  
2   "stock": [  
3     {  
4       "locationId": "guid01",  
5       "skuId": "guid01",  
6       "stockDateTime": "2023-12-08",  
7       "quantity": 10  
8     }  
9   ]  
10 }
```

```
1 reference  
local procedure CollectAndMapStocksWairApi(var Stock: Record "Stock WAI"; var StockWRS: Record "Stock WRS")  
begin  
    if Stock.FindSet() then  
        repeat  
            StockWRS.Init();  
            StockWRS."Location Id" := GetLocationIdByLocationCode(Stock."Location Code");  
            StockWRS."Stock Keeping Unit Id" := Stock."Stock Keeping Unit Id";  
            StockWRS."Stock DateTime" := Stock."Stock DateTime";  
            StockWRS.Quantity := Stock.Quantity;  
            StockWRS.Insert(true);  
        until Stock.Next() = 0;  
    end;
```

```
3 references  
internal procedure SendStocksToWair(var Stock: Record "Stock WAI")  
var  
    StockWRS: Record "Stock WRS";  
    StockApiHandlerWRS: Codeunit "Stock Api Handler WRS";  
begin  
    CollectAndMapStocksWairApi(Stock, StockWRS);  
    if not StockApiHandlerWRS.Send(StockWRS) then  
        Error(ErrorMessage);  
end;
```

Autocomplete





Models




Good for Chat

Models



Good for Chat




Good for Coding

Visit for a review


Models



Good for Chat



Good for Coding




Good for Research


Models



Good for Chat



Good for Coding



Good for Research



Good Morning




kitze 🚀
@thekitze

Follow

one of the key things to prompting cursor and ai in general is to know the limits and not to get too greedy.

one certain step at a time is better than trying to do 5 which are 99.9% gonna fail



↻ Reposted by Pi



Rob Bowley @robbowley.net · 4h

People aren't drawn to software development because they like writing code, it's because they love solving problems.

Code is the medium.

The real gratification comes from how quickly you can bring ideas to life and see the results.

💬 15

↻ 22

❤️ 193

⋮



By Partners, For Partners

DIRECTION
NORTH AMERICA

Give us Feedback!

Find me on:

- X & Bsky: @TineStaric
- LinkedIn: /timestaric
- Blog: tine.staric.net
- Email: tine.staric@companial.com

Reach out with questions!

Thank you!

