

Package ‘pws’

March 18, 2014

Type Package

Title What the package does (short line)

Version 1.0

Date 2014-03-18

Author Who wrote it

Maintainer Who to complain to <yourfault@somewhere.net>

Description More about what it does (maybe more than one line)

License What license is it under?

Depends methods

R topics documented:

pws-package	1
brob	2
brob-class	3
print.brob	3
show-methods	4
swift-class	4

Index	5
--------------	----------

pws-package	<i>sdf What the package does (short line) ~~ package title ~~</i>
-------------	---

Description

More about what it does (maybe more than one line) ~~ A concise (1-5 lines) description of the package ~~

Details

Package: pws
 Type: Package
 Version: 1.0
 Date: 2014-03-18
 License: What license is it under?
 Depends: methods

~~ An overview of how to use the package, including the most important ~~ functions ~~

Author(s)

Who wrote it

Maintainer: Who to complain to <yourfault@somewhere.net> ~~ The author and/or maintainer of the package ~~

References

~~ Literature or other references for background information ~~

See Also

~~ Optional links to other man pages, e.g. ~~ <pkg> ~~

Examples

2+21

brob

dsafa

Usage

brob(x = double(), positive)

Arguments

x

positive

Examples

1+1

brob-class	<i>Class "brob"</i>
------------	---------------------

Description

df

Objects from the Class

Objects can be created by calls of the form `new("brob", ...)`. dfa

Slots

x: Object of class "numeric" ~~
positive: Object of class "logical" ~~

Extends

Class "swift", directly.

Methods

`show` signature(object = "brob"): ...

Examples

`showClass("brob")`

<code>print.brob</code>	<i>dsfasf</i>
-------------------------	---------------

Usage

`print.brob(x, ...)`

Arguments

x
...

Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##--or do help(data=index) for the standard data sets.

## The function is currently defined as
function (x, ...)
{
  jj <- .BroB.print(x, ...)
  print(jj)
  return(invisible(jj))
}
```

show-methods

~~ Methods for Function show ~~

Description

~~ Methods for function show ~~

Methods

signature(object = "brob")

swift-class

Class "swift"

Objects from the Class

A virtual Class: No objects may be created from it.

Methods

No methods defined with class "swift" in the signature.

Examples

```
showClass("swift")
```

Index

*Topic **\textasciitilde\textasciitilde**
other possible keyword(s)
\textasciitilde\textasciitilde

show-methods, 4

*Topic **\textasciitildekwd1**

brob, 2

print.brob, 3

*Topic **\textasciitildekwd2**

brob, 2

print.brob, 3

*Topic **classes**

brob-class, 3

swift-class, 4

*Topic **methods**

show-methods, 4

*Topic **package**

pws-package, 1

<pkg>, 2

brob, 2

brob-class, 3

print.brob, 3

pws (pws-package), 1

pws-package, 1

show, brob-method (brob-class), 3

show, brob-method (show-methods), 4

show-methods, 4

swift, 3

swift-class, 4