```
%PDF-1.4
```

%Content == source code (https://github.com/tingstad/quine)

15 0 obj << /Length 31 >> stream
BT /F1 12 Tf 50 774 Td 18 TL
endstream endobj

27 0 obj << /Length 10 >> stream (%PDF-1.4) endstream endobj

4 0 obj << /Length 15 >> stream endstream endobj

13 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <</ri>
/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >> /Contents [15 0 R 27 0 R 4 0 R

```
14 0 obj << /Length 62 >> stream
(%Content == source code (https://github.com/tingstad/quine))
endstream endobj

2 0 obj << /Length 2 >> stream
endstream endobj

3 0 obj << /Length 12 >> stream
(\012)
endstream endobj

5 0 obj << /Length 4 >> stream
(\\)
endstream endobj
```

16 0 obj << /Length 76 >> stream
(0 obj << /Type /Page /Parent 12 0 R /Resources << /Font << endstream endobj
26 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font << /F1 <</Type /Font /Subtype /Typel /BaseFont /Courier>> >> /Contents [15 0 R 31 0 R 2 0 R 36 0 R 18 0 R 16 0 R 19 0 R 32 0 R 2 0 R 36 0 R 2 0 R 16 0 R 4 0 R