```
%PDF-1.4
%Content ==
```

%Content == source code (https://github.com/tingstad/quine)

1 0 obj << /Type /Catalog /Pages 12 0 R >> endobj

12 0 obj <</Type /Pages /Kids [13 0 R 28 0 R 79 0 R] /Count 3 /MediaBox [0 0 595 842] >> endobj

15 0 obj << /Length 31 >> stream BT /F1 12 Tf 50 774 Td 18 TL endstream endobj

27 0 obj << /Length 10 >> stream (%PDF-1.4) endstream endobj

4 0 obj << /Length 15 >> stream Tj (\012) Tj T\* endstream endobj

13 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font << /F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >> /Contents [ 15 0 R 27 0 R 4 0 R

14 0 R 2 0 R 6 0 R 21 0 R 2 0 R 6 0 R

20 0 R 4 0 R 19 0 R 2 0 R 6 0 R % 12 0 ob... /Count

31 0 R 2 0 R 35 0 R 2 0 R 24 0 R 2 0 R 33 0 R 2 0 R

31 0 R 2 0 R 7 0 R 4 0 R 40 0 R 4 0 R 10 0 R 4 0 R 3 0 R

32 0 R 2 0 R 37 0 R 2 0 R 24 0 R 2 0 R 31 0 R 2 0 R

30 0 R 2 0 R 7 0 R 4 0 R 8 0 R 2 0 R 27 0 R 2 0 R

90R 40R 100R 40R 30R

34 0 R 2 0 R 24 0 R 2 0 R 31 0 R 2 0 R 35 0 R 2 0 R

7 0 R 4 0 R 49 0 R 4 0 R 10 0 R 4 0 R 3 0 R

16 0 R 4 0 R 17 0 R 4 0 R 22 0 R 4 0 R

44 0 R 4 0 R 18 0 R 4 0 R 41 0 R 4 0 R 42 0 R 4 0 R

43 0 R 4 0 R 47 0 R 4 0 R 48 0 R 4 0 R

50 0 R 4 0 R 51 0 R 4 0 R

52 0 R 4 0 R 53 0 R 4 0 R 54 0 R 4 0 R 55 0 R 4 0 R

56 0 R 4 0 R 45 0 R 4 0 R 11 0 R ] >> endobj

```
(%Content == source code (https://github.com/tingstad/quine))
endstream endobj
2 0 obj << /Length 2 >> stream
Тj
endstream endobj
3 0 obj << /Length 4 >> stream
(\012) Tj T*
endstream endobj
5 0 obj << /Length 4 >> stream
(\ \ \ )
endstream endobj
28 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<
/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >> >>
/Contents [ 15 0 R
31 0 R 2 0 R 34 0 R 2 0 R 24 0 R 2 0 R 36 0 R
                                                2 0 R
32 0 R 2 0 R 7 0 R 4 0 R 8 0 R 2 0 R 14 0 R 2 0 R
90 R 40 R 100 R 40 R 30 R
32 0 R 2 0 R 24 0 R 2 0 R
                           32 0 R 2 0 R
70 R 40 R 580 R 40 R
10 0 R 4 0 R 3 0 R
33 0 R 2 0 R 24 0 R 2 0 R 34 0 R 2 0 R
70 R 40 R 80 R 20 R 50 R 20 R 300 R 20 R
31 0 R 2 0 R 32 0 R 2 0 R 9 0 R 2 0 R 29 0 R 2 0 R
59 0 R 4 0 R 10 0 R 4 0 R 3 0 R
35 O R 2 O R 24 O R 2 O R 34 O R 2 O R
70 R 40 R 80 R 20 R 50 R 20 R 50 R 20 R 90 R
40 R 100 R 40 R 30 R
46 0 R 4 0 R 17 0 R 4 0 R 60 0 R 4 0 R 61 0 R 4 0 R
62 0 R 4 0 R
             63 0 R 4 0 R 64 0 R 4 0 R 65 0 R
                                               4 0 R
66 0 R 4 0 R 67 0 R 4 0 R 68 0 R 4 0 R 69 0 R
                                               4 0 R
70 0 R 4 0 R
             75 0 R 4 0 R 76 0 R 4 0 R
                                         77 0 R
                                                4 0 R
71 0 R 4 0 R
             72 0 R 4 0 R 73 0 R 4 0 R 78 0 R
                                               4 0 R
74 0 R 4 0 R
             57 0 R 2 0 R 11 0 R ] >> endobj
```

14 0 obj << /Length 62 >> stream

```
6 0 obj << /Length 26 >> stream
(\012) Tj T* (\012) Tj T*
endstream endobj
7 0 obj << /Length 12 >> stream
( >> stream)
endstream endobj
8 0 obj << /Length 6 >> stream
(\ \ \ \ \ \ \ \ )
endstream endobj
9 0 obj << /Length 6 >> stream
(\051)
endstream endobj
10 0 obj << /Length 18 >> stream
(endstream endobj)
endstream endobj
11 0 obj << /Length 2 >> stream
(ET)
endstream endobj
24 0 obj << /Length 20 >> stream
( 0 obj << /Length )
endstream endobj
```

```
89 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<
/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >>
/Contents [ 15 0 R
80 0 R 4 0 R 17 0 R 4 0 R 60 0 R 4 0 R 87 0 R 4 0 R
88 O R 4 O R 81 O R 4 O R 82 O R 2 O R 86 O R 4 O R
11 0 R ] >> endobj
xref
89 1
0000001872 00000 n
trailer << /Root 1 0 R /Size 90XXX /Prev XXX >>
startxref
123123
%%EOF
11 0 R ] >> endobj
xref
89 1
0000001872 00000 n
trailer << /Root 1 0 R /Size 90XXX /Prev XXX >>
startxref
123123
```

%%EOF