

%PDF-1.4

%Content == source code (<https://github.com/tingstad/quine>)

```
15 0 obj << /Length 31 >> stream
BT /F1 12 Tf 50 774 Td 18 TL
endstream endobj
```

```
27 0 obj << /Length 10 >> stream
(%PDF-1.4)
endstream endobj
```

```
4 0 obj << /Length 15 >> stream
Tj (\012) Tj T*
endstream endobj
```

```
13 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<
/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >> >>
/Contents [ 15 0 R 27 0 R 4 0 R
14 0 R 2 0 R 25 0 R
20 0 R 4 0 R 19 0 R 2 0 R 25 0 R % 12 0 ob... /Count
31 0 R 2 0 R 35 0 R 2 0 R 6 0 R 2 0 R 33 0 R 2 0 R
31 0 R 2 0 R 7 0 R 4 0 R 40 0 R 4 0 R 10 0 R 4 0 R 3 0 R
32 0 R 2 0 R 37 0 R 2 0 R 6 0 R 2 0 R 31 0 R 2 0 R
30 0 R 2 0 R 7 0 R 4 0 R 8 0 R 2 0 R 27 0 R 2 0 R
9 0 R 4 0 R 10 0 R 4 0 R 3 0 R
34 0 R 2 0 R 6 0 R 2 0 R 31 0 R 2 0 R 35 0 R 2 0 R
7 0 R 4 0 R 49 0 R 4 0 R 10 0 R 4 0 R 3 0 R
16 0 R 4 0 R 17 0 R 4 0 R 22 0 R 4 0 R
44 0 R 4 0 R 18 0 R 4 0 R 41 0 R 4 0 R 42 0 R 4 0 R
43 0 R 4 0 R 47 0 R 4 0 R 48 0 R 4 0 R
50 0 R 4 0 R 51 0 R 4 0 R
52 0 R 4 0 R 53 0 R 4 0 R 54 0 R 4 0 R 55 0 R 4 0 R
56 0 R 4 0 R 45 0 R 4 0 R 11 0 R ] >> endobj
```

```
14 0 obj << /Length 62 >> stream
(%Content == source code  (https://github.com/tingstad/quine))
endstream endobj
```

```
2 0 obj << /Length 2 >> stream
Tj
endstream endobj
```

```
3 0 obj << /Length 12 >> stream
(\012) Tj T*
endstream endobj
```

```
5 0 obj << /Length 4 >> stream
(\\)
endstream endobj
```

```
28 0 obj << /Type /Page  /Parent 12 0 R  /Resources << /Font <<
/F1 <</Type /Font  /Subtype /Type1  /BaseFont /Courier>> >> >>
/Contents [ 15 0 R
31 0 R  2 0 R  34 0 R  2 0 R  6 0 R  2 0 R  36 0 R  2 0 R
32 0 R  2 0 R  7 0 R  4 0 R  8 0 R  2 0 R  14 0 R  2 0 R
9 0 R  4 0 R  10 0 R  4 0 R  3 0 R
32 0 R  2 0 R  6 0 R  2 0 R  32 0 R  2 0 R
7 0 R  4 0 R  58 0 R  4 0 R
10 0 R  4 0 R  3 0 R
33 0 R  2 0 R  6 0 R  2 0 R  31 0 R  2 0 R  32 0 R  2 0 R
7 0 R  4 0 R  8 0 R  2 0 R  5 0 R  2 0 R  30 0 R  2 0 R
31 0 R  2 0 R  32 0 R  2 0 R  9 0 R  2 0 R 29 0 R  2 0 R
59 0 R  4 0 R  10 0 R  4 0 R  3 0 R
35 0 R  2 0 R  6 0 R  2 0 R  34 0 R  2 0 R
7 0 R  4 0 R  8 0 R  2 0 R  5 0 R  2 0 R  5 0 R  2 0 R  9 0 R
4 0 R  10 0 R  4 0 R  3 0 R
46 0 R  4 0 R  17 0 R  4 0 R  60 0 R  4 0 R  61 0 R  4 0 R
62 0 R  4 0 R  63 0 R  4 0 R  64 0 R  4 0 R  65 0 R  4 0 R
66 0 R  4 0 R  67 0 R  4 0 R  68 0 R  4 0 R  69 0 R  4 0 R
70 0 R  4 0 R  75 0 R  4 0 R  76 0 R  4 0 R  77 0 R  4 0 R
71 0 R  4 0 R  72 0 R  4 0 R  73 0 R  4 0 R  78 0 R  4 0 R
74 0 R  4 0 R  57 0 R  2 0 R  11 0 R ] >> endobj
```

```
6 0 obj << /Length 20 >> stream
( 0 obj << /Length )
endstream endobj
7 0 obj << /Length 12 >> stream
( >> stream)
endstream endobj
8 0 obj << /Length 6 >> stream
(\050)
endstream endobj
9 0 obj << /Length 6 >> stream
(\051)
endstream endobj
10 0 obj << /Length 18 >> stream
(endstream endobj)
endstream endobj
11 0 obj << /Length 2 >> stream
(ET)
endstream endobj
16 0 obj << /Length 65 >> stream
(13 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<)
endstream endobj
17 0 obj << /Length 64 >> stream
(/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >> >>)
endstream endobj
18 0 obj << /Length 59 >> stream
(20 0 R 4 0 R 19 0 R 2 0 R 25 0 R % 12 0 ob... /Count)
endstream endobj
19 0 obj << /Length 45 >> stream
(/Count 3 /MediaBox [0 0 595 842] >> endobj)
endstream endobj
20 0 obj << /Length 57 >> stream
(12 0 obj <</Type /Pages /Kids [13 0 R 28 0 R 79 0 R])
endstream endobj
21 0 obj << /Length 52 >> stream
(1 0 obj << /Type /Catalog /Pages 12 0 R >> endobj)
endstream endobj
25 0 obj << /Length 20 >> stream
(\012) Tj T* (\012) Tj T*
endstream endobj
```

```
22 0 obj << /Length 35 >> stream
(/Contents [ 15 0 R 27 0 R 4 0 R)
endstream endobj
29 0 obj << /Length 3 >> stream
( )
endstream endobj
30 0 obj << /Length 3 >> stream
(0)
endstream endobj
31 0 obj << /Length 3 >> stream
(1)
endstream endobj
32 0 obj << /Length 3 >> stream
(2)
endstream endobj
33 0 obj << /Length 3 >> stream
(3)
endstream endobj
34 0 obj << /Length 3 >> stream
(4)
endstream endobj
35 0 obj << /Length 3 >> stream
(5)
endstream endobj
36 0 obj << /Length 3 >> stream
(6)
endstream endobj
37 0 obj << /Length 3 >> stream
(7)
endstream endobj
38 0 obj << /Length 3 >> stream
(8)
endstream endobj
39 0 obj << /Length 3 >> stream
(9)
endstream endobj
40 0 obj << /Length 33 >> stream
(BT /F1 12 Tf 50 774 Td 18 TL)
endstream endobj
```

```
41 0 obj << /Length 60 >> stream
(31 0 R 2 0 R 35 0 R 2 0 R 6 0 R 2 0 R 33 0 R 2 0 R)
endstream endobj
42 0 obj << /Length 67 >> stream
(31 0 R 2 0 R 7 0 R 4 0 R 40 0 R 4 0 R 10 0 R 4 0 R 3 0 R)
endstream endobj
43 0 obj << /Length 59 >> stream
(32 0 R 2 0 R 37 0 R 2 0 R 6 0 R 2 0 R 31 0 R 2 0 R)
endstream endobj
44 0 obj << /Length 23 >> stream
(14 0 R 2 0 R 25 0 R)
endstream endobj
45 0 obj << /Length 50 >> stream
(56 0 R 4 0 R 45 0 R 4 0 R 11 0 R ] >> endobj)
endstream endobj
46 0 obj << /Length 65 >> stream
(28 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<)
endstream endobj
47 0 obj << /Length 59 >> stream
(30 0 R 2 0 R 7 0 R 4 0 R 8 0 R 2 0 R 27 0 R 2 0 R)
endstream endobj
48 0 obj << /Length 36 >> stream
(9 0 R 4 0 R 10 0 R 4 0 R 3 0 R)
endstream endobj
49 0 obj << /Length 18 >> stream
(Tj (\\012) Tj T*)
endstream endobj
50 0 obj << /Length 60 >> stream
(34 0 R 2 0 R 6 0 R 2 0 R 31 0 R 2 0 R 35 0 R 2 0 R)
endstream endobj
51 0 obj << /Length 52 >> stream
(7 0 R 4 0 R 49 0 R 4 0 R 10 0 R 4 0 R 3 0 R)
endstream endobj
52 0 obj << /Length 45 >> stream
(16 0 R 4 0 R 17 0 R 4 0 R 22 0 R 4 0 R)
endstream endobj
53 0 obj << /Length 60 >> stream
(44 0 R 4 0 R 18 0 R 4 0 R 41 0 R 4 0 R 42 0 R 4 0 R)
endstream endobj
```

```
54 0 obj << /Length 45 >> stream
(43 0 R  4 0 R  47 0 R  4 0 R  48 0 R  4 0 R)
endstream endobj
55 0 obj << /Length 30 >> stream
(50 0 R  4 0 R  51 0 R  4 0 R)
endstream endobj
56 0 obj << /Length 60 >> stream
(52 0 R  4 0 R  53 0 R  4 0 R  54 0 R  4 0 R  55 0 R  4 0 R)
endstream endobj
57 0 obj << /Length 50 >> stream
(74 0 R  4 0 R  57 0 R  2 0 R  11 0 R ] >> endobj)
endstream endobj
58 0 obj << /Length 4 >> stream
(Tj)
endstream endobj
59 0 obj << /Length 7 >> stream
(Tj T*)
endstream endobj
60 0 obj << /Length 22 >> stream
(/Contents [ 15 0 R  )
endstream endobj
61 0 obj << /Length 60 >> stream
(31 0 R  2 0 R  34 0 R  2 0 R  6 0 R  2 0 R  36 0 R  2 0 R)
endstream endobj
62 0 obj << /Length 59 >> stream
(32 0 R  2 0 R  7 0 R  4 0 R  8 0 R  2 0 R  14 0 R  2 0 R)
endstream endobj
63 0 obj << /Length 36 >> stream
(9 0 R  4 0 R  10 0 R  4 0 R  3 0 R)
endstream endobj
64 0 obj << /Length 45 >> stream
(32 0 R  2 0 R  6 0 R  2 0 R  32 0 R  2 0 R)
endstream endobj
65 0 obj << /Length 30 >> stream
(7 0 R  4 0 R  58 0 R  4 0 R)
endstream endobj
66 0 obj << /Length 22 >> stream
(10 0 R  4 0 R  3 0 R)
endstream endobj
```

```
67 0 obj << /Length 59 >> stream
(33 0 R 2 0 R 6 0 R 2 0 R 31 0 R 2 0 R 32 0 R 2 0 R)
endstream endobj
68 0 obj << /Length 58 >> stream
(7 0 R 4 0 R 8 0 R 2 0 R 5 0 R 2 0 R 30 0 R 2 0 R)
endstream endobj
69 0 obj << /Length 58 >> stream
(31 0 R 2 0 R 32 0 R 2 0 R 9 0 R 2 0 R 29 0 R 2 0 R)
endstream endobj
70 0 obj << /Length 37 >> stream
(59 0 R 4 0 R 10 0 R 4 0 R 3 0 R)
endstream endobj
71 0 obj << /Length 60 >> stream
(46 0 R 4 0 R 17 0 R 4 0 R 60 0 R 4 0 R 61 0 R 4 0 R)
endstream endobj
72 0 obj << /Length 60 >> stream
(62 0 R 4 0 R 63 0 R 4 0 R 64 0 R 4 0 R 65 0 R 4 0 R)
endstream endobj
73 0 obj << /Length 60 >> stream
(66 0 R 4 0 R 67 0 R 4 0 R 68 0 R 4 0 R 69 0 R 4 0 R)
endstream endobj
74 0 obj << /Length 60 >> stream
(71 0 R 4 0 R 72 0 R 4 0 R 73 0 R 4 0 R 78 0 R 4 0 R)
endstream endobj
75 0 obj << /Length 45 >> stream
(35 0 R 2 0 R 6 0 R 2 0 R 34 0 R 2 0 R)
endstream endobj
76 0 obj << /Length 64 >> stream
(7 0 R 4 0 R 8 0 R 2 0 R 5 0 R 2 0 R 5 0 R 2 0 R 9 0 R)
endstream endobj
77 0 obj << /Length 29 >> stream
(4 0 R 10 0 R 4 0 R 3 0 R)
endstream endobj
78 0 obj << /Length 60 >> stream
(70 0 R 4 0 R 75 0 R 4 0 R 76 0 R 4 0 R 77 0 R 4 0 R)
endstream endobj
```

```
95 0 obj << /Length 65 >> stream
(79 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<)
endstream endobj
96 0 obj << /Length 64 >> stream
(/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >> >>)
endstream endobj
97 0 obj << /Length 57 >> stream
(/Contents [ 15 0 R 36 0 R 2 0 R 6 0 R 2 0 R 32 0 R )
endstream endobj
98 0 obj << /Length 36 >> stream
(2 0 R 30 0 R 2 0 R 7 0 R 4 0 R)
endstream endobj
99 0 obj << /Length 57 >> stream
(8 0 R 2 0 R 6 0 R 2 0 R 9 0 R 4 0 R 10 0 R 4 0 R)
endstream endobj
100 0 obj << /Length 66 >> stream
(37 0 R 2 0 R 6 0 R 2 0 R 31 0 R 2 0 R 32 0 R 2 0 R 7 0 R)
endstream endobj
101 0 obj << /Length 64 >> stream
(4 0 R 8 0 R 2 0 R 7 0 R 2 0 R 9 0 R 4 0 R 10 0 R 4 0 R)
endstream endobj
102 0 obj << /Length 58 >> stream
(38 0 R 2 0 R 6 0 R 2 0 R 36 0 R 2 0 R 7 0 R 4 0 R)
endstream endobj
103 0 obj << /Length 58 >> stream
(8 0 R 2 0 R 5 0 R 2 0 R 30 0 R 2 0 R 35 0 R 2 0 R)
endstream endobj
104 0 obj << /Length 44 >> stream
(30 0 R 2 0 R 9 0 R 4 0 R 10 0 R 4 0 R)
endstream endobj
105 0 obj << /Length 58 >> stream
(39 0 R 2 0 R 6 0 R 2 0 R 36 0 R 2 0 R 7 0 R 4 0 R)
endstream endobj
106 0 obj << /Length 58 >> stream
(8 0 R 2 0 R 5 0 R 2 0 R 30 0 R 2 0 R 35 0 R 2 0 R)
endstream endobj
107 0 obj << /Length 44 >> stream
(31 0 R 2 0 R 9 0 R 4 0 R 10 0 R 4 0 R)
endstream endobj
```



```
89 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<
/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >> >>
/Contents [ 15 0 R
80 0 R 4 0 R 17 0 R 4 0 R 60 0 R 4 0 R 87 0 R 4 0 R
88 0 R 4 0 R 81 0 R 4 0 R 82 0 R 2 0 R 86 0 R 4 0 R
11 0 R ] >> endobj
xref
89 1
0000001872 00000 n
trailer << /Root 1 0 R /Size 90XXX /Prev XXX >>
startxref
123123
%%EOF
11 0 R ] >> endobj
xref
89 1
0000001872 00000 n
trailer << /Root 1 0 R /Size 90XXX /Prev XXX >>
startxref
123123
%%EOF
```