```
%PDF-1.4
%Content == source code (https://github.com/tingstad/quine)
1 0 obj << /Type /Catalog /Pages 12 0 R >> endobj
12 0 obj <</Type /Pages /Kids [13 0 R 28 0 R]
/Count 2 /MediaBox [0 0 595 842] >> endobj
15 0 obj << /Length 31 >> stream
BT /F1 12 Tf 50 774 Td 18 TL
endstream endobj
27 0 obj << /Length 10 >> stream
(%PDF-1.4)
endstream endobj
4 0 obj << /Length 15 >> stream
Tj (\012) Tj T*
endstream endobj
13 0 obj << /Type /Page /Parent 12 0 R /Resources << /Font <<
/F1 <</Type /Font /Subtype /Type1 /BaseFont /Courier>> >>
/Contents [ 15 0 R 27 0 R 4 0 R
14 0 R 2 0 R 6 0 R 21 0 R 2 0 R 6 0 R
20 0 R 4 0 R 19 0 R 2 0 R 6 0 R % 12 0 ob... /Count
31 0 R 2 0 R 35 0 R 2 0 R 24 0 R 2 0 R 33 0 R 2 0 R
31 0 R 2 0 R 25 0 R 4 0 R 40 0 R 4 0 R 10 0 R 4 0 R
                                                        3 0 R
32 0 R 2 0 R 37 0 R 2 0 R 24 0 R 2 0 R 31 0 R 2 0 R
30 0 R 2 0 R 25 0 R 4 0 R 8 0 R 2 0 R 27 0 R 2 0 R
9 0 R 4 0 R 10 0 R 4 0 R 3 0 R
34 0 R 2 0 R 24 0 R 2 0 R 31 0 R 2 0 R 35 0 R
                                                 2 0 R
25 0 R 4 0 R 49 0 R 4 0 R 10 0 R 4 0 R 3 0 R
16 0 R 4 0 R 17 0 R 4 0 R 22 0 R 4 0 R
44 0 R 4 0 R
             18 0 R 4 0 R 41 0 R 4 0 R 42 0 R 4 0 R
43 0 R 4 0 R
             47 0 R 4 0 R
                            48 0 R 4 0 R
50 0 R 4 0 R 51 0 R 4 0 R
52 0 R 4 0 R 53 0 R 4 0 R 54 0 R 4 0 R 55 0 R 4 0 R
```

56 0 R 4 0 R 45 0 R 4 0 R 11 0 R] >> endobj

```
14 0 obj << /Length 62 >> stream
(%Content == source code (https://github.com/tingstad/quine))
endstream endobj
```