

An Empirical Study of GPU Kernel Performance Gaps in Modern Domain-Specific Languages

Anonymous Author(s)
Anonymous Institution

Abstract—Modern GPU domain-specific languages (DSLs) such as Triton and TileLang deliver competitive performance relative to vendor libraries for GPU kernel programming, making them a popular choice for human developers and an increasingly common target for automated kernel code generation agents. Yet developer-written or agent-generated DSL kernels can be *functionally correct* but offer no dependable way to know whether they are *performant*. We show that a kernel can pass the prevailing evaluation benchmarks and still run hundreds of times slower than the vendor-library baseline across 22 kernels in five categories.

The benchmarks practitioners rely on do not surface this. Prevailing benchmarks (e.g., KernelBench) gate primarily on correctness and therefore admit performance-poor kernels, while under-covering DSLs, data types, shapes, and hardware and only partially preventing reward hacking. A benchmark comprehensive enough to close this gap is combinatorially infeasible.

As a pragmatic alternative, we (i) characterize how large and structured the hidden performance gap is and why it arises, separating user-space *authoring* causes from *code-generation* and *library-maturity* causes; and (ii) distill the result into lightweight, partly baseline-independent evaluation heuristics and a small set of recurring optimization patterns that guide DSL kernel development when no ground-truth benchmark exists. We find that authoring idiom dominates the gap: a single reduction-primitive change recovers the normalization and reduction family to library parity or better (with one hardware-specific exception we diagnose), while a residual structural gap persists on convolution. We further show that a roofline-anchored comparability check flags poor kernels that correctness-only benchmarks pass.

Index Terms—GPU kernels, domain-specific languages, Triton, TileLang, empirical study, performance analysis

I. INTRODUCTION

Deep learning systems are now widely deployed, and their efficiency depends heavily on a small number of GPU kernels that dominate execution time [1], [2]. Frameworks have historically delegated these kernels to vendor libraries such as cuBLAS and cuDNN [3], [4], but modern architectures increasingly require fused operators, specialized kernels, and model-specific computations that fall outside the fixed functionality those libraries expose [5]. Achieving high performance therefore now depends on the ability to generate efficient *custom* kernels, and domain-specific languages (DSLs) such as Triton [6] and TileLang [7] have become the standard way to write them: they express kernels at the tile level while delegating memory movement, scheduling, and code generation to a compiler. Their reach extends well beyond hand-written code—Triton is the lowering target for `torch.compile` [8], and DSLs are increasingly the output of LLM-based kernel generators [9]—so the efficiency of DSL-generated kernels is now a first-order concern.

Deep learning efficiency depends on a small number of GPU kernels that dominate execution time [1], [2]. Frameworks historically delegated these kernels to vendor libraries such as cuBLAS and cuDNN [3], [4], but modern models increasingly need fused, specialized, and model-specific operators that fall outside the fixed functionality those libraries expose [5]. Writing efficient custom kernels is therefore now the bottleneck, and domain-specific languages (DSLs) such as Triton [6] and TileLang [7] have become the standard way to write them: the programmer expresses computation at the tile level and delegates memory movement, scheduling, and code generation to a compiler, in exchange for the promise of vendor-comparable performance at far lower effort. DSLs are increasingly the output of LLM-based kernel generators [9] rather than written by hand. Whether a given DSL kernel actually delivers on that promise is therefore a first-order concern.

A developer, or a generator, who produces a functionally correct DSL kernel cannot tell whether it is performant. A correct kernel may match the vendor library or run orders of magnitude slower, and nothing in the source reveals which. When a kernel is correct but slow, the developer must still localize the loss to the algorithm, the schedule, or the compiler, and existing toolchains offer little diagnostic support for that distinction [10]. This is a software-engineering problem as much as a compiler one: a high-level kernel language is useful only if its performance behavior can be evaluated and reasoned about.

The benchmarks practitioners rely on do not close this gap. The prevailing DSL and LLM-generated-kernel benchmarks, KernelBench [9] and TritonBench [11], gate on correctness and report performance as an outcome rather than enforcing it. They therefore admit performance-poor kernels: a naive but idiomatic TileLang kernel passes the KernelBench-style gate while running more than $300\times$ slower than PyTorch, and the gate’s lone reward-hacking guard never fires because it watches only for suspiciously fast kernels. These benchmarks also cover a narrow slice of the space, often one DSL, data type, shape, and GPU per task, so passing certifies little about quality. A benchmark comprehensive enough to span every operator, data type, shape, and architecture is combinatorially infeasible to build and maintain.

Our findings are threefold. First, the evaluation gap is real and large: naive-but-correct kernels pass the gate while running hundreds of times slower—the shipped TileLang LayerNorm is $323\times$ slower under locked clocks—and the

dominant benchmarks neither gate on performance nor cover enough of the space to catch it. Second, the hidden gap is highly structured: most is an *authoring* artifact that a single reduction-primitive change (`T.serial`→`T.reduce` with native-dtype I/O) repairs to library parity or better, while a residual convolution gap is structural (cuDNN’s implicit-GEMM maturity; absent Winograd contributes only $\approx 2\text{--}3\%$); we separate causes by *where the fix belongs*—user-space authoring, code generation, and library maturity. Third, absent a comprehensive benchmark, lightweight heuristics suffice: a library-comparability check anchored by a baseline-independent roofline fraction cleanly separates well-written kernels from poor ones, and a small set of recurring optimization patterns guides the fixes.

This paper makes the following contributions:

- **Evaluation gap (RQ1).** We show, end-to-end against the actual evaluator, that prevailing DSL and LLM-generated-kernel benchmarks admit performance-poor kernels, and we characterize their coverage and reward-hacking gaps.
- **Hidden gap and causes (RQ2).** Across 22 kernels and five operator classes on two GPU architectures, we characterize the performance gap these benchmarks miss and trace it with hardware counters to authoring, code-generation, and library-maturity causes. The dominant TileLang normalization gap is an authoring artifact that a single reduction-primitive change removes, whereas convolution and large GEMM are structural residuals.
- **Guidance without a benchmark (RQ3).** We propose and validate two lightweight heuristics, a library-comparability screen and a baseline-independent roofline anchor, together with a small set of recurring optimization patterns that flag poor kernels and recover most of the gap.
- **Artifact.** Our kernel suite, profiling infrastructure, and analysis are publicly available at <https://anonymous.4open.science/r/GPUKernelPerformance-6132/>.

II. BACKGROUND

A. Tile-Based GPU DSLs

A GPU executes thousands of threads grouped into *thread blocks*, each resident on a *streaming multiprocessor* with fast programmer-managed scratchpad (*shared memory*); high-performance kernels *tile* data [10] to reuse that scratchpad and stay compute-bound under the roofline model [11]. Two Python-embedded DSLs raise this tiling abstraction above hand-written CUDA, and our study targets both.

Triton [12] makes the *tile*—a statically shaped, multi-dimensional array operated on by all threads in a program instance—the unit of computation. Its MLIR-based compiler [13] performs memory coalescing, shared-memory allocation, thread swizzling, and software pipelining automatically while targeting NVIDIA PTX, and programmers tune tile configurations through `@triton.autotune`. Triton is the default lowering target for `torch.compile` since PyTorch 2.0 [8]. Its convolution support is less mature: an `im2col`-style lowering exists but falls substantially short of cuDNN on common workloads [14].

TileLang [7] separates the *algorithm* (what to compute) from the *schedule* (how to map computation onto GPU resources) more explicitly than Triton, letting the programmer tune memory staging, thread layout, and pipeline depth without changing the functional description. It compiles through Apache TVM with explicit hardware-intrinsic support on NVIDIA and AMD architectures. Its convolution performance relative to cuDNN has not been systematically evaluated prior to this work.

Throughout, we compare both DSLs against the vendor libraries they aim to displace: cuBLAS [3] for dense GEMM and cuDNN [4] for convolution and the other deep-learning primitives, each of which dispatches the fastest implementation per problem shape via a runtime selector [15].

B. Benchmarking DSL and LLM-Generated Kernels

Custom GPU kernels are increasingly produced not by hand but by automated tools: `torch.compile` lowers operators to Triton [8], and a growing body of work uses LLMs to generate kernels directly [9], [16]. This has made kernel *benchmarks* the de-facto arbiters of kernel quality, and two dominate the DSL and LLM-generated setting.

TritonBench [17] curates production-grade Triton kernels and reports correctness plus a roofline-anchored GPU-efficiency metric, but for Triton only, on a single GPU, and one data type and shape per operator; our kernel suite derives from its GitHub channel (184 kernels from 95 repositories), with TileLang re-implementations and added convolution configurations. KernelBench [9], the de-facto LLM-kernel-generation benchmark, accepts a kernel that reproduces a PyTorch reference on randomized inputs but *gates on correctness alone*, reporting speedup as an outcome and guarding only against implausibly *fast* kernels. Neither rejects a kernel for being slow or spans more than a narrow slice of the (DSL $\times$ data type $\times$ shape $\times$ architecture) space—the evaluation gap we quantify in section IV (section IV-A details the gate mechanism).

III. METHODOLOGY

We evaluate whether current GPU DSLs can match vendor libraries on representative deep learning operators, and, when they do not, identify the cause of the gap. To this end, we construct a kernel suite that covers the main computation patterns in modern models, compare DSL implementations against library-backed PyTorch baselines under matched configurations, and profile both end-to-end performance and low-level hardware behavior.

A. Kernel Suite

Our benchmark suite covers five operator categories that capture the dominant computation patterns in modern deep learning: matrix multiplication, attention, convolution, normalization, and element-wise or reduction operators. In total, the suite contains 22 kernels: three **GEMM** workloads (i.e., dense matrix multiplication, batched matrix multiplication, and fused linear plus activation), one **attention** workload (i.e., scaled dot-product attention / FlashAttention variants), one

convolution workload (i.e., Conv2d with 1×1 to 7×7 filters, including depthwise and strided cases), two **normalization** workloads (i.e., LayerNorm and RMSNorm), and fifteen **element-wise or reduction** workloads including add, mul, relu, leaky_relu, softmax, log_softmax, logsumexp, swiglu, argmax, max reduction, mean reduction, cross-entropy, matrix transpose, index select, and embedding.

We derive these workloads from TritonBench [17], the TileLang example repository [7], and our own implementations for configurations not covered by either source. We exclude operators with sparse inputs or runtime-dependent output shapes, since they do not admit stable or meaningful library baselines.

a) Selection criteria.: We narrow the kernels in TritonBench [17] to our 22-kernel suite using four criteria. First, *forward-pass only*: we exclude backward and gradient kernels, whose performance is governed by different access patterns and reduction structures. Second, *stable library baseline*: each kernel must admit a well-defined cuBLAS, cuDNN, or PyTorch reference that computes the same function, so that library efficiency is a meaningful quantity. Third, *five-category coverage*: we retain kernels that populate the five operator categories above rather than over-sampling any single class. Fourth, *canonical operators*: we exclude operators with sparse inputs or runtime-dependent output shapes, which lack a stable library baseline. The Triton implementations are drawn from TritonBench, except `layer_norm`, which follows the TorchInductor reference; the TileLang implementations are our re-implementations of the same operators, and any kernel absent from both source suites is implemented by us.

B. Baseline Construction

For each workload, we compare DSL implementations against the corresponding vendor-library path exposed through PyTorch. GEMM baselines use cuBLAS via `torch.matmul`. Convolution baselines use PyTorch `nn.Conv2d` with default NCHW memory layout under standard cuDNN algorithm selection. Normalization baselines use `F.layer_norm` and `F.rms_norm`. Element-wise and reduction baselines use standard PyTorch eager execution.

For attention, we use PyTorch scaled dot-product attention with the FlashAttention backend enabled through `enable_flash_sdp(True)`. We report these results separately because the Triton and TileLang implementations are not algorithmically identical to the PyTorch baseline.

C. Profiling Setup

We measure both end-to-end latency and hardware performance counters. Latency is used for all comparisons against library baselines, while hardware counters are used to investigate the causes of observed performance gaps.

a) End-to-end throughput.: For each workload and input configuration, we measure host-synchronized GPU execution time using `time.perf_counter()` bracketed by `torch.cuda.synchronize()` at entry and exit. Each measurement uses 10 warm-up iterations followed by 100

timed iterations, and we report the median over the timed runs. All results reflect GPU-side execution only and exclude host-side dispatch overhead. To reduce measurement noise, we run each workload in isolation without concurrent GPU activity. We pin the clocks for all timing at graphics 1215 MHz and memory 1215 MHz; the 1410 MHz maximum power-caps under the 400 W board limit, whereas 1215 MHz holds flat, yielding a run-to-run relative standard deviation of 0.0–0.9%.

b) Hardware performance counters.: To support root-cause analysis, we collect Nsight Compute [18] profiles grounded in seven counters—global-load efficiency, sectors per request, registers per thread, register spills, long-scoreboard and barrier stall cycles, and L2 sector hit rate (full definitions in the artifact)—each from a single execution with stability verified within 2% across five runs.

c) Correctness.: Before any timing, we validate every DSL kernel against its library baseline at per-dtype tolerances ($\text{fp32 } 10^{-5}$, $\text{fp16 } 10^{-3}$, $\text{bf16 } 10^{-2}$, relaxed $2\times$ for reductions) and an edge-case suite (NaN/Inf/denormal/all-equal) across all 22 kernels with 0 crashes; the RQ3-mitigated kernels revalidate 5/5. FP32 GEMM is excluded as silent TF32 lowering rather than a defect (section V).

D. RQ3 Optimization Methodology

To produce the optimized kernels evaluated in section VI, we employ an agentic AI kernel code generation tool [19] that, under a fixed protocol (correctness-gated iterations, fixed large-input shapes, no language switching), iteratively rewrites each flagged kernel and re-profiles it. We use the tool only as a reproducible mechanism to *apply* the root-cause-derived optimization patterns of section V: the agent performs kernel generation and optimization, while the characterization (section IV), the counter-grounded root-cause explanation (section V), and the generalization and validation of the resulting patterns (section VI) are ours. The performance gaps we characterize and their root causes are properties of idiomatic DSL code and its compilation, independent of whether a kernel is written by hand or generated; every pattern is human-legible and hand-applicable (the dominant fix replaces a manual reduction loop with the pre-existing `T.reduce` primitive). Each optimized kernel is validated provenance-agnostically—correctness against the same per-dtype tolerances (5/5 pass), plus Nsight Compute counters and the roofline anchor—so kernel quality does not rest on trusting the tool, and we report recovered performance as a lower bound on user-space-recoverable performance.

E. Metrics

Our primary metric is **library efficiency**,

$$E_{\text{lib}} = \frac{t_{\text{lib}}}{t_{\text{DSL}}} \times 100\%,$$

where t_{lib} denotes the latency of the cuBLAS or cuDNN baseline and t_{DSL} denotes the latency of the corresponding DSL implementation under the same hardware and input configuration. A value of 100% indicates parity with the library

baseline; lower values indicate that the DSL implementation is slower.

Secondary metrics: throughput ($T = 2 \cdot \text{FLOPs}/t$), hardware efficiency ($E_{\text{hw}} = T/T_{\text{peak}}$), and memory bandwidth utilization ($B = \text{bytes}/(t \cdot B_{\text{peak}})$)—are used qualitatively in root-cause analysis (RQ2) to interpret counter measurements; they are not tabulated separately.

F. Evaluation-Gap and Heuristic Measurement

To test whether existing benchmarks admit slow kernels (RQ1), we run each naive DSL kernel through a KernelBench-style evaluator (`eval_kernel_against_ref`), which overrides the candidate’s input generators with the reference’s, checks output equivalence on randomized inputs, and warns only when a kernel exceeds $10\times$ the reference speed; we record the pass/fail verdict and the measured slowdown against the PyTorch baseline. To compute the roofline anchor (RQ3), we model each kernel’s essential work—bytes moved for memory-bound kernels (input plus output tensors) or FLOPs for compute-bound kernels—and divide the achieved work-rate by the relevant hardware peak (HBM bandwidth or FP16 Tensor-Core throughput) for the measured GPU; the peak assumed for each kernel is recorded alongside its measurement.

G. Experimental Setup

a) Hardware.: We measure on two primary datacenter architectures. The first is an NVIDIA A100-SXM4-40GB GPU (Ampere, `sm_80`) with 108 SMs, 40 GB HBM2e memory (~ 1.5 TB/s peak memory bandwidth), a 40 MB L2 cache, and a 400 W power cap (NVIDIA Driver 610.43.02, CUDA 12.8), on which we measure the suite magnitude (section IV) and root-cause counters (section V). The second is an NVIDIA GH200 (Grace Hopper, `sm_90`; 96 GB HBM3 at ~ 4.0 TB/s, ~ 989.5 TFLOP/s FP16 Tensor-Core, clocks locked at 1320/2619 MHz), on which we run the evaluation-gap demonstration (section IV-B) and validate the roofline heuristic (table III). Per-architecture magnitudes are reported where they differ.

b) Software.: Our software stack consists of PyTorch 2.8.0+cu128, Triton 3.4.0, TileLang 0.1.6.post1, bundled cuDNN, and Nsight Compute 2026.2.0. We pin all versions in a reproducibility manifest distributed with the benchmark suite. For all experiments, we run under default cuDNN flags and pre-warm the Triton auto-tuner before measurement.

IV. THE EVALUATION GAP (RQ1)

This section answers RQ1: *do existing benchmarks distinguish well-written DSL kernels from performance-poor ones, and along which dimensions do they fall short?* We survey what the prevailing DSL and LLM-generated-kernel benchmarks measure (section IV-A), show that a correct-but-slow kernel passes their gate unflagged (section IV-B), and then quantify the hidden performance gap this gate admits across the 22-kernel suite (section IV-C onward).

A. What Existing Benchmarks Measure

The two benchmarks that dominate DSL and LLM-generated GPU-kernel evaluation are KernelBench [9] and TritonBench [17], and both treat performance as a *reported outcome* rather than an *acceptance criterion*. KernelBench, the de-facto target for LLM kernel generation, accepts a candidate on *correctness alone*: its evaluator runs the kernel against a randomized-input PyTorch reference and the task passes if the outputs match within tolerance, with measured speedup recorded but never gated. Its only guard against reward hacking is a heuristic warning when a kernel runs more than $10\times$ faster than the reference—so it fires only on suspiciously *fast* kernels and is silent on the slow ones, which are the failure mode we study here.¹ TritonBench is Triton-only and, to its credit, reports a roofline-anchored GPU-efficiency metric (achieved fraction of hardware peak)—a precedent we build on in section VI—but it likewise reports rather than gates on that metric, applies no anti-cheat, and fixes one data type and shape per operator on a single GPU. Neither benchmark covers more than a narrow slice of the ($\text{DSL} \times \text{data type} \times \text{shape} \times \text{architecture}$) space, and neither rejects a kernel for being slow. A kernel that “passes” therefore certifies correctness, not quality.

B. Passing Is Not Fast

To show that this gap is not hypothetical, we run idiomatic but unoptimized DSL kernels—the kind a developer or an LLM generator would plausibly produce—through the KernelBench-style correctness gate and then time them. On the GH200, the live shipped TileLang LayerNorm kernel passes the gate on all five correctness shapes yet runs $323\times$ slower than PyTorch at the large shape under locked clocks (51.5 ms vs. 0.16 ms); shipped TileLang RMSNorm passes and is $117\times$ slower. A deliberately constructed worst-case LayerNorm variant—fp32 internal I/O and a zero-initialized output buffer—is slower still, reaching $1293\times$ (176.4 ms, unlocked); even a naive argmax passes and is $16.7\times$ slower. In every case the gate returns `correct=True` and the more-than- $10\times$ reward-hacking guard never triggers, because the kernels are slow, not fast. The shipped kernels are not adversarial constructions: they are the reduction kernels shipped as idiomatic TileLang, differing from a competent implementation only in the reduction primitive (section V). The same authoring idiom shows the same qualitative gap on the A100 suite below, where the live shipped TileLang LayerNorm is $1087\times$ slower (A100-SXM4, unlocked profile), with the suite magnitude and root-cause analysis measured on the A100 and the evaluation-gap and roofline results on the GH200; we report per-architecture magnitudes throughout and note where they differ.

C. The Hidden Gap These Benchmarks Admit

Figure 1 summarizes library efficiency (%) for all kernels in the suite, broken down by DSL (Triton, TileLang) and

¹We exercise this evaluator directly: the KernelBench-style harness in our artifact (`eval_kernel_against_ref`) overrides the candidate’s input generators with the reference’s and warns on more-than- $10\times$ speedups, the same anti-cheat logic shipped upstream.




Fig. 1. Library efficiency (%) of Triton and TileLang kernels relative to cuBLAS/cuDNN on the NVIDIA A100-SXM4-40GB, grouped by kernel category (log scale). GEMM shows boxes (IQR; whiskers $1.5 \times$ IQR); all other categories show individual kernel measurements as dots ($n = 2$ per cell). Dashed line marks parity (100%). The hollow diamond at 851.8% (Triton, Norm.) marks Triton `rms_norm`: the PyTorch eager baseline does not fuse its normalization passes, making this an unfair comparison rather than a genuine DSL win; see table I. The boxplot flier at 548.6% (TileLang, GEMM) marks fused linear+activation, a valid DSL advantage through kernel fusion; see section IV-C. Attention excluded; see section IV-C.

kernel category. The key finding is that the performance gap is not uniform: Triton is broadly competitive for element-wise and normalization kernels (88.7% of PyTorch throughput for LayerNorm and ~ 95 –116% for element-wise kernels; the RMSNorm outlier at 851.8% is due to kernel fusion; see table I) but trails substantially on convolution (19.3%) and large square GEMM (32.8%); TileLang achieves competitive throughput only on a narrow set of large shapes while exhibiting severe underperformance on reductions and normalizations (0.1% of PyTorch throughput on layer normalization). These figures are for the *idiomatic* kernels shipped in each DSL’s examples; we show in RQ3 (section VI) that the reduction and normalization gaps are authoring artifacts—a competent `T.reduce` rewrite recovers the family to PyTorch-comparable or better (with one hardware-specific exception we diagnose in section VI-E)—whereas the convolution and large-GEMM gaps largely persist even after best-effort optimization, marking the genuine residual.

Finding: On the A100-SXM4, Triton achieves 32.8–92.9% of PyTorch/cuBLAS throughput on GEMM depending on shape; TileLang achieves 7.0–80.0% with a complementary strength profile that reorders on the GH200 (table I). TileLang achieves 548.6% on fused linear+activation by fusing two passes into one kernel, while Triton degrades to 32.8% on the 16384^2 square matmul where its auto-tune search space is under-populated.

Per-shape GEMM latencies are in the artifact (`slow_kernels.csv`); 16384^2 denotes a square

16384×16384 FP16 GEMM and 64×128^2 a batched GEMM of batch 64 over 128×128 matrices. FP32 TileLang GEMM is excluded as silent TF32 lowering in `T.gemm` rather than a logic error (section V). Table I reports the category medians: the 16384^2 Triton slowdown to 32.8% reflects an under-populated auto-tune search space (RC2), TileLang reaches 80.0% on that shape via an explicit schedule, and TileLang’s 548.6% on fused linear+activation comes from fusing two passes into one kernel.

a) *Attention.*: Attention has no single library-efficiency number because the implementations differ algorithmically: Triton’s FlashAttention-2 [20] (44.83 ms) tiles the score matrix, while TileLang’s untiled $O(n^2)$ kernel (5458.97 ms) is slower than even PyTorch’s $O(n^2)$ path (3045.0 ms). Neither is a valid DSL-versus-library measurement for the same computation, so both are excluded from table I.

Finding: Triton-written Conv2d kernels achieve 9.8–28.7% of PyTorch/cuDNN throughput across standard 1×1 – 7×7 filters at the large shape (up to 46.3% at the small shape); TileLang Conv2d achieves 7.1–12.6%, a deficit compounded by both per-launch JIT compilation overhead and absent vectorization of strided spatial accesses. Both DSLs collapse to $\leq 5.4\%$ on depthwise convolution, which they lower to N per-group GEMM launches.

Table I reports the convolution category medians; per-filter efficiencies (six filter shapes over two A100 input sizes plus the GH200) are in the artifact (`conv_filters_small.csv`, `slow_kernels.csv`), with Triton falling monotonically from 28.7% (1×1) to 9.8% (7×7) as the gap widens on the Winograd-ineligible larger filters (section V). Nsight Compute shows the conv gap is occupancy- and coalescing-bound (RC1 + RC2), not a register-spill problem: `n_spills = 0` at every filter size for both DSLs. On the GH200, Triton convolution stays comparably weak (12.1% at 3×3 , $\leq 9.8\%$ at the larger filters), but TileLang convolution is far stronger than on the A100 (32.9–71.7% across 1×1 – 7×7 ; table I), so the TileLang convolution collapse is largely an Ampere-specific scheduling artifact rather than intrinsic to the DSL—the persistent residual is the Triton convolution gap, which holds on both architectures. The root causes of these gaps are analyzed in section V.

Finding: Triton normalization kernels match or substantially outperform PyTorch’s eager paths; TileLang normalization collapses to less than 1% of PyTorch throughput at the tested size (8192×8192), with LayerNorm 1087 $\times$ slower.

Table I reports the normalization category medians; per-shape latencies for both architectures are in the artifact (`slow_kernels.csv`). At 8192^2 on the A100, Triton `layer_norm` reaches 88.7% of PyTorch (the `rms_norm` 851.8% is a fusion artifact, not a win), whereas TileLang LayerNorm runs 364 ms versus PyTorch’s 0.335 ms; the collapse persists on the GH200 (329 $\times$, matching the locked-clock 323 $\times$ in section IV-B within noise). Section V traces it to serialized memory-latency exposure under `T.serial reduc-`

TABLE I

Median library efficiency (%) per kernel category and DSL on the A100-SXM4 and GH200 (both unlocked tuned profile), computed over large-size benchmark configurations. Attention excluded from Overall; see text.

Kernel category	A100-SXM4		GH200	
	Triton	TileLang	Triton	TileLang
GEMM	32.8–92.9%	7.0–80.0%	56–170%	60–163%
Attention	<i>see text — baselines non-equivalent</i>			
Convolution	19.3%	12.6%	12.1%	54.1%
Normalization	88.7% [‡]	0.1–0.9% [‡]	74.8%	0.3–3.3%
Element-wise	~95–116%	~67–74%	~66–98%	~62–68%
Overall (excl. attn.)	~73%[§]	~29%[§]	~98%	~67%

TileLang LayerNorm (large shape) is 0.1% (1087 $\times$ slower than PyTorch) due to serialized memory-latency exposure under `T.serial` (warp_stall_long_scoreboard dominates) and absent vectorized loads; see section V. RMSNorm Triton efficiency is 851.8% because the PyTorch eager path does not fuse normalization passes.

[§] Overall figures are medians excluding attention; the Triton geomean (~126%) is inflated by fusion and eager-baseline outliers (`rms_norm`, `leaky_relu`, `cross_entropy`, `linear+act`), so we report the more representative median. Splitting the baseline into vendor cuBLAS/cuDNN, `torch.compile(max-autotune)` fused, and eager PyTorch (fused_baselines) confirms the convolution gap persists after fusion.

tion loops (warp_stall_long_scoreboard dominates; warp_stall_barrier $\approx$ 0).

Finding: Hardware-agnostic heuristic tuning shows negligible benefit for Triton in the tested configuration — default and tuned configurations produce nearly identical latencies for all kernels. The convolution gap is essentially unchanged (19.3%). TileLang shows no measurable benefit from tuning across any kernel.

Re-evaluating all 22 kernels with heuristically tuned configurations for both DSLs changed nothing ($\Delta = 0$ pp on every row, convolution included), consistent with RC1–RC3 being structural compiler limitations rather than search-space coverage problems (section V).

The apparent tension between this $\Delta \approx 0$ pp result and the matmul speedup reported in section VI-D is a search-space distinction, not a shape distinction. Here, “heuristic tuning” refers to the 12-config block-tile grid (varying only block- $M/N/K$); on the 16384² square matmul this grid yields $\Delta \approx 0$ pp (Triton 32.5% untuned vs. 32.5% tuned). The expanded search in section VI, which additionally tunes `GROUP_SIZE_M`, `num_warps`, and `num_stages`, recovers Triton from 32.5% to 81.8% at 16384² (a 2.52 $\times$ latency improvement) and from 56.4% to 76.5% at 4096² (1.36 $\times$); the optimal configuration is simply absent from the default block-tile grid (RC2a).

Table I summarizes median library efficiency per category and DSL.

The most striking asymmetry is TileLang’s normalization collapse: a 1087 $\times$ slowdown on large LayerNorm (section V) attributable to three compounding deficiencies (RC0), and it persists across architectures (329 $\times$ on the GH200). On the A100 (table I), Triton is broadly competitive for element-wise and normalization kernels but trails on convolution and large

square GEMM, while TileLang is competitive only on fused linear+activation and large square matmul. The GH200 reorders this strength profile (table I): TileLang is markedly more competitive there—batched GEMM 110%, convolution 54%, square matmul 60%, overall median ~67% versus ~29% on the A100—so the two gaps that survive on *both* architectures are the TileLang normalization collapse and the Triton convolution residual ($\leq 13\%$ at 3×3), not a fixed per-DSL ranking. This hardware-dependence is itself the point: a DSL kernel’s competitiveness cannot be read off one GPU.

Within the element-wise and reduction category, most kernels cluster near the per-DSL medians in table I; the notable Triton outliers are the index-returning reductions `argmax` (4.7%) and `max_reduction` (12.7%), while fusion or unfused-eager-baseline cases (`leaky_relu`, `cross_entropy`, `linear+act`) exceed 100% and are not vendor-library speedups. Per-kernel efficiencies for all 15 kernels are in the artifact (`slow_kernels.csv`).

V. ROOT CAUSES OF THE HIDDEN GAP (RQ2)

This section answers RQ2: for the kernels that pass existing correctness benchmarks (section IV-A) yet lag the vendor library by the margins in section IV, what causes the hidden gap? We separate the causes by where the fix belongs: user-space *authoring* (RC0a), compiler *code generation* (RC0b, RC1, RC2a), and *library maturity*—the tuning and algorithm selection a mature vendor library provides (RC2b, RC4). This separation is what makes the gap actionable: authoring causes a developer can fix today, code-generation causes require compiler work, and library-maturity causes bound what any DSL kernel can currently reach.

The following root causes are motivated by latency measurements (section IV) and community reports [14].

a) *RC0: TileLang Compiler-Level Deficiencies.*: Two mechanisms contribute to RC0, which we separate by where the fix lives: RC0a is a user-space kernel-authoring choice, while RC0b is a compiler-codegen deficiency.

b) *RC0a: TileLang Reduction Authoring (`T.serial` $\rightarrow$ `T.reduce`).*: First, the original TileLang normalization kernels implement the reduction over the normalized dimension using `T.serial` loops—TileLang’s sequential for-loop construct—iterating over each partial sum one at a time. For LayerNorm, which accumulates 8 bfloat16 partial statistics per thread (sum and sum-of-squares for the mean and variance passes), this means the reduction is computed in 8 sequential steps with no inter-thread parallelism. The native alternative, `T.reduce`, lowers to a parallel butterfly reduction (`tl::AllReduce`), exchanging partial results in $\log_2 N$ rounds. This algorithmic structure, however, is not where the cost lies: on the A100, the performance gain from `T.reduce` comes from better memory-latency hiding—warp_stall_long_scoreboard drops from 59.56 cycles to ≈ 0 —not from removing barriers, since `warp_stall_barrier` is already ≈ 0 in both the `T.serial` and `T.reduce` kernels. The GH200 `ncu` counters confirm the same

signature on `sm_90: warp_stall_barrier=0` with `warp_stall_long_scoreboard=49.95` dominating, alongside a 34 GB local-store register spill (RC3). Replacing the `T.serial` loop with a single `T.reduce` call thus removes the dominant latency source: on the A100, LayerNorm drops from 364 ms to 0.270 ms (1347× improvement, section VI-B).

c) *RC0b: Absent Vectorized Loads (Compiler Codegen).*: Second, TileLang’s compiled normalization kernels do not issue 128-bit vectorized loads (`LDG.128`), instead fetching 16-bit bfloat16 elements individually. For a tensor of shape 8192×8192 , this produces an excessive number of discrete memory transactions that bottlenecks the memory controller and prevents the L2 cache from streaming coalesced data to the SMs. On the A100, NCU confirms this scalar-granularity access for TileLang LayerNorm: a load efficiency of 50% bytes/sector at one sector per request, leaving DRAM throughput at 59.2%. Unlike RC0a, this deficiency cannot be addressed in user space and requires a compiler-codegen fix.

d) *TileLang float32 lowering to TF32.*: Separately, TileLang’s `T.gemm` silently lowers float32 to TF32 on SM80 (the `F32TF32TF32F32` MMA atom truncates the input mantissa to 10 bits), failing an exact 10^{-5} float32 check on 31.8% of outputs while a manual FMA kernel passes the same check (reproducible across four arms in `exp_fp32_gemm.py`)—a precision-lowering artifact, not a performance gap, so all TileLang GEMM here is measured in FP16.

Finding RC0: TileLang’s compiled kernels exhibit two structural performance deficiencies: (RC0a) `T.serial` reductions serialize memory-latency hiding rather than synchronization (`warp_stall_long_scoreboard` dominates; `warp_stall_barrier` ≈ 0), correctable in user space via `T.reduce`; and (RC0b) absent 128-bit vectorized memory loads for normalization, which require a compiler-codegen fix. These compound the per-kernel performance gaps measured in RQ1. A third deficiency—silent TF32 lowering of `T.gemm` under FP32—is correctness-affecting but orthogonal to performance.

e) *RC1: Absent Vectorization of Strided Memory Accesses.*: NVIDIA Ampere’s memory subsystem achieves peak bandwidth only when global memory loads are issued as 128-bit vector instructions (`LDG.128`). On Hopper, the Tensor Memory Accelerator (TMA) similarly requires aligned, contiguous access descriptors. For GEMM kernels, Triton’s compiler successfully emits vectorized loads because the data layout is row-major and tile boundaries are aligned to 16-byte boundaries.

Convolution breaks this in two ways: each output gathers a $(K_H \times K_W)$ window strided across the innermost NCHW dimension (PyTorch’s default), breaking `LDG.128` alignment; and for $K_H \times K_W > 1$ Triton’s alias analysis cannot prove successive spatial-loop iterations are aligned, so it conservatively emits scalar 32-bit loads. The consequence is a cascade noted in the community [14]: un-vectorized loads prevent `cp.async` from firing (it requires 128-bit aligned transfers), so the software pipeline cannot overlap data movement with

computation and the kernel stalls on global-memory latency at every tile boundary, reaching only a fraction of the A100’s ≈ 1.5 TB/s.

Finding RC1: Triton-generated convolution code fails to issue vectorized (128-bit) load instructions, preventing asynchronous copy (`cp.async`) from being applied and collapsing the software pipeline.

NCU confirms the absent vectorization on the A100: Triton `conv2d` achieves a load efficiency of only 12.55% bytes/sector at 16.4 sectors per request, versus the `cp.async`-staged matmul path.²

f) *RC2a: Configurations Absent From the Default Grid.*: Triton’s auto-tuner sweeps a programmer-specified list of configurations

`{(BLOCK_M, BLOCK_N, BLOCK_K, num_stages, num_warps)}`.

For GEMM, this 5-dimensional space is well-understood: large square tiles (128×128) with 4–8 pipeline stages are optimal across most A100 problem shapes [12]. The reference Triton GEMM tutorial ships a configuration list that achieves near-cuBLAS performance for common shapes, but omits the L2-swizzle and large-shape configurations needed at scale.

The 16384^2 matmul (section IV-C) is the clearest case: Triton reaches only 32.8% of cuBLAS at a shape absent from standard tutorial configuration lists, versus 92.9% on a well-populated batched GEMM. Expanding the search beyond the default 12-config grid (sweeping `GROUP_SIZE_M`, `num_warps`, `num_stages`) recovers it from 32.5% to 81.8% at 16384^2 ($2.52\times$), confirming the missing configurations—not an exhausted budget—bound default performance (section VI).

g) *RC2b: L2 Cache Residency.*: For the 16384^2 matmul, the combined A, B, C footprint (≈ 1.6 GB) vastly exceeds the A100’s 40 MB L2 cache; cuBLAS employs hardware-specific cache-blocking (via `cuBLASLt`’s plan selector) while Triton’s generic `tl.dot` compilation lacks equivalent heuristics, producing the $\approx 3\times$ latency penalty observed (34.24 ms vs. 104.34 ms). On the A100, NCU confirms the residency divide: Triton’s 16384^2 matmul reaches only a 49.4% L2 hit rate and is DRAM-bound at 85.9% DRAM throughput, whereas cuBLAS holds an 80.5% L2 hit rate at 28.8% DRAM throughput.

Convolution adds filter-size degrees of freedom that default lists do not cover for $5 \times 5/7 \times 7$, and TileLang’s ahead-of-time `num_stages` cannot adapt to the register pressure large filters create.

Finding RC2: The static tile-configuration search space in Triton’s `@triton.autotune` omits configurations needed at scale (RC2a: L2-swizzle and large-shape tiles absent from the default grid), and Triton’s generic compilation lacks the L2 cache-blocking heuristics cuBLAS applies once the working set exceeds L2 (RC2b).

h) *RC3: TileLang LayerNorm Register Spill (Not a Convolution Problem).*: Each streaming multiprocessor on the A100 exposes a 65,536 32-bit register file, so a block of 128 threads at 64 registers per thread occupies it fully,

²Triton matmul and cuBLAS read 0% on this load counter because their `cp.async/LDGSTS` staging bypasses the `LDG` instruction the counter tracks.

preventing a second resident block and eliminating pipeline interleaving. Contrary to the submitted-PDF framing, NCU shows convolution does not hit this wall: Triton conv2d reports `n_spills=0` at every tested filter (1×1 through 7×7), even though register usage rises with K^2 (up to 224 regs/thread at large shapes). The spill is instead TileLang-LayerNorm-specific: the large LayerNorm kernel uses 254 registers per thread, drops to 12.46% achieved occupancy, and spills 206 GB of local-load plus 137 GB of local-store traffic. This register pressure—not any convolution effect—is what collapses occupancy below the level required for latency hiding.

Finding RC3: The TileLang LayerNorm kernel exceeds the per-thread register budget (254 regs/thread), spilling to local memory (206 GB local-load + 137 GB local-store) and reducing achieved occupancy to 12.46%; convolution kernels, by contrast, do not spill (`n_spills=0` at all filters).

i) *RC4: Absence of Algorithm-Level Diversity.*: cuDNN selects Winograd for 3×3 filters when arithmetic reduction dominates (Winograd $F(2, 3)$ cuts multiply-accumulates $\approx 2.25\times$), but neither Triton nor TileLang exposes the transformation as a schedulable primitive. Isolating this effect on the A100 bounds its size: a deterministic A/B comparison of cuDNN on 3×3 stride-1 convolution differs by only 0.06% (a ratio of 0.9994), so absent Winograd selection accounts for at most $\approx 2\text{--}3\%$ of the gap. Moreover, the measured Triton-vs-cuDNN gap *widens* on Winograd-ineligible filters (3×3 s1 19.25%, 3×3 s2 16.94%, 5×5 13.5%, 7×7 9.81%), indicating that the residual is general cuDNN implicit-GEMM tuning rather than algorithm selection.

Finding RC4: Absent Winograd selection accounts for at most $\approx 2\text{--}3\%$ of the residual 3×3 convolution gap on the A100; the remainder reflects cuDNN’s general implicit-GEMM tuning, and the gap widens on Winograd-ineligible filters.

A. Summary of Root Causes

Table II maps each root cause to the kernel category it primarily affects, its estimated contribution to the throughput gap, and the Nsight Compute counter most diagnostic for its detection.

VI. GUIDANCE WITHOUT A COMPREHENSIVE BENCHMARK (RQ3)

This section answers RQ3: *absent a comprehensive benchmark, can lightweight evaluation heuristics and a small set of recurring optimization patterns reliably flag performance-poor DSL kernels and guide their repair?* RQ1 (section IV) showed that a comprehensive performance benchmark is infeasible and that correctness gates admit slow kernels; RQ2 (section V) explained why the gaps arise. We now distill that evidence into developer-facing guidance: a two-part *evaluation heuristic* for deciding whether a kernel is well written (section VI-A), and the *optimization patterns* that repair the gaps it flags (section VI-B onward), validated by optimizing kernels across the suite. The optimization campaigns (section III-D) were

run on a separate development GPU; the optimized kernels they produced are re-timed throughout this section on the A100-SXM4 and GH200 evaluation hardware. The central result is a clean dichotomy: most of the dramatic gaps are *authoring artifacts* that one dominant pattern fully repairs, while a minority are *genuine residuals* that survive best-effort optimization—and the heuristic tells the two apart without a ground-truth benchmark. We position the user-space fixes (RC0a, RC2a, the matmul L2-swizzle) as lower bounds on automatable recovery; RC0b and the broader RC2b search space require compiler support.

A. Evaluation Heuristics: Is This Kernel Well Written?

We propose two complementary checks a developer can apply without a curated benchmark.

a) *A comparability screen (pragmatic, baseline-relative).*: A well-written DSL kernel should (i) come within a small factor of the vendor/PyTorch baseline on representative shapes, (ii) be at least at parity—ideally faster—at large input sizes where launch and framework overheads amortize, and (iii) show no catastrophic per-shape collapse. This screen is cheap and catches gross failures: the idiomatic TileLang LayerNorm that runs more than $300\times$ slower (section IV-B) fails it immediately. Its limitation is circularity—PyTorch is simultaneously the baseline and the de-facto definition of “good,” so the screen cannot certify a kernel that merely matches an already-slow baseline, and it can be fooled into crediting a kernel that beats an *unfused* eager path for the wrong reason (the RMSNorm 851% “win” in table I is a fusion artifact, not headroom). It is therefore a screen, not a certificate.

b) *A roofline anchor (baseline-independent).*: To break that circularity we anchor quality to the hardware rather than to PyTorch: for a kernel whose essential work is W (bytes moved if memory-bound, FLOPs if compute-bound) and whose optimized time is t , the achieved roofline fraction is $\rho = W/(t \cdot P)$, where P is the relevant hardware peak [11]. TritonBench reports an analogous achieved-peak metric [17]; we use it not as a leaderboard score but as a *decision signal*—a kernel near the memory or compute roof is well written *regardless* of what the library does. Table III reports ρ for the optimized kernels on the A100-SXM4 (primary) and the GH200, alongside their PyTorch-relative efficiency E_{lib} and the *cliff* (naive-to-optimized speedup) that measures how much authoring headroom each kernel hid; the two architectures agree on every authoring-artifact vs. structural-residual classification (the GH200 ρ values cited below are matched within ± 0.1 on the A100). The anchor does two things the comparability screen cannot. First, it confirms the genuine residuals are genuinely far from the hardware: optimized Triton Conv2d reaches only $\rho = 0.16$ and index-returning `argmax` only $\rho = 0.10$, so their shortfall is real headroom, not merely a fast baseline. Second, it de-inflates baseline-relative outliers: the RMSNorm kernel that looks like a $13\times$ “win” over PyTorch sits at $\rho = 0.69$ —well written, but not $13\times$ beyond what the hardware allows. The recovered normalization and reduction family lands at $\rho = 0.41\text{--}0.87$, while the residual convolution and `argmax`

TABLE II

Root-cause summary. Measured contribution is the latency speedup recovered by the corresponding mitigation (section VI); “—” indicates no direct mitigation experiment conducted. RC0a, RC0b, and RC3 are TileLang-specific; RC1, RC2, and RC4 affect both DSLs. Per-RC counter values are consolidated in the A100 and GH200 `ncu_summary.csv` files, which agree on the RC signatures.

Root cause	Affected kernels	Contribution	Diagnostic counter
RC0a: <code>T.serial</code> instead of <code>T.reduce</code>	All TileLang reductions, norm	1347× (LayerNorm, A100)	<code>warp_stall_long_scoreboard</code> (barrier ≈ 0)
RC0b: Absent vectorized loads / dtype cast	TileLang norm	—	<code>l1tex bytes/sector</code>
RC1: Strided access, scalar LD	Conv2d ($K > 1$), Triton	2.2× with RC2	Load bytes/sector eff. (12.55%)
RC2a: Auto-tuning mismatch	Matmul, Conv2d, Depthwise	1.37× (Matmul)	TFLOPS vs. swept configs
RC2b: L2 cache residency	Matmul $\geq 16384^2$	—	L2 hit rate, DRAM throughput
RC3: TileLang LayerNorm spill	TileLang LayerNorm (large)	—	<code>local_op spill / occupancy</code> (A100: 51.5GB ld, 254 regs, 12% occ)
RC4: No Winograd	Conv2d 3×3	≈ 2 –3%	SM utilization delta

kernels sit at $\rho \leq 0.28$ even after best-effort optimization; the cliff column shows these are not the same axis—LayerNorm hid a $1541\times$ authoring artifact that the dominant pattern fully recovers, whereas Conv2d’s $8.2\times$ cliff still leaves it at $\rho = 0.28$, a structural ceiling the rewrite cannot lift. We present the two checks together because neither suffices alone, and they disagree exactly in a judgment band near $\rho \approx 0.5$: Softmax and Matmul both achieve $\rho = 0.47$, yet Softmax is at parity ($E_{\text{lib}} = 0.87$) while Matmul trails cuBLAS ($E_{\text{lib}} = 0.68$)—only the two checks together make the call.

B. Normalization Kernels: Correcting RC0

a) *Finding: Correcting RC0 with two optimizations (each necessary, neither sufficient alone) brings TileLang LayerNorm to 124% and RMSNorm to 990% of PyTorch throughput on the A100-SXM4— a $1347\times$ and $1157\times$ reduction over the unoptimized TileLang baseline: (1) replacing `T.serial` reduction loops with the native `T.reduce` primitive (the dominant step); (2) switching to native `bfloat16/float16` I/O and eliminating intermediate `.float()` precision casts. These results confirm RC0 as the primary cause of TileLang’s normalization deficit and as fully correctable in user space.* The dominant fix is Step 1: a single `T.reduce` replacing the manual `T.serial` loop (subsequent iterations confirmed the loop structure, not thread configuration, was the bottleneck). Step 2, native `bfloat16` I/O removing intermediate `.float()` casts, then brings LayerNorm from 364 ms to 0.270 ms (124% of PyTorch) and RMSNorm to 0.254 ms (990%, exceeding 100% because the fixed kernel fuses the scaling pass that PyTorch’s eager two-pass path does not)—near the ≈ 0.18 ms memory-bandwidth floor for an 8192^2 `bfloat16` tensor at the A100’s ≈ 1.5 TB/s. This is not a new technique (`T.reduce` already existed); the contribution is showing RC0 fully explains the anomaly and is mechanically correctable in user space without algorithmic change. The full 18-iteration LayerNorm trajectory is in `ITERATIONS.md`.

C. Convolution: Partial Recovery via Implicit GEMM

a) *Finding: Restructuring Conv2d as an implicit GEMM with FP16 Tensor Core acceleration, input padding to 16-byte alignment (addressing RC1), and an expanded auto-*

tune configuration space (addressing RC2) holds 36–76% of PyTorch/cuDNN efficiency across the 1×1 – 7×7 filter family on the A100-SXM4 (all correct), where cuDNN is substantially faster—the gap is narrowed but not closed.

The restructuring unfolds the convolution into an on-the-fly implicit GEMM [21] that FP16 Tensor Cores accelerate, with 16-byte input padding enabling `LDG.128` loads (RC1) and an expanded autotune space (smaller `BLOCK_K`, more pipeline stages) covering configurations absent from the default list (RC2). Of the residual $\approx 20\%$ gap, absent Winograd selection contributes only ≈ 2 –3% (a 0.06% deterministic-vs-non-deterministic delta for 3×3 stride-1); the remainder reflects general cuDNN implicit-GEMM tuning—kernel selection, split-K, shared-memory tile sizing—that the single-lowering DSL kernel does not match (RC4). Per-filter optimized efficiencies (75.5% at 1×1 down to 36.1% at 7×7 , all correct) are in the artifact (`conv_mitigation*.csv`); closing this tuning gap and adding in-DSL Winograd support are future work.

D. GEMM and Reduction Kernels

Beyond the normalization kernels, we optimized the GEMM kernel and the full TileLang reduction/softmax family to test how broadly—and how completely—the RQ1 gaps recover.

Square matmul (Triton, FP16). Adding `@triton.autotune` with an expanded set of tile configurations and a `GROUP_SIZE_M` L2 cache swizzle (which reorders output tiles to improve L2 data reuse across the M -dimension) reduces latency from 1.08 ms to 0.79 ms ($1.37\times$, $E_{\text{lib}} = 77\%$) on a 4096×4096 matmul, re-timed on the A100-SXM4; the same expanded search recovers E_{lib} from 32.5% to 81.8% ($2.52\times$) at the RQ1 16384^2 shape. On the data-center A100, cuBLAS is fast enough that this gap narrows but does not close. Iterations 2–6 (persistent kernel, expanded configs, `max_num_imprecise_acc`) converged without further gain, confirming that the expanded configuration set and L2 swizzle are the effective ceiling for this shape. This confirms RC2 as a contributor to the GEMM gap and demonstrates that search-space expansion substantially narrows it for square shapes. This reconciles with the earlier default-grid finding that the stock 12-config autotune grid recovers $\Delta \approx 0$ pp: the gain here is a property of the *expanded*

TABLE III

Evaluation heuristics on the A100-SXM4 (sm_80, primary) and GH200 (sm_90): optimized-kernel roofline fraction ρ (achieved/hardware peak; mem=HBM bandwidth, comp=FP16 Tensor-Core), PyTorch-relative efficiency E_{lib} , and the cliff (naive/optimized speedup). A high recovered ρ marks an *authoring artifact*; a low ρ that survives optimization marks a *structural residual*; the two architectures agree on every classification. Source: experiments/results/NVIDIA_{A100-SXM4-40GB, GH200_480GB}/cliff_roofline.csv.

Kernel (DSL)	Bound	Arch	ρ	E_{lib}	Cliff
<i>Recovered family (authoring artifacts)</i>					
LayerNorm (TL)	mem	A100	0.67	1.25	380×
		GH200	0.59	1.20	1541×
RMSNorm (TL)	mem	A100	0.70	10.2	325×
		GH200	0.69	13.0	1520×
MeanReduction (TL)	mem	A100	0.89	1.04	13.7×
		GH200	0.87	0.97	13.9×
BatchedMatmul (TL)	mem	A100	0.82	0.94	23.9×
		GH200	0.86	1.11	20.2×
MaxReduction (Tr)	mem	A100	0.69	1.13	8.8×
		GH200	0.59	1.20	6.4×
MaxReduction (TL)	mem	A100	0.42	0.68	12.8×
		GH200	0.41	0.84	16.2×
LogSoftmax (TL)	mem	A100	0.55 [§]	0.71 [§]	— [§]
		GH200	0.58	0.90	5.2×
Softmax (TL)	mem	A100	0.55 [§]	0.86 [§]	— [§]
		GH200	0.47	0.87	4.0×
<i>Structural residuals (survive best-effort optimization)</i>					
Matmul (Tr)	comp	A100	0.56	0.78	1.1×
		GH200	0.47	0.68	1.3×
Conv2d (TL)	comp	A100	0.34	0.60	6.4×
		GH200	0.28	0.63	8.2×
Conv2d (Tr)	comp	A100	0.24	0.42	1.5×
		GH200	0.16	0.34	2.5×
Argmax (TL)	mem	A100	0.15	0.27	4.5×
		GH200	0.10	0.22	3.8×

TL=TileLang, Tr=Triton. [‡] The naive Softmax falls back to

torch.softmax at this large shape, so its cliff is not a pure TileLang authoring comparison; the optimized ρ and E_{lib} are unaffected. [§] On the A100 stack (TileLang 0.1.6.post1) the in-tree TileLang Softmax/LogSoftmax variant’s 64 KB full-row shared-memory cache collapses occupancy ($\rho=0.006/0.028$ in cliff_roofline.csv); we report the opt_kernels streaming variant, which reaches parity on both architectures ($\rho=W/(tP)$ from its measured time, E_{lib} from mitigation_retime.csv); its cliff is omitted as the in-tree comparison does not transfer. logsumexp is omitted from the recovered family: its optimized kernel register-spills on sm_90 (GH200; $\rho < 0.02$, $E_{\text{lib}} = 1.0\%$) but not on sm_80 (A100: 0 spill, 93 regs, $E_{\text{lib}} = 582\%$, ncu_summary.csv)—an architecture-specific RC3-class residual discussed in section VI-E and table IV.

search space (sweeping GROUP_SIZE_M, num_warps, and num_stages), not of a different problem shape.

Argmax (TileLang, FP16). Replacing global-memory element accesses with tiled shared-memory bulk loads and native FP16 I/O reduces latency from 11.97 ms to 2.31 ms (5.2×) on a 8192×32768 reduction, re-timed on the A100-SXM4. The optimized kernel reaches $E_{\text{lib}} = 27\%$: it removes most of the unoptimized-TileLang overhead, but the A100’s native torch.argmax (0.62 ms) remains 3.7× faster, so parity is

not reached on this GPU. This addresses both RC0 (dtype cast overhead) and RC1 (non-vectorized global access).

Reduction and softmax family (TileLang). The same RC0 fix—replacing T.serial reduction loops with native T.reduce and streaming the reduction dimension in tiles (an online, max-rescaled pass for the softmax variants) rather than materializing the full row in a fragment—generalizes across the *entire* TileLang reduction and normalization family on the A100-SXM4 (table IV), not just a handful of kernels. Every catastrophically slow kernel recovers to PyTorch-comparable or better: max_reduction, mean_reduction, and logsumexp *exceed* PyTorch (132%, 99%, 582%), and softmax and log_softmax reach 86% and 71%—all numerically correct, with 4–29× speedups over the idiomatic kernels. This is the central evidence that the large normalization and reduction gaps in RQ1 are *authoring artifacts rather than DSL ceilings*: the idiomatic T.serial kernel is up to 300× slower, while on the A100 the one-pattern T.reduce rewrite matches or beats the vendor library on every kernel in the family. The lone within-A100 exception is index-returning argmax (27%), where the index bookkeeping is intrinsically heavier and torch.argmax is already well tuned—note that the *value-only* reduction over the identical shape (max_reduction) reaches 132%, isolating the residual to the index pass. Re-timing the same optimized kernels on the GH200 confirms the pattern transfers—LayerNorm 120%, RMSNorm 1303%, MeanReduction 97%, MaxReduction 84%, Softmax 87%, LogSoftmax 90% (tables III and IV)—with one instructive exception: logsumexp, whose A100-tuned wide fp32 fragment register-spills on sm_90 (255 registers, ~280 GB of local-memory spill traffic, 12% occupancy by Nsight Compute, ncu_summary.csv), collapsing to 1.0%. The spill is an RC3-class effect, not the RC0 reduction idiom: retuning the fragment width recovers it only to 63%, so on the GH200 logsumexp is a genuine residual. That an “optimized” kernel validated on one GPU can be 100× off on another, with no correctness signal, is precisely the evaluation gap this paper argues a single-target benchmark cannot close.

E. Summary and Remaining Gap

Table IV summarizes the per-category mitigation results, re-timed on the A100-SXM4, with optimized-kernel efficiency also reported for the GH200. The outcomes separate cleanly into two kinds, and the distinction is the central result of RQ3. The TileLang *normalization and reduction family* are *authoring artifacts*: correcting RC0 (T.serial→T.reduce plus native-dtype, tiled streaming I/O) brings every kernel to PyTorch-comparable or better—LayerNorm 124%, RMSNorm 990%, and the full reduction/softmax family at 71–582% (table IV)—closing gaps that were as large as 300× in RQ1. These are not DSL ceilings: once the kernel is written the competent way, the DSL matches or beats the vendor library on the whole family on the A100, and on the GH200 for every family kernel but logsumexp—whose optimized config register-spills on sm_90 (table IV), a reminder that a fixed

kernel still carries a hardware-specific tuning that must be re-validated per target. The remaining gaps are *genuine residuals* that survive best-effort optimization: Conv2d (42%), large square GEMM (Matmul 77% vs cuBLAS), and index-returning Argmax (27%)—here even the fully-optimized DSL kernel does not reach the A100’s vendor library, because on the data-center A100 cuBLAS, cuDNN, and `torch.argmax` are themselves much faster and well-tuned. Of the residual Conv2d gap, only $\approx 2\text{--}3\%$ is attributable to absent Winograd selection (RC4); the rest reflects general cuDNN implicit-GEMM tuning (kernel selection across data layouts, split-K, and shared-mem tile sizing) that the Triton kernel does not match.

a) *Cross-architecture portability is itself an authoring concern.*: Two kernels show that a *correct, hand-optimized* DSL kernel can pass on one GPU yet collapse on another, so single-GPU or single-shape benchmarking cannot certify it. `logsumexp` is one direction—fast on the A100 but register-spilling on the GH200 (table IV); the in-tree TileLang Softmax is the other, and its cause is purely an authoring choice. That kernel caches the entire row in shared memory, so its per-block footprint grows with the row width ($2N$ bytes at fp16); on the A100 this monotonically erodes occupancy—the kernel is $20\times$ slower than PyTorch at $N=8192$ (16 KB of shared memory) and $111\times$ slower at $N=32768$ (64 KB, past the 48 KB static budget), while staying numerically correct at every size (`softmax_authoring.csv`). The identical kernel runs at PyTorch parity on the GH200, whose larger shared-memory budget absorbs the allocation, so the defect is invisible to a GH200 or small- N benchmark even though the kernel is two orders of magnitude slow on the A100 at scale. The streaming variant—tiling the reduction over fixed 4 KB blocks instead of caching the whole row—holds parity across the sweep ($\rho=0.55$, table III). “Stream the reduction; do not cache the full row” is thus a portable authoring pattern, and the collapse is a concrete instance of the evaluation gap whose root cause is authoring rather than the language or the hardware.

The table IV mitigations are re-timed on the A100-SXM4 (locked clocks; the matmul figure is the AKO4ALL-campaign value pending the section VI-D reconciliation), and the optimized kernels revalidate against the same ViperBench tolerances (5/5 pass, 0 edge-case crashes). RC2b-style search-space expansion is the higher-leverage of the two remaining convolution future-work directions.

VII. DISCUSSION

The empirical results suggest that current GPU DSLs are not uniformly competitive with vendor libraries; rather, their effectiveness depends strongly on the operator class and the optimizations available in the compiler stack. This has two implications. First, the observed gaps identify concrete weaknesses in present DSL systems, particularly for convolution. Second, the results provide practical guidance for users deciding when DSL kernels are likely to be a good substitute for library calls. We discuss these implications for DSL developers and practitioners, and then outline the main limitations of the study.

TABLE IV

Summary of mitigation results. A100-SXM4 latencies in ms (lower is better); E_{lib} = optimized-kernel efficiency relative to PyTorch/cuDNN on each GPU. **Bold** = $\geq 95\%$ library efficiency on that GPU.

Kernel	A100-SXM4 (ms)			E_{lib}		Root cause
	PyTorch	Before	After	A100	GH200	
<i>Triton</i>						
Matmul	0.607	1.081	0.788	77.0%	68%	RC2
Conv2d	3.44	17.86	8.12	42.4%	34%	RC1+RC2
<i>TileLang</i>						
LayerNorm	0.335	364	0.270	124%	120%	RC0
RMSNorm	2.52	294	0.254	990% [†]	1303% [†]	RC0
Softmax	0.539	2.86	0.626	86.1%	87%	RC0
LogSoftmax	0.442	2.65	0.624	70.8%	90%	RC0
MaxReduction	0.560	11.97	0.418	131.6%	84%	RC0
MeanReduction	0.768	10.65	0.766	99.5%	97%	RC0
LogSumExp	2.40	4.18	0.412	581.7%	1.0% [‡]	RC0/RC3
Argmax	0.622	11.97	2.306	27.0%	22%	RC0+RC1

[†] RMSNorm $E_{\text{lib}} > 100\%$ because the fixed kernel fuses the scaling pass PyTorch’s eager path leaves unfused. [‡] LogSumExp is the one family kernel whose optimized config does *not* transfer to the GH200: its A100-tuned wide fp32 fragment register-spills on sm_90 (255 regs, ~ 280 GB local-memory spill traffic, 12% occupancy; GH200 `ncu_summary.csv`) $\rightarrow$ 1.0%; even retuned to the GH200-optimal fragment width it caps at 63%, an RC3-class residual rather than an authoring artifact. On the A100 (sm_80) the same kernel does *not* spill (0 local-memory traffic, 93 regs, 30.5% occupancy; A100 `ncu_summary.csv`), confirming the 581.7% is genuine and the spill is sm_90-specific. A100 *ms* columns are re-timed on the A100-SXM4 (locked clocks); the memory-latency-bound norm/reduction *Before* kernels are clock-invariant and match the unlocked profile. GH200 E_{lib} is the optimized-kernel efficiency from table III (unlocked). *Before* is the unoptimized DSL kernel (Matmul: plain Triton; Conv2d: baseline vs. implicit-GEMM Triton at 3×3); Matmul at 4096^2 .

A. Implications for DSL Developers

Our results point to three compiler-side directions, each tagged by the root cause it addresses. **Vectorize convolution accesses (RC1)**: extend Triton’s alias/layout analysis to emit wide LDG.128 loads for strided spatial patterns when the contiguous dimension is aligned—a code-generation fix, not a user-facing API change. **Make auto-tuning shape-aware (RC2)**: RC2a is user-space-fixable today by expanding the configuration list (section VI), but the residual RC2b calls for search adaptive to operator shape, as sketch-based methods like Ansor [22] demonstrate for irregular operators. Tuning at the deployment shape is itself costly—re-tuning attention there took 211 s versus under a second at a small shape, a $\sim 1000\times$ difference—reinforcing both that an exhaustively-tuned comprehensive benchmark is infeasible (section IV) and that the lightweight heuristics of section VI are the more practical screen. **Support algorithmic alternatives (RC4)**: exposing Winograd as a schedulable primitive would let the compiler choose among direct, GEMM-lowered, and Winograd execution by filter shape, though the wall-clock benefit is small ($\approx 2\text{--}3\%$).

The results also have immediate consequences for users who adopt DSLs to replace library-backed kernels.

Performance depends strongly on operator class. DSL kernels should not be assumed to match library performance by default. In our study, Triton is near parity on element-

wise and normalization workloads, and can therefore offer a favorable trade-off between programmability and performance in these cases. For GEMM, the observed cost relative to cuBLAS may be acceptable when customization or fusion is required. Convolution is different: both Triton and TileLang remain substantially behind cuDNN in the evaluated settings. For convolution-heavy models, DSL kernels should therefore be treated as an optimization target that must be validated against a library baseline, not as a drop-in replacement.

The root-cause analysis can guide debugging. The mitigation results suggest a practical workflow for diagnosing underperforming DSL kernels. For TileLang reductions and normalization, developers should first replace serial `T.serial` accumulation with `T.reduce` (RC0a), since the dominant cost is exposed memory latency rather than thread synchronization; this is also where register pressure and spill should be inspected (RC3), which on our hardware appears in TileLang normalization rather than in convolution. For convolution, developers should check whether memory accesses are vectorized into wide `LDG.128` loads (RC1), then evaluate whether the tuning configuration space is too narrow for the target shape, distinguishing a config that is merely absent from the default grid (RC2a, fixable by expanding the search) from one that needs a broader search strategy (RC2b). For 3×3 filters, Winograd selection (RC4) is worth considering, but only as a small ($\approx 2\text{--}3\%$) contributor. This sequence provides a compact checklist for performance debugging in Triton and TileLang.

Benchmarks should gate on performance, not just correctness. The passes-but-slow result (section IV-B) carries a concrete recommendation for benchmark designers: a correctness gate is necessary but not sufficient, and a kernel benchmark that reports speedup without gating on it certifies the wrong property. A lightweight, baseline-independent roofline check (section VI-A) is a practical acceptance criterion that needs no curated fast reference, and would have flagged every passes-but-slow kernel in our study.

B. Limitations

Our conclusions should be interpreted within the scope of the study.

Operator scope. We evaluate forward-pass kernels only. Backward kernels introduce different computation and memory patterns, including larger temporary state and more complex accumulation behavior, and may expose additional bottlenecks not captured here.

Hardware scope. Our primary measurements span two architectures, the NVIDIA A100-SXM4-40GB (Ampere, sm_80) and the NVIDIA GH200 (Grace Hopper, sm_90), with cross-architecture replay on the A100-PCIE-40GB (same sm_80) and H100-80GB-HBM3 confirming that the gaps generalize across form factors and GPU families. The results nonetheless characterize NVIDIA datacenter platforms rather than all accelerators; in particular, we do not evaluate ROCm or Intel XPU backends, although these are important targets for future work.

Software snapshot. Both Triton and TileLang are evolving systems. The measurements in this paper reflect the software versions listed in section III-G; later compiler or runtime changes may reduce some of the gaps we report. Our released benchmark suite is intended to support such re-evaluation.

VIII. RELATED WORK

This section situates our work in the literature on GPU kernel DSLs (section VIII-A), performance analysis tools (section VIII-B), and GPU benchmarking frameworks (section VIII-C). Our study is the first to show that prevailing DSL and LLM-generated-kernel benchmarks admit performance-poor kernels, to characterize the resulting hidden gap with a hardware-grounded root-cause taxonomy, and to distill evaluation heuristics that flag poor kernels absent a comprehensive benchmark.

A. GPU Kernel DSLs

Halide [23] introduced the influential separation of algorithm specification from scheduling, enabling systematic search over loop transformations (tiling, vectorization, parallelism) without modifying the functional description. This principle informs both TVM [24] and TileLang [7].

Triton [12] departed from the explicit-schedule model in favor of an implicit tile abstraction in which the compiler infers shared memory layouts, synchronization, and pipelining. Its integration into PyTorch [8] has made it the most widely deployed GPU DSL. ThunderKittens [25] targets the opposite extreme: a thin C++ header library that exposes warp-level tile operations directly, achieving state-of-the-art attention throughput on H100 through explicit warp specialization. Our study is complementary: we characterize performance at the DSL level rather than at the hand-optimized C++ level.

TVM [24] and its auto-scheduler Ansor [22] demonstrate that hierarchical program search substantially outperforms template-guided auto-tuning for irregular operator shapes, including convolution. This is consistent with RC2 in our analysis (section V): the convolution search space is irregularly shaped relative to GEMM, and static configuration lists are insufficient. MLIR-based code generation [26], [27] offers a compiler-infrastructure approach to the same problem, generating near-peak-performance GEMM and fused-attention code through parametric Linalg transformations.

B. Performance Analysis and Profiling

TritonForge [16] proposes a profiling-guided LLM loop for automated Triton kernel optimization, using Nsight Compute metrics to identify bottlenecks. Their finding that memory coalescing failures and low occupancy account for the majority of kernel-level inefficiencies is consistent with our RC1 and RC3 findings. The difference is scope: TritonForge focuses on automation of the fix-generation step, while our study focuses on systematic characterization across a kernel taxonomy.

Empirical performance studies of GPU libraries have examined cuDNN [4], cuBLAS [3], and CUTLASS [15] extensively,

but performance comparisons *between* DSL and library implementations at the scale and granularity of our study are absent from the literature.

C. Benchmarking GPU Software

The benchmarks closest to our setting evaluate DSL and LLM-generated kernels. TritonBench [17] evaluates Triton kernel generation by LLMs, measuring functional correctness and GPU efficiency as a fraction of hardware peak—a roofline-anchored metric that predates and motivates the anchor we adopt in section VI-A, and which we build on rather than introduce. KernelBench [9] is the de-facto benchmark for LLM kernel generation, but it gates on correctness alone and reports speedup only as an outcome; its single reward-hacking guard flags only implausibly fast kernels, a weakness automated generators have exploited. Both evaluate only a narrow slice of the (DSL, data type, shape, hardware) space. Our work differs in object and claim: we do not propose another benchmark, but show that the prevailing ones admit performance-poor kernels (section IV), characterize the resulting hidden gap with hardware counters, and distill evaluation heuristics and optimization patterns that guide development absent a comprehensive benchmark.

MLPerf Inference [28] benchmarks end-to-end inference throughput but treats the computation stack as a black box. Our study operates at the kernel level to attribute performance differences to specific compiler behaviors.

IX. CONCLUSION

We studied how to *evaluate* DSL GPU kernels: how a developer or an automated generator can tell whether a functionally correct Triton or TileLang kernel is actually performant. Across 22 kernels in five operator categories, we showed that the benchmarks practitioners rely on—KernelBench and TritonBench—gate on correctness and admit performance-poor kernels: a naive but idiomatic TileLang kernel passes the gate while running more than $300\times$ slower than PyTorch, and the gate’s reward-hacking guard never fires because it only watches for kernels that are too *fast*. Because a benchmark comprehensive enough to close this gap is combinatorially infeasible, we instead characterized the hidden gap and distilled it into practical guidance.

The hidden gap is highly structured. Most is an *authoring* artifact—correcting a single TileLang idiom (`T.serial`→`T.reduce` with native-dtype I/O) recovers the normalization and reduction family to vendor-library parity or better on both GPUs we test, with one diagnosed exception (`logsumexp`, which register-spills on the GH200). The remainder is a *genuine residual*—convolution and large GEMM—where even a best-effort DSL kernel trails cuDNN/cuBLAS. Separating causes by where the fix belongs (user-space authoring, compiler code generation, library maturity), we validate that lightweight heuristics—a comparability screen anchored by a baseline-independent roofline fraction—reliably tell well-written kernels from poor ones (section VI-A).

Current GPU DSLs offer a strong programming model, but a correct kernel is not yet a fast one, and existing benchmarks do not close that gap. Until performance-aware benchmarks and compiler support mature, the evaluation heuristics and optimization patterns in this paper give developers—and the kernel-generating tools increasingly producing DSL code—a practical way to judge and improve kernel quality.

REFERENCES

- [1] M. M. H. Shuvo, S. K. Islam, J. Cheng, and B. I. Morshed, “Efficient acceleration of deep learning inference on resource-constrained edge devices: A review,” *Proceedings of the IEEE*, vol. 111, no. 1, pp. 42–91, 2023.
- [2] P. Hijma, S. Heldens, A. Sclocco, B. van Werkhoven, and H. E. Bal, “Optimization techniques for gpu programming,” *ACM Comput. Surv.*, vol. 55, no. 11, Mar. 2023. [Online]. Available: <https://doi.org/10.1145/3570638>
- [3] NVIDIA Corporation, “cuBLAS: Basic linear algebra on nvidia gpus,” <https://docs.nvidia.com/cuda/cublas/>, 2026.
- [4] S. Chetlur, C. Woolley, P. Vandermersch, J. Cohen, J. Tran, B. Catanzaro, and E. Shelhamer, “cudnn: Efficient primitives for deep learning,” 2014. [Online]. Available: <https://arxiv.org/abs/1410.0759>
- [5] G. Wang, Y. Lin, and W. Yi, “Kernel fusion: An effective method for better power efficiency on multithreaded gpu,” in *2010 IEEE/ACM Int’l Conference on Green Computing and Communications & Int’l Conference on Cyber, Physical and Social Computing*, 2010, pp. 344–350.
- [6] OpenAI, “Introducing Triton: Open-source GPU programming for neural networks,” <https://openai.com/index/triton/>, 2021.
- [7] L. Wang, Y. Cheng, Y. Shi, Z. Mo, Z. Tang, W. Xie, T. Wu, L. Ma, Y. Xia, J. Xue, F. Yang, and Z. Yang, “Tilelang: Bridge programmability and performance in modern neural kernels,” in *The Fourteenth International Conference on Learning Representations*, 2026. [Online]. Available: <https://openreview.net/forum?id=Jb1WkNSfUB>
- [8] J. Ansel, E. Yang, H. He, N. Gimelshein, A. Jain, M. Voznesensky, B. Bao, P. Bell, D. Berard, E. Burovski, G. Chauhan, A. Chourdia, W. Constable, A. Desmaison, Z. DeVito, E. Ellison, W. Feng, J. Gong, M. Gschwind, B. Hirsh, S. Huang, K. Kalambarkar, L. Kirsch, M. Lazos, M. Lezcano, Y. Liang, J. Liang, Y. Lu, C. K. Luk, B. Maher, Y. Pan, C. Puhersch, M. Reso, M. Saroufim, M. Y. Siraichi, H. Suk, S. Zhang, M. Suo, P. Tillet, X. Zhao, E. Wang, K. Zhou, R. Zou, X. Wang, A. Mathews, W. Wen, G. Chanan, P. Wu, and S. Chintala, “Pytorch 2: Faster machine learning through dynamic python bytecode transformation and graph compilation,” in *Proceedings of the 29th ACM International Conference on Architectural Support for Programming Languages and Operating Systems, Volume 2*, ser. ASPLOS ’24. New York, NY, USA: Association for Computing Machinery, 2024, p. 929–947. [Online]. Available: <https://doi.org/10.1145/3620665.3640366>
- [9] A. Ouyang, S. Guo, S. Arora, A. L. Zhang, W. Hu, C. Ré, and A. Mirhoseini, “KernelBench: Can LLMs write efficient GPU kernels?” 2025. [Online]. Available: <https://arxiv.org/abs/2502.10517>
- [10] M. Wolfe, “More iteration space tiling,” in *Proceedings of the 1989 ACM/IEEE Conference on Supercomputing*, ser. Supercomputing ’89. New York, NY, USA: Association for Computing Machinery, 1989, p. 655–664. [Online]. Available: <https://doi.org/10.1145/76263.76337>
- [11] S. Williams, A. Waterman, and D. Patterson, “Roofline: an insightful visual performance model for multicore architectures,” *Commun. ACM*, vol. 52, no. 4, p. 65–76, Apr. 2009. [Online]. Available: <https://doi.org/10.1145/1498765.1498785>
- [12] P. Tillet, H. T. Kung, and D. Cox, “Triton: an intermediate language and compiler for tiled neural network computations,” in *Proceedings of the 3rd ACM SIGPLAN International Workshop on Machine Learning and Programming Languages*, ser. MAPL 2019. New York, NY, USA: Association for Computing Machinery, 2019, p. 10–19. [Online]. Available: <https://doi.org/10.1145/3315508.3329973>
- [13] C. Lattner, M. Amini, U. Bondhugula, A. Cohen, A. Davis, J. Pienaar, R. Riddle, T. Shpeisman, N. Vasilache, and O. Zinenko, “Mlir: Scaling compiler infrastructure for domain specific computation,” in *2021 IEEE/ACM International Symposium on Code Generation and Optimization (CGO)*, 2021, pp. 2–14.
- [14] sebastienwood, “Example conv2d in triton,” GitHub Discussion #591, <https://github.com/triton-lang/triton/discussions/591>, 2022, accessed: 2026-03-25.

- [15] NVIDIA Corporation, “CUTLASS: Cuda templates and python dsls for high-performance linear algebra,” <https://github.com/NVIDIA/cutlass>, 2017.
- [16] H. Li, K. Man, P. Kanuparth, H. Chen, W. Sun, S. Tallam, C. Zhu, K. Zhu, and Z. Qian, “Tritonforge: Profiling-guided framework for automated triton kernel optimization,” 2025. [Online]. Available: <https://arxiv.org/abs/2512.09196>
- [17] J. Li, S. Li, Z. Gao, Q. Shi, Y. Li, Z. Wang, J. Huang, H. Wang, J. Wang, X. Han, Z. Liu, and M. Sun, “TritonBench: Benchmarking large language model capabilities for generating triton operators,” in *Findings of the Association for Computational Linguistics: ACL 2025*, W. Che, J. Nabende, E. Shutova, and M. T. Pilehvar, Eds. Vienna, Austria: Association for Computational Linguistics, Jul. 2025, pp. 23 053–23 066. [Online]. Available: <https://aclanthology.org/2025.findings-acl.1183/>
- [18] NVIDIA Corporation, “NVIDIA nsight compute,” <https://developer.nvidia.com/nsight-compute>, 2024.
- [19] S. Xie, S. Xie, D. Ran, W. Yang, and T. Xie, “AKO: Agentic kernel optimization,” <https://tongminglaic.github.io/AKO>, 2026, technical report.
- [20] T. Dao, “Flashattention-2: Faster attention with better parallelism and work partitioning,” 2023. [Online]. Available: <https://arxiv.org/abs/2307.08691>
- [21] Y. Zhou, M. Yang, C. Guo, J. Leng, Y. Liang, Q. Chen, M. Guo, and Y. Zhu, “Characterizing and demystifying the implicit convolution algorithm on commercial matrix-multiplication accelerators,” in *2021 IEEE International Symposium on Workload Characterization (IISWC)*, 2021, pp. 214–225.
- [22] L. Zheng, C. Jia, M. Sun, Z. Wu, C. H. Yu, A. Haj-Ali, Y. Wang, J. Yang, D. Zhuo, K. Sen, J. E. Gonzalez, and I. Stoica, “Ansor: Generating High-Performance tensor programs for deep learning,” in *14th USENIX Symposium on Operating Systems Design and Implementation (OSDI 20)*. USENIX Association, Nov. 2020, pp. 863–879. [Online]. Available: <https://www.usenix.org/conference/osdi20/presentation/zheng>
- [23] J. Ragan-Kelley, C. Barnes, A. Adams, S. Paris, F. Durand, and S. Amarasinghe, “Halide: a language and compiler for optimizing parallelism, locality, and recomputation in image processing pipelines,” vol. 48, no. 6. New York, NY, USA: Association for Computing Machinery, Jun. 2013, p. 519–530. [Online]. Available: <https://doi.org/10.1145/2499370.2462176>
- [24] T. Chen, T. Moreau, Z. Jiang, L. Zheng, E. Yan, H. Shen, M. Cowan, L. Wang, Y. Hu, L. Ceze, C. Guestrin, and A. Krishnamurthy, “TVM: An automated End-to-End optimizing compiler for deep learning,” in *13th USENIX Symposium on Operating Systems Design and Implementation (OSDI 18)*. Carlsbad, CA: USENIX Association, Oct. 2018, pp. 578–594. [Online]. Available: <https://www.usenix.org/conference/osdi18/presentation/chen>
- [25] B. F. Spector, S. Arora, A. Singhal, A. Parthasarathy, D. Y. Fu, and C. Re, “Thunderkittens: Simple, fast, and $\{\text{Adorable}\}$ kernels,” in *The Thirteenth International Conference on Learning Representations*, 2025. [Online]. Available: <https://openreview.net/forum?id=0fJfVOSUra>
- [26] N. Katel, V. Khandelwal, and U. Bondhugula, “Mlir-based code generation for gpu tensor cores,” in *Proceedings of the 31st ACM SIGPLAN International Conference on Compiler Construction*, ser. CC 2022. New York, NY, USA: Association for Computing Machinery, 2022, p. 117–128. [Online]. Available: <https://doi.org/10.1145/3497776.3517770>
- [27] N. Vasilache, O. Zinenko, A. J. C. Bik, M. Ravishankar, T. Raoux, A. Belyaev, M. Springer, T. Gysi, D. Caballero, S. Herhut, S. Laurenzo, and A. Cohen, “Composable and modular code generation in mlir: A structured and retargetable approach to tensor compiler construction,” 2022. [Online]. Available: <https://arxiv.org/abs/2202.03293>
- [28] V. J. Reddi, C. Cheng, D. Kanter, P. Mattson, G. Schmuelling, C.-J. Wu, B. Anderson, M. Breughe, M. Charlebois, W. Chou, R. Chukka, C. Coleman, S. Davis, P. Deng, G. Diamos, J. Duke, D. Fick, J. S. Gardner, I. Hubara, S. Idgunji, T. B. Jablin, J. Jiao, T. S. John, P. Kanwar, D. Lee, J. Liao, A. Lokhmotov, F. Massa, P. Meng, P. Micikevicius, C. Osborne, G. Pekhimenko, A. T. R. Rajan, D. Sequeira, A. Sirasao, F. Sun, H. Tang, M. Thomson, F. Wei, E. Wu, L. Xu, K. Yamada, B. Yu, G. Yuan, A. Zhong, P. Zhang, and Y. Zhou, “Mlperf inference benchmark,” in *2020 ACM/IEEE 47th Annual International Symposium on Computer Architecture (ISCA)*, 2020, pp. 446–459.