

# Configure PHP fastCGI/php7.0-fpm) work with Apache 2.x

- **Edit www.conf to listen on network listen = 127.0.0.1:9000**

vi /etc/php/7.0/fpm/pool.d/www.conf

uncomment line

listen = /run/php/php7.0-fpm.sock

replace by

listen = 127.0.0.1:9000

service php7.0-fpm restart

- **Configure Apache**

ll /etc/apache2/mods-available | grep proxy

Run php-fpm as proxy

a2enmod proxy proxy\_fcgi

Rewrite proxy\_fcgi or configure in VirtualHost File

<VirtualHost \*:80>

ServerName example.com

ServerAlias www.example.com

ServerAlias example.\*.xip.io

DocumentRoot /var/www/example.com/public

<Directory /var/www/example.com/public>

Options -Indexes +FollowSymLinks +MultiViews

AllowOverride All

Require all granted

</Directory>

**<FilesMatch \.php\$>**

# 2.4.10+ can proxy to unix socket

# SetHandler "proxy:unix:/var/run/php5-fpm.sock|fcgi://localhost/"

# Else we can just use a tcp socket:

**SetHandler "proxy:fcgi://127.0.0.1:9000"**

**</FilesMatch>**

ErrorLog \${APACHE\_LOG\_DIR}/example.com-error.log

# Possible values include: debug, info, notice, warn, error, crit,

# alert, emerg.

LogLevel warn

CustomLog \${APACHE\_LOG\_DIR}/example.com-access.log combined

**</VirtualHost>**