Tun Tun học tiếng nhật !

// db uml

Abstract Entity

Mọi class đều kế thừa

```
@Id
@GeneratedValue(strategy = GenerationType.IDENTITY)
private Long id;

@JsonFormat(shape = JsonFormat.Shape.STRING, pattern = "yyyy-MM-
dd'T'HH:mm:ss.SSS'Z'", timezone = "UTC")
@Column(name = "created_at", updatable = false)
@CreationTimestamp
@Temporal(TemporalType.TIMESTAMP)
protected Date createdAt;

@JsonFormat(shape = JsonFormat.Shape.STRING, pattern = "yyyy-MM-
dd'T'HH:mm:ss.SSS'Z'", timezone = "UTC")
@Column(name = "updated_at")
@UpdateTimestamp
@Temporal(TemporalType.TIMESTAMP)
protected Date updatedAt;
```

User action

Register, login, update profile, chat vs admin...

Role

1. Admin
2. User

User

```
private String name;

private String email;

private String password;

private String avatar;

private Boolean isActive;

private Boolean gender;

@JsonFormat(pattern = "yyyy-MM-dd")
private LocalDate dateOfBirth;

private Byte countryCode;

private String googleId;

@ManyToOne
@JoinColumn(name = "role_id")
private Role role;

@Override
public Collection<? extends GrantedAuthority> getAuthorities() {
    List<SimpleGrantedAuthority> authorityList = new ArrayList<>();
    authorityList.add(new SimpleGrantedAuthority("ROLE_"+
getRole().getName().toUpperCase()));

    return authorityList;
}
```

Token

```java
@Column(columnDefinition = "TEXT")
private String token;

@Column(columnDefinition = "TEXT")
private String refreshToken;

@Column(name = "token_type", length = 50)
private String tokenType;

@Column(name = "expiration_date")
private LocalDateTime expirationDate;

@Column(name = "refresh_expiration_date")
private LocalDateTime refreshExpirationDate;

@Column(name = "is_mobile", columnDefinition = "TINYINT(1)")
private boolean isMobile;

private boolean revoked;

private boolean expired;

@ManyToOne
@JoinColumn(name = "user_id")
private User user;
```


User Register

```
public class UserDTO {
    public static class CreateRequest {
        private String name;
        private String email;
        private String password;
        private Boolean gender;
        @JsonFormat(shape = JsonFormat.Shape.STRING, pattern = "yyyy-MM-dd")
        private LocalDate dateOfBirth;
        private Byte countryCode;
    }

    public static class Response {
        private Long id;
        private String name;
        private String email;
        private String avatar;
        private Boolean gender;

        @JsonFormat(shape = JsonFormat.Shape.STRING, pattern = "yyyy-MM-dd")
        private LocalDate dateOfBirth;
        private Byte countryCode;
    }
}
```

Đăng ký user



#send mail: String url = "https://tuntunhoctiengnhat.com/account/confirm-email?email=" + email + "&" + "code=" + maKichHoat;

#check mail: click link -> client control

#send code confirm: post -> /users/confirm-email (String email, String confirmCode)

#lấy mã code mới: post -> /users/confirm-email-code (String email)

User login

```
public class UserDTO {
    public static class LoginRequest {
        private String email;
        private String password;
    }

    public static class resetPassRequest {
        private String email;
        private String newPassword;
        private String confirmCode;
    }

    public static class Response {
        private Long id;
        private String name;
        private String email;
        private String avatar;
        private Boolean gender;

        @JsonFormat(shape = JsonFormat.Shape.STRING, pattern = "yyyy-MM-dd")
        private LocalDate dateOfBirth;
        private Byte countryCode;
    }

    public static class LoginResponse extends Response {
       private String accessToken;
       private String refreshToken;
       @JsonFormat(shape = JsonFormat.Shape.STRING, pattern = "yyyy-MM-
dd'T'HH:mm:ss.SSS'Z'", timezone = "UTC")
       private LocalDateTime expiresAt;
    }
}
```

Đăng nhập

#login -> post -> /users/login [UserDTO.LoginRequest]

```
      success -> [UserDTO.LoginResponse]

      fail    -> case user ban : contact admin
                 case password invalid : #forward-password
```

Quên mật khẩu

#forward-password -> post -> /users/forward-password (String email)

```
        success -> #reset-password

        fail    -> ##forward-password
```

Thay đổi mật khẩu

#reset-password -> post -> /users/reset-password [UserDTO.resetPassRequest]

```
        success -> change password

        fail    -> #forward-password
```