This HPI - bay Sang - to 7 to / their 28 (450)

N) 2 - 42 - 11 = 1.

So  $2^2 - 42 - 12 = 0$ .  $\Delta' = (-2)^2 - 1(-12) = 16 > 0$ .


b) 
$$\chi^{2}(\chi^{2}-3) = \mu(\chi^{2}+2)$$
  
 $\chi^{4}-3\chi^{2}-4\chi^{2}-8=0$   
 $\Rightarrow \chi^{4}-7\chi^{2}-8=0$  (1).  
 $\Rightarrow \chi^{4}-7\chi^{2}-8=0$  (2)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$   
(1)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$  (2)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$   
 $\Rightarrow \chi^{2}-7\chi^{2}-8=0$  (2)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$ 

This HPI - bay Sang - to 7 to / their 28 (450)


N) 2 - 42 - 11 = 1.

So  $2^2 - 42 - 12 = 0$ .  $\Delta' = (-2)^2 - 1(-12) = 16 > 0$ .

b) 
$$\chi^{2}(\chi^{2}-3) = \mu(\chi^{2}+2)$$
  
 $\chi^{4}-3\chi^{2}-4\chi^{2}-8=0$   
 $\Rightarrow \chi^{4}-7\chi^{2}-8=0$  (1).  
 $\Rightarrow \chi^{4}-7\chi^{2}-8=0$  (2)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$   
(1)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$  (2)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$   
 $\Rightarrow \chi^{2}-7\chi^{2}-8=0$  (2)  $\Rightarrow \chi^{2}-7\chi^{2}-8=0$ 



Thi MAI-bay Sang-to 7 to Bui To By C/m MK. MI = MA2, OHKIng, tiep hiso=>
Mt. MO=MK. MI. ma M&2 - MH. MO. -> MA2- MK, MI.



This KPIL-boy Song to 7th Dui 7th B C/m MK. MI = MA<sup>2</sup>, OHKIng, tiep thiso=>
Mt. MO=MK. MI. ma M&2 = MH. MO. -> MA2 = M.K. LET.

