

LAPORAN 4
CSS Lanjutan & Tailwind CSS



Disusun oleh

Nama Mahasiswa : Tini

NIM : 2025573010029



Dosen : Muhammad Reza Zulman,S.ST.,M.Sc

MK : Workshop Web Dasar

Program Study Teknik Informatika Politeknik negeri
Lhokseumawe
tahun ajaran 2026

DAFTAR ISI

Pendahuluan.....	3
Tujuan Praktikum.....	3
Langkah-Langkah Praktikum.....	4
4.1 Pembuatan Repository modul-4.....	4.
4.2 Pembuatan Grid Layout (grid.html & grid.css).....	4
4.3 Pembuatan Layout Responsif (responsif.html & responsif.css)..	11
4.4 Penggunaan Pseudo-element (pseudo.html & pseudo.css).....	21
4.5 Pembuatan Animasi CSS (animasi.html & animasi.css).....	28
4.6 Latihan 1: Dashboard Grid Layout.....	34
4.7 Latihan 2: Komponen Interaktif.....	39
4.8 Tugas 1: Landing Page CSS.....	44
Praktikum Modul 5 (Tailwind CSS).....	54
5.1 Pengenalan Tailwind CSS.....	58
5.2 Pembuatan Project Vite.....	60
5.3 Demonstrasi Spacing dan Typography.....	62
5.4 Pembuatan Navbar dan Grid Responsif.....	65
5.5 Penambahan Form.....	66
5.6 latihan.....	68
5.7 Pembuatan Tugas Landing Page Tailwind.....	74
Hasil dan Pembahasan.....	80
Kesimpulan.....	80

1. Pendahuluan

Pada praktikum ini, mahasiswa mempelajari konsep lanjutan dari CSS serta penerapan framework Tailwind CSS dalam pembuatan antarmuka website. CSS lanjutan mencakup penggunaan Grid Layout, Flexbox, pseudo-element, animasi, serta desain responsif yang menyesuaikan berbagai ukuran layar.

Selain itu, diperkenalkan Tailwind CSS sebagai framework utility-first yang mempermudah proses styling tanpa harus menulis CSS dari awal secara berulang. Dengan memanfaatkan Tailwind, pengembangan antarmuka menjadi lebih cepat, efisien, dan konsisten.

2. Tujuan Praktikum

Tujuan dari praktikum ini adalah:

Memahami konsep CSS Grid dan Flexbox

Mampu membuat layout responsif

Menggunakan pseudo-element dan animasi CSS

Mengimplementasikan komponen interaktif

Menggunakan Tailwind CSS dalam pengembangan web


Membangun landing page modern dan responsive

4. Langkah-Langkah Praktikum

4.1 Pembuatan Repository modul-4

Langkah pertama adalah membuat folder kerja menggunakan terminal:

- Bash
- `mkdir modul-4`
- `cd modul-4`
- `code .`



```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar (main)
$ mkdir modul-4
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar (main)
$ cd modul-4
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
$ code .
```


Perintah `mkdir` digunakan untuk membuat folder baru, `cd` untuk masuk ke dalam folder tersebut, dan `code .` untuk membuka folder di Visual Studio Code. Setelah folder berhasil dibuat, langkah selanjutnya adalah membuat beberapa file HTML dan CSS sesuai dengan materi yang akan dipelajari, seperti:

4.2 Pembuatan Grid Layout


Pada bagian ini dibuat file:

- `grid.html`
- `grid.css`

CSS Grid digunakan untuk mengatur tata letak halaman secara dua dimensi (baris dan kolom). Dengan Grid, elemen dapat disusun secara lebih fleksibel dibandingkan layout tradisional.



```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
$ touch grid.html grid.css
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
$
```

Membagi halaman menjadi beberapa kolom

Mengatur posisi elemen secara presisi

➤ Membuat program Bernama grid.html

```
<code>grid.html U • # grid.css U •
grid.html > html > body > section.layout-halaman
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport"
6     content="width=device-width,
7       initial-scale=1.0">
8   <title>Document</title>
9   <link rel="stylesheet"
10     href="grid.css">
11 </head>
12 <body>
13 <h1>Demo CSS Grid</h1>
14
15 <!--Grid 3 kolom sama rata -->
16 <section class="grid-dasar">
17   <div>item 1</div>
18   <div>item 2</div>
19   <div>item 3</div>
20   <div>item 4</div>
21   <div>item 5</div>
22   <div>item 6</div>
23 </section>
24
25 <!-- Grid 12 kolom layout -->
26 <section class="layout-halaman">
27   <header class="1-header">
28     Header</header>
29   <nav class="1-sidebar"></code>
```

```

29 </section class="l-konten">
30     <nav class="l-nav">
31         Sidebar</nav>
32     <main class="l-konten">
33         Konten Utama</main>
34     <aside class="l-aside">
35         Aside</aside>
36     <footer class="l-footer">
37         Footer</footer>
38 </section>
39 <!-- Grid responsif otomatis -->
40 <section class="grid-auto">
41     <div>A</div><div>B</div>
42     <div>C</div><div>D</div>
43     <div>E</div><div>F</div>
44     <div>G</div><div>H</div>
45 </section>
46
47 <!-- Galeri dengan item spesial -->
48 <section class="galeri">
49     <div class="g-besar">
50         Foto Utama
51     </div>
52     <div>Foto 2</div>
53     <div>Foto 3</div>
54     <div>Foto 4</div>
55     Banner Panjang

```

```

55     Banner Panjang
56 </section>
57 </body>
58 </html>

```

➤ **Membuat program Bernama grid.css**

```
<> grid.html U ● # grid.css U ●
# grid.css > ...
1  *, *::before, *::after {
2    box-sizing: border-box;
3    margin: 0; padding: 0;
4  }
5  body {
6    font-family: Arial;
7    padding: 1.5rem;
8    background: #F8F9FA;
9  }
10 h1 { margin-bottom: 1rem; }
11
12 /* — Grid 3 kolom — */
13 .grid-dasar {
14   display: grid;
15   grid-template-columns:
16     repeat(3, 1fr);
17   gap: 1rem;
18   margin-bottom: 2rem;
19 }
20 .grid-dasar div {
21   background: #D6EAF8;
22   padding: 1.5rem;
23   text-align: center;
24   border-radius: 6px;
25 }
26
27 /* — Layout Halaman — */
28 .layout-halaman {
29   display: grid;
```

```

30     grid-template-columns:
31         200px 1fr 150px;
32     grid-template-rows:
33         auto 300px auto;
34     grid-template-areas:
35         'header header header'
36         'sidebar konten aside'
37         'footer footer footer';
38     gap: 0.5rem;
39     margin-bottom: 2rem;
40 }
41 .l-header {
42     grid-area: header;
43     background: #2C3E50;
44     color: white; padding: 1rem;
45 }
46 .l-sidebar {
47     grid-area: sidebar;
48     background: #D5F5E3;
49     padding: 1rem;
50 }
51 .l-konten {
52     grid-area: konten;
53     background: white;
54     padding: 1rem;
55     border: 1px solid #ddd;
56 }
57 .l-aside {

```

```

58     grid-area: aside;
59     background: #FEF9E7;
60     padding: 1rem;
61 }
62 .l-footer {
63     grid-area: footer;
64     background: #2C3E50;
65     color: white; padding: 1rem;
66 }
67
68 /* — Grid Responsif Otomatis — */
69 .grid-auto {
70     display: grid;
71     grid-template-columns:
72         repeat(auto-fit,
73             minmax(120px,1fr));
74     gap: 0.75rem;
75 }
76 .grid-auto div{
77     background: #FADBD8;
78     padding: 1.5rem;
79     text-align:center;
80     border-radius: 6px;
81     font-weight: bold;
82 }
83 .galeri {
84     display: grid;
85     grid-template-columns:


```

```

85     grid-template-columns:
86     | repeat(4, 1fr);
87     gap: 0.5rem;
88     margin-top: 2rem;
89 }
90 .galeri div {
91     background: #D5D8DC;
92     padding: 2rem;
93     text-align: center;
94     border-radius: 4px;
95 }
96 /* Span 2 baris & 2 kolom */
97 .g-besar {
98     grid-column: span 2;
99     grid-row: span 2;
100     background: #2E86C1;
101     color: white;
102 }
103 /* Span seluruh lebar */
104 .g-lebar {
105     grid-column: 1 / -1;
106     background: #27AE60;
107     color: white;
108 }

```

Hasil dari index.html.index.css



4.3 Pembuatan Layout Responsif

File:

- responsif.html
- responsif.css

Layout responsif dibuat menggunakan media query, seperti:

CSS


```
@media (max-width: 768px) {  
  /* styling mobile */  
}
```

Tujuan:

Website tetap rapi di HP, tablet, dan desktop

Menggunakan konsep mobile-first

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)  
$ touch responsif.html responsif.css
```



➤ Membuat program responsive.html

```
<> grid.html U <> responsif.html U ● # responsif.css U ● # grid.css U
<> responsif.html > html > body > footer.site-footer > div.container.footer-grid > div > p
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport"
6          content="width=device-width,
7              initial-scale=1.0">
8      <title>Responsif</title>
9      <link rel="stylesheet"
10         href="responsif.css">
11  </head>
12  <body>
13
14      <header class="site-header">
15          <div class="container">
16              <div class="logo">Logo Webku</div>
17              <nav class="main-nav">
18                  <a href="#">Beranda</a>
19                  <a href="#">Layanan</a>
20                  <a href="#">Portofolio</a>
21                  <a href="#">Kontak</a>
22              </nav>
23          </div>
24      </header>
25
26      <main class="container">
27          <section class="hero">
28              <div class="hero-teks">
29                  <h1> Buat Website
```



```

30         Impianmu</h1>
31         <p>Kami membantu bisnis
32         berkembang lewat Web
33         modern dan responsif.</p>
34         <a href="#" class="btn">
35         Mulai Sekarang</a>
36     </div>
37     <div class="hero-gambar">
38         <img src=
39         "https://picsum.photos/
40         500/400"
41         alt="Ilustrasi website">
42     </div>
43 </section>
44
45 <section class="layanan">
46     <h2>Layanan Kami</h2>
47     <div class="kartu-grid">
48         <div class="kartu">
49             <span> || </span>
50             <h3>Web Design</h3>
51             <p>UI/UX modern dan
52             menarik.</p>
53         </div>

```

```

54         <div class="kartu">
55             <span> || </span>
56             <h3>Delempment</h3>
57             <p>Kode bersih dan
58             cepat.</p>
59         </div>
60         <div class="Kartu">
61             <span> || </span>
62             <h3>SEO</h3>
63             <p>Peringkat tinggi
64             di Google.</p>
65         </div>
66     </div>
67 </section>
68 </main>
69
70 <footer class="site-footer">
71     <div class="container
72     footer-grid">
73         <div>
74             <h4>Webku</h4>
75             <p>Solusi web terbaik
76             untuk bisnis Anda</p>
77         </div>

```

```

77     </div>
78     <div>
79         <h4>Tautan</h4>
80         <ul>
81             <li><a href="#">
82                 Beranda</a></li>
83             <li><a href="#">
84                 Layanan</a></li>
85         </ul>
86     </div>
87     <div>
88         <h4>Kontak</h4>
89         <p>info@webku.id</p>
90     </div>
91 </footer>
92
93 </body>
94 </html>

```

➤ **Membuat program Bernama `responsif.css` dan tambahkan kode berikut.**

```

<> grid.html U   <> responsif.html U ●   # responsif.css U ●   # grid.css U
# responsif.css > {} @media (min-width: 1024px)
1  *,*::before,*::after{
2      box-sizing: border-box;
3      margin: 0;padding: 0;
4  }
5  :root{
6      --primary: #2E86C1;
7      --dark: #2C3E50;
8      --light: #F8F9FA;
9      --gap: 1rem;
10 }
11 body {
12     font-family: 'Segoe UI',
13         Arial, sans-serif;
14     color: var(--dark);
15     line-height: 1.6;
16 }
17 img {
18     max-width: 100%;
19     display: block;
20 }
21
22 /* Container */
23 .container {
24     width: 90%;
25     max-width: 1100px;
26     margin: 0 auto;
27 }
28
29 /* Header - mobile: stacked */

```

```

29 / header: mobile: stacked /
30 .site-header {
31   background: var(--dark);
32   padding: 1rem 0;
33   position: sticky;
34   top: 0; z-index: 100;
35 }
36 .site-header .container {
37   display: flex;
38   flex-direction: column;
39   align-items: center;
40   gap: 0.75rem;
41 }
42 .logo {
43   color: white;
44   font-weight: 700;
45   font-size: 1.25rem;
46 }
47 .main-nav {
48   display: flex;
49   flex-wrap: wrap;
50   justify-content: center;
51   gap: 0.5rem 1rem;
52 }
53 .main-nav a {
54   color: #BDC3C7;
55   text-decoration: none;
56   font-size: 0.9rem;
57 }
58 .main-nav a:hover {

```

```
59     color: white;
60 }
61
62 /* Hero - mobile: kolom */
63 .hero {
64     display: flex;
65     flex-direction: column;
66     gap: var(--gap);
67     padding: 2rem 0;
68 }
69 .hero-tekst h1 {
70     font-size: 1.75rem;
71     line-height: 1.2;
72     margin-bottom: 0.75rem;
73 }
74 .hero-tekst p {
75     color: #555;
76     margin-bottom: 1rem;
77 }
78 .btn {
79     display: inline-block;
80     background: var(--primary);
81     color: white;
82     padding: 0.6rem 1.5rem;
83     border-radius: 6px;
84     text-decoration: none;
85     font-weight: 600;
86 }
```

```

87 .btn:hover {
88   background: #1A6B9A;
89 }
90
91 /* Layanan - mobile: 1 kolom */
92 .layanan {
93   padding: 2rem 0;
94 }
95 .layanan h2 {
96   text-align: center;
97   margin-bottom: 1.5rem;
98   font-size: 1.5rem;
99 }
100 .kartu-grid {
101   display: grid;
102   grid-template-columns: 1fr;
103   gap: var(--gap);
104 }
105 .kartu {
106   background: white;
107   border: 1px solid #E0E0E0;
108   border-radius: 8px;
109   padding: 1.5rem;
110   text-align: center;
111 }
112 .kartu span {
113   font-size: 2.5rem;
114 }
115 .kartu h3 {

```

```

116 |     margin: 0.5rem 0;
117 | }
118 |
119 | /* Footer – mobile: 1 kolom */
120 | .site-footer {
121 |     background: var(--dark);
122 |     color: #BDC3C7;
123 |     padding: 2rem 0;
124 |     margin-top: 2rem;
125 | }
126 | .footer-grid {
127 |     display: grid;
128 |     grid-template-columns: 1fr;
129 |     gap: 1.5rem;
130 | }
131 | .site-footer h4 {
132 |     color: white;
133 |     margin-bottom: 0.5rem;
134 | }
135 | .site-footer ul {
136 |     list-style: none;
137 | }
138 | .site-footer a {
139 |     color: #BDC3C7;
140 |     text-decoration: none;
141 | }
142 |
143 | @media (min-width: 768px) {

```

```

144  /* Header: logo kiri, nav kanan */
145  .site-header .container {
146      flex-direction: row;
147      justify-content: space-between;
148  }
149  /* Hero: dua kolom */
150  .hero {
151      flex-direction: row;
152      align-items: center;
153  }
154  .hero-tekst { flex: 1; }
155  .hero-gambar { flex: 1; }
156  .hero-tekst h1 { font-size: 2rem; }
157
158  /* Layanan: 2 kolom */
159  .kartu-grid {
160      grid-template-columns:
161      | repeat(2, 1fr);
162  }
163  /* Footer: 2 kolom */
164  .footer-grid {
165      grid-template-columns:
166      | repeat(2, 1fr);
167  }
168  }
169
170  @media (min-width: 1024px) {
171      .hero-tekst h1 { font-size: 2.75rem; }

```


```

172
173  /* Layanan: 3 kolom */
174  ✓ .kartu-grid {
175      grid-template-columns:
176      | repeat(3, 1fr);
177  }
178  /* Footer: 3 kolom */
179  ✓ .footer-grid {
180      grid-template-columns:
181      | repeat(3, 1fr);
182  }
183  }

```



Hasil dari responsif.html dan responsif.css



4.4 Penggunaan Pseudo-element

File:

- pseudo.html
- pseudo.css

Pseudo-element seperti:

::before

::after

Digunakan untuk menambahkan elemen visual tanpa HTML tambahan.

Contoh:

Garis dekorasi

Overlay gambar

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
● $ touch pseudo.html pseudo.css
```

➤ **Membuat program Bernama pseudo.html**

```
<> pseudo.html U X
modul-4 > <> pseudo.html > ...
1  <!DOCTYPE html>
2  <html lang="id">
3  <head>
4      <meta charset="UTF-8">
5      <title>Pseudo</title>
6      <link rel="stylesheet"
7          href="pseudo.css">
8  </head>
9  <body>
10
11 <h2>Tabel Zebra</h2>
12 <table>
13     <tr><td>Budi</td>
14     <td>90</td></tr>
15     <tr><td>Ani</td>
16     <td>85</td></tr>
17     <tr><td>Caca</td>
18     <td>92</td></tr>
19     <tr><td>Dodi</td>
20     <td>78</td></tr>
21     <tr><td>Eva</td>
22     <td>95</td></tr>
23 </table>
24
25 <h2>List tanpa border
26     terakhir</h2>
27 <ul class="list-bersih">
28     <li>Item Pertama</li>
29     <li>Item Kedua</li>
```

```

27 <li class="list-bersin">
30 <li>Item Ketiga</li>
31 <li>Item Terakhir</li>
32 </ul>
33
34 <h2>Kartu dengan highlight
35 | ke-3</h2>
36 <div class="grid-kartu">
37 <div>Kartu 1</div>
38 <div>Kartu 2</div>
39 <div>Kartu 3</div>
40 <div>Kartu 4</div>
41 <div>Kartu 5</div>
42 <div>Kartu 6</div>
43 </div>
44
45 <h2>Pseudo-element Demo</h2>
46
47 <!-- Kutipan dengan dekorasi -->
48 <blockquote class="kutipan">
49 Belajar tidak pernah
50 melelahkan pikiran.
51 </blockquote>
52
53 <!-- Heading dengan garis -->
54 <h3 class="judul-garis">
55 Fitur Unggulan

```

```

56 </h3>
57
58 <!-- List dengan ikon -->
59 <ul class="list-centang">
60 <li>Gratis selamanya</li>
61 <li>Tanpa iklan</li>
62 <li>Open source</li>
63 </ul>
64
65 <!-- Input dengan placeholder -->
66 <input type="text" class="input-kustom" placeholder="Cari sesuatu...">
67
68 </body>
69 </html>

```

➤ Membuat program Bernama pseudo.css

```
modul-4 > # pseudo.css > *  
1 *, ::before, ::after {  
2   box-sizing: border-box;  
3   margin: 0; padding: 0;  
4 }  
5 body {  
6   font-family: Arial;  
7   padding: 1.5rem;  
8 }  
9 h2 {  
10  margin: 1.5rem 0 0.75rem;  
11  color: #2C3E50;  
12 }  
13  
14 /* Tabel zebra stripe */  
15 table {  
16   width: 100%;  
17   border-collapse: collapse;  
18 }  
19 td {  
20   padding: 0.6rem 1rem;  
21   border: 1px solid #ddd;  
22 }  
23 /* Baris genap diberi warna */  
24 tr:nth-child(even) td {  
25   background: #EBF5FB;  
26 }  
27 /* Hover baris */  
28 tr:hover td {  
29   background: #D6EAF8;
```

```
30 }  
31  
32 /* List tanpa border di item terakhir */  
33 .list-bersih {  
34   list-style: none;  
35   border: 1px solid #ddd;  
36   border-radius: 6px;  
37   overflow: hidden;  
38 }  
39 .list-bersih li {  
40   padding: 0.75rem 1rem;  
41   border-bottom: 1px solid #ddd;  
42 }  
43 /* :not menghindari border di item terakhir */  
44 .list-bersih li:not(:last-child) {  
45   border-bottom: 1px solid #ddd;  
46 }  
47 .list-bersih li:last-child {  
48   border-bottom: none;  
49 }  
50  
51 /* Grid kartu dengan :nth-child */  
52 .grid-kartu {  
53   display: grid;  
54   grid-template-columns:  
55     repeat(3, 1fr);  
56   gap: 0.75rem;  
57   margin-top: 0.5rem;  
58 }
```

```

57     margin-left: 1.5rem;
58 }
59 .grid-kartu div {
60     padding: 1.5rem;
61     background: #F2F3F4;
62     border-radius: 6px;
63     text-align: center;
64 }
65 /* Kartu ke-3 di-highlight */
66 .grid-kartu div:nth-child(3n) {
67     background: #2E86C1;
68     color: white;
69     font-weight: bold;
70 }
71 /* Kartu pertama lebih besar */
72 .grid-kartu div:first-child {
73     background: #27AE60;
74     color: white;
75 }
76 /* Kutipan dengan ::before & ::after */
77 .kutipan {
78     position: relative;
79     background: #EBF5FB;
80     border-left: 4px solid
81         #2E86C1;
82     padding: 1rem 1rem
83         1rem 3rem;
84     margin: 1rem 0;
85     font-style: italic;

```

```

86 }
87 .kutipan::before {
88     content: '\201C'; /* tanda kutip buka */
89     position: absolute;
90     left: 0.5rem;
91     top: -0.25rem;
92     font-size: 3rem;
93     color: #2E86C1;
94     line-height: 1;
95 }
96
97 /* Heading dengan garis di samping */
98 .judul-garis {
99     display: flex;
100     align-items: center;
101     gap: 0.75rem;
102     margin: 1rem 0 0.5rem;
103 }
104 .judul-garis::after {
105     content: '';
106     flex: 1;
107     height: 2px;
108     background: #BDC3C7;
109 }
110
111 /* List dengan tanda centang */
112 .list-centang {
113     list-style: none;

```

```

114 | margin: 0.5rem 0;
115 | }
116 | .list-centang li {
117 |   padding: 0.3rem 0
118 |   | | | | 0.3rem 1.75rem;
119 |   position: relative;
120 | }
121 | .list-centang li::before {
122 |   content: '✓';
123 |   position: absolute;
124 |   left: 0;
125 |   color: #27AE60;
126 |   font-weight: bold;
127 | }
128 |
129 | /* Styling placeholder */
130 | .input-kustom {
131 |   border: 2px solid #ddd;
132 |   padding: 0.5rem 0.75rem;
133 |   border-radius: 6px;
134 |   outline: none;
135 |   margin-top: 0.5rem;
136 | }
137 | .input-kustom::placeholder {
138 |   color: #AAB7B8;
139 |   font-style: italic;
140 | }
141 | .input-kustom:focus {
142 |   border-color: #2E86C1;
143 | }

```



Hasil dari pseudo.html & pseudo.css

Pseudo

File C:/2025573010029_workshop_web_dasar/modul-4/pseudo.html

Tabel Zebra

Budi	90
Ani	85
Caca	92
Dodi	78
Eva	95

List tanpa border terakhir

Item Pertama

Item Kedua

Item Ketiga

Item Terakhir

Kartu dengan highlight ke-3

Kartu 1

Kartu 2

Kartu 3

Kartu 4

Kartu 5

Kartu 6

Pseudo-element Demo

“Belajar tidak pernah melelahkan pikiran.”

Fitur Unggulan

- ✓ Gratis selamanya
- ✓ Tanpa iklan
- ✓ Open source

Cari sesuatu...

4.5 Pembuatan Animasi CSS

File:

- animasi.html
- animasi.css

Menggunakan:

transition

@keyframes

Contoh animasi:

hover effect

loading animation

efek gerak

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
$ touch animasi.html animasi.css
```

➤ Membuat program Bernama animasi.html

```
animasi.html X
modul-4 > animasi.html > ...
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4   <meta charset="UTF-8">
5   <title>Animasi CSS</title>
6   <link rel="stylesheet"
7     href="animasi.css">
8 </head>
9 <body>
10
11 <h1>Transisi & Animasi</h1>
12
13 <h2>Tombol Hover</h2>
14 <div class="demo-tombol">
15   <button class="btn-lift">
16     Hover Saya ↑
17   </button>
18   <button class="btn-slide">
19     Slide Effect →
20   </button>
21   <button class="btn-pulse">
22     Pulse ●
23   </button>
24 </div>
25
26 <h2>Card Hover</h2>
27 <div class="kartu-hover">
28   <div class="kartu">
29     <div class="kartu-img"></div>
```



```

30 <div class="kartu-body">
31   <h3>Judul Produk</h3>
32   <p>Deskripsi singkat
33   | produk di sini.</p>
34   <button>Lihat Detail
35   </button>
36 </div>
37 </div>
38 <div class="kartu">
39   <div class="kartu-img"
40   | style="background:
41   |   #D5F5E3"></div>
42   <div class="kartu-body">
43     <h3>Produk Lain</h3>
44     <p>Deskripsi produk
45     | kedua.</p>
46     <button>Lihat Detail
47     </button>
48   </div>
49 </div>
50 </div>
51
52 <h2>Animasi Keyframe</h2>
53 <div class="demo-anim">
54   <div class="bola"></div>

```

```

55   <div class="spinner"></div>
56   <div class="teks-animasi">
57     Loading...
58   </div>
59 </div>
60
61 </body>
62 </html>

```

➤ **Membuat program Bernama animasi.css**

```
# animasi.css X
modul-4 > # animasi.css > *
1 *, *::before, *::after {
2   box-sizing: border-box;
3   margin: 0; padding: 0;
4 }
5 body {
6   font-family: Arial;
7   padding: 1.5rem;
8   background: #F8F9FA;
9 }
10 h1, h2 { margin-bottom: 1rem; }
11 h2 { margin-top: 2rem; }
12
13 /* — Tombol Lift — */
14 .demo-tombol {
15   display: flex; gap: 1rem;
16   flex-wrap: wrap;
17 }
18 button {
19   padding: 0.6rem 1.2rem;
20   border: none; cursor: pointer;
21   border-radius: 6px;
22   font-size: 0.95rem;
23 }
24 .btn-lift {
25   background: #2E86C1;
26   color: white;
27   transition: transform 0.2s
28     ease-out,
29     box-shadow 0.2s ease-out;
```

```

30 }
31 .btn-lift:hover {
32   transform: translateY(-4px);
33   box-shadow: 0 6px 16px
34     rgba(0,0,0,0.15);
35 }
36
37 /* — Tombol Slide Overlay — */
38 .btn-slide {
39   background: transparent;
40   color: #27AE60;
41   border: 2px solid #27AE60;
42   position: relative;
43   overflow: hidden;
44   z-index: 1;
45   transition: color 0.3s;
46 }
47 .btn-slide::before {
48   content: '';
49   position: absolute;
50   inset: 0;
51   background: #27AE60;
52   transform: translateX(-100%);
53   transition: transform 0.3s
54     ease-out;
55   z-index: -1;
56 }
57 .btn-slide:hover::before {

```

```

58   transform: translateX(0);
59 }
60 .btn-slide:hover {
61   color: white;
62 }
63
64 /* — Card Hover — */
65 .kartu-hover {
66   display: flex; gap: 1rem;
67   flex-wrap: wrap;
68 }
69 .kartu {
70   width: 200px;
71   background: white;
72   border-radius: 10px;
73   overflow: hidden;
74   border: 1px solid #E0E0E0;
75   transition: transform 0.25s
76     ease-out,
77     box-shadow 0.25s ease-out;
78 }
79 .kartu:hover {
80   transform: translateY(-6px);
81   box-shadow: 0 12px 24px
82     rgba(0,0,0,0.12);
83 }
84 .kartu-img {
85   height: 100px;



```

```

86     background: #D6EAF8;
87 }
88 .kartu-body {
89     padding: 1rem;
90 }
91 .kartu-body h3 {
92     font-size: 0.95rem;
93     margin-bottom: 0.3rem;
94 }
95 .kartu-body p {
96     font-size: 0.8rem;
97     color: #777;
98     margin-bottom: 0.75rem;
99 }
100 .kartu-body button {
101     width: 100%;
102     background: #2E86C1;
103     color: white; font-size: 0.8rem;
104 }
105
106 /* — Keyframe Animations — */
107 .demo-anim {
108     display: flex;
109     align-items: center;
110     gap: 2rem; margin-top: 1rem;
111 }
112
113 /* Bola bouncing */

```

➤ Hasil dari animasi.html & animasi.css



4.6 Latihan 1: Dashboard Grid Layout

Pada latihan ini dibuat dashboard dengan:

Sidebar di kiri

Header di atas

Konten utama di kanan

Menggunakan:


CSS Grid

Sticky sidebar

Layout responsif

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
● $ touch latihan-1.html latihan-1.css
```

➤ Membuat program Bernama Latihan-1.html



```
<?xml version="1.0" encoding="UTF-8" ?>
<!doctype html>
<html lang="id">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Latihan 1 - Dashboard Grid</title>
    <link rel="stylesheet" href="latihan-1.css" />
  </head>
  <body>
    <div class="container">
      <header class="header">
        <h2>Dashboard Admin</h2>
      </header>
      <aside class="sidebar">
        <h3>Menu</h3>
        <ul>
          <li>Dashboard</li>
          <li>Data User</li>
          <li>Laporan</li>
          <li>Pengaturan</li>
        </ul>
      </aside>
      <main class="main">
        <!-- Statistik -->
        <section class="stats">
```

```

30     <div class="card">User<br /><b>120</b></div>
31     <div class="card">Produk<br /><b>85</b></div>
32     <div class="card">Transaksi<br /><b>230</b></div>
33     <div class="card">Pendapatan<br /><b>Rp 12JT</b></div>
34 </section>
35
36 <section class="content-bawah">
37     <div class="tabel">
38         <h3>Tabel Data</h3>
39         <p>Area Tabel Placeholder</p>
40     </div>
41
42     <div class="grafik">
43         <h3>Grafik</h3>
44         <p>Area Grafik Placeholder</p>
45     </div>
46 </section>
47 </main>
48 </div>
49 </body>
50 </html>

```

➤ Membuat program Latihan -1 .css

```

modul-4
latihan-1.html U # latihan-1.css U X
# latihan-1.css > {} @media (max-width: 768px)
1  * {
2      margin: 0;
3      padding: 0;
4      box-sizing: border-box;
5  }
6
7  body {
8      font-family: Arial, sans-serif;
9  }
10
11  .container {
12      display: grid;
13
14      grid-template-columns: 240px 1fr;
15      grid-template-rows: 60px 1fr;
16
17      grid-template-areas:
18          "header header"
19          "sidebar main";
20
21      min-height: 100vh;
22  }
23
24  .header {
25      grid-area: header;
26
27      background: #2e86c1;
28      color: white;
29

```

```

30   display: flex;
31   align-items: center;
32
33   padding: 0 20px;
34 }
35
36 .sidebar {
37   grid-area: sidebar;
38
39   background: #34495e;
40   color: white;
41
42   padding: 20px;
43
44   position: sticky;
45   top: 0;
46
47   height: 100vh;
48 }
49
50 .sidebar ul {
51   list-style: none;
52   margin-top: 15px;
53 }
54
55 .sidebar li {
56   padding: 10px 0;
57   border-bottom: 1px solid #566573;

```

```

58 }
59
60 .main {
61   grid-area: main;
62
63   padding: 20px;
64
65   display: grid;
66   grid-template-rows: auto 1fr;
67   gap: 20px;
68 }
69
70 .stats {
71   display: grid;
72
73   grid-template-columns: repeat(4, 1fr);
74   gap: 15px;
75 }
76
77 .card {
78   background: #ebf5fb;
79
80   padding: 20px;
81
82   border-radius: 8px;
83
84   text-align: center;
85

```



```

86     font-size: 16px;
87 }
88
89 .content-bawah {
90     display: grid;
91
92     grid-template-columns: 2fr 1fr;
93     gap: 20px;
94 }
95
96 .tabel {
97     background: #f2f3f4;
98
99     padding: 20px;
100
101     border-radius: 8px;
102
103     min-height: 200px;
104 }
105
106 .grafik {
107     background: #d6eaf8;
108
109     padding: 20px;
110
111     border-radius: 8px;
112
113     min-height: 200px;

```


```

114 }
115
116 @media (max-width: 768px) {
117     .container {
118         grid-template-columns: 1fr;
119
120         grid-template-areas:
121             "header"
122             "main";
123     }
124
125     .sidebar {
126         display: none;
127     }
128
129     .stats {
130         grid-template-columns: repeat(2, 1fr);
131     }
132
133     .content-bawah {
134         grid-template-columns: 1fr;
135     }
136 }

```



Ini hasil Latihan-1 html & css



4.7 Latihan 2: Komponen Interaktif

Komponen yang dibuat:

Accordion (tanpa JavaScript)

Image overlay hover

Progress bar dengan CSS variable

Teknik:

:focus-within

::before

transition

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
● $ touch latihan-2.html latihan-2.css
```



Memnbuat program bernma Latihan 2.html

```
modul-4 > <> latihan-2.html > ...
1  <!DOCTYPE html>
2  <html lang="id">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Komponen Interaktif</title>
7      <link rel="stylesheet" href="latihan-2.css">
8  </head>
9  <body>
10
11      <div class="container">
12
13          <h1>Komponen Interaktif</h1>
14
15          <!-- ♦ Accordion / FAQ -->
16          <section class="faq">
17              <h2>FAQ</h2>
18
19              <details>
20                  <summary>Apa itu HTML?</summary>
21                  <p>HTML adalah bahasa untuk membuat struktur halaman web.</p>
22              </details>
23
24              <details>
25                  <summary>Apa itu CSS?</summary>
26                  <p>CSS digunakan untuk mengatur tampilan dan layout.</p>
27              </details>
28
29              <details>
```

```

30         <summary>Apa itu JavaScript?</summary>
31         <p>JavaScript digunakan untuk membuat website interaktif.</p>
32     </details>
33 </section>
34
35 <!-- ♦ Image Overlay -->
36 <section class="gallery">
37     <h2>Gallery</h2>
38     <div class="grid">
39         <div class="img" data-title="Gambar 1"></div>
40         <div class="img" data-title="Gambar 2"></div>
41         <div class="img" data-title="Gambar 3"></div>
42         <div class="img" data-title="Gambar 4"></div>
43     </div>
44 </section>
45
46 <!-- ♦ Progress Bar -->
47 <section class="progress-section">
48     <h2>Progress</h2>
49
50     <div class="progress" style="--progress: 75%;">
51         <span>75%</span>
52     </div>
53

```

```

54     <div class="progress" style="--progress: 50%;">
55         <span>50%</span>
56     </div>
57
58     <div class="progress" style="--progress: 90%;">
59         <span>90%</span>
60     </div>
61 </section>
62
63 </div>
64
65 </body>
66 </html>

```

➤ Membuat program Latihan-2.css

```
modul-4 > # latihan-2.css > ...
1  /* Reset */
2  * {
3      margin: 0;
4      padding: 0;
5      box-sizing: border-box;
6  }
7
8  body {
9      font-family: Arial, sans-serif;
10     background: #f4f4f4;
11     padding: 20px;
12 }
13
14 .container {
15     max-width: 900px;
16     margin: auto;
17 }
18
19 h1, h2 {
20     margin-bottom: 15px;
21 }
22
23 /* ♦ FAQ (Accordion) */
24 .faq details {
25     background: #fff;
26     margin-bottom: 10px;
27     padding: 10px;
28     border: 2px solid #ccc;
29     border-radius: 6px;
```

```

30     transition: 0.3s;
31 }
32
33 .faq details:focus-within {
34     border-color: #007bff;
35     box-shadow: 0 0 5px #007bff;
36 }
37
38 summary {
39     cursor: pointer;
40     font-weight: bold;
41 }
42
43 details p {
44     margin-top: 10px;
45 }
46
47 /* ♦ Gallery */
48 .grid {
49     display: grid;
50     grid-template-columns: repeat(2, 1fr);
51     gap: 15px;
52 }
53
54 .img {
55     position: relative;
56     height: 150px;
57     background-size: cover;

```

```


58     background-position: center;
59 }
60
61 /* gambar dari picsum */
62 .img:nth-child(1) { background-image: url('https://picsum.photos/300/200?1'); }
63 .img:nth-child(2) { background-image: url('https://picsum.photos/300/200?2'); }
64 .img:nth-child(3) { background-image: url('https://picsum.photos/300/200?3'); }
65 .img:nth-child(4) { background-image: url('https://picsum.photos/300/200?4'); }
66
67 /* overlay */
68 .img::before {
69     content: attr(data-title);
70     position: absolute;
71     inset: 0;
72     background: rgba(0,0,0,0.6);
73     color: white;
74     display: flex;
75     justify-content: center;
76     align-items: center;
77     opacity: 0;
78     transition: 0.3s;
79 }
80
81 .img:hover::before {
82     opacity: 1;
83 }
84
85 /* ♦ Progress Bar */

```

```

86  .progress {
87      position: relative;
88      background: #ddd;
89      height: 30px;
90      margin-bottom: 10px;
91      border-radius: 20px;
92      overflow: hidden;
93  }
94
95  .progress::before {
96      content: "";
97      position: absolute;
98      height: 100%;
99      width: var(--progress);
100     background: #4caf50;
101     transition: 0.5s;
102  }
103
104  .progress span {
105      position: absolute;
106      width: 100%;
107      text-align: center;
108      line-height: 30px;
109      font-weight: bold;
110  }


```



Gallery



Progress



4.8 Tugas 1: Landing Page CSS

Membuat landing page dengan:

Navbar sticky

Hero section

Card fitur

Testimoni

Footer

Menggunakan:

Grid + Flexbox

Animasi

Responsive design


```

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4 (main)
$ cd tugas

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-4/tugas (main)
$ touch tugas-1.html tugas-1.css

```

➤ membuat program tugas1.html

```

tugas-1.html U X # tugas-1.css U
modul-4 > tugas > < > tugas-1.html > < > html > < > body > < > header.navbar > < > div.container.nav-container > < > h1.logo
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Digital Design Studio</title>
7   <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10
11 <!-- Navbar -->
12 <header class="navbar">
13   <div class="container nav-container">
14     <h1 class="logo">DigiStudio</h1>
15     <nav>
16       <ul class="nav-menu">
17         <li><a href="#">Home</a></li>
18         <li><a href="#">Fitur</a></li>
19         <li><a href="#">Testimoni</a></li>
20         <li><a href="#">Kontak</a></li>
21       </ul>
22     </nav>
23   </div>
24 </header>
25
26 <!-- Hero -->
27 <section class="hero">
28   <div class="container hero-grid">
29     <div>
30       <h2>Solusi Desain Digital Modern</h2>
31       <p>Kami membantu bisnis Anda tampil profesional dengan desain kreatif.</p>
32       <button class="btn">Mulai Sekarang</button>
33       <span class="badge">NEW</span>
34     </div>
35     
36   </div>
37 </section>
38
39 <!-- Fitur -->
40 <section class="features container">
41   <h2 class="section-title">Layanan Kami</h2>
42   <div class="card-grid">
43     <div class="card">
44       <h3>UI/UX Design</h3>
45       <p>Desain modern dan user-friendly.</p>
46     </div>
47     <div class="card">
48       <h3>Web Development</h3>
49       <p>Website cepat dan responsif.</p>
50     </div>
51     <div class="card">
52       <h3>Branding</h3>
53       <p>Membangun identitas brand kuat.</p>

```

```

54     </div>
55 </div>
56 </section>
57
58 <!-- Testimoni -->
59 <section class="testimonial container">
60     <h2 class="section-title">Testimoni</h2>
61     <div class="card-grid">
62         <div class="card">
63             <p>"Pelayanan sangat memuaskan!"</p>
64             <h4>- Andi</h4>
65         </div>
66         <div class="card">
67             <p>"Desainnya keren dan profesional."</p>
68             <h4>- Sari</h4>
69         </div>
70         <div class="card">
71             <p>"Sangat direkomendasikan!"</p>
72             <h4>- Budi</h4>
73         </div>
74     </div>
75 </section>
76
77 <!-- Footer -->
78 <footer class="footer">

```

```

79     <div class="container footer-grid">
80         <div>
81             <h3>DigiStudio</h3>
82             <p>Solusi desain digital terbaik.</p>
83         </div>
84         <div>
85             <h3>Menu</h3>
86             <ul>
87                 <li>Home</li>
88                 <li>Fitur</li>
89                 <li>Kontak</li>
90             </ul>
91         </div>
92         <div>
93             <h3>Kontak</h3>
94             <p>Email: info@digistudio.com</p>
95         </div>
96     </div>
97 </footer>
98
99 </body>
100 </html>

```

➤ **membuat program tugas 1css**

```
modul-4 > tugas > # tugas-1.css > {} @media (min-width: 1024px)
1  /* CSS Variables */
2  :root {
3      --primary: #4f46e5;
4      --secondary: #6366f1;
5      --bg: #f9fafb;
6      --text: #111827;
7      --white: #ffffff;
8
9      --spacing: 16px;
10     --radius: 12px;
11 }
12
13 /* Reset */
14 * {
15     margin: 0;
16     padding: 0;
17     box-sizing: border-box;
18 }
19
20 body {
21     font-family: Arial, sans-serif;
22     background: var(--bg);
23     color: var(--text);
24 }
25
26 /* Container */
27 .container {
28     width: 90%;
29     margin: auto;
```

```
30     padding: var(--spacing) 0;
31 }
32
33 /* Navbar (Flexbox + Sticky) */
34 .navbar {
35     position: sticky;
36     top: 0;
37     background: var(--white);
38     box-shadow: 0 2px 5px 0 rgba(0,0,0,0.1);
39 }
40
41 .nav-container {
42     display: flex;
43     justify-content: space-between;
44     align-items: center;
45 }
46
47 .nav-menu {
48     display: flex;
49     list-style: none;
50     gap: 20px;
51 }
52
53 .nav-menu a {
54     text-decoration: none;
55     color: var(--text);
56     transition: 0.3s;
57 }
```

```
58
59 .nav-menu a:hover {
60 |   color: var(--primary);
61 | }
62
63 /* Hero (Grid) */
64 .hero-grid {
65 |   display: grid;
66 |   gap: 20px;
67 | }
68
69 .hero img {
70 |   width: 100%;
71 |   border-radius: var(--radius);
72 | }
73
74 .btn {
75 |   margin-top: 10px;
76 |   padding: 10px 20px;
77 |   background: var(--primary);
78 |   color: white;
79 |   border: none;
80 |   border-radius: var(--radius);
81 |   cursor: pointer;
82 |   transition: 0.3s;
83 | }
84
85 .btn:hover {
86 |   background: var(--secondary);
```

```

87     }
88
89     /* Badge Animasi */
90     .badge {
91         display: inline-block;
92         margin-left: 10px;
93         padding: 5px 10px;
94         background: red;
95         color: white;
96         border-radius: 20px;
97         animation: pulse 1s infinite;
98     }
99
100     @keyframes pulse {
101         0% { transform: scale(1); }
102         50% { transform: scale(1.2); }
103         100% { transform: scale(1); }
104     }
105
106     /* Section */
107     .section-title {
108         text-align: center;
109         margin-bottom: 20px;
110     }
111
112     /* Card Grid (Grid) */
113     .card-grid {
114         display: grid;

```

```

115     gap: 20px;
116 }
117
118 .card {
119     background: var(--white);
120     padding: 20px;
121     border-radius: var(--radius);
122     transition: 0.3s;
123     position: relative;
124 }
125
126 /* Hover effect */
127 .card:hover {
128     transform: translateY(-5px);
129 }
130
131 /* Pseudo-element */
132 .card::before {
133     content: "";
134     position: absolute;
135     top: 0;
136     left: 0;
137     height: 5px;
138     width: 100%;
139     background: var(--primary);
140     border-radius: var(--radius) var(--radius) 0 0;
141 }
142

```

```

143  /* Footer */
144  .footer {
145      background: var(--primary);
146      color: white;
147  }
148
149  .footer-grid {
150      display: grid;
151      gap: 20px;
152  }
153
154  /* =====
155     RESPONSIVE BREAKPOINT
156     ===== */
157
158  /* Tablet */
159  @media (min-width: 768px) {
160      .hero-grid {
161          grid-template-columns: 1fr 1fr;
162          align-items: center;
163      }
164
165      .card-grid {
166          grid-template-columns: repeat(2, 1fr);
167      }
168
169      .footer-grid {
170          grid-template-columns: repeat(2, 1fr);
171      }

```


```

172  }
173
174  /* Desktop */
175  @media (min-width: 1024px) {
176      .card-grid {
177          grid-template-columns: repeat(3, 1fr);
178      }
179
180      .footer-grid {
181          grid-template-columns: repeat(3, 1fr);
182      }
183  }

```




Ini hasil nya



5. Praktikum Modul 5 (Tailwind CSS)

```
JS vite.config.js U • # style.css U • JS main.js U • <> index.html U X
modul-5 > <> index.html > ...
1  <!doctype html>
2  <html lang="en">
3    <head>
4      <meta charset="UTF-8" />
5      <link rel="icon" type="image/svg+xml" href="/favicon.svg" />
6      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7      <title>modul-5</title>
8    </head>
9    <body>
10     <div id="app"></div>
11     <script type="module" src="/src/main.js"></script>
12   </body>
13 </html>
14
```

Buka file index.html kemudian hapus isi yang ada di dalam tag <body> dan ganti dengan konten sederhana berikut:

```
JS vite.config.js U • # style.css U • JS main.js U • <> index.html U X
modul-5 > <> index.html > html > body.bg-gray-50.p-8 > script
1  <!doctype html>
2  <html lang="id">
3    <head>
4      <meta charset="UTF-8" />
5      <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6      <title>Tailwind CSS</title>
7    </head>
8    <body class="bg-gray-50 p-8">
9      <h1 class="text-3xl font-bold text-blue-600 mb-4">Halo Tailwind CSS!</h1>
10
11      <p class="text-gray-600 text-lg">
12        Jika teks ini muncul biru dan besar, Tailwind sudah berjalan.
13      </p>
14
15      <button
16        class="mt-4 bg-blue-600 text-white px-6 py-2 rounded-lg hover:bg-blue-700 transition-
17        colors"
18      >
19        Klik Saya
20      </button>
21      <script type="module" src="/src/main.js"></script>
22    </body>
23  </html>
```

Jalankan dev server vite dengan perintah berikut:

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
● $ touch vite.confing.js

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
● $ npm run dev

> modul-5@0.0.0 dev
> vite

VITE v8.0.9 ready in 404 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
git add .
h


Shortcuts
press r + enter to restart the server
press u + enter to show server url
press o + enter to open in browser
press c + enter to clear console
press q + enter to quit
q
```

Commit code anda ke git.

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
● $ git add .

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
● $ git commit -m"inisialisasi tailwind css"
[main 25905df] inisialisasi tailwind css
9 files changed, 1669 insertions(+)
create mode 100644 modul-5/.gitignore
create mode 100644 modul-5/index.html
create mode 100644 modul-5/package-lock.json
create mode 100644 modul-5/package.json
create mode 100644 modul-5/src/assets/javascript.svg
create mode 100644 modul-5/src/assets/vite.svg
create mode 100644 modul-5/src/main.js
create mode 100644 modul-5/src/style.css
create mode 100644 modul-5/vite.confing.js
```

hasilnya



Tambahkan halaman demonstrasi spacing dan typography.

```
index.html M X # style.css vite.config.js
modul-5 > index.html > html
1 <!doctype html>
2 <html lang="id">
3
4 <head>
5   <meta charset="UTF-8" />
6   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
7   <title>Tailwind CSS</title>
8 </head>
9
10 <body class="bg-gray-50 min-h-screen p-8 font-sans">
11
12   <!-- Typography -->
13   <section class="mb-10">
14     <h2 class="text-2xl font-bold text-gray-800 mb-4 pb-2
15       border-b border-gray-200">
16       Typography Scale
17     </h2>
18     <p class="text-xs text-gray-500 mb-1">text-xs - 12px</p>
19     <p class="text-sm text-gray-500 mb-1">text-sm - 14px</p>
20     <p class="text-base text-gray-700 mb-1">text-base - 16px (default)</p>
21     <p class="text-lg text-gray-700 mb-1">text-lg - 18px</p>
22     <p class="text-xl font-semibold text-gray-800 mb-1">text-xl - 20px</p>
23     <p class="text-2xl font-bold text-blue-700 mb-1">text-2xl - 24px</p>
24     <p class="text-4xl font-black text-blue-900">text-4xl - 36px</p>
25   </section>
26   <!-- Spacing Demo -->
27   <section class="mb-10">
28     <h2 class="text-2xl font-bold text-gray-800 mb-4 pb-2
29       border-b border-gray-200">
30       Spacing Demo
31     </h2>
32     <div class="flex gap-4 items-end flex-wrap">
33       <div class="p-1 bg-blue-200 text-xs">p-1</div>
34       <div class="p-2 bg-blue-300 text-xs">p-2</div>
35       <div class="p-4 bg-blue-400 text-sm">p-4</div>
36       <div class="p-6 bg-blue-500 text-white">p-6</div>
37       <div class="p-8 bg-blue-600 text-white">p-8</div>
38     </div>
39   </section>
40
41   <!-- Warna -->
42   <section>
43     <h2 class="text-2xl font-bold text-gray-800 mb-4 pb-2
44       border-b border-gray-200">
45       Color Palette
46     </h2>
47     <div class="grid grid-cols-5 gap-2">
48       <div class="bg-blue-100 p-3 rounded text-center text-xs">100</div>
49       <div class="bg-blue-300 p-3 rounded text-center text-xs">300</div>
50       <div class="bg-blue-500 p-3 rounded text-center text-white text-xs">500</div>
51       <div class="bg-blue-700 p-3 rounded text-center text-white text-xs">700</div>
52       <div class="bg-blue-900 p-3 rounded text-center text-white text-xs">900</div>
```

```

52 | |<div class="bg-blue-900 p-3 rounded text-center text-white text-xs">900</div>
53 | |</div>
54 | |</section>
55 | |
56 | |<script type="module" src="src/main.js"></script>
57 | |</body>
58 | |</html>

```

Jalankan dev server vite dengan perintah berikut:

```

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
● $ npm run dev

> modul-5@0.0.0 dev
> vite

VITE v8.0.9 ready in 628 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
h

Shortcuts
press r + enter to restart the server
press u + enter to show server url
press o + enter to open in browser
press c + enter to clear console
press q + enter to quit
q

```

Commit code anda ke git.

```

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
● $ git add .

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
● $ git commit -m "bagian-2-spacing,sizing & typography"
[main 2a4c9bc] bagian-2-spacing,sizing & typography
1 file changed, 35 insertions(+), 34 deletions(-)

```

Hasilnya

Typography Scale

text-xs — 12px

text-sm — 14px

text-base — 16px (default)

text-lg — 18px

text-xl — 20px

text-2xl — 24px

text-4xl — 36px

Spacing Demo



Color Palette



Update file index.html. Buat navbar responsif dan grid kartu responsif dengan mengganti isi pada tag <body> dengan kode berikut:

```
modul-5 > <> index.html > ...
1  <body class="bg-gray-50 font-sans"></body>
2
3  <!-- Navbar Responsif -->
4  <nav class="bg-slate-900 text-white px-6 py-4 sticky top-0 z-50">
5    <div class="max-w-6xl mx-auto flex items-center justify-between">
6      <a href="#" class="text-xl font-bold text-cyan-400"> WebKu</a>
7
8      <!-- Menu: tersembunyi di mobile, tampil di md ke atas -->
9      <ul class="hidden md:flex gap-8 text-sm">
10       <li><a href="#" class="hover:text-cyan-400 transition-colors">Beranda</a></li>
11       <li><a href="#" class="hover:text-cyan-400 transition-colors">Layanan</a></li>
12       <li><a href="#" class="hover:text-cyan-400 transition-colors">Blog</a></li>
13       <li><a href="#" class="hover:text-cyan-400 transition-colors">Kontak</a></li>
14     </ul>
15
16     <!-- Tombol Masuk -->
17     <a href="#" class="bg-cyan-500 hover:bg-cyan-400 text-white text-sm
18       font-semibold px-4 py-2 rounded-lg transition-colors">
19       Masuk
20     </a>
21   </div>
22 </nav>
23
24 <main class="max-w-6xl mx-auto px-6 py-10">
25
26   <!-- Hero Section -->
27   <section class="flex flex-col md:flex-row items-center gap-10 mb-16">
28     <div class="flex-1">
29       <span class="text-sm font-semibold text-cyan-600 uppercase
30         tracking-widest">Workshop Web Dasar</span>
31       <h1 class="text-4xl md:text-5xl lg:text-6xl font-black text-slate-900
32         leading-tight mt-2 mb-4">
33         Buat Web <br>
34         <span class="text-cyan-500">Modern</span> Hari Ini
35       </h1>
36       <p class="text-gray-500 text-lg mb-6 leading-relaxed">
37         Pelajari HTML, CSS, Tailwind, JavaScript,
38         dan React dalam 12 pertemuan.
39       </p>
40       <div class="flex gap-4 flex-wrap">
41         <a href="#" class="bg-cyan-500 hover:bg-cyan-600 text-white font-bold
42           px-6 py-3 rounded-xl transition-colors">
43           Mulai Belajar
44         </a>
45         <a href="#" class="border-2 border-slate-300 hover:border-cyan-500
46           text-slate-700 font-semibold px-6 py-3 rounded-xl
47           transition-colors">
48           Lihat Kurikulum
49         </a>
50       </div>
51     </div>
52     <div class="flex-1 flex justify-center">
53       
55   </section>
```



```

56         alt="Ilustrasi coding"
57         class="rounded-2xl shadow-2xl w-full max-w-md">
58     </div>
59 </section>
60
61 <!-- Grid Kartu Responsif -->
62 <section>
63     <h2 class="text-3xl font-bold text-slate-900 text-center mb-2">
64         Materi Pembelajaran
65     </h2>
66     <p class="text-gray-500 text-center mb-8">
67         Dari dasar hingga full-stack</p>
68
69     <!-- 1 kolom mobile, 2 kolom tablet, 3 kolom desktop -->
70     <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
71
72         <!-- Kartu -->
73         <div class="bg-white rounded-2xl p-6 shadow-sm border border-gray-100
74             hover:shadow-lg hover:-translate-y-1 transition-all duration-300">
75             <div class="w-12 h-12 bg-orange-100 rounded-xl flex items-center
76                 justify-center text-2xl mb-4"> || </div>
77             <h3 class="text-lg font-bold text-slate-800 mb-2">HTML & CSS</h3>
78             <p class="text-gray-500 text-sm leading-relaxed">
79                 Fondasi web: struktur, styling, dan layout responsif.
80             </p>

```

```

81         <span class="inline-block mt-4 text-xs font-semibold text-orange-600
82             bg-orange-50 px-3 py-1 rounded-full">
83             Pertemuan 1-3
84         </span>
85     </div>
86
87     <div class="bg-white rounded-2xl p-6 shadow-sm border border-gray-100
88         hover:shadow-lg hover:-translate-y-1 transition-all duration-300">
89         <div class="w-12 h-12 bg-cyan-100 rounded-xl flex items-center
90             justify-center text-2xl mb-4"> || </div>
91         <h3 class="text-lg font-bold text-slate-800 mb-2">Tailwind CSS</h3>
92         <p class="text-gray-500 text-sm leading-relaxed">
93             Styling modern utility-first yang digunakan industri.
94         </p>
95         <span class="inline-block mt-4 text-xs font-semibold text-cyan-600
96             bg-cyan-50 px-3 py-1 rounded-full">
97             Pertemuan 4
98         </span>
99     </div>
100
101     <div class="bg-white rounded-2xl p-6 shadow-sm border border-gray-100
102         hover:shadow-lg hover:-translate-y-1 transition-all duration-300">
103         <div class="w-12 h-12 bg-yellow-100 rounded-xl flex items-center
104             justify-center text-2xl mb-4"> || </div>
105

```

```

106 <h3 class="text-lg font-bold text-slate-800 mb-2">JavaScript</h3>
107 <p class="text-gray-500 text-sm leading-relaxed">
108   DOM manipulation, API, dan interaktivitas halaman.
109 </p>
110 <span class="inline-block mt-4 text-xs font-semibold text-yellow-600
111   | | | | bg-yellow-50 px-3 py-1 rounded-full">
112   Pertemuan 5-6
113 </span>
114 </div>
115 <div class="bg-white rounded-2xl p-6 shadow-sm border border-gray-100
116   | | | | hover:shadow-lg hover:-translate-y-1 transition-all duration-300">
117   <div class="w-12 h-12 bg-green-100 rounded-xl flex items-center
118   | | | | justify-center text-2xl mb-4"> || </div>
119   <h3 class="text-lg font-bold text-slate-800 mb-2">Node.js & Express</h3>
120   <p class="text-gray-500 text-sm leading-relaxed">
121     Backend: REST API, routing, dan middleware.
122   </p>
123   <span class="inline-block mt-4 text-xs font-semibold text-green-600
124   | | | | bg-green-50 px-3 py-1 rounded-full">
125     Pertemuan 7-8
126 </span>
127 </div>
128 <div class="bg-white rounded-2xl p-6 shadow-sm border border-gray-100
129   | | | | hover:shadow-lg hover:-translate-y-1 transition-all duration-300">
130   <div class="w-12 h-12 bg-blue-100 rounded-xl flex items-center
131   | | | | justify-center text-2xl mb-4"> || </div>
132   <h3 class="text-lg font-bold text-slate-800 mb-2">React</h3>
133   <p class="text-gray-500 text-sm leading-relaxed">
134     Library UI modern: component, state, dan hooks.
135   </p>
136   <span class="inline-block mt-4 text-xs font-semibold text-blue-600
137   | | | | bg-blue-50 px-3 py-1 rounded-full">
138     Pertemuan 9-10
139   </span>
140 </div>
141
142 <div class="bg-gradient-to-br from-cyan-500 to-blue-600 rounded-2xl p-6
143   | | | | text-white hover:shadow-lg hover:-translate-y-1
144   | | | | transition-all duration-300">
145   <div class="w-12 h-12 bg-white/20 rounded-xl flex items-center
146   | | | | justify-center text-2xl mb-4"> || </div>
147   <h3 class="text-lg font-bold mb-2">Full-Stack & Deploy</h3>
148   <p class="text-white/80 text-sm leading-relaxed">
149     Integrasikan frontend dan backend, deploy ke cloud.
150   </p>
151   <span class="inline-block mt-4 text-xs font-semibold text-cyan-900
152   | | | | bg-white/30 px-3 py-1 rounded-full">
153     Pertemuan 11-12
154   </span>
155 </div>
156 </div>
157 </div>
158 </section>
159 </main>
160
161 </body>

```

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
$ npm run dev

> modul-5@0.0.0 dev
> vite

Port 5173 is in use, trying another one...

VITE v8.0.9 ready in 874 ms

→ Local: http://localhost:5174/
→ Network: use --host to expose
→ press h + enter to show help
h


Shortcuts
press r + enter to restart the server
press u + enter to show server url
press o + enter to open in browser
press c + enter to clear console
press q + enter to quit
q
```

Commit code anda ke git.

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
$ git add .
warning: in the working copy of 'modul-5/index.html', LF will be replaced by CRLF the next time Git touches it

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
$ git commit -m "bagian-3-responsif & state modifiers"
[main d4513a4] bagian-3-responsif & state modifiers
1 file changed, 155 insertions(+), 52 deletions(-)
```

hasilnyaa



[Mulai Belajar Lihat Kurikulum](#)



Materi Pembelajaran

Dari dasar hingga full-stack

||

HTML & CSS

Fondasi web: struktur, styling, dan layout responsif.

Pertemuan 1â€“3

||

Tailwind CSS

Styling modern utility-first yang digunakan industri.

Pertemuan 4

||

JavaScript

DOM manipulation, API, dan interaktivitas halaman.

Pertemuan 5â€“6

||

||

Node.js & Express

Backend: REST API, routing, dan middleware.

Pertemuan 7â€“8

||

React

Library UI modern: component, state, dan hooks.

Pertemuan 9â€“10

||

Full-Stack & Deploy

Integrasikan frontend dan backend, deploy ke cloud.

Pertemuan 11â€“12

menambahkan section form pada grid kartu di index.html

```

61 <!-- Grid Kartu Responsif -->
62 <section>
63   <h2 class="text-3xl font-bold text-slate-900 text-center mb-2">
64     Materi Pembelajaran
65   </h2>
66   <p class="text-gray-500 text-center mb-8">
67     Dari dasar hingga full-stack</p>
68
69   <!-- 1 kolom mobile, 2 kolom tablet, 3 kolom desktop -->
70   <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
71
72     <!-- Kartu -->
73     <div class="bg-white rounded-2xl p-6 shadow-sm border border-gray-100
74       hover:shadow-lg hover:-translate-y-1 transition-all duration-300">
75       <div class="w-12 h-12 bg-orange-100 rounded-xl flex items-center
76         justify-center text-2xl mb-4"> || </div>
77       <h3 class="text-lg font-bold text-slate-800 mb-2">HTML & CSS</h3>
78       <p class="text-gray-500 text-sm leading-relaxed">
79         Fondasi web: struktur, styling, dan layout responsif.
80       </p>
81       <span class="inline-block mt-4 text-xs font-semibold text-orange-600
82         bg-orange-50 px-3 py-1 rounded-full">
83
84     <!-- Form Section - tambahkan setelah </section> kartu -->
85     <section class="mt-16 max-w-xl mx-auto">
86       <h2 class="text-3xl font-bold text-slate-900 text-center mb-8">
87         Daftar Sekarang
88       </h2>

```

```

89
90     <form class="bg-white rounded-2xl shadow-sm border border-gray-100 p-8
91       space-y-5">
92
93       <!-- Input Group -->
94       <div>
95         <label class="block text-sm font-semibold text-slate-700 mb-1.5"
96           for="nama">
97           Nama Lengkap
98         </label>
99         <input
100           id="nama" type="text"
101           placeholder="Masukkan nama kamu"
102           class="w-full px-4 py-2.5 border border-gray-300 rounded-lg text-sm
103             focus:outline-none focus:ring-2 focus:ring-cyan-500
104             focus:border-transparent transition">
105       </div>
106
107       <div>
108         <label class="block text-sm font-semibold text-slate-700 mb-1.5"
109           for="email">
110         Alamat Email
111       </label>
112       <input

```

```

113         id="email" type="email"
114         placeholder="contoh@email.com"
115         class="w-full px-4 py-2.5 border border-gray-300 rounded-lg text-sm
116         focus:outline-none focus:ring-2 focus:ring-cyan-500
117         focus:border-transparent transition">
118     </div>
119
120     <div>
121         <label class="block text-sm font-semibold text-slate-700 mb-1.5"
122         for="kelas">
123             Pilih Kelas
124         </label>
125         <select
126         id="kelas"
127         class="w-full px-4 py-2.5 border border-gray-300 rounded-lg text-sm
128         bg-white focus:outline-none focus:ring-2 focus:ring-cyan-500
129         focus:border-transparent transition">
130             <option value="">-- Pilih kelas --</option>
131             <option>Kelas A – Senin/Rabu</option>
132             <option>Kelas B – Selasa/Kamis</option>
133         </select>
134     </div>
135
136 <div>

```

```

137     <label class="block text-sm font-semibold text-slate-700 mb-1.5"
138     for="pesan">
139         Pertanyaan (opsional)
140     </label>
141     <textarea
142     id="pesan" rows="3"
143     placeholder="Ada yang ingin ditanyakan?"
144     class="w-full px-4 py-2.5 border border-gray-300 rounded-lg text-sm
145     resize-none focus:outline-none focus:ring-2 focus:ring-cyan-500
146     focus:border-transparent transition"></textarea>
147 </div>
148
149 <button type="submit"
150 class="w-full bg-cyan-500 hover:bg-cyan-600 active:bg-cyan-700
151 text-white font-bold py-3 rounded-xl transition-colors
152 focus:outline-none focus:ring-2 focus:ring-cyan-500
153 focus:ring-offset-2">
154     Daftar Sekarang →
155 </button>
156
157 </form>
158 </section></html>

```

hasilnya

Daftar Sekarang

Nama Lengkap

Alamat Email

Pilih Kelas

Pertanyaan (opsional)

Pertemuan 1&3
||

➤ Membuat folder latihan

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5 (main)
• $ cd pertemuan-5-latihan

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5/pertemuan-5-latihan (main)
• $ npm install -D tailwindcss postcss autoprefixer

added 11 packages, and audited 28 packages in 3m

13 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5/pertemuan-5-latihan (main)
⊗ $ npx tailwindcss init -p
npm error could not determine executable to run
npm error A complete log of this run can be found in: C:\Users\USER\AppData\Local\npm-cache\_logs\2026-04-2
7T15_07_06_513Z-debug-0.log
```



```

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5/pertemuan-5-latihan (main)
$ npm run dev

> pertemuan-5-latihan@0.0.0 dev
> vite

10:14:23 PM [vite] (client) Re-optimizing dependencies because lockfile has changed
Port 5173 is in use, trying another one...
Port 5174 is in use, trying another one...

VITE v8.0.10 ready in 434 ms

→ Local:    http://localhost:5175/
→ Network:  use --host to expose
→ press h + enter to show help
h

Shortcuts
press r + enter to restart the server
press u + enter to show server url
press o + enter to open in browser
press c + enter to clear console

```

```

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5/pertemuan-5-latihan (main)
$ git add .
warning: in the working copy of 'modul-5/pertemuan-5-latihan/.gitignore', LF will be replaced by CRLF the
ext time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/index.html', LF will be replaced by CRLF the
ext time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/package-lock.json', LF will be replaced by CR
F the next time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/package.json', LF will be replaced by CRLF th
next time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/public/icons.svg', LF will be replaced by CRL
the next time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/src/assets/typescript.svg', LF will be replac
d by CRLF the next time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/src/assets/vite.svg', LF will be replaced by
RLF the next time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/src/counter.ts', LF will be replaced by CRLF
he next time Git touches it
warning: in the working copy of 'modul-5/pertemuan-5-latihan/src/main.js', LF will be replaced by CRLF the
next time Git touches it

```

```

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5/pertemuan-5-latihan (main)
$ git commit -m "feat: rebuild landing page pertemuan 5 menggunakan Tailwind CSS dengan dark mode dan komponen reusable"
[main 932afdc] feat: rebuild landing page pertemuan 5 menggunakan Tailwind CSS dengan dark mode dan komponen reusable
13 files changed, 1259 insertions(+)
create mode 100644 modul-5/pertemuan-5-latihan/.gitignore
create mode 100644 modul-5/pertemuan-5-latihan/index.html
create mode 100644 modul-5/pertemuan-5-latihan/package-lock.json
create mode 100644 modul-5/pertemuan-5-latihan/package.json
create mode 100644 modul-5/pertemuan-5-latihan/public/favicon.svg
create mode 100644 modul-5/pertemuan-5-latihan/public/icons.svg
create mode 100644 modul-5/pertemuan-5-latihan/src/assets/hero.png
create mode 100644 modul-5/pertemuan-5-latihan/src/assets/typescript.svg
create mode 100644 modul-5/pertemuan-5-latihan/src/assets/vite.svg
create mode 100644 modul-5/pertemuan-5-latihan/src/counter.ts
create mode 100644 modul-5/pertemuan-5-latihan/src/main.js
create mode 100644 modul-5/pertemuan-5-latihan/src/style.css
create mode 100644 modul-5/pertemuan-5-latihan/tsconfig.json

USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5/pertemuan-5-latihan (main)

```

➤ Membuat style.css

```

# style.css 6 X <> index.html ...\pertemuan-5-latihan JS main.js <> index.html ...\tugas-
modul-5 > pertemuan-5-latihan > src > # style.css > ...
1  @tailwind base;
2  @tailwind components;
3  @tailwind utilities;
4  @layer components {
5      .btn-primary {
6          @apply bg-blue-500 text-white px-6 py-2 rounded-lg hover:bg-blue-600 transition;
7      }
8
9      .card {
10         @apply p-6 rounded-xl shadow-md bg-white dark:bg-gray-800;
11     }
12
13     .section-title {
14         @apply text-2xl md:text-3xl font-bold mb-6 text-center;
15     }
16 }

```

➤ Membuat main.js

```

# style.css 6 <> index.html ...\pertemuan-5-latihan JS main.js X <> index.html ...\tugas-
modul-5 > pertemuan-5-latihan > src > JS main.js
1  import './style.css'
2

```

➤ Membuat index.html

```
# style.css 6    index.html ...\pertemuan-5-latihan X    JS main.js    index.html ...\tugas--
modul-5 > pertemuan-5-latihan > index.html > html.dark
1  <!DOCTYPE html>
2  <html lang="en" class="dark">
3  <head>
4    <meta charset="UTF-8" />
5    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6    <title>Landing Page Tailwind</title>
7  </head>
8
9  <body class="bg-white dark:bg-gray-900 text-black dark:text-white transition">
10
11    <!-- Navbar -->
12    <header class="flex justify-between items-center p-4 md:px-10">
13      <h1 class="text-xl font-bold">Brand</h1>
14
15      <nav class="hidden md:flex gap-6">
16        <a href="#" class="hover:text-blue-500">Home</a>
17        <a href="#" class="hover:text-blue-500">About</a>
18        <a href="#" class="hover:text-blue-500">Contact</a>
19      </nav>
20    </header>
21
22    <!-- Hero -->
23    <section class="text-center py-16 px-4 md:px-10">
24      <h2 class="text-3xl md:text-5xl font-bold mb-4">
25        Landing Page Keren
26      </h2>
27
28      <p class="text-gray-600 dark:text-gray-300 mb-6">
29        Belajar Tailwind itu cepat dan fleksibel
30      </p>
31    </section>
32  </body>
33</html>
```

```

30     </p>
31
32     <button class="btn-primary">Mulai</button>
33 </section>
34
35 <!-- Features -->
36 <section class="py-16 px-4 md:px-10">
37   <h3 class="section-title">Fitur</h3>
38
39   <div class="grid md:grid-cols-3 gap-6">
40     <div class="card">
41       <h4 class="font-semibold mb-2">Cepat</h4>
42       <p>Tanpa nulis CSS panjang</p>
43     </div>
44
45     <div class="card">
46       <h4 class="font-semibold mb-2">Responsif</h4>
47       <p>Built-in breakpoint</p>
48     </div>
49
50     <div class="card">
51       <h4 class="font-semibold mb-2">Modern</h4>
52       <p>Utility-first design</p>
53     </div>
54   </div>

```

```

55 </section>
56
57 <!-- Footer -->
58 <footer class="text-center py-6 text-sm text-gray-500 dark:text-gray-400">
59   © 2026 Brand. All rights reserved.
60 </footer>
61
62 </body>
63 </html>

```

➤ Hasil nya

Brand

[Home](#) [About](#) [Contact](#)

Landing Page Keren

Belajar Tailwind itu cepat dan fleksibel

Mulai

Fitur

Cepat

Tanpa nulis CSS panjang

Responsif

Built-in breakpoint

Modern

Utility-first design

© 2026 Brand. All rights reserved.

➤ Membuat folder tugas dan install

```
USER@LAPTOP-DC20NF3L MINGW64 /c/2025573010029_workshop_web_dasar/modul-5/tugas (main)
$ npm create vite@latest tugas-- --template vanilla
npm warn "vanilla" is being parsed as a normal command line argument.
npm warn Unknown cli config "--template". This will stop working in the next major version of npm.
Need to install the following packages:
create-vite@9.0.6
Ok to proceed? (y) y

> modul-5@0.0.0 npx
> create-vite tugas-- vanilla

|
|   Select a framework:
|   Vanilla
|
|   Select a variant:
|   TypeScript
|
|   Install with npm and start now?
|   Yes
|
|   Scaffolding project in C:\2025573010029_workshop_web_dasar\modul-5\tugas\tugas--...

|
|   Installing dependencies with npm...
|   npm warn Unknown env config "template". This will stop working in the next major version of npm.
|
|   added 16 packages, and audited 17 packages in 1m
|
|   8 packages are looking for funding
|   run `npm fund` for details
|
|   found 0 vulnerabilities
|
|   Starting dev server...
|   npm warn Unknown env config "template". This will stop working in the next major version of npm.
|
|   > tugas--@0.0.0 dev
|   > vite
|
|   Port 5173 is in use, trying another one...
|
|   VITE v8.0.10 ready in 294 ms
```

```
→ Local: http://localhost:5174/
→ Network: use --host to expose
→ press h + enter to show help
9:04:04 PM [vite] (client) page reload index.html
9:04:06 PM [vite] (client) page reload index.html (x2)
```

➤ Membuat style.css

```
# style.css 7 X index.html
modul-5 > tugas > tugas-- > src > # style.css > .btn
1  @tailwind base;
2  @tailwind components;
3  @tailwind utilities;
4
5  /* reusable components */
6  .btn {
7    @apply bg-indigo-600 text-white px-5 py-2 rounded-lg hover:bg-indigo-500 transition;
8  }
9
10 .btn-outline {
11   @apply border border-indigo-600 text-indigo-600 px-5 py-2 rounded-lg hover:bg-indigo-600 hover:text white;
12 }
13
14 .card {
15   @apply bg-white dark:bg-gray-800 p-5 rounded-xl shadow hover:-translate-y-1 hover:shadow-lg transition;
16 }
17
18 .section-title {
19   @apply text-2xl md:text-3xl font-bold text-center mb-8;
20 }
```

Membuat struktur data HTML

```
# style.css 7 X index.html X
modul-5 > tugas > tugas-- > index.html > html
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Tini TaskFlow</title>
7   <link href="/src/style.css" rel="stylesheet">
8 </head>
9
10 <body class="bg-gray-50 dark:bg-gray-900 text-gray-800 dark:text-gray-200">
11
12 <!-- NAVBAR -->
13 <header class="sticky top-0 bg-white dark:bg-gray-800 shadow z-50">
14 <div class="max-w-6xl mx-auto flex justify-between items-center p-4">
15
16   <h1 class="font-bold text-lg">Tini<span class="text-indigo-500">Flow</span></h1>
17
18   <!-- menu desktop -->
19   <nav class="hidden md:flex gap-6">
20     <a href="#" class="hover:text-indigo-500">Home</a>
21     <a href="#" class="hover:text-indigo-500">Fitur</a>
22     <a href="#" class="hover:text-indigo-500">Harga</a>
23   </nav>
24
25   <!-- hamburger (tampilan saja) -->
26   <div class="md:hidden text-2xl">≡</div>
27
28   <!-- dark mode -->
29   <button id="toggleDark">🌙</button>
30
```

```
30
31 </div>
32 </header>
33
34 <!-- HERO -->
35 <section class="max-w-6xl mx-auto p-4 grid gap-6 md:grid-cols-2 items-center">
36
37   <div>
38     <h2 class="text-3xl md:text-4xl font-bold mb-3">
39       Hi, saya Tini 🙋
40     </h2>
41     <p class="mb-4">
42       Saya membuat aplikasi produktivitas modern untuk membantu manajemen tugas lebih efisien.
43     </p>
44
45     <div class="flex gap-3">
46       <button class="btn animate-bounce">Coba Gratis</button>
47       <button class="btn-outline">Demo</button>
48     </div>
49
50     <span class="mt-3 inline-block px-3 py-1 bg-red-500 text-white rounded-full animate-pulse">
51       ✨ by Tini
52     </span>
53   </div>
54
```



```

55     
56
57 </section>
58
59 <!-- FITUR (6 CARD) -->
60 <section class="max-w-6xl mx-auto p-4">
61     <h2 class="section-title">Fitur Unggulan</h2>
62
63     <div class="grid gap-6 md:grid-cols-2 lg:grid-cols-3">
64         <div class="card">Task Manager</div>
65         <div class="card">Reminder</div>
66         <div class="card">Analytics</div>
67         <div class="card">Cloud Sync</div>
68         <div class="card">Team Work</div>
69         <div class="card">Security</div>
70     </div>
71 </section>
72
73 <!-- TESTIMONIAL -->
74 <section class="max-w-6xl mx-auto p-4">
75     <h2 class="section-title">Testimoni</h2>
76
77     <div class="grid gap-6 md:grid-cols-2 lg:grid-cols-3">
78         <div class="card">"Aplikasi sangat membantu!" - Andi</div>
79         <div class="card">"UI nya keren!" - Sari</div>
80         <div class="card">"Recommended!" - Budi</div>

```

```

81     </div>
82 </section>
83
84 <!-- FORM -->
85 <section class="max-w-6xl mx-auto p-4">
86     <h2 class="section-title">Kontak Saya</h2>
87
88     <form class="max-w-lg mx-auto flex flex-col gap-4">
89         <input type="text" placeholder="Nama" class="p-3 rounded bg-gray-100 dark:bg-gray-700">
90         <input type="email" placeholder="Email" class="p-3 rounded bg-gray-100 dark:bg-gray-700">
91         <textarea placeholder="Pesan" class="p-3 rounded bg-gray-100 dark:bg-gray-700"></textarea>
92         <button class="btn">Kirim</button>
93     </form>
94 </section>
95
96 <!-- FOOTER -->
97 <footer class="bg-indigo-600 text-white mt-10">
98     <div class="max-w-6xl mx-auto p-6 grid gap-6 md:grid-cols-2 lg:grid-cols-3">
99
100         <div>
101             <h3 class="font-bold">TiniFlow</h3>
102             <p>© 2026 Tini. All rights reserved.</p>
103         </div>
104
105         <div>
106             <h3 class="font-bold">Menu</h3>


```

```

107     <ul>
108       <li>Home</li>
109       <li>Fitur</li>
110     </ul>
111   </div>
112
113   <div>
114     <h3 class="font-bold">Kontak</h3>
115     <p>Email: tini@email.com</p>
116   </div>
117
118 </div>
119 </footer>
120
121 <!-- DARK MODE SCRIPT -->
122 <script>
123   const btn = document.getElementById('toggleDark');
124   const html = document.documentElement;
125
126   if(localStorage.getItem('theme') === 'dark'){
127     html.classList.add('dark');
128   }
129
130   btn.onclick = () => {
131
132     html.classList.toggle('dark');
133     localStorage.setItem('theme', html.classList.contains('dark') ? 'dark' : 'light');
134   }
135 </script>
136 </body>
137 </html>

```

➤ Ini hasil nya



✦ by Tini



Fitur Unggulan

Task Manager
Reminder
Analytics
Cloud Sync
Team Work
Security

Testimoni

"Aplikasi sangat membantu!" - Andi
"UI nya keren!" - Sari
"Recommended!" - Budi

Kontak Saya

TiniFlow

© 2026 Tini. All rights reserved.

Menu

- Home
- Fitur

Kontak

Email: tini@email.com

6. Hasil dan Pembahasan

Hasil dari praktikum menunjukkan bahwa:

CSS Grid sangat efektif untuk layout kompleks

Media query penting untuk responsif

Tailwind mempercepat proses styling

Penggunaan animasi meningkatkan UX

Perbandingan:

CSS biasa → lebih panjang

Tailwind → lebih ringkas dan cepat

7. Kesimpulan

Dari praktikum ini dapat disimpulkan bahwa:

CSS lanjutan sangat penting untuk membuat tampilan web modern

Layout responsif wajib dalam pengembangan web

Tailwind CSS mempermudah dan mempercepat styling

Penggunaan komponen interaktif meningkatkan pengalaman pengguna

Mahasiswa mampu membuat landing page yang profesional