

Start / main()

Load config, enable debug logging when requested
Clear sheet once when flagged per run
Debug mode reads email_body.txt and exits
Normal loop runs until max_emails_per_run



get_unread_email_body()

Login IMAP, select INBOX, search Primary unseen
Fetch first message (HTML preferred)
Detect forwarded sender via regex
Filter body with keywords/domains; non-job -> NotRead



process_email_payload()

Trim body, skip empty payloads, log source
Call extract_jobs_from_email() for AI parse
Subject fallback populates missing locations
Append jobs to sheet, log completion status



extract_jobs_from_email()

Build OpenAI client, combine subject + body
Call Responses.create with EXTRACTION_PROMPT
Parse JSON, enforce max_jobs_per_email
Normalize job_name/salary/location/SWOT



append_jobs_to_sheet()

Get worksheet via service account credentials
Ensure headers, wrapping, and cached URLs
Build rows with hyperlink, company, metadata
Append rows, update URL cache, add notes



Helper utilities

is_relevant_job_email() enforces heuristics
extract_original_sender_from_body() finds forwarded from
_format_swot_text() cleans JSON/string notes
get_gsheets_worksheet() caches client/worksheet



Finish / Exit

Log processed_count and run summary
Exit after the loop finishes