

API DOCUMENTAION

With your Voxbay account you have instant access to our API, this enables you to easily integrate our Voice/SMS services with your website, software or CRM application in PHP, ASP, .NET, Java or any other language.

Format JSON

Method POST

Incoming Call API

Event 1: Incoming call landed on server

API Endpoint : https://example.com/vl/callcenterbridging
Method : POST
Parameters :
 calledNumber => customer called number. Usually DID number.
 : callerNumber => customer number.
 : CallUUID => unique id for the call

Expected Response: "success"

Event 2: Call answered by an agent

API Endpoint : https://example.com/vl/callcenterbridging
Method : POST
Parameters :
 AgentNumber => number of the agent.
 : callerNumber => customer number.
 : CallUUID => unique id for the call.

Expected Response: "success"

Event 3: When a call is disconnected

API Endpoint : https://example.com/vl/callcenterbridging
Method : POST
Parameters :
 AgentNumber => number of the agent.
 : CallUUID => unique id for the call

Expected Response: "success"

Event 4: CDR push at the end of the call

API Endpoint	:	https://example.com/v1/callcenterbridging	
Method	:	POST	
Parameters	:	calledNumber	=> customer called number. Usually DID number.
	:	callerNumber	=> customer number.
	:	totalCallDuration	=> total call duration.
	:	callDate	=> date and time of the call.
	:	callStatus	=> status of the call.
	:	recording_URL	=> recording url of the call.
	:	AgentNumber	=> number/name of the agent.
	:	CallUUID	=> unique id for the call.
	:	callStartTime	=> start time of the call.
	:	callEndTime	=> end time of the call.
	:	conversationDuration	=> Conversation Duration
	:	dtmf	=> dtmf input sequence by the customer.
	:	transferredNumber	=> Transferred number

Expected Response: "success"

Outgoing Call API

Event 1: when an outgoing call initiated

API Endpoint	:	https://example.com/v1/callcenterbridging	
Method	:	POST	
Parameters	:	extension	=> source of the call.
	:	destination	=> destination number.
	:	callerid	=> caller id of the call.
	:	callUUID	=> unique id for the call

Expected Response: "success"

Event 2: CDR push at the end of the call

API Endpoint :

<https://example.com/v1/callcenterbridging>

Method : POST

Parameters : extension => source of the call.

: destination => destination number.

: callerid => caller id of the call.

: duration => duration of the call.

: status => status of the call.

: date => date and time of the call.

: recording_URL => call recording of the call.

Expected Response: "success"

Call recording URL

<https://x.voxbay.com:81/callcenter/>

Click to Call API

Format: JSON

Method: GET

FORMAT 1

Type: Extension to Mobile

https://x.voxbay.com/api/click_to_call?id_dept=0&uid=UID&upin=UPIN&user_no=EXTENSION_NUMBER&destination=DESTINATION MOBILE NUMBER&callerid=DID_NUMBER&

uid = uid

upin = upin

user_no = extension number

destination = destination mobile number

We can add custom parameters in Click-to-Call from the Developer option.

FORMAT 2

Type: Mobile to Mobile

https://x.voxbay.com/api/click_to_call?id_dept=0&uid=UID&upin=UPIN&user_no=EXTENSION_NUMBER&destination=DESTINATION MOBILE NUMBER&callerid=DID_NUMBER&source=USER MOBILE NUMBER&

uid = uid
 upin = upin
 source = User phone number
 user_no = extension number
 destination = destination mobile number
 callerid = DID number

We can add custom parameters in Click-to-Call from the Developer option

Parameter Data Types

Parameter	Data type	Example
calledNumber	varchar	91487110000
callerNumber	varchar	919191919191
CallUUID	varchar	6598469469489
agentNumber	varchar	100
totalCallDuration	varchar	135 (in seconds)
callDate	datetime	2018/04/17 18:49:02
callStatus	varchar	ANSWERED
recording_URL	varchar	844200600-18042018-110738.wav
callStartTime	time	18:49:02
callEndTime	time	18:49:02
conversationDuration	varchar	213 (in seconds)
dtmf	varchar	1,5,3
extension	varchar	abc*017_452
destination	varchar	9895376615
date	datetime	2018-04-17 18:49:02
duration	varchar	122 (in seconds)
transferredNumber	varchar	9898989898,9898989898

Call Status

Status	Description
ANSWERED	Call is answered. A successful dial. The caller reached the Calle.
BUSY	Busy signal. The dial command reached its number but the number is busy.
NOANSWER	No answer. The dial command reached its number, the number rang for too long, then the dial timed out.
CONGESTION	Congestion. This status is usually a sign that the dialled number is not recognised.
CHANUNAVAIL	Channel unavailable. On SIP, peer may not be registered.
CANCEL	Call is cancelled. The dial command reached its number but the caller hung up before the Calle picked up.