Date: January 2024

This file contains instructions and programs to reproduce the results in the paper:

"Policies or Prejudices? An Analysis of Antisemitic and Anti-Israel Views on Social Media and Social Surveys" by Noam Binstok, Eric Gould, and Todd Kaplan.

The paper presents three different analyses:

1. Analysis of Twitter Data
2. Analysis of the German Social Survey 2016
3. Analysis of the data from Kaplan and Small (2006) in *Journal of Conflict Resolution*

Analysis of Twitter Data

- The Stata do file to create the tables is called: "twitter_dofile.do"
- The do file uses the included Stata data files: jeea_25km.dta; jeea_20km.dta; jeea_15km.dta.
- The instructions and programs to create the Stata data files from the raw data accessed from Twitter (now known as "X") are described below.

Analysis of the German Social Survey 2016

- The Stata do file to create the tables is called: "German_Social_Survey_2016_dofile.do"
- The data is publicly available at this link and is called: "ZA5252_v1-0-0.dta"
- GESIS - Leibniz-Institut für Sozialwissenschaften (2018). German General Social Survey - ALLBUS 2016. *GESIS Data Archive, Cologne. ZA5252 Data file Version 1.0.0, https://doi.org/10.4232/1.12837*.

Analysis of the data from Kaplan and Small (2006)

- The Stata do file to create the tables is called: "kaplan_and_small_dofile.do"
- The data file was obtained from the public release of the data from Kaplan and Small (2006) at this link, and was converted to a Stata data file.
- Kaplan, Edward. H., and Charles A. Small (2006). "Anti-Israel Sentiment Predicts Anti-Semitism in Europe." *Journal of Conflict Resolution*, 50(4), 548–561.

Instructions and code to create the Stata data files from the raw data from Twitter

The raw csv data files of tweets containing the keywords used in the analysis (Israel, Israeli, Jew, Jewish, China, and Tottenham) were created by obtaining access to the Twitter Academic API. Releasing the raw data of tweets from Twitter may violate the terms of use, so permission from Twitter (X) needs to be obtained in order to access the API. A separate csv file was created for each keyword. Each request was limited to tweets located in the United Kingdom. The API was called twice for each day during the sample period.

The keywords that were searched are Israel, Israeli, Jew, Jewish, China, and Tottenham. The locations were limited by using the term "place_country: GB". The dates are arranged in the following format YYYY-MM-DDTHH:MM:SSZ. So, the range between January 6, 2024 at 12 PM and January 7, 2024 at 00:00 would be written as: "2024-01-06T12:00:00Z", Until:"2024-01-07T00:00:00Z".

This is an example of an API request for tweets using the keyword “Israel” in Great Britain:

Israel place_country:GB From:"2020-01-06T12:00:00Z", Until:"2020-01-07T00:00:00Z"

The results of each request were merged to create a separate csv file for each of the search keywords for the entire sample period. This produces five files called "Jwi.csv, Jew.csv, Tot.csv ,Chi.csv, Isr.csv".

The following links were used to match the location of the stadiums where the games were held and the districts from which the Tweets were posted:

Districts: https://osdatahub.os.uk/downloads/open/BoundaryLine

Stadiums: https://rpubs.com/Rogue_Derivative/835786

Matches: https://www.kaggle.com/datasets/evangower/premier-league-matches-19922022

The data files for the district boundaries are available upon request. The data files for stadiums and matches are in the folder called "Stadiums".

Preparation of the Stata data sets used to produce the tables in the Twitter analysis involves two stages: The first stage is run in Python using the csv files described above, and the second stage processes the data in Stata.

Stage 1 – Python programs

The scripts are located in the “Python Code” folder and can either be executed together using the "Create one file" script or executed separately in the following order:

1. sentiment_analysis
2. stadiums
3. districts
4. creating_dataset_from_twitter

The required Python packages are:

- Pandas: Python's basic package for working with data
- Numpy: The fundamental package for scientific computing in Python
- TweetNLP: The package used for sentiment analysis. See Tweetnlp.org for a description.
- shapely: Package for calculating geographical parameters
- Geopandas: Package for working with geospatial data in python
- tqdm: Package for tracking progress of code execution in python.
- All packages are available for installation via -pip install

The code ran on March 26, 2023. The total running time was 28 hours and 57 minutes on a pc with Ryzen 5 3500X processor. Most of the running time is due to the sentiment analysis.

After running the Python code, the resulting files are named according to the proximity of the district to the opposing team's stadium that is playing against Tottenham: 15_KM.csv, 20_KM.csv, and 25_KM. These files should be placed in the "files_for_stata" folder.

Stage 2 – Stata

- The Stata do files for this stage are in the "Stata_codes" folder.
- The csv files created in Stage 1 need to be converted to Stata data files. The program used to do this is: converting_files.do
- The do file "preparing_files.do" processes the data and outputs the Stata data sets used to replicate the tables: jeea_25km.dta; jeea_20km.dta; jeea_15km.dta