```
import sys

import pygame

from settings import Settings
from ship import Ship
from bullet import Bullet


class AlienInvasion:
    #Overall class to manage game assets and behavior

    def __init__(self):
        #Initialize the game, and create game resources

        pygame.init()
        self.settings = Settings()

        # Tell pygame to determine the size of the screen and set the screen
width and height based on the players screen size
        self.screen = pygame.display.set_mode ((0,0), pygame.FULLSCREEN)
        self.settings.screen_width = self.screen.get_rect().width
        self.settings.screen_height = self.screen.get_rect().height

        pygame.display.set_caption ("Sharons Alien Invasion")

        # Set the background color - colors are RBG colors:  amix of red, green,
and blue.  Each color range is 0 to 255
        self.bg_color = (10, 230, 230)

        self.ship = Ship(self)
        self.bullets = pygame.sprite.Group()


    def run_game(self):
        #Start the main loop for the game

        while True:
            # call a method to check to see if any keyboard events have occurred
            self._check_events()
            self.ship.update()
            self._update_bullets()
            self._update_screen()

    def _check_events(self):
```

```
        #Respond to keypresses and mouse events.
            # Did the player quit the game?
        for event in pygame.event.get():
            if event.type ==pygame.QUIT:
                sys.exit()
            #  Did the player press the right or left arrow key?
            elif event.type == pygame.KEYDOWN:
                self._check_keydown_events(event)
            # Did the player stop holding down the arrow key?
            elif event.type == pygame.KEYUP:
                self._check_keyup_events(event)

    def _check_keydown_events(self, event):
        # Is the key the right arrow or is it the left arrow
        if event.key == pygame.K_RIGHT:
            self.ship.moving_right = True
        elif event.key == pygame.K_LEFT:
             self.ship.moving_left = True
        # Did the player hit the Q key to quite the game?
        elif event.key == pygame.K_q:
            sys.exit()
        # Did the player hit the space bar to shoot a bullet?
        elif event.key == pygame.K_SPACE:
            self._fire_bullet()

    def _check_keyup_events(self, event):
        # Did the player stop holding down the arrow keys?
        if event.key == pygame.K_RIGHT:
            self.ship.moving_right = False
        elif event.key ==pygame.K_LEFT:
            self.ship.moving_left = False

    def _fire_bullet(self):
        #Create a new bullet and add it to the bullets group
        #Limited the number of bullets a player can have at a time by adding a
constant to the settings file
        if len(self.bullets) < self.settings.bullets_allowed:
            new_bullet = Bullet(self)
            self.bullets.add(new_bullet)

    def _update_bullets(self):
        #Update positions of the bullets and get rid of old bullets.
        self.bullets.update()
```

```
# Get rid of bullets that have disappeared off the screen because they are still
there in the game and take up memory and execution time
        for bullet in self.bullets.copy():
             if bullet.rect.bottom <=0:
                self.bullets.remove(bullet)
             #  Determine how many bullets still exist in the game to verify they
are being deleted
             #  print(len(self.bullets))

    def _update_screen(self):
        #Update images on the screen, and flip to the new screen.
        # Redraw the screen each pass through the loop
        self.screen.fill(self.settings.bg_color)
        self.ship.blitme()
        # Draw bullets on the screen
        for bullet in self.bullets.sprites():
            bullet.draw_bullet()
         # Make the most recently drawn screen visible
        pygame.display.flip()

if __name__ == '__main__':
    # Make a game instance, and run the game
    ai = AlienInvasion()
    ai.run_game()

quit()
```