Module 11 Individual Case | Navidrome Version Priority

DSO 576 - Client Metadata Outreach Prioritizer | Observation date: November 8, 2026 | Team deployment, SAMPLE dataset

1. One person, one decision

Person: Alex, a hypothetical ListenBrainz outreach coordinator responsible for selecting an evidence-backed developer conversation. **Decision:** Within the observed Navidrome client, which reported version should Alex investigate first for unusable recording MBIDs before asking a maintainer for help? This decision is distinct from choosing the first client to contact in the entire shortlist.

Alex cares about how many listens could benefit, how many accounts are affected, whether the apparent version gap is real and fixable, and whether a maintainer can act. Without the app, Alex would need to inspect raw submission records, Navidrome documentation and issues, and ask developers about their release history.

2. Live-deployment observations (sample-mode data)

I inspected the team-hosted Streamlit application, not a local development server. Its banner explicitly said SAMPLE, 21,276 accepted source events, playback dates 2005-02-13 through 2026-09-03, with importer exclusion on. Minimum distinct accounts = 100; reach weight = 50%; scenario target = 75%. The observations below concern the app's SAMPLE data, not a census of all Navidrome installations or current production activity.

Shortlist: Navidrome ranked #3, score 0.866, with 889 observed listens, 719 distinct accounts, and 318 affected accounts. **Client detail:** 52.8% recording-MBID coverage. Of 889 listens, 420 lacked usable IDs (420 absent, 0 populated-invalid), leaving 469 with a syntactically usable recording MBID. The reported 52.8% equals 469/889. A valid UUID shape does not prove that an identifier exists in MusicBrainz.




Figure 1. Team-hosted app: Navidrome is third on the shortlist (SAMPLE mode); relevant ranking row and comparison context.

2. Evidence, continued: coverage and version detail




Figure 2. Navidrome client detail: 889 listens, 719 accounts, 318 affected accounts, and 52.8% coverage. Sidebar shows the selected candidate and ranking/scenario controls.

Version evidence: The first visible version row (shown with suffix **be10f89c)**, with its full version string truncated on screen) contains 609 listens, 314 usable IDs and **295 absent IDs** (51.56% coverage). The next visible rows show 39 and 23 absent IDs respectively. This leading version row contributes **295 of Navidrome's 420 unusable-ID listens, or 70.2%**, in this sample. A suffix alone does not establish a verified software release identity.




Figure 3. Version evidence from the live deployment. The left edge of version labels is truncated; counts and coverage columns are visible. Do not treat truncated strings as full version identifiers.

3. Does the app measure what Alex needs?

Partly. A missing recording MBID is a useful screening proxy for possible outreach value, and the breakdown makes the first version to investigate visible. But observed misses do not prove that Navidrome caused them, that the maintainer could fix them, or that outreach would recover 295 identifiers. The 52.8% coverage statistic measures syntactic usable-ID presence for filtered submissions, not a verified MusicBrainz match or a success probability. Therefore, the score and the version counts support *investigation*, not automatic outreach.

4. Who is in the rows, and who is not?

Rows represent accepted ListenBrainz source events in the selected sample and playback-date range, after importer exclusion. They are not one row per Navidrome user, installation, software defect, or outreach opportunity. Accounts and listens are different denominators (719 accounts versus 889 listens; 318 accounts affected). Unobserved listens, excluded importers, missing or inconsistent version labels, inactive releases, and users outside the sample are not represented. The 100-account minimum also affects which clients appear in the shortlist. Generalizing the 295 misses to all Navidrome users would create selection bias.

5. What matters outside the data?

Navidrome supports ListenBrainz scrobbling, but an actual fix depends on the client version, library metadata, submission pathway, release history, and whether the maintainers can reproduce the problem. ListenBrainz distinguishes client-submitted identifiers in additional_info from server-resolved mbid_mapping, so a metric must say which kind it counts. Alex should check Navidrome release notes, public issues, and the actual outgoing fields, then ask the maintainer whether the suspected gap is actionable. Neither the sample nor this case establishes a current defect in Navidrome.

6. Verdict - prove or break

PROVE for prioritizing further investigation; BREAK for automatic maintainer outreach. The app improves on manually scanning thousands of records: it narrows attention to Navidrome and the 609-listen version row with 295 missing IDs. For this decision, Alex should investigate that row first, confirm the full version identity, compare against other versions using rates as well as counts, and look for independent technical evidence. Alex should **not** claim the version is defective, promise 295 recoverable MBIDs, rank maintainers by blame, or contact anyone solely from the score.

Relevant team change requests: CR-05 (open) - rank version evidence by missing recording-MBID counts so the highest-gap version is easy to locate; **CR-06 (open)** - show the usable-ID numerator, total listens, calculated coverage, SAMPLE mode, date scope, and limitations beside the metric. These are generalizable improvements, not Navidrome-only fixes. The screenshot shows the version-level counts are available, but not that CR-05 or CR-06 has been implemented as requested.

7. Sources and evidence

1. Team-hosted Streamlit Client Metadata Outreach Prioritizer, observed Nov 8, 2026: Screenshots in Figures 1-3; SAMPLE dataset, filters and values described above.

2. ListenBrainz, JSON Documentation (submission additional_info versus server mbid_mapping): https://listenbrainz.readthedocs.io/en/latest/users/json.html

3. Navidrome, Scrobbling documentation (ListenBrainz integration and per-user settings): https://navidrome.org/docs/usage/scrobbling/

Final submission note: Confirm no teammate has the same person and decision. Share this PDF for team validation.pdf Section 2, and submit your own case PDF in Brightspace.