



Origin Acoustics Bespoke Audio

Ambisonic All-Weather Custom Soundbars

ASBR6 • ASBR5 • ASBR4

High-performance custom loudspeakers featuring Ambisonic Planar Magnetic Ribbons and Glass Fiber Woofers: Bespoke ultra high-fidelity indoors and outdoors Soundbars in a premium, made-to-order construction.

Their compact, shallow enclosures have been designed with unique waveguides which deliver excellent dispersion and fidelity. Available in 4-inch, 5-inch, and 6-inch drivers, each custom Soundbar model is available as left/center/right (LCR); left/right (LR), or "C", for independent center, left, and right channel configurations.

Ambisonic Systems has delivered high performance experiences in luxury outdoor settings for decades. The new series of Custom Soundbars proudly feature the same proprietary technologies and quality materials.



85 - 100": (85" TVs up to 100")



65 - 74": (65" TVs up to 75")



42 - 54": Smaller than 55" TV



EACH SOUNDBAR MODEL IS BUILT TO THE SIZE OF THE TV, EVERY TIME.

- Made-to-order Soundbars are custom cut to the size of the television, including notches for IR sensors or logo recess.
- Deliver unique-built sizing & design, and custom-configured selections at every step.

Scan the QR Code for full instructions for this product.



Audiophile Quality

PERFORMANCE PRECISION

Ultra-fast transient response delivers faithful signal reproduction and impressive dynamic range.

EXPANSIVE SOUNDSTAGE

Wide horizontal dispersion ensures immersive stereo imaging and a larger sweet spot.

OPTIMIZED CONTROL

Refined vertical dispersion reduces indoor reflections and projects sound farther outdoors.

ENGINEERED FIDELITY

Custom ribbon waveguides enhance dispersion uniformity and tonal accuracy.

UNMATCHED CONSISTENCY

Outdoor-rated, Ambisonic-quality woofers feature true AES power ratings and near-zero variance - just 0.001% between units.

Planar Ribbon Driver

Experience the precision of our planar ribbon driver — a highly efficient, audiophile-grade tweeter powered by a neodymium motor and built to perform in any environment. Engineered to reproduce every transient and high-frequency nuance with stunning accuracy, it delivers crystal-clear detail, wide dispersion, and minimal distortion even at high output levels. Designed for outdoor musical immersion, it brings your sound to life with energy, emotion, and effortless fidelity.

Signature Sound Choices

ASBR6 - Delivers maximum depth and output with open, spacious highs.

ASBR5 - Balanced full low-frequency presence with rich, immersive sound.

ASBR4 - Offers precise low-mid articulation and finely detailed highs.



Ambisonic Bespoke Soundbar Solutions should be installed with Origin PRO Amplifiers for a seamless, optimal listening experience, with ready-to-go, dedicated DSP profiles.

Shallow Form, High Output Acoustic Aluminum

Shallow form factor with a tapered back end cap allows the soundbar to be used anywhere that depth of space is at a premium and high sensitivity with high output is required.

CRAFTED FROM ALUMINUM EXTRUSION WITH 316L STAINLESS HARDWARE

No rust or corrosion — Built to endure, our lightweight aluminum enclosures combine superior acoustic performance with exceptional durability. The premium aluminum construction resists the elements while maintaining its refined aesthetic and eco-conscious advantages. All-weather 316L stainless steel hardware ensures lasting strength season after season.

IP65 Outdoor Resilience

Engineered for the elements, the unique waveguide and glass-fiber cones deliver exceptional dispersion and fidelity in any condition. The powder-coated aluminum enclosure ensures a robust IP65 rating, providing reliable protection against water and dust. The ASBR Series soundbars are built for lasting performance—whether installed indoors, outdoors, or in marine environments. **CUSTOM SOUNDBAR GRILLES ARE FITTED WITH A PROTECTIVE HYDROPHOBIC CLOTH.**

Ambisonic Bespoke Soundbar Solutions should be installed with Origin PRO Amplifiers for a seamless, optimal listening experience, with ready-to-go, dedicated DSP profiles.

Rock Solid Amplification

Pair any system* with an Origin PRO Amplifier for custom DSP profiles and optimized performance. Designed to deliver serious power at 8 ohms, Origin PRO Amplifiers drive expansive outdoor systems with effortless control and impact. Witness every transient and high-frequency nuance with stunning clarity, wide dispersion, and minimal distortion, even at peak output. Harness the full potential of Ambisonic tech and PRO amps for an immersive outdoor listening experience across bedroom retreats, living rooms, private patios, and more.

*If using a 3 channel soundbar speaker configuration, you will need an external preamp.



ORIGIN PRO AMPLIFIERS

Custom Mounting Options

Select the preferred installation method to suit any setup.

Each Soundbar order includes a reversible wall-mount template for quick, precise installation - compatible with either a Z-Bracket Wall Rail Mount or standard through-hole screws.

For a seamless “edge-to-edge” look, flush with the bottom of the television display, a Universal VESA Bracket is available separately.

WALL RAIL MOUNT BRACKET (LOW PROFILE Z-BRACKET)



DIRECT-TO-WALL SCREWS USING THROUGH-HOLES (BEST FOR UNEVEN SURFACES)



UNIVERSAL VESA BRACKET: EDGE-TO-EDGE MOUNTING (FLUSH WITH BOTTOM OF THE TV)



Scan QR Code for VESA Mount
Installation explanation video.






Note: This option is for purchase separately.

TV & Channel Configurations

Design a bespoke Ambisonic Soundbar to match audio system needs.

All models are engineered for LCR performance, with the flexibility to upgrade to a full LCR configuration if a Left/Right or Center channel was initially purchased.

Configure your soundbar as a dedicated Center Channel (C)—delivering up to 70% of vocal clarity through the center—or opt for a 3-way LCR soundbar with left, center, and right channels for a broader, more dynamic soundstage.



CHANNELS: Left Center Right (-LCR) • Stereo Channel Left Right (-LR) • Single Channel Center (-C)

MATERIALS: Aluminum extrusion / 316L hardware

COLOR (Light to Dark options): Black, White, or Custom

FINISH: Textured, Smooth Satin, Smooth Gloss, or Custom Exterior Finish

MOUNTING MECHANISM:

- Wall Rail Mount Bracket (Low Profile “Z” Bracket)
- Direct to Wall screws with through-holes (for uneven surfaces)
- Universal Vesa Bracket: Edge to Edge

(flush with bottom of the TV) (for purchase separately)

IN-STOCK (FAST TURNAROUND OPTIONS)

- Black or white powder coated
- Requested color match powder coat
- Painted / Wrapped / or Printed options
(for an all-weather finish)

Sizing Options

ASBR6 Soundbar Dimensions:

4 $\frac{3}{16}$ " (106mm) D x 7 $\frac{7}{8}$ " (200mm) H

Custom Length Sizes: from 55" - 100"

ASBR5 Soundbar Dimensions:

3 $\frac{7}{16}$ " (88mm) D x 5 $\frac{7}{8}$ " (150mm) H

Custom Length Sizes: from 42" - 100"

ASBR4 Soundbar Dimensions:

2 $\frac{5}{8}$ " (66mm) D x 4 $\frac{7}{16}$ " (112mm) H

Custom Length Sizes: from 42" - 100"

Specifications

1 ASBR6

- 3" Planar Magnetic Ribbon Coaxial Drivers
- 6 $\frac{1}{2}$ " All-Weather Glass Fiber Cone Woofers

2 ASBR5

- 2" Planar Magnetic Ribbon Coaxial Drivers
- 5 $\frac{1}{4}$ " All-Weather Glass Fiber Cone Woofers

3 ASBR4

- 2" Planar Magnetic Ribbon Coaxial Drivers
- 4" All-Weather Glass Fiber Cone Woofers

SIZING OPTIONS

85-100"
75-84"
65-74"
55-64"
42-54"

TV MODEL MATCH

85-100 (TV size 85" up to 100")
75-84 (TV size 75" up to 85")
65-74 (TV size 65" up to 75")
55" TVs up to 65")
Smaller than 55" TV

* Over 100" call for quote

SPECIFICATIONS

ASBR6

Frequency Response L/R	74 Hz - 20 KHz (-10dB) 103 Hz - 20 KHz (-2.5dB)
Frequency Response C	70 Hz - 20 KHz (-10dB) 100 Hz - 20 KHz (-2.5dB)
Power RMS	L/R: 100W • C: 200W
Rated Impedance	L/R: 6Ω • C: 4Ω
Sensitivity (2.83/1m)	LR: 91dB • C: 96dB
Ideal Room Size	300 – 2,500 sq ft
Subwoofer Recommendation	12" - 15" options
Peak Output	122dB

SPECIFICATIONS

ASBR5

Frequency Response L/R	83 Hz - 20 KHz (-10dB) 117 Hz - 20 KHz (-/+3dB)
Frequency Response C	80 Hz - 20 KHz (-10dB) 113 Hz - 20 KHz (-/+3dB)
Power RMS	L/R 75W • C: 150W
Rated Impedance	L/R: 6Ω • C: 4Ω
Sensitivity (2.83/1m)	LR: 88dB • C: 92dB
Ideal Room Size	200 – 1,250 sq ft
Subwoofer Recommendation	10" - 12" options
Peak Output	116dB




SPECIFICATIONS

ASBR4

Frequency Response L/R	112 Hz - 20 KHz (-10dB) 140 Hz - 20 KHz (-/+3dB)
Frequency Response C	108 Hz - 20 KHz (-10dB) 138 Hz - 20 KHz (-/+3dB)
Power RMS	L/R: 30W • C: 60W
Rated Impedance	LR: 6Ω • C: 4Ω
Sensitivity (2.83/1m)	LR: 88dB • C: 92dB
Ideal Room Size	200 – 700 sq ft
Subwoofer Recommendation	8" - 10" options
Peak Output	113dB

Specification Details

1 ASBR6 LINEDRAWINGS



Recommended Origin PRO Amplifier Power for Soundbar systems without Subwoofers:





ProA125.2 — compatible with ASBR4 4" custom Soundbars & ProA250.2 — recommended for ASBR5 5" and ASBR6 6" custom Soundbars

In these configurations, Channels 1 & 2 drive Left/Right channels, while Channel 3 (power-share) supports the Center.

Pairing the ASBR6 Soundbar with a 12" Subwoofer will require upgrading to a ProA1000.4 or an additional ProA1000.1 Amplifier.

Specification Details

2 ASBR5 LINEDRAWINGS



Recommended Origin PRO Amplifier Power for Soundbar systems without Subwoofers:



ProA125.2 — compatible with ASBR4 4" custom Soundbars & ProA250.2 — recommended for ASBR5 5" and ASBR6 6" custom Soundbars

In these configurations, Channels 1 & 2 drive Left/Right channels, while Channel 3 (power-share) supports the Center.

Pairing the ASBR6 Soundbar with a 12" Subwoofer will require upgrading to a ProA1000.4 or an additional ProA1000.1 Amplifier.

Specification Details

3 ASBR4 LINEDRAWINGS



*All product specifications are subject to change. Please refer to ambisonicsystems.com for latest information.

Recommended Origin PRO Amplifier Power for Soundbar systems without Subwoofers:

ProA125.2 — compatible with ASBR4 4" custom Soundbars & ProA250.2 — recommended for ASBR5 5" and ASBR6 6" custom Soundbars

In these configurations, Channels 1 & 2 drive Left/Right channels, while Channel 3 (power-share) supports the Center.

Pairing the ASBR6 Soundbar with a 12" Subwoofer will require upgrading to a ProA1000.4 or an additional ProA1000.1 Amplifier.