



CUSTOM SOUNDBAR SBR4

EASY. PORTABLE. BEAUTIFUL.

The SBR4 Custom Soundbars are designed with compact, shallow enclosures and straight end caps in a premium, made-to-order construction. Our Origin Acoustics SBR4 model specifically will offer a compact, balanced sound emanating from our iconic DSPD™ Tweeters and premium Glass Fiber woofers in true Origin style.

All SBR4 models feature a 4-inch woofer and are available as left/center/right (LCR); left/right (LR), or "C", for independent center, left, and right channel configurations, with simple to install mounting options. Each bespoke soundbar is built to a fully custom width to offer an exact match for any model of TV from 42" to 100", to match the required visual symmetry within any indoor space up to 500 sq ft.



SBR4

EACH SOUNDBAR MODEL IS BUILT TO THE SIZE OF THE TV, EVERY TIME.

- Made-to-order Soundbars are custom cut to the size of the television, including notches for IR sensors or logo recess.
- Deliver unique-built sizing & design, and custom-configured selections at every step.

SHALLOW FORM, HIGH OUTPUT ACOUSTIC ALUMINUM

Shallow form factor with a tapered back end cap allows the soundbar to be used anywhere that depth of space is at a premium and high sensitivity with high output is required.

CRAFTED FROM ALUMINUM EXTRUSION WITH 316L STAINLESS HARDWARE

Built to endure, our lightweight aluminum enclosures combine superior acoustic performance with exceptional durability. The SBR4 was specifically designed for indoor-only use, crafted using premium aluminum for its superior acoustic properties, maintaining its natural beauty and sustainability benefits for the environment.



CUSTOM SOUNDBAR SBR4

CHANNEL OPTIONS

Regardless of your choice of mounting and position, the single channel soundbars and LCRs will deliver pristine music and movie soundtracks and compliment your home theater experience. Each model is available as LCR, LR for stereo, or as C for independent Center, Left and Right channel configurations. The single channel soundbars can be placed on the Left, Right, or in the Center above or below the video display; or three can be placed in a linear row above or below the video display.



SIZING OPTIONS

85-100"
75-84"
65-74"
55-64"
42-54"

TV MODEL MATCH

85-100 (TV size 85" up to 100")
75-84 (TV size 75" up to 85")
65-74 (TV size 65" up to 75")
55" TVs up to 65")
Smaller than 55" TV

* Over 100" call for quote

ROCK SOLID AMPLIFICATION

Pair any system* with an Origin PRO Amplifier for custom DSP profiles and optimized performance. Designed to deliver serious power at 8 ohms, Origin PRO Amplifiers drive expansive outdoor systems with effortless control and impact. Witness every transient and high-frequency nuance with stunning clarity, wide dispersion, and minimal distortion, even at peak output. Harness the full potential of Origin Acoustics tech and PRO amps for an immersive outdoor listening experience across bedroom retreats, living rooms, private patios, and more.

We recommend pairing the Soundbar system with Origin PRO ProA125.2 Amplifier for seamless power!



*If using a 3 channel soundbar speaker configuration, you will need an external preamp.

Origin Acoustics Bespoke Soundbars should be installed with Origin PRO Amplifiers for a seamless, optimal listening experience, with ready-to-go, dedicated DSP profiles.



CUSTOM SOUNDBAR SBR4

Select the preferred installation method to suit any setup.

Each Soundbar order includes a reversible wall-mount template for quick, precise installation - compatible with either a Z-Bracket Wall Rail Mount or standard through-hole screws.

For a seamless “edge-to-edge” look, flush with the bottom of the television display, a Universal VESA Bracket is available separately.


WALL RAIL MOUNT BRACKET (LOW PROFILE Z-BRACKET)



DIRECT-TO-WALL SCREWS USING THROUGH-HOLES (BEST FOR UNEVEN SURFACES)



UNIVERSAL VESA BRACKET: EDGE-TO-EDGE MOUNTING (FLUSH WITH BOTTOM OF THE TV)



Scan QR Code for VESA Mount
Installation explanation video.



Note: This option is for purchase separately.






CUSTOM SOUNDBAR SBR4

Design a bespoke Soundbar to match audio system needs:

All models are engineered for LCR performance, with the flexibility to upgrade to a full LCR configuration if a Left/Right or Center channel was initially purchased.

Configure your soundbar as a dedicated Center Channel (C)—delivering up to 70% of vocal clarity through the center - or opt for a 3-way LCR soundbar with left, center, and right channels for a broader, more dynamic soundstage.



CHANNELS: Left Center Right (-LCR) • Stereo Channel Left Right (-LR) • Single Channel Center (-C)

MATERIALS: Aluminum extrusion / 316L hardware

COLOR (Light to Dark options): Black, White, or Custom

FINISH: Textured, Smooth Satin, Smooth Gloss, or Custom Finish

MOUNTING MECHANISM:

- Wall Rail Mount Bracket (Low Profile "Z" Bracket)
- Direct to Wall screws with through-holes (for uneven surfaces)
- Universal Vesa Bracket: Edge to Edge

(flush with bottom of the TV) (for purchase separately)

IN-STOCK (FAST TURNAROUND OPTIONS)

- Black or white powder coated
- Requested color match powder coat
- Painted / Wrapped / or Printed options



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.



CUSTOM SOUNDBAR SBR4


DIMENSIONS

2 5/8" (66mm) D x 4 7/16" (112mm) H
Custom Length Sizes: from 42" - 100"

SPECIFICATIONS

SBR4

Woofers	3 1/2" Glass Fiber Cone
Tweeter	1" Silk DPSD™
Configuration	L/R C LCR
Impedance (L/R C)	8Ω 4Ω
Frequency Response (-3dB) (L/R C)	124Hz - 20kHz 119Hz - 20kHz
Frequency Response (-10dB) (L/R C)	82Hz - 20kHz 88Hz - 20kHz
Power Handling (L/R C)	20W 40W
Sensitivity (L/R C)	82dB 87 dB
Peak Output (L/R C)	102dB 106dB
Subwoofer Recommendation	8" or 10"
Enclosure Material	Aluminum Cabinet



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.