

Integrating IBM Business Process Manager with Enterprise Content Management

Dieter König, IBM Senior Technical Staff Member, Business Process Manager
John Reynolds, IBM BPM Product Line Manager, Business User Empowerment



IBM's statements regarding its plans, directions, and intent are subject to change or withdrawal without notice at IBM's sole discretion.

Information regarding potential future products is intended to outline our general product direction and it should not be relied on in making a purchasing decision.

The information mentioned regarding potential future products is not a commitment, promise, or legal obligation to deliver any material, code or functionality. Information about potential future products may not be incorporated into any contract. The development, release, and timing of any future features or functionality described for our products remains at our sole discretion.

Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput or performance that any user will experience will vary depending upon many factors, including considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve results similar to those stated here.

Dieter König (dieterkoenig@de.ibm.com)

IBM Software Group, Senior Technical Staff Member and product architect
for IBM Business Process Manager

John Reynolds (john.reynolds@us.ibm.com)

IBM Software Group, IBM BPM Product Line Manager – Business User
Empowerment, Business Process Solution Architect


Successful BPM initiatives involve leveraging, integrating and collaborating across people, processes and information. In this session, learn how IBM BPM can be used to create process applications that link together processes and their related folders and documents.

This session will explore the IBM BPM capabilities that enable business process applications and the related end-user experiences where content plays a critical role, including an overview of integration with ECM systems based on the CMIS standard.

- **Introduction**
 - Smarter Process – IBM Business Process Manager 8.5
 - BPM Integration with Enterprise Content Management
- Working with Documents and Folders
- Consuming Content Events
- Consistent Document Management
- Demo
- Summary

Key IBM capabilities for Smarter Process

Impact2013



New Capabilities in IBM Business Process Manager 8.5

Next Generation Dashboards

Mobile

Social / Collaboration

Blueworks Live Integration


Internal Content Repository

Cloud


Instant

Seamless

Insightful




Incorporate **documents/folders** into BPM process applications
Consume **events** that occurred in ECM systems



Support access to common ECM systems by leveraging the **Content Management Interoperability Services (CMIS)** standard

- Introduction
- **Working with Documents and Folders**
 - Defining ECM server properties
 - Using BPM Business Objects for BPM Variables
 - Using the Content Integration Step in Services
 - Configuring the Document List Coach View
 - Detailed Setup of the Search Operation
 - End User Experience with Coach Views
- Consuming Content Events
- Consistent Document Management
- Demo
- Summary

- Incorporate documents/content from ECM repositories into IBM BPM process applications



- Support access to common Enterprise Content Management (ECM) systems by leveraging the Content Management Interoperability Services (CMIS) standard

Defining ECM Server Properties

Impact2013

Process App Settings

Overview Environment Servers

Servers

Servers

- fndemo1 {fndemo1}

Add Remove

Server Details

Name: fndemo1

Type: Enterprise Content Management Server

Description: Click [Edit](#) to add or edit text.

[\(Edit\)](#)

Server Locations

Environment Type: Default

Host Name: fndemo1

Port: 9080

Context Path: fncmis

Secure Server: ☐

Repository: FNOS1

User ID: P8Admin

Password: *****

Always Use This Connection Information: ☒

Test Connection


Connection Information

Authentication Information

Information

Connection was successful.

OK




ECM Business Objects

Impact2013

- Content Management Toolkit
 - Ajax Services
 - Business Objects
 - Coach Views
 - etc.

ECM Business Objects



Process/Service variable



Details

Name:

Documentation:
[\(Edit\)](#)



Is List: ☐

Variable Type: ECMDocument Content Management



Using the Content Integration Step in Services

Impact2013



Impact2013

```
graph LR; A[Define server properties] --> B[Create business objects]; B --> C[Perform content operations]; C --> D[Display results to users]
```

Detailed Setup of the Search Operation

Impact2013

Build Search Filter
Select Content Filter for a graphical user interface; Data Mapping to write a hand-coded CMIS query.
Method of creating search: **Content Filters**

Object Type
Select Document for document types, for example, email or insurance form; Folder for folder types, for example, case folder or car insurance folder.
Document **Picture** **Select...**

Properties
The layout and sorting order of the result set are determined in this pane using server data. Set the layout with the arrows at the base of the pane. Set the sorting order.

	Name	Creator	Date Created	ID
1	BPM Icon	P8Admin	Tue May 01 12:52:02 PDT 2012	idd_6D954C3F-9C3F-4DF8-AF31-790D8AE84216
2	Chrysanthemum	P8Admin	Wed Mar 21 06:23:26 PDT 2012	idd_ACB12B56-A753-41A8-9EB5-784C20CF78F6
3	Desert	P8Admin	Wed Mar 21 06:24:05 PDT 2012	idd_E512AF98-BAF0-4F5A-AAD8-C0E413BF0420
4	DK	P8Admin	Tue May 01 15:27:13 PDT 2012	idd_31540DE3-B32C-47C8-B3A2-B81F9D1102EB

Add **Remove** **←** **→**

☐ Result set sort order specified by process variable **js**

Search Criteria
Refine your search with custom properties. Any additions will not affect the Properties table.
Match Criteria **All**
Add Search Criterion...


Content Filters or Data Mapping

Folder type or Document type

Folder/Document properties and live preview

Sort order
















Additional search filter criteria



End User Experience with Coach Views

Impact2013


Document List 1

Name	Creator	Date Created	Actions
Jellyfish	P8Admin	2012/03/21 06:24:50.423 PDT	  
Koala	P8Admin	2012/03/21 06:25:15.937 PDT	  
Lighthouse	P8Admin	2012/03/21 06:25:37.977 PDT	  
Penguins	P8Admin	2012/03/21 06:26:02.873 PDT	  
Tulips	P8Admin	2012/03/21 06:26:25.523 PDT	  

◀ Back Page: 2

Create Document Refresh

Document Viewer 1




Document Viewer

Document List Actions
Create / Update / View

Open in new window

Close




Operation name	Description
Add document to folder	Add an existing document to a folder
Cancel check-out document	Reverse the effect of a check-out
Check-in document	Check-in the private working copy of a document
Check-out document	Create a private working copy of the document
Copy document	Create a document as a copy of the given source document
Create document	Create a document of the specified type
Create folder	Create a folder of the specified type
Delete document	Delete the specified document
Delete folder	Delete the specified folder
Get all document versions	Get the list of all documents in the specified version series
Get document	Get the specified information for the document
Get document content	Get the content stream for the specified document
Get documents in folder	Get the set of documents contained in the specified folder
Get folder	Get the specified information for the folder
Get folder by path	Get the specified folder
Get folder tree	Get the set of folders contained in the specified folder or its subfolders
Get type definition	Get the definition of the specified folder or document
Get type descendants	Get the set of descendant types defined for the specified folder or document type
Move document	Move the specified document from one folder to another
Move folder	Move the specified folder from one folder to another
Remove document from folder	Remove an existing document from a folder
Search	Execute a CMIS query statement against the contents of the repository
Set document content	Set the content stream for the specified document object
Update document properties	Update properties of the specified document

- Introduction
- Working with Documents and Folders
- **Consuming Content Events**
 - Overview
 - Creating Content Event Subscriptions
 - Integration Service Started by a Content Event
 - Content Event consumed in a Process or Subprocess
- Consistent Document Management
- Demo
- Summary

Consuming Content Events (BPM 8.0.1)

Impact2013



Creating Content Event Subscriptions

Impact2013

The screenshot shows the 'ECM Create Folder Subscription' dialog box. It has a title bar with navigation arrows and a close button. The main area is divided into two tabs: 'Common' and 'Details'. The 'Common' tab contains fields for 'Name' (ECM Create Folder Subscription), 'Type' (ECM), 'Modified' (bpmadmin (Apr 22, 2013 5:27:55 PM)), and 'Documentation' (Click Edit to add or edit text (Edit)). The 'Details' tab contains fields for 'ECM Server' (fndemo1), 'Event Class' (Folder), 'Object Type' (Folder), 'Include Subtypes' (checked), 'Event Type' (Created), 'Attached Service' (ECM C...rvice), and 'Expose Event Subscription' (Select... New... X). A 'Test Subscription...' button is also present. Three yellow callout boxes with pointers identify specific elements: 'Subscription target' points to the 'Object Type' field, 'Event type' points to the 'Event Type' field, and 'Integration service' points to the 'Attached Service' field.

Event Subscription

Common

Name: ECM Create Folder Subscription

Type: ECM

Modified: bpmadmin (Apr 22, 2013 5:27:55 PM)

Documentation: Click Edit to add or edit text (Edit)

Details

ECM Server: fndemo1

[Learn more](#)

[Use the Process Application Settings editor to add a server](#)

Event Class: Folder

Object Type: Folder

Include Subtypes: ☒

Event Type: Created

Attached Service: ⚡ ECM C...rvice Select... New...

Test Subscription...

Exposing

Expose Event Subscription: 👤 Select... New... X


Subscription target

Event type

Integration service


Integration Service Invoking a Process

Impact2013



Content Event Starting a Process

Impact2013



Content Event Starting an Event Subprocess

Impact2013

The screenshot displays the IBM Business Process Manager (BPM) console interface. The top window, titled "Create Folder Event Handler Process", shows a process diagram with three elements: "Object Filed to Folder", "Work with new Object", and "End". The "Diagram" tab is selected, and the breadcrumb path is "Create Folder Event Handler Process > Work with new Object in Folder".

Below the diagram, the "Properties" panel is open, showing the "Correlation and Output Mapping" section. This section contains a table for mapping UCA output data to BPD variables:

Variable	Mapping
<input type="radio"/> Output (ECMContentEv...	tw.local.secondaryContentEvent
<input type="radio"/> serverName (String)	
<input type="radio"/> repositoryId (ECMID)	
<input type="radio"/> eventClass (ECMEvent...	
<input type="radio"/> objectTypeId (ECMID)	
<input type="radio"/> eventType (ECMEventT...	
<input checked="" type="radio"/> objectId (ECMID)	tw.local.primaryContentEvent.objectId

Two yellow callout boxes provide additional context:

- "Map Content Event data to Subprocess Variable" points to the "Output (ECMContentEv..." row.
- "Correlate contained objectId with Main Process Variable" points to the "objectId (ECMID)" row.

Types of Content Events

Impact2013



ECM Event (abstract name)	Applicable ECM Object	IBM FileNet Content Manager	IBM Content Manager	Microsoft SharePoint
Check Out Canceled	Document	CancelCheckoutEvent	(not supported)	ItemUncheckedOut
Checked In	Document	CheckinEvent	Checkin	ItemCheckedIn
Checked Out	Document	CheckoutEvent	Checkout	ItemCheckedOut
Class Changed	Folder, Document	ChangeClassEvent	(not supported)	(not supported)
Classify Completed	Document	ClassifyCompleteEvent	(not supported)	(not supported)
Created	Folder, Document	CreationEvent	Create item	ItemAdded
Deleted	Folder, Document	DeletionEvent	Delete item	ItemDeleted
Filed	Folder	FileEvent	Add item to folder	(not supported)
Frozen	Document	FreezeEvent	(not supported)	(not supported)
Locked	Folder, Document	LockEvent	(not supported)	(not supported)
Publish Completed	Document	PublishCompleteEvent	(not supported)	(not supported)
Publish Requested	Document	PublishRequestEvent	(not supported)	(not supported)
Security Updated	Folder, Document	UpdateSecurityEvent	(not supported)	(not supported)
State Changed	Document	ChangeStateEvent	(not supported)	(not supported)
Unfiled	Folder	UnfileEvent	Remove item from folder	(not supported)
Unlocked	Folder, Document	UnlockEvent	(not supported)	(not supported)
Updated	Folder, Document	UpdateEvent	Update item	ItemUpdated
Version Demoted	Document	DemoteVersionEvent	(not supported)	(not supported)
Version Promoted	Document	PromoteVersionEvent	(not supported)	(not supported)

- Introduction
- Working with Documents and Folders
- Consuming Content Events
- **Consistent Document Management**
 - Overview
 - Document List View with BPM Documents
 - Content Event Subscription for BPM Documents
- Demo
- Summary

Consistent Document Management (BPM 8.5)

Impact2013

- Heritage coaches have built-in support for document attachments, stored in the BPM database
- Coaches NG in BPM 8.0 did not address document attachment support
- IBM BPM 8.5 introduces the internal document store, providing a consistent document management for external and internal document stores



Document Type IBM_BPM_Document

Impact2013

Property	Type	Description
IBM_BPM_Document_DocumentId	Integer	Numeric document identifier exposed in BPM
IBM_BPM_Document_ParentDocumentId	Integer	Numeric document identifier of the parent document exposed in BPM
IBM_BPM_Document_FileType	String	Indicates whether the document contains ("FILE") or references ("URL") its content
IBM_BPM_Document_FileNameURL	String	File name of the original document or URL, recommended to set this
IBM_BPM_Document_HideInPortal	Boolean	Indicates whether the document should be hidden from Portal
IBM_BPM_Document_ProcessInstanceId	Integer	Process instance identifier, if set the document is associated to the life-cycle of the process instance, also only users allowed to view the process instance are then allowed to view the document content
IBM_BPM_Document_Properties	String[]	Additional properties of this document, key and value should be separated by the "," character
IBM_BPM_Document_UserId	Integer	Creator / last modifier of a document (keep current semantics)
IBM_BPM_Document_ContentMigrated	Boolean	Flag indicating whether the content is migrated to the ECM store or not. This property is not to be externally documented































Document List View with BPM Documents

Impact2013

[illegible]

Document List View with BPM Documents

Impact2013

IBM BPM Documents					
Name	File name or URL	Major Version Number	Date Last Modified	Last Modifier	Actions
Bay Bridge	BayBridge.JPG	1	2013/04/20 20:50:33.874 CEST	bpmadmin	  
Brooklyn Bridge	BrooklynBridge.JPG	1	2013/04/20 20:50:59.162 CEST	bpmadmin	  
George Washington Bridge	GeorgeWashingtonBridge.jpg	1	2013/04/20 21:36:06.656 CEST	bpmadmin	  
Golden Gate Bridge	GoldenGateBridge.JPG	1	2013/04/20 20:51:20.175 CEST	bpmadmin	  
Harbor Bridge	HarborBridge.JPG	1	2013/04/20 20:51:40.424 CEST	bpmadmin	  
Hohenzollern Bridge	HohenzollernBridge.JPG	1	2013/04/20 20:51:59.81 CEST	bpmadmin	  
Oresund Bridge	OresundBridge.jpg	1	2013/04/20 21:19:23.200 CEST	bpmadmin	  
Pont Du Gard	PontDuGard.JPG	1	2013/04/20 20:52:18.98 CEST	bpmadmin	  
Ponte Vecchio	PonteVecchio.jpg	1	2013/04/20 21:19:03.823 CEST	bpmadmin	  
Rialto Bridge	RialtoBridge.JPG	1	2013/04/20 20:52:34.649 CEST	bpmadmin	  
Page : 1 Next ▶					
<div>Create Document Refresh</div>					

Identical User Experience 😊

Event Subscription

Common

Name: BPM Document Event

Type: ECM

Modified: tw_admin (Jan 16, 2013 8:49:59 AM)

Documentation: [Click Edit to add or edit text.](#)

Details

ECM Server: IBM BPM document store

[Use the Process Application Settings editor to add a server](#)

Event Class: Document

Object Type: BPM Document Attachment

Include Subtypes: ☐

Event Type: Created

Attached Service: [<none>](#) [Select...](#) [New...](#)

[Test Subscription...](#)

Exposing

Expose Event Subscription: [All Users](#) [System Data](#) [Select...](#) [New...](#)

ECM Server: IBM BPM Document Store
Event Class: Document
Object Type: BPM Document Attachment
Include Subtypes: not applicable
Event Type: limited choice

- Outbound ECM interactions limited to the following operations

ECM Operation	Description
Cancel check-out document	Reverse the effect of a check-out
Check-in document	Check-in the private working copy of a document
Check-out document	Create a private working copy of the document
Create document	Create a document of the specified type
Delete document	Delete the specified document
Get all document versions	Get the list of all documents in the specified version series
Get document	Get the specified information for the document
Get document content	Get the content stream for the specified document
Get type definition	Get the definition of the specified folder or document
Get type descendants	Get the set of descendant types defined for the specified folder or document type
Search	Execute a CMIS query statement against the contents of the repository
Set document content	Set the content stream for the specified document object
Update document properties	Update properties of the specified document

- Inbound ECM interactions limited to the following event types


ECM Event
Check Out Canceled
Checked In
Checked Out
Created
Deleted
Updated

- Introduction
- Working with Documents and Folders
- Consuming Content Events
- Consistent Document Management
- **Demo**
- Summary

Integrating BPM with ECM – Demo Setup

Impact2013

- BPM and FileNet Content Manager
 - Working with Documents and Folders
 - Ajax Service with ECM Search operation
 - Human Service with Document List and Document Viewer
 - Consuming Content Events
 - FileNet Event Handler setup
 - Content Event Subscription
 - Service and BPD with Content Event
 - Correlation for Intermediate Events
- BPM Internal Document Store
 - Consistent Document Management
 - Human Service with Heritage Document Attachment control
 - Human Service with Document List and Document Viewer



- Introduction
- Working with Documents and Folders
- Consuming Content Events
- Consistent Document Management
- Demo
- **Summary**

- Working with Documents and Folders (BPM 8.0)
 - BPM process applications invoke operations on documents and folders
 - Based on the Content Management Interoperability Services (CMIS) standard
- Consuming Content Events (BPM 8.0.1)
 - BPM process applications consume events from documents and folders
 - FileNet event handler provided
 - Open to any ECM product via published BPM API
- Consistent Document Management (BPM 8.5)
 - BPM internal store – same CMIS-based access as external ECM systems
 - Automatic document migration and compatibility with previous BPM versions

- Hands-on experience lab sessions

Session #	Title	Schedule
1539	Hands-On Lab: Exploring IBM BPM for SAP Capabilities	Mon, 29/April, 02:30 PM - 03:30 PM Venetian - Murano 3205
		Thu, 2/May, 01:00 PM - 02:00 PM Venetian - Murano 3303
1365	Hands-On Lab: BPM & ODM Installation, Deployment and Usage Patterns in a Private Cloud	Mon, 29/April, 01:00 PM - 03:30 PM Venetian - Murano 3305
2856	Hands-On Lab: Building Business Rules and Events Applications Using IBM ODM or IBM ODM for z/OS	Thu, 2/May, 01:00 PM - 03:15 PM Venetian - Murano 3205
3047	Hands-On Lab: Integrate Dynamic Business Rules into Your Other Products to Extend Your Solution	Tue, 30/April, 01:00 PM - 03:30 PM Venetian - Murano 3305
		Wed, 1/May, 08:30 AM - 11:15 AM Venetian - Murano 3205
2554	Hands-On Lab: Introduction to IBM Business Process Manager	Tue, 30/April, 04:00 PM - 06:15 PM Venetian - Murano 3205
2567	Hands-On Lab: BPM to Go with Worklight and BPM	Wed, 1/May, 08:30 AM - 09:45 AM Venetian - Murano 3305
		Thu, 2/May, 10:15 AM - 11:15 AM Venetian - Murano 3301B
2850	Hands-On Lab: From Spreadsheet to Business Dashboard in 60 Minutes or Less!	Mon, 29/April, 01:00 PM - 02:15 PM Venetian - Murano 3205

- Meet the Expert (MTE) Sessions in the Product Technology Center
(Located on the 3rd floor of the Venetian Conference Center):

Session #	Title	Schedule
1752	IBM BPM for SAP	Wed, 1/May, 05:00 PM - 06:00 PM
3142	Smarter Process	Tue, 30/April, 10:15 AM - 11:15 AM Thu, 2/May, 08:45 AM - 09:45 AM
2149	Using IBM BPM and IBM Blueworks Live Together	Wed, 1/May, 03:45 PM - 04:45 PM
2657	The Doctor Is in the House: Operational Decision Manager Rules Open Hours	Mon, 29/April, 02:30 PM - 03:30 PM
2865	Business and Process Visibility with IBM Business Monitor	Mon, 29/April, 04:00 PM - 05:00 PM Thu, 2/May, 01:00 PM - 02:00 PM
3130	The Doctor Is in the House: BPM Open Hours	Tue, 30/April, 04:00 PM - 05:00 PM
3131	BPM Mobile	Tue, 30/April, 01:00 PM - 02:15 PM Wed, 1/May, 01:00 PM - 02:00 PM
1201	Rule Validation Approaches	Tue, 30/April, 02:30 PM - 03:30 PM



The technology
you need, when you
need it



Access to
WebSphere
Feature Packs



Award-winning
IBM Support Portal

“ IBM Support is top notch... And you get all of this great support for the price of a license. Spend an hour or 100 no extra cost.

- Keith Brooks--2013 Websphere and IBM Collaboration Solutions Champion

”

DOWNLOAD
Entitled IBM
Business Process
Manager v 8.5
AT NO CHARGE

VISIT US AT IMPACT

Your renewal and entitlement questions answered in
the **Accelerated Value Central Lounge in the Solution Center**

We love your Feedback!

Impact2013

Don't forget to submit your Impact session and speaker feedback!

- Your feedback is very important to us – we use it to improve next year's conference
- Go to the Impact 2013 SmartSite (<http://impactsmartsite.com>):
 - Use the session ID number (2191) to locate the session
 - Click the “Take Survey” link
 - Submit your feedback

Legal Disclaimer

- © IBM Corporation 2013. All Rights Reserved.
- The information contained in this publication is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any damages arising out of the use of, or otherwise related to, this publication or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.
- References in this presentation to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. Nothing contained in these materials is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth or other results.
- If the text contains performance statistics or references to benchmarks, insert the following language; otherwise delete:
Performance is based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput or performance that any user will experience will vary depending upon many factors, including considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve results similar to those stated here.
- If the text includes any customer examples, please confirm we have prior written approval from such customer and insert the following language; otherwise delete:
All customer examples described are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics may vary by customer.
- Please review text for proper trademark attribution of IBM products. At first use, each product name must be the full name and include appropriate trademark symbols (e.g., IBM Lotus® Sametime® Unyte™). Subsequent references can drop "IBM" but should include the proper branding (e.g., Lotus Sametime Gateway, or WebSphere Application Server). Please refer to <http://www.ibm.com/legal/copytrade.shtml> for guidance on which trademarks require the ® or ™ symbol. Do not use abbreviations for IBM product names in your presentation. All product names must be used as adjectives rather than nouns. Please list all of the trademarks that you use in your presentation as follows; delete any not included in your presentation. IBM, the IBM logo, Lotus, Lotus Notes, Notes, Domino, Quickr, Sametime, WebSphere, UC2, PartnerWorld and Lotusphere are trademarks of International Business Machines Corporation in the United States, other countries, or both. Unyte is a trademark of WebDialogs, Inc., in the United States, other countries, or both.
- If you reference Adobe® in the text, please mark the first use and include the following; otherwise delete:
Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.
- If you reference Java™ in the text, please mark the first use and include the following; otherwise delete:
Java and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.
- If you reference Microsoft® and/or Windows® in the text, please mark the first use and include the following, as applicable; otherwise delete:
Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.
- If you reference Intel® and/or any of the following Intel products in the text, please mark the first use and include those that you use as follows; otherwise delete:
Intel, Intel Centrino, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.
- If you reference UNIX® in the text, please mark the first use and include the following; otherwise delete:
UNIX is a registered trademark of The Open Group in the United States and other countries.
- If you reference Linux® in your presentation, please mark the first use and include the following; otherwise delete:
Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both. Other company, product, or service names may be trademarks or service marks of others.
- If the text/graphics include screenshots, no actual IBM employee names may be used (even your own), if your screenshots include fictitious company names (e.g., Renovations, Zeta Bank, Acme) please update and insert the following; otherwise delete: All references to [insert fictitious company name] refer to a fictitious company and are used for illustration purposes only.